

Q.V.  
K36i  
1880

Kennedy (Stiles)

# IODOFORM.

(C<sub>2</sub> H I<sub>3</sub>.)

*AN IMPORTANT*

Therapeutic Agent.



SECOND EDITION.

1880.



# IODOFORM.

*A Powerful Alterative and General Tonic,*

1880

VALUABLE AS A REMEDY IN

SCROFULA, ANÆMIA, NEURALGIA, CHLOROSIS, AND  
RHEUMATISM.

By STILES KENNEDY, M. D.



Iodoform therapeutically is alterative, nervine, sorbefacient, anti-periodic, and anæsthetic. As an alterative it acts with more rapidity than other medicines of that class, in doses of one, two, or three grains, repeated thrice daily. As a nervine it is prompt and efficient; while it gives nervous strength, it calms speedily the most severe pains. Its sorbefacient properties are manifested with some degree of slowness. Five to seven grains, given in broken doses in rapid succession, produce a powerful anti-periodic effect.

Its anæsthetic properties are of local significance.

It is rapidly absorbed into the blood.

Accumulative effects have not been observed.

Iodoform is destitute of any local irritant action, and has that advantage over all other iodic remedies.

It may be administered, with reasonable expectation of success, in the following diseases:

Neuralgia of every description, chronic rheumatism, consumption, scrofula, ophthalmia, chronic ulcerations, and skin diseases, syphilis, and certain affections of the neck of the bladder and prostate gland, and whenever a powerful alterative agent is needed. This quality of Iodoform is greatly enhanced, in the majority of cases, by the addition of pure iron, *Fer. per hydrog.*

## IODOFORM AS A REMEDY IN NEURALGIA.

CASE 1.—Wm. B., æt. 6, Res. Millville, Md., gastric neuralgia, Sept. 1st. This boy has suffered for ten weeks the most intense agony with pain in his stomach. During the paroxysms he is drawn into a knot, and his screams may be heard hundreds of yards. Sometimes the paroxysms follow each other in rapid succession for hours; at other times they would appear at intervals of

QV  
K36i  
1880  
c.1

two, three, or four hours during the day or night. Appetite good, bowels regular, no tympanites, no enlargement of internal viscera, nor any other derangement of organs that could be detected, no tenderness along the spine.

Fever occasionally in the evening; the child was pale, weak, and despondent; severe purgation on one or two occasions had relieved the symptom for awhile.

I was called to this case by the attending physician, and found that the treatment had been very thorough and extended; that there was little room left for any new effort; I advised heroic doses of quinine, iron, and morphia, and promised to see the case in forty-eight hours.

3d. Found the patient much easier, but not free from pain, and his parents said he had frequently been as much relieved for a day or two at a time. I directed 2 gr. of Iodoform every six hours, and to shorten the interval one-half, if necessary, to subdue the pain.

4th. After taking the first pill the child went to sleep; awakened at the end of four hours screaming terribly with pain, as he always did after the largest doses of morphia. Another pill was administered at once, and then continued every six hours as directed. He has been comparatively easy, having had no severe paroxysms but the one mentioned.

6th. The patient had only a little pain during the night of the 4th, and since then none at all. Medicine continued for a week in 1 gr. doses, combined with same quantity of iron.

This boy has not had any return of the disease to this time.

CASE 2.—Mrs. H., æt. 34. (Reported by Dr. Boyer, of Clearfield, Pa.) Neuralgia of ten years' duration; system much reduced; I suggested the remedies usually employed, and she appeared to be perfectly familiar with them all, and stated that her general health had suffered from their long use, which was attested by her appearance.

I then suggested Iodoform and iron pills, and, this being something new, she readily agreed to give them a trial. I ordered her 100 pills from W. R. Warner & Co., 2 to be taken three times a day.

The neuralgia rapidly disappeared, her blood-making powers were excited to action, and her health is fast returning. She has just finished the pills, and her husband writes, that "we are both delighted and astonished that she has had no neuralgia amounting to anything since she began the pills." Treatment continued.

Under date of Jan. 17th, 1870, Dr. N. H. Chesbrough, of Hoboken, N. J., asked my advice in the following case:

CASE 3.—Mrs. —, æt 48. "Menstruating, sterile; has been

gradually declining in health since the fall of 1868, when she had a severe illness from bilious diarrhoea and dysentery. About this time an abscess of the labium presented, which had not opened, but after a time it opened itself into the rectum, causing a recto-labial fistula. She suffered greatly from mere debility, and was constantly growing weaker, when in August last she was operated on for the fistula by incision, and the cut surfaces allowed to heal by granulation. Ten days subsequently symptoms of irritable bladder appeared, which has continued to the present time in spite of an almost endless variety of treatment. Meanwhile neuralgia has invaded nearly every part of her system, stomach, bowels, chest, arms, face, head, so that you can readily imagine her to be an extreme sufferer.

"Her present sufferings are mainly from gastralgia, metralgia, and cystalgia; the paroxysms usually setting in at 9 A. M., and continuing more or less all day, only so far as controlled or modified by the use of morphia; it requiring 1 gr. to 1½ grs. to keep down the pain. Sometimes, in addition, I have to employ opiate enema per rectum and per urethram before the paroxysms can be subdued."

"All her organs are believed to be free from disease; bowels inclined to be loose; womb pronounced to be all right; complains that most medicines burn her stomach; has never borne iron well, and the smallest quantity of stimulants affects her bladder; has no appetite; pulse ranges from 60 to 80; the patient has taken a great deal of medicine; at present I am making a trial of the faradic current, morphia for pain and acid hydrocyan. dilut. gtt. 3 before each meal."

This was certainly a perplexing case of terrible suffering. Many physicians have passed through a life-long practice without meeting a case half so troublesome, besides experience has taught me that it is exceedingly unsatisfactory to treat patients by descriptions of symptoms and person. We are often better able to judge by the mere appearance of a patient than by a long account in writing. Nevertheless, I ventured by return mail on the 20th of January, to advise a plan of treatment, of which Iodoform was the basis; ½ gr., 1 or even 2 grains three times a day. I thought she was needing iron, so I recommended the Fer. per hydrog. in the same quantity, and, supposing the burning in stomach and distress in bowels to come from acidity, I advised subnit. bismuth. gr. 5 ter in die.; mucilaginous drinks and fomentations of hops to bowels and external genitals. As a convenient and efficient mode of administering the Iodoform et Ferrum, I suggested the sugar-coated pills made by W. R. Warner & Co., of Philadelphia.

Dr. C's next letter is dated January 24th. From it I learn he

began the treatment suggested. He says: "Gave one pill, Warner & Co's, I. and F., after supper on 20th; 21st gave two pills after breakfast; one after two remaining meals; 22d none were given, she experienced so much inconvenience and discomfort, causing burning, &c.; 23d gave  $\frac{1}{2}$  pill three times; the symptoms in bladder and urethra have increased; she has nearly constant distress in those parts, burning, aching, and darting, occasionally darting off in violent paroxysms, continually worse about 9 P. M.; nothing will alleviate these but the injections, per urethram, of grain doses of morphine; last night two such were required, besides 2 pills containing altogether sulph. morph. gr. i, ext. bellad. gr.  $\frac{1}{2}$ , ext. hyos. gr. ij: I have used a great deal of bismuth, quinine, strychnine, arsenic, iron in every form, opiates of every kind, in every method, valerian, zinc, assafoetida, mercury, dry cupping from occiput to sacrum. The patient has become prejudiced against the use of Iodoform."

There was certainly nothing very cheering in this letter of the doctor's for either the patient, Dr. C., or myself; but I answered it at once, urging the importance of continuing the Iodoform. Fearing the iron caused some trouble, I requested that it be dropped, and that pure Iodoform be made into 2 gr. pills, and that one be given after each meal; also advised 5 gr. American pepsin before each meal to aid digestion, &c., with a few other general directions.

The doctor's next letter is dated January 31st. He says: "Up to the 27th (when he received my last letter), I had only advanced at snail's pace in the use of the I. and F. pills, having given in all but 11 in one week's time. I had your last prescriptions prepared at once, and have given the new pills regularly since, so that 12 of them have been taken. I am unable as yet to discover any appreciable good effects from the drug; her sufferings still continue in about equal severity, recurring at present for the most part in paroxysms pretty regularly from about 3 to 10 P. M., daily. I am obliged to give about the same amount of morphia; tastes the medicine (Iodoform) when she belches. I think that leaving off the iron has been of some benefit; she requires something to remove constipation; had her menses last week, free, rather painful, a week sooner than usual; she sits up none, and every day talks of passing away; her debility certainly increases."

So far no one will accuse me of having a flattering prospect ahead. Still I was not as despondent as Dr. C. I thought I could discern a faint ray of hope, and I was willing to trust that small ray. I observed that the 35 grains, in all, of Iodoform that she had taken, in irregular doses and times during 11 days, had forced these pains

to mass themselves in the afternoon, as if for their protection, so I advised the doctor to shorten his lines and make another attack; to give one 2 gr. pill of Iodoform at 10 A. M., 12 M., and 2 P. M., for a few days; to use the efferv. cit. mag. to move the bowels.

Dr. C's next letter is dated February 14th. He says: "Your prescriptions were faithfully carried out till the 1st inst., (the day after his last letter), the stomach at this time so affected that I was obliged to suspend its use, (fifteen 2 gr. pills had been taken). It was not resumed till after the receipt of yours in reply to mine of 31st ult. On 4th inst. patient took 3 pills as directed at 10, 12, 2; same on 5th inst., and her old enemy has been *routed*, horse, foot, and dragoon. The poor and battered frame still suffers from the consequences of the prolonged malady, and the effects of the struggle in its final grapplings with its antagonist, but the neuralgia as it was *is here no longer*."

The Iodoform was then discontinued, but she continued to suffer greatly from burning distress in bowels, bladder, and urethra. Another physician was called in and he decided that these symptoms resulted from the large doses of opiates she had taken and was then taking, so they were discontinued on the 8th inst., and he concludes his letter: "Her general condition begins to improve every way, and I have no doubt of her steady and gradual amendment and certain recovery."

The necessity of perseverance as taught by this extraordinary case is too obvious to need comment.

CASE 4.—Miss C., æt. 19, Delaware. I was called to see this case June, '68. The young lady was suffering from painful menstruation, which had been gradually increasing for 18 months in spite of the best advice she could secure. I have never seen dysmenorrhœa more painful than in this case; for two to four days the patient would be almost frantic. I was called after this attack had a good start, and I did little more than watch the case. directed hop fomentations, 1 gr. ext. hyos., every 4 hours, if necessary. After a careful examination I came to the conclusion that this young lady had neuralgia of the womb, which was developed only at the menstrual flow, so I directed her to take in the interval one I. and F. pill twice a day, and ordered fifty pills.

July.—The menstrual period of the patient has passed without the slightest pain; menses free at regular time.

She was directed to repeat the prescription and take three pills a day for three days preceding her usual menstrual period; she did so, and has had no return of her disease since.

In the Medical and Surgical Reporter, January 15th, current year, the reader will find detailed several cases of the severest forms of neuralgia known, treated successfully with Iodoform et Ferri. Pil., by Dr. Knotts, of Maryland; Dr. Hamilton, of Tennessee, and myself.

### IN CONSUMPTION.

Any medicine that will assuage the sufferings of the phthisical patient, is indeed a boon, but Iodoform offers more; there is every reason to believe that it exerts a most potent influence in discussing and removing the disease in its early stages. Certainly it will apply to all those cases where iodine has been heretofore thought especially adapted, with much greater hope of success than has attended that celebrated remedy. And in another class of cases where Dr. Churchill has made considerable reputation for the hypophosphites, it is presumed the average number of cures will be greatly increased by the simultaneous use of Iodoform, if not by its independent exhibition.

CASE 5.—Miss L. LeC——, æt. 13, Jan. 10th, '67. Residence near Chestertown, Md. High fever, quick pulse, severe pain in right side, bad cough, expectorates thick yellow mucus; on auscultation a cavity is clearly discernible in upper lobe of right lung. The mother says her child has had a cough for a long time. Two or three doctors had said they could do nothing for her, that she had consumption and "liver disease." The child could not be touched without greatly increasing her cough and sharp pleuritic pains. She had wasted away to a mere skeleton, and was one of the most pitiable objects of human suffering I have ever been called to attend. I advised a turpentine stupe to side, a hot semicupium, and the following prescription:

Syrp. Prun. Virg.

Spts. Vin. Gal. aa ʒij.

Sulph. Morph. gr. iij. M. Sig. Two teaspoonsful occasionally.

Jan. 12. I found the patient much better so far as relief from pain and exhaustion were concerned. I now directed one hundred pills of Iodoform and iron, each one grain, to be given one three times a day, also a cough syrup of sanguinaria, scilla, and senega.

Feb. 15. The patient has been gradually and rapidly improving; she has gained flesh so that she no longer resembles herself, has no night sweats, no pain, and very little cough, is playing cheerfully

with her companions. On auscultation I find at upper lobe of right lung an intensely rough wet rale. Respiration quite good elsewhere. Medicine continued.

May 12. I saw this patient a day or two since, and she is to all appearances well. Fat, hearty, active and cheerful; has not complained of pain or cough for nearly two months.

There is a little dullness on percussio on upper right breast, and beneath this the respiration is a little rasping; but the abscess has healed. Whatever obstructed breathing may be discernible comes from cicatrix and the remains of inflammatory products.

Three years have passed since this case was treated and she is yet well and strong. In December of '68 she caught a severe cold, and her father wished me to see her, as he feared a return of the consumption. I saw her once, and with very little medication she was relieved. I directed fifty of the pills of I. and F. to be taken as before; merely as a safeguard.

CASE 6.—W. K. Merchant, æt 32, Wrights X Roads, Del. I was called to see this man Nov. 30th, '68, and found him with all the evidences of consumption. He had been able to go about and attend to his business; but now he was quite debilitated, thin in flesh, with diarrhoea, severe cough, pain, etc., and confined to his room.

I employed the usual remedies for a few days in allaying some local irritation which was temporarily aggravated; then placed him upon two grains each of Iodoform and iron, three times a day with Syr. Scillæ, Tr. Op. Camph. and Cupri Sul. for his cough.

This patient gradually recovered his strength, appetite, and flesh to some extent, so that he was able to attend to his usual business duties, and he remained so during the summer and fall. I do not know how he is doing this winter, though I doubt whether the good impression made on his system will last very long, for he only took the Iodoform about one month.

CASE 7.—J. R., æt. 30, Residence Henderson, Md., called Dec. 30, '68. This man was in the last stage of consumption, had been in bed most of the time from first of October. He suffered intense pain in his chest, and after his severe paroxysms of coughing would lie so exhausted that he could not move arm nor limb, and bathed in profuse sensible perspiration. He had been attended by a skilful physician and had received the usual attention and treatment; I therefore told him and his family that I could hold out no hope of recovery, that at most I might relieve his pain and possibly palliate to some extent his cough, and with this understanding I prescribed Iodoform and iron aa gr. iij ter in die, to meet the first indication.

Ol. Terebinth., externally as a counter-irritant, with the ordinary syrups internally, met the second.

This man began to improve at once. At the end of two weeks he could sit up most of the day in a chair. On the first of February he could move about the lower rooms of his house, and at my last visit, Feb. 25th, he met me in the yard. In the spring I heard he could give a sort of superintendence to his farming. In the summer I met him taking his fruit to market. He had not taken any medicine for more than three months, and did not up to the time of his death. He died the December following.

CASE 8.—B. S., Male, æt 28. This case was in the same neighborhood as above, and the two cases were as much alike in every particular as any two patients ever were, except that this one had an idiosyncrasy that forbade the use of Iodoform; the smallest quantity could not be tolerated. It is the only instance I have ever known where the use of Iodoform had to be abandoned on this account. This patient died in less than a month.

Dr. Boyer, of Clearfield, Pa., writes "I have on several occasions in scrofula cases with *hereditary lung taints*, prescribed this remedy, and am satisfied that it has, for the time being at least, arrested the disease."

#### IN SCROFULA.

I do not know that Iodoform has been used in any case of open scrofula, *i. e.* ulceration of the lymphatic glands; but several cases bearing that diathesis, and springing from that cause alone, so far as could be judged by the senses, have been treated successfully.

CASE 9.—Mrs. M. Residence Maryland, æt. 40. Very thin in flesh; sallow and quite debilitated; for more than a year has been suffering with severe pain in left leg from hip to ankle; the pain is much worse at night, and she is often unable to sleep until morning, when the pain seems to wear itself out; there are several sores on the leg, which follow in successive crops; they appear as small boils, very hard around the base, and they are very slow in forming; run for several weeks, and heal by a succession of scabs. There is an eruption on the scalp of many months standing; it is dry, scabby, and smooth beneath the latter.

She has been treated by arsenic, iodide of mercury, tonics, quinine, morphia, etc.; locally by innumerable lotions. Her health was fast failing, and her friends showed much solicitude.

I prescribed for this case July 10th, Pil. Iodoform et Ferri No. c. sig., two to be taken three times a day.

17th. Patient is entirely relieved of pain; sleeps well at night; appetite is improving; medicine continued; several weeks later the patient made a visit some forty miles from her home, the medicine having been discontinued; while absent the pain in her leg returned, which was immediately removed by the exhibition of the same prescription; the scrofulous sores and skin disease were entirely healed, and did not return during that year at least.

CASE 10.—Mr. R., near Camden, Delaware, æt. 30, carpenter, of strumous habit, had an eruption on his scalp of ten years' duration; had taken medicine of several eminent physicians, all of whom had said it was scrofulous. His general appearance and antecedent history fully bore out this testimony. I prescribed, on August 1st, pil. Iodoform et Ferri, No. c. sig., two, three times a day, without any further directions regarding local treatment or general health.

Aug. 18th. The patient presented himself this morning looking remarkably well, I said to him: "Mr. R., your head is not much better, or you would not be back so promptly." "Sir, my head is better outside and in than it has been for years," was the reply, and on examination I found that the disease was at least one-half abated. The medicine was continued for three months, when no traces of the disease could be seen. I have met the patient frequently during the last two years, and there has been no return of the disease.

I am treating now a little girl of 12 years of age, who has a scrofulous eruption of the nasal floor of two years standing; for several months she has complained of pain, almost every day, in her right lung; there is rough respiration in that lung; there is also an eruption of the derma. This child looks remarkably well, and on the street would not be selected as an unhealthy or diseased person. She has been treated heretofore, but the only impression made on her system was a partial relief of the cutaneous disorder.

She has been under my care twenty days, taking one Iodoform et Ferri pill, ter in die. The nasal trouble has made a marked improvement; the blotched cutis has cleared up, and she says her "side hurts her yet some, but not as bad as it did." There is still rough respiration, but I think the expiratory sound is not as long as at first. The medicine will be continued, and I have no doubt the patient will be restored to perfect health.

#### IODOFORM IN OPHTHALMIA.

CASE 12.—Miss L. G., near Bridgeton, Maryland, æt. 19. April 7th. This young lady is of strumous diathesis, light hair, blue eyes, and quite pale. She has been suffering from sore eyes for nearly

two years ; has a great deal of pain, and as her mother forbade her the use of laudanum, she came to ask me for something else to give her rest. The lower lids are tumid, knotty, about half the hairs are out, and the conjunctiva edges are red and slightly everted ; the conjunctiva of the eyeballs are congested, and on the right one is the shadowing of a pterygium. Most of the pain is in the eyeballs, though probably, as she says, "if the pain was not there it would be in the lids." An acrid fluid escapes from the enlarged sebaceous crypts ; her temples show the marks of the scarificator, and the mastoid processes bear the scars of repeated blisters. The general functions of the economy are not much disturbed.

I directed an ointment of Iodoform gr. xxx,  
Simp. Cerat.,  
Adeps. aa ʒss. M. Ft. Ungt.

Sig.—Bathe the lids in warm water fifteen minutes at bed time, and apply the ointment, keeping the lids closed.

I also directed 100 pills of Iodoform and iron, 2 of the former to 1 gr. iron, two to be taken three times a day ; gave full general directions about avoiding everything irritating, as cold winds, dust, lights, work, reading, etc.

23d.—The patient looks better generally, but her eyes are not much improved in appearance ; says that she has suffered no pain for two weeks, and that her eyes have improved a great deal within the last three or four days ; treatment, ointment continued, the pills to be 1 gr. each of Iodoform and iron, taken as before.

May 10.—Patient returned much improved ; the secretion from the lids has lost its acidity : they are not tumid, nor is the conjunctiva as much congested ; treatment, pills continued, one three times a day.

June 1.—So far as can be noticed the patient's eyes are well ; she says her eyes pain her if she reads ; treatment continued for one month. I met this young lady in August, and she was entirely recovered.

#### IN CHRONIC ULCERS.

Dr. S. Henry Dessau, resident physician, Philadelphia Hospital, in a late essay on this subject, *Med. and Surg. Rep.* xxii. 7, speaking from a large experience, and magnificent opportunity to study and note the results of every plan of treatment, makes use of the following language : "There is no ailment nor affection in the domain of surgery more trying to the skill of the surgeon than a

chronic ulcer. It might almost be called the opprobrium of surgery, but fortunately for the reputation of the surgeon and the comfort of the patient, it sometimes gets well."

CASE 13.—Mrs. H., æt. 30. Reported by Dr. P. L. Reichard, Chairman of the Sanitary Commission of Lehigh County Medical Society, to the Pennsylvania State Medical Society, 1868.

"The ulceration was of six years duration, and the patient has been under treatment before and since she came to this city, but to no effect. I was called to see her in May, 1867; found her in a helpless condition; quite debilitated, and obliged to be carried about the house like an infant; one ulcer involved nearly the entire ankle; the knee was also much diseased, the veins here being quite exposed; in fact the entire left leg, from the knee to the ankle was affected with ulceration. The patient requested me to amputate the leg that she might find some relief; the sores were undermined; the edges inverted and callous. Notwithstanding the disputed question of the propriety of healing ulcerations of this character, I ventured upon making an effort. All that was irreclaimable was removed. My first object then was to bring the ulcer to a simple granulating condition so as to give nature an opportunity to effect the healing process locally. I applied the nitric acid lotion once in 48 hours; during the interval I used the cold water dressing (warm disagreed). In a short time the ulcer presented a granulating surface. I then substituted ungt. hydrarg. nit., diluted, internally; I gave quinine and iron, and a good nourishing diet. Still I found great trouble in keeping healthy granulations, they would become sluggish. I tried a number of alteratives, such as iodide of potassium, &c. Still the case progressed very slowly, until my attention was attracted to an article in the Medical and Surgical Reporter on Iodoform.\* I at once concluded to give this remedy a fair trial. I discontinued all other constitutional treatment and gave 3 pills three times a day, manufactured by W. R. Warner & Co., and containing Iodoform and Ferrum per hydrogen aa gr. j. I soon had the satisfaction of seeing my patient engaging in all her household duties. Not a vestige of the disease is to be seen. The patient is enjoying perfect health, active and lively.

I have treated two other cases, one of them of four years standing, with the same good result. In the last case that came under my notice, I saw the same marked effects, but could not push the remedy as far, nor as fast as I should like to have done, as the patient could not afford it. I feel convinced of the efficacy of the remedy.

\* "Iodoform as a Constitutional Remedy." By Stiles Kennedy, M. D., Med. and Surg. Reporter, Philadelphia, Vol. XVI., No. 20.

For other cases see Med. and Surg. Rep., Feb 5th, '70, Vol. xxii., No. 6.

I have now under treatment two cases of chronic eczema of the leg, tending towards ulceration. The soreness and pain have been so great as to prevent the patients from walking, except with difficulty, and they could not sleep at night from the same cause. The first application of an ointment, composed of Iodoform gr. xxx, adipis.  $\bar{z}$ i. at bed time, produced in each case a good night's rest, and both cases are rapidly healing by the use of the ointment, twice a day, and the internal use of Donovan's solution.

#### AS A LOCAL APPLICATION.

By careful manipulation a solution of Iodoform in alcohol and glycerine can be obtained, which will be found an excellent remedy in the painful skin diseases of infancy, particularly those of syphilitic origin.

To hot alcohol  $\bar{z}$ ij, add Iodoform gr. v., stir rapidly till dissolved, then add at once glycerine  $\bar{z}$ vi., stir and cork. The solution should be compounded in the vial intended to be used, as the Iodoform is exceedingly volatile. The solution should be applied with a Camel's hair pencil twice or thrice a day. After a few days the Iodoform will sometimes be deposited on the bottom of the vial, but it can readily be dissolved by heating. I have had the above solution, however, to stand several weeks without depositing the Iodoform, which I think was due entirely to using care in its preparation. In those fearful syphilitic pains of the tibia, which occasionally seem to defy all treatment, I have seen most excellent results follow the incorporation of 30 grains Iodoform to the ounce of the ordinary plaster and ointments used for syphilitic periostitis, etc. In two cases of chancre I applied the Iodoform as a dry powder with magical results; the pain ceased at once, and the sores healed rapidly. Dr. Besnier, of Paris, in the Bulletin de Thérapeutique, '68, testifies to the power of this remedy in healing slow cicatrizing wounds, soft chancre, syphilitic ulcerations, and open cancer.

The Am. Jour. Phar., '68, gives the following as a good lotion, gargle, or injection in sore-throat, ozæna, abscess of ear, &c.: tr. iod. comp. m xlvi., cryst. carbol. ac. fu. gtt vi, glycerine  $\bar{z}$ vij. aqua dest.  $\bar{z}$ v. M. Put the bottle, well corked, in a water bath 100° F. until it becomes colorless.

The efficacy of the above preparation is doubtless due to the chemical change it undergoes, the transformation of the iodine into iodide of formyl (Iodoform) at the expense of the carbon of the acid.

An ointment of 30 to 60 grains Iodoform to the ounce of lard forms one of the most delightful remedies for the relief and healing of painful burns, sores, skin diseases, chancres, boils, &c.

A correspondent of the Medical and Surgical Reporter, Vol. xviii, No. 6, writing from Paris, says:

At the municipal Maison de Sante, in the service of M. Demarquay, some remarkable cases have been recently observed of the beneficial influence of Iodoform upon cancer of uterus. Without in any way hindering the march of the disease, this agent seems able to diminish the suffering to an extraordinary degree. The first case related is that of a patient who entered the Maison perfectly exhausted with hemorrhage and pain. A vascular tumor occupied the uterine orifice. After a day or two of expectation, the physician introduced into the vagina a suppository composed of ten grammes of butter of cacao, and fifty centigrammes of Iodoform. During four or five days no benefit was derived from this treatment, but on the sixth, the suppository was pushed into a cavity of the tumor, and from that day the pains ceased as if by enchantment. Certain digestive troubles disappeared, the patient's appetite and sleep returned, and very soon she found herself so completely comfortable that she had no doubt of her rapid recovery. The suppository was introduced every two days during three months, and the comfort of the patient was undisturbed to the last moment. After several days of extreme feebleness, in which the dying woman never ceased to bless the remedy which she believed had saved her life, death supervened, but disguised by the most complete euthanasia.

In another patient, of whom the observation is not yet complete, a similar remission of suffering was also obtained.

In another letter from the same correspondent, which I have misplaced, he states that Dr. Besnier by the application of the Iodoform to a large cancerous ulcer of the breast, actually set up cicatrization, when the patient was lost sight of. Dr. Besnier uses the powder by insufflation when treating the womb or the various affections of the mucous membranes. When used in the nasal or pharyngeal passages the dose should be smaller, and mixed with some other powder, as bismuth.

It will have been observed that the several gentlemen who have used Iodoform, in combination with iron, as well as myself, have used the "Pil: Iodoform et Ferri," made by Wm. R. Warner & Co., Philadelphia, manufacturers of Officinal Sugar-Coated Pills, and so far as I know they have been entirely satisfactory. This firm, I believe, is the only one in this country that manufactures Iodoform at all. And aside from the experience of quite a number of practitioners,

the accurate composition of their pills is attested by one of the leading chemists of the country. I am much indebted to their spirit and enterprise for valuable information in regard to the chemical relations of Iodoform, etc., etc.

---

## NOTE.

This paper is intended for private distribution to members of the medical profession, and the auxiliary and collateral arts, with a view of eliciting further investigation and practical inquiry into the Physiological and Therapeutical effects of what appears to be a really wonderful medicine.

The writer has attempted to do nothing more than present, in as compact a form as clearness of the subject would admit, some cases actually treated by himself and others, since he called the attention of his professional brethren to Iodoform, as a constitutional remedy, three years ago.

S. K.

# Pills of Iodoform and Combinations

AS MANUFACTURED ONLY BY

## WILLIAM R. WARNER & CO.

Iodoform is one of the most important of modern remedies. Since its introduction by us in 1871, it has grown in permanent favor as an indispensable remedy, possessing the properties of a powerful alterative, nervine, sorbefacient, antiperiodic, and tonic. The following formulas, ready-prepared for physicians' prescriptions, will meet the various requirements.—(Specify Warner & Co.)

FORMULE AND THERAPEUTICS.	DOSE.	Per 100
Pil: Iodoform, 1 gr., Med. Prop. Alterative.	I to 2	\$1.60
Pil: Iodoform et Ferri. Iodoform, 1 gr. Ferrum per Hydrg., 1¼ gr. } Med. Prop. A powerful general tonic and alterative; valuable as a remedy in Anæmia, Scrofula, Neuralgia, Chlorosis, Rheumatism, &c.	I to 2	2.00
Pil: Iodoform et Ferri et Quinia. Iodoform, . . . . . 1 gr. } Ferri Carb., (Vallett's), 1 gr. } Quiniae Sulph., . . . . . ½ gr. } Med. Prop., alterative, tonic, antiperiodic.	I to 2	3.00
Pil: Iodoform et Hydrarg. Iodoform, . . . ½ gr. } Mercury Iodide, ⅛ gr. } Med. Prop., powerful alterative.	I to 2	2.00
Pil: Iodoform et Quinia, Iodoform, . . . ½ gr. } Quinia Bi-Sulph, ½ gr. } Med. Prop. alterative, tonic, antiperiodic.	I to 3	2.00
Pil: Iodoform et Nuc. Vom. Comp. Iodoform, . . . ½ gr. } Ext. Nuc. Vom. ⅛ gr. } Podophyllin, 1-16 gr. } Ext. Belladon, ⅛ gr. } Med. Prop. alterative, tonic, laxative, repellent.	I to 2	2.00

MEDICAL SUPPLIES for Physicians, Dispensaries, and Hospitals,

MANUFACTURED AND FOR SALE BY

### WM. R. WARNER & CO.,

WHOLESALE DRUGGISTS,

1228 Market Street, Philadelphia.

# WM. R. WARNER & CO.

---

The art of sugar-coating pills so as not to impair their solubility, but to preserve the composition, keeping it soft and plastic, has acquired for Messrs. Warner & Co. a world-wide reputation. Physicians may rely upon the purity of the drugs used, and upon the mathematical nicety in which their pills, "granules," and "parvules" are divided. Every doctor may be his own druggist, and at the same time save himself the drudgery of it by using Warner's preparations. A bottle of quinine pills recently sent us by this firm satisfies us that this form is fully maintaining its reputation.—*North Carolina Medical Journal*, July, 1879.

---

We have had occasion to refer in a previous number of our Journal to the firm of Wm. R. Warner & Co., of Philadelphia. Our acquaintance with this firm, and our own personal knowledge of their method of the production of their remedies, justify us in giving to them an extended notice. The value to the physician of the pharmaceutical products of a known standard and value cannot be overestimated. We have so many tinctures, extracts, both solid and fluid, pills, granules, and preparations of every description, that are either wanting in strength or care of preparation, or in official value, that the results obtained are disappointing to the practitioner in almost every case, and reputable houses owe it to themselves and their patrons to see that all their products have a trade mark, which in no case will cause annoyance or failure from any of these causes. Wm. R. Warner & Co. have expended large sums in procuring and testing the value of new remedial agents; they have the finest and best equipped laboratory in the country, and were the first to introduce many of the recent preparations which have become of so much value, not one of which has failed to be of use. We have been using their different pills with great success, and heartily recommend them to the profession. The manufacturer of chemicals and pharmaceuticals, in these days, must make the most strenuous efforts in order to be in the advance which is constantly being made in the discovery of new agents, new methods of preparation, and their introduction under special and careful instructions to practitioners.—*New York Medical and Surgical Journal*, August, 1879.

---

WM. R. WARNER & Co. have for years been regarded as amongst the most reliable manufacturers of pills in this country. We have recently received a bottle of their quinine pills, sugar-coated, with which we have had a satisfactory experience. Dr. Yale made a report to *New Remedies* last spring upon the pills of various manufacturers, amongst them his experiments with pills of quinine, made by Warner & Co., that shows a great perfection of result.—*Obstetric Gazette*, August, 1879.

---

WARNER'S PILLS.—We beg to call the attention of our subscribers to the Messrs. Warner's advertisement. Their pills are thoroughly reliable, and, being carefully sugar-coated, are entirely tasteless. The use of sugar as a coating for pills has been objected to. It has been stated by some that in sugar-coated pills the drugs become dry and hard, and soon lose their efficiency. This we can state for a positive fact not to be the case, having lately used and examined some of Warner's pills which had been kept in stock for over four years, and in which, on section, the mass was found to be quite soft. From our own experience, we have no hesitation in recommending others to use these preparations, as they are sure to be reliable and to give satisfaction.—*Canada Medical and Surgical Journal*, November, 1879.

---

Philadelphia, January 10, 1880.

I have used and prescribed the Sugar-Coated Pills of Messrs. Warner & Co., and can testify to their solubility, as far as those which I have used may be mentioned. I find them as prompt and efficient as those prepared by the formula of the U. S. P. and uncoated.

B. HOWARD RAND, M. D.

# SOLUBLE AND RELIABLE SUGAR-COATED PILLS AND GRANULES,

FROM OFFICIAL, AND OTHER RECIPES

MANUFACTURED BY

## WILLIAM R. WARNER & CO.

**1228 MARKET STREET,  
PHILADELPHIA.**

WARNER & CO'S Pills are unequalled for their medicinal qualities as the best materials enter into their composition, and the utmost care is used in their manufacture. An experience of twenty-two years, with careful attention and study, has enabled us to achieve results otherwise unattainable.

We claim the art of Sugar-Coating which avoids drying the mass so hard as to render it insoluble and inert.

Skilful preparation and the scientific method of manufacture, which we do not hesitate to call our own, are recognized in the acknowledged success attained. We wish particularly to state that our pills will produce the effect expected, and our desire is that Physicians shall be able to realize this in their practice; hence, the necessity for specifying our make when ordering or prescribing.

We would particularly invite your kind attention to our make of

### PILLS OF SOLUBLE BI-SULPHATE OF QUININE

made from pure material, in sizes containing  $\frac{1}{2}$ , 1, 2, 3 and 5 grains each, sold at the same price as the pills of the Sulphate of Quinine. This salt which we are now extensively manufacturing, is by virtue of its greater solubility, offered as an important improvement on the Sulphate.

The following list of Sugar-Coated Pills comprises a variety of combinations of great value, prepared for physicians prescriptions.

#### FORMULÆ AND THERAPEUTICS.

MEDICAL PROPERTIES. Doses. PER  
100  
Each.

AGUE,	{ Chloidin, 2 grs. Ext. Col. Co. $\frac{1}{2}$ " Ol. Pip. Nig. 1-4 " Ferri. Sul. $\frac{1}{2}$ "	-----	Antiperiodic.	2 to 4	75
ALOES, U. S. P.	{ Pulv. Aloes Socot. $\frac{1}{2}$ grs. " Saponis, 2 grs. }	-----	Stimulating Purgative. Directed to lower portion Allenby Canal.	1 to 3	40
" COMP. (Pil. Gent Comp.)	{ Pulv. Aloes Socot. $1\frac{1}{2}$ grs. " Saponis, $1\frac{1}{2}$ grs. " Saponis, $1\frac{1}{2}$ grs. }	-----	Tonic, Purgative.	2 to 4	40
" ET ASSAFŒTID.	{ Pulv. Aloes Socot. $\frac{1}{2}$ gr. " Zingib. Jam. $\frac{1}{2}$ gr. " Ferri Sulph. Exsic. 1 gr. Ext. Conil. $\frac{1}{2}$ gr. }	-----	Purgative, Antispasmodic.	2 to 5	40
" ET FERRI,	{ Pulv. Aloes Socot. $\frac{1}{2}$ gr. " Zingib. Jam. $\frac{1}{2}$ gr. " Ferri Sulph. Exsic. 1 gr. Ext. Conil. $\frac{1}{2}$ gr. }	-----	Tonic, Purgative.	1 to 3	40
" ET MASTICH;	{ See Pil. Stomachicæ. }	-----	Stimulating Purgative.	1 to 2	50
" ET MYRRHÆ.	{ Pulv. Aloes Socot. 2 grs. " Myrrhæ. 1 gr. " Croci Stigmat. $\frac{1}{2}$ gr. }	-----	Cathartic, Emmenagogue.	3 to 6	50
U. S. P.	{ Pulv. Aloes Socot. $1\frac{1}{2}$ grs. " Ext. Nuc. Vomica, $\frac{1}{2}$ gr. }	-----	Tonic, Purgative.	1 to 2	
" ET NUC. VOMICA.	{ Mass. Hydrag. 1 gr. Pulv. Opil. $\frac{1}{2}$ gr. Pulv. Ipecac. $\frac{1}{4}$ gr. }	-----	Alterative, with tendency to Mercurial Impression.	1 to 2	50
ALTERATIVE,	{ Pulv. Aloes Socot. 1 gr. " Sapon Hispan. 1 gr. " Fruct. Colocyth. 1 gr. " Gambogia, 1 gr. Oleum Anisi. 1 gr. }	-----	Sedative, Alterative, Resolvent.	1	75
AMMON. BROMID, 1 gr.	{ Pulv. Aloes Socot. 1 gr. " Sapon Hispan. 1 gr. " Fruct. Colocyth. 1 gr. " Gambogia, 1 gr. Oleum Anisi. 1 gr. }	-----	Cathartic.	2 to 5	
ANDERSON'S SCOTS.	{ Santonin. 1 gr. Calomel, 33, 1 gr. }	-----	Anthelmintic.	1 to 2	1 00
ANTHELMINTIC,					

**PILLS SENT BY MAIL ON RECEIPT OF LIST PRICE.**

*Orders for Quantities subject to a Liberal Discount.*

# Warner & Co.'s Sugar-Coated Pills.

PER  
100

MEDICAL PROPERTIES. Doses, Each

ANTI-BILIOUS, (Vegetable) (Pv. Ext. Coloc. C. 2½ grs. } (Podophyllin, ¼ gr. )	Cholagogue Cathartic.	2 to 3	50
ANTI-CHILL, {Chinoidin, 1 gr. Ferri Ferrocyan 1 gr. Ol. Piper. Nig. 1 gr. Arsenic, 1-20 gr. }	Antiperiodic. Applicable to ob- struate intermittents.	1 to 2	1 00
ANTI-DYSPEPTIC, {Strychnia, 1-40 gr. Ext. Belladonna, 1-10 gr. Pulv. Ipecac. 1-10 gr. Mass. Hydrarg, 2 grs. Ext. Col. Co., 2 grs. }	Applicable where Debility and Impaired Digestion exist.	1 to 2	1 00
ANTIMONII COMP. U. S. P. (See Pil. Calomel Comp.)	Alterative.	1 to 3	40
APERIENT, {Ext. Nuc. Vom. ½ gr. " Hyosciam, ½ gr. " Coloc. C., 2 grs. }	Aperient Tonic.	1 to 2	85
ASSAFETIDE, U. S. P. 2 gr.	Nerve Stimulant.	1 to 3	40
" COMP. {Assafetide, 2 grs. Ferri Sulph. Exsic, 1 gr. }	Nerve Stimulant. Tonic and Nerve Stimulant.	2 to 4 2 to 5	40 40
ASSAFETIDE, ET RHEL. {Assafetide, 1 gr. Pulv. Rhel, 1 gr. Ferrum, 1 gr. }	Tonic, Laxative, Nerve Stimu- lant.	2 to 4	75
BISMUTH, Subnit: 3 grs. Subcarb: 3 gr.	Sedative, Antiperiodic. Sedative.	1 to 5 2 to 5	75 75
BISMUTH ET Ignatia, {Bismuth Sub. Carb. 4 grs. Ext. Ignatia Amara, ¼ gr. }	Sedative, Antiperiodic, Tonic.	1 to 2	1 50
" et Nuc. Vomica, {Bismuth Sub. Carb. 4 grs. Ext. Nuc. Vomica, ¼ gr. }	Sedative, Tonic.	1 to 2	1 50
CALOMEL, ½ gr. 1 gr. 2 grs. 3 grs. 5 grs.	Alterative. " Purgative. " Cathartic.	1 to 3 1 to 3 1 to 3 1 to 3 1 to 3	40 40 40 40 50
" Comp. (Plummer's) 3 grs. {Calomel, Oxy sulph Antimony, Guaiaacum Resin. }	Alterative, Anti-Rheumatic.	1 to 3	40
" ET OPII, {Calomel, 2 grs. Opium, 1 gr. }	Cathartic, Anodyne.	1	85
" ET RHEL. {Calomel, ½ gr. Ext. Rhel, ½ gr. " Coloc. C. ½ gr. " Hyosciam. 1-6 gr. }	Mild Purgative.	1 to 3	75
CAMPHOR ET EXT. HYOSCYAMUS, {Camphor, 1 gr. Ext. Hyosciamus, (Enc.) 1 gr. }	Anodyne. Cerebral Stimulant.	1 to 2	50
CATHART.: Comp., U. S. P. {Ext. Coloc. Comp. 1½ gr. " Jalap, 1 gr. Calomel, 1 gr. Pulv. Gambogia, ½ gr. }	Cathartic.	2 to 4	50
" " Vegetable. {Podophyllin, Ext. Colocynth, Virgin Scammony, Aloes, Soap & Ginger. }	Cathartic.	2 to 3	50
" " Imp. {Ext. Coloc. Comp. " Jalap, Podophyllin, Leptandrin, Ext. Hyosciamus, " Gentian, Ol. Menth Pip. }	Cathartic.	3 grs.	50
CHAPMAN'S DINNER PILLS, {Pulv. Aloes Soc. " Rhei Opt. Gum Mastich. }	Stimulating Laxative.	1 to 3	60
CERI OXALAT: 1 gr.	Nerve Tonic.	1 to 3	1 00
CHINOIDIN, 1 gr. 2 grs.	Tonic, Antiperiodic. Tonic, Antiperiodic.	2 to 4 2 to 4	40 50
" COMP.: {Chinoidin, 2 grs. Ferri Sulph. Exsic. 1 gr. Piperina, ½ gr. }	Tonic, Antiperiodic.	1 to 2	1 00
CINCHON, SULPH. 1½ grs. Pulv. Res. Scammony, 1 gr. " Soc. Aloes, 1¼ grs. " Colocynth, ½ gr. Potass. Sulph, ½ gr. Ol. Carvopyl, ½ gr.	Tonic, Antiperiodic.	1 to 3	75
COCCIA, {Pulv. Aloes Soc. 1 gr. " Rhei, 1 gr. Calomel, ½ gr. Sapon. Hispan ½ gr. }	Hydragogue-Cathartic.	2 to 4	90
COOK'S, 3 grs. {Pulv. Aloes Soc. 1 gr. " Rhei, 1 gr. Calomel, ½ gr. Sapon. Hispan ½ gr. }	Purgative.	2 to 4	50
COLOCYNTHIDIS COMP., 3 gr. (Ext. Coloc. Comp.) U. S. P.	Purgative.	2 to 5	80
COLOCYNTH ET HYDRARG ET IPEACAC, {Pulv. Ext. Coloc. Comp. 2 grs. Pil. Hydrarg. 1 gr. Pulv. Ipecac. 1-6 gr. }	Cholagogue Cathartic.	1 to 3	75
COLOCYNTH ET HYOSCYAM. {Ext. Coloc. C. 2½ gr. " Hyosciamus, 1½ gr. }	Gentle Laxative.	1 to 2	75
COPAIBÆ U. S. P., 3 grs. {Oleo-resin, Cubebæ, 1 gr. }	Alterative to Mucous Mem- brane.	2 to 6	50
" ET EXT. CUBEBÆ. {Pil. Copaibæ, 3 grs. }	Alterative to Mucous Mem- brane.	2 to 4	80
COPAIBÆ COMP. {Pil. Copalb, Resin Guaiaac. Ferri Cl. Oleo-resin Cubeb, Pulv. Digitalis, 1 gr. " Scilla, 1 gr. Potass. Nit. 2 grs. }	Alterative to Mucous Mem- brane, Tonic.	2 to 4	80
DIGITALIS COMP. {Sapo. Hispan. Pulv. 2 grs. Soda Carb. Exsic. 2 grs. Ol. Baccæ Junp., 1 drop. }	Arterial Sedative.	1 to 3	50
DIURETIC, {Pulv. Guaiaac. 3 grs. Hyd. Chlor. Corros. 1-10 grs. Pulv. Opii, ½ gr. Ergotine, 1 gr. Ext. Hellebore. Nig. 1 gr. Aloes, Socot 1 gr. Ferri Sul. Exs. 1 gr. Ol. Sabina, ½ gr. }	Diuretic, Antacid.	1 to 3	50
DUPUYTREN, {Hyd. Chlor. Corros. 1-10 grs. Pulv. Opii, ½ gr. Ergotine, 1 gr. Ext. Hellebore. Nig. 1 gr. Aloes, Socot 1 gr. Ferri Sul. Exs. 1 gr. Ol. Sabina, ½ gr. }	Specific Alterative.	1	50
EMMENAGOGUE, {Aloes, Socot 1 gr. Ferri Sul. Exs. 1 gr. Ol. Sabina, ½ gr. }	Active Emmenagogue, Tonic.	1 to 3	1 40

PILLS SENT BY MAIL ON RECEIPT OF LIST PRICE.

# Warner & Co.'s Sugar-Coated Pills.

PER  
100

MEDICAL PROPERTIES. Doses. Each

FEL, Bovinum, { Ox-gall, 2 grs. } Powdered Jamaica Ginger, 1 gr. }	Laxative.	1 to 3	50
FERRI, (Quevenne's) 1 gr. ....	Tonic.	1 to 3	50
" " 2 grs. ....	Tonic.	1 to 2	75
" CARB. (Vallet's) U. S. P. 3 grs. ....	Tonic.	1 to 4	40
" CITRAT. 2 grs. ....	Tonic.	1 to 3	50
" COMP. U. S. P. ....	Tonic, Emmenagogue.	2 to 6	40
" IODID. 1 gr. ....	Tonic, Alterative.	1 to 2	65
" LACTAT. 1 gr. ....	Tonic.	1 to 3	50
" PYROPHOS. 1 gr. ....	Tonic.	1 to 3	40
" VALER. 1 gr. ....	Tonic, Antispasmodic.	1 to 2	1 00
" ET QUAS, ET NUC. VOM. { Fer. per Hydrogen, 1½ gr. } Ext. Quassa, 1 gr. } " Nuc. Vom. ¼ gr. } Pulv. Saponis, ½ gr. }	Tonic, Nerve Stimulant.	1 to 2	75
" ET QUIN. Cit. 1 gr. ....	Tonic, Antiperiodic.	1 to 2	75
" ET STRYCHNIE, 1 three times a day. { Strychnia, 1-60 gr. } Ferrum per Hydrog. (Quevenne's) 2 grs. }	Tonic, Antiperiodic.	1 to 2	1 40
" ET STRYCHNIE CIT. { Strych. Cit. 1-50 gr. } Ferri Cit. 1 gr. }	Tonic, Nerve Stimulant.	1 to 2	75
GAMBOGLE COMP. { Pulv. Gambogin, 1 gr. } Aloes Socot, 1 gr. } Zingib. Jam 1 gr. } Saponis, 1 gr. }	Active Purgative.	2 to 5	40
GENT. COMP. { Ext. Gentian, ½ gr. } Pv. Aloes Soc. 2 grs. } Ol. Carul. 1-5 gr. }	Tonic, Purgative.	2 to 4	40
GONORRHEEA, { Pulv. Cubebæ, 2 grs. } Bals. Copaib. Solid, 1 gr. } Ferri Sulph. ¼ gr. Venet: Terebinth 1½ gr. }	Tonic, Alterative to Mucous Membrane.	1 to 3	00
HEPATIC, { Bil. Hydrag. 3 grs. } Ext. Coloc. Comp. 1 gr. } Hyoseyam, 1 gr. }	Cholagogue Cathartic.	1 to 2	00
HOOPER (Female Pills) 2½ grs. { Aloes Socot, 1 gr. } Ferri Sulph. Exsic. 1 gr. } Ext. Hellebore, 1 gr. } Pulv. Myrrh, 1 gr. } Saponis, 1 gr. } Cannella, 1 gr. } Zing. Jamaica, 1 gr. }	Emmenagogue.	1 to 3	40
HYDRARGYRI, U. S. P., 3 grs. ....	Mercurial Purgative.	2 to 3	40
" " 5 grs. ....	Mercurial Purgative.	1 to 2	00
" Comp. { Mass. Hydrag. 1 gr. } Pulv. Opil. ½ gr. } Ipecac. ½ gr. }	Mercurial Alterative.	1 to 2	75
" Iod. et Opil. { Hyd. Iodid. 1 gr. } Pulv. Opil. ½ gr. }	Mercurial Alterative.	1 to 2	75
IODOFORM ET FERRI { Ferrum per Hydrog., 1½ gr. } Iodoform, 1 gr. }	Tonic Alterative.	1 to 2	2
IODOFORM 1 gr. ....	Tonic, Alterative.	1 to 2	1 00
IPEAC ET OPII, 3½ grs. (Pulv. Doveri, U. S. P.)	Anodyne, soporific.	1 to 3	75
" " 5 grs. ....	"	1 to 2	00
IRISIN COMP. { Irisin, ¼ gr. } Podophyllin, 1-10 gr. } Strychnia, 1-40 gr. }	Cathartic, Nerve Stimulant.	1 to 3	30
LEPTAND. COMP. { Leptandrin, 1 gr. } Irisin, ¼ gr. } Podophyllin, ½ gr. }	Laxative, Diuretic.	1 to 2	1 00
LEPTANDRIN, 1 gr. ....	Cathartic.	1	75
LUPULIN, 3 grs. ....	Anodyne.	2 to 4	40
MORPHIA COMP. { Morph. Sulph. ¼ gr. } Tart. Emetic. ¼ gr. } Calomel, ¼ gr. } Quina Sulph. 2 grs. }	Anodyne, Febrifuge.	1	1 00
NEURALGIC, { Quina Sulph. 1-20 gr. } Morphia Sulph. 1-30 gr. } Strychnia, 1-30 gr. } Acid Arsenious, 1-20 gr. } Ext. Aconit, ½ gr. }	Tonic, Alterative, Anodyne.	1 to 3	3 00
NEURALGIC. (Brown-Sequard.) { Ext. Hyoseyami, 2½ gr. } Conil, 1 gr. } Ignat. Am. 1 gr. } Opil, 1 gr. } Aconit, 1 gr. } Cannab. I. 1 gr. } Stramon, 1-5 gr. } Bellad, 1 gr. }	Anodyne.	1	2 00
OPII, U. S. P., 1 gr. ....	Anodyne	1	00
" ET CAMPHORE, { Pulv. Opil, 1 gr. } Camphore, 2 grs. }	Anodyne, Nerve Sedative.	1	00
" ET CAMPHORE, ET TANNIN, { Pulv. Opil, ¼ gr. } Camphore, 1 gr. } (Acid Tannic, 2 grs. }	Anodyne, Astringent.	1 to 3	00
" ET PLUMBI ACET. { Pulv. Opil, ½ gr. } Plumbi Acetas, 1½ grs. }	Anodyne, Sedative.	1 to 2	00
PHOSPHORUS COMP. { Phosphorus, 1-100 gr. } Ext. Nuc. Vomica, ¼ gr. }	Nerve Tonic.	1 to 4	1 00
PHOSPHORUS, 1-50 gr. 1-25 gr. ....	Nervine Stimulant.	1 to 2	1 00
PHOSPHORUS, 1-100 gr. ....	Nervine Stimulant.	1 to 4	1 00
PHOSPHORUS, IRON AND NUX VOM. { Phosphorus, 1-100 gr. } Ferri Carb. (Vallet's) 1 gr. } Ext. Nuc. Vom. ¼ gr. }	Nervous Stimulant, Tonic.	1 to 3	1 00
POTASS. BROMID. 1 gr. ....	Nervous Sedative.	2 to 5	75
" " 5 grs. ....	"	1 to 2	1 25
" IODID. 2 grs. ....	Alterative.	1 to 3	00
PODOPHYLLIN COMP. (Electic.) { Podophyllin, ½ gr. } Leptandrin, 1-16 gr. } Juglandin, 1-16 gr. } Macrodin, 1-32 gr. } Ol. Capsic, 1 gr. }	Purgative.	2 to 4	75
PODOPHYLLIN ET BELLAD. { Podophyllin, ½ gr. } Ext. Bellad, 1 gr. } Ol. Res. Capsic, 1 gr. } Saccharum Lact. 1 gr. }	Stimulating Laxative. Mild	1 to 3	75

PILLS SENT BY MAIL ON RECEIPT OF LIST PRICE.

# Warner & Co.'s Sugar-Coated Pills.

PER  
100

MEDICAL PROPERTIES. Doses. Each

PODOPHYLLIN ET HYDRARG.	{ Podophyllin, ¼ gr. Mass. Hydrarg. 2 grs. }	Laxative.	2 to 4	50
" ET HYOSCYAMUS.	{ Podophyllin, Ext. Hyoscyamus, ̄m ½ grs. }	Gentle Cathartic	1 to 2	60
PODOPHYLLIN, 1 gr.		Cathartic.	1	75
QUININE SULPH.	½ gr.	Tonic, Antiperiodic.	1 to 4	90
" "	2 grs.	Tonic, Antiperiodic.	1 to 3	140
" "	2 grs.	Tonic, Antiperiodic.	1 to 3	2 75
" "	2 grs.	Tonic, Antiperiodic.	1 to 2	4 00
" COMP.	{ Quin. Sulph. 1 gr. Ferri Carb. 2 grs. } 1 immediately after	Tonic, Antiperiodic.	1 to 2	1 75
"	{ Acid. Arsenious, 1-60 gr.	each meal.		
ET EXT. BELLADON.	{ Quinine Sulph. 1 gr. Ext. Belladon, ½ gr. }	Nerve Tonic, Antiperiodic.	1 to 2	1 75
ET FERRI.	{ Quin. Sulph. 1 gr. Ferrum per Hydrag. (Quevenne's) 1 gr. }	Tonic, Antiperiodic.	1 to 2	1 75
QUININE ET FERRI, ET STRYCHNINE.	{ Quin. Sulph. 1 gr. Ferri Carb. (Vallet's) 2 grs. Strych. Sulph. 1-60 gr. }	Tonic, Antiperiodic.	1 to 2	1 75
QUININE ET FERRI ET STRYCH. PHOS.	{ Phos. Quinia, 1 gr. Iron, 1 gr. " Strychnia, 1-60 gr. }	Tonic, Antiperiodic.	1 to 2	1 75
ET FERRI, Valer, 2 grs.		Tonic, Nerve Sedative.	1 to 2	3 50
QUININE ET FERRI CARB.	{ Quinia, 1 gr. Ferri Carb. (Vallet's), 2 grs. }	Tonic, Antiperiodic.	1 to 2	1 75
" ET HYDRARG.	{ Quin. Sulph. 1 gr. Mass. Hydrarg. 2 grs. Oleo-resin. Piper. Nig. ¼ gr. }	Tonic, Antiperiodic.	1 to 2	1 75
QUINIA, IODOFORM AND IRON	{ Iodoform, 1 gr. Ferri Carb. (Vallet's) 2 grs. Quinia Sul. ½ gr. }	Tonic, Alterative.	1 to 2	3 00
QUININE ET STRYCHNINE.	{ Quinia Sul. 1 gr. Strychnia, 1-60 gr. }	Tonic, Nerve Stimulant.	1 to 2	1 75
QUINIA, Valerianate, ½ gr.		Tonic, Nervine.	1 to 2	2 00
RHEI ET HYDRARG.	{ Pulv. Rhei, 1 gr. Mass. Hydrarg. 4 grs. }	Cholagogue Cathartic.	2 to 5	80
RHEI. U. S. P.	{ Pulv. Rhei, 3 grs. Saponis, 1 gr. }	Gentle Laxative.	1 to 5	75
RHEI COMP. U. S. P.	{ Pulv. Rhei, 2 grs. Aloes Socot, 1½ grs. Myrrh, 1 gr. Ol. Menth. Pip. 1 gr. }	Purgative.	2 to 4	75
RHEUMATIC.	{ Ext. Coloc. C. 1½ grs. Colchicid Acet. 1 gr. Hyoscyam. 1 gr. Hydrg. Chlor. Mit. ½ gr. }	Anti-Rheumatic, Purgative.	1 to 3	90
SANTONIN, 1 gr.		Anthelmintic.	1 to 3	1 00
SCILLE COMP. U. S. P.	{ Pulv. Scillig. ½ gr. Zingib. Jamaica, 1 gr. Gum Ammoniac 1 gr. Pulv. Saponis, 1½ gr. }	Expectorant, Diuretic.	1 to 3	50
STOMACHICA. (Lady Webster's Dinner Pills, 3 grs.)	{ Aloes Soc. Gum Mastich, Flor. Rosse. }	Stimulating Purgative.	1 to 2	50
SYPHILITIC.	{ Pot. Res. Iod. 2 grs. Hyd. Chlor. Corros. 1-40 gr. }	Specific Alterative.	1 to 2	1 00
TRIPLEX.	{ Aloes Socot. 2 grs. Mass. Hydrarg. 1 gr. Podophyllin, ¼ gr. }	Purgative.	2 to 4	75
ZINCI VALERIAN. 1 gr.		Antispasmodic.	1 to 3	1 00

## GRANULES.

MEDICAL PROPERTIES. Doses. Each

			PER 100	Doses. Each
ACID. Arsenious, 1-20, 1-30 and 1-60 grs.		Antiperiodic, Alterative.	1 to 2	40
ACONITINA, 1-60 gr.		Nerve Sedative.	1 to 2	75
ATROPIA, 1-60 gr.		Anodyne.	1 to 2	75
CORROSIVE SUBLIMATE, 1 12, 1-30 and 1-40 grs.		Mercurial Alterative.	1 to 2	40
CAULOPHYLLIN, 1-10 gr.		Emmenagogue.	1 to 4	40
CIMICIFUGIN, 1-10 gr.		Tonic, Nerve Stimulant.	1 to 4	40
DIGITALIN, 1-40 gr.		Arterial Sedative.	1 to 2	75
ELATERIUM, (Clutterbuck's) 1-10 gr.		Diuretic Hydragogue, Cathartic.	1 to 2	95
EXTRACT Belladonna, (Eng.) ¼ gr.		Anodyne.	1 to 3	40
" Ignatia Amara, ¼ gr.		Nerve Sedative.	1 to 2	50
" Cannab. Indica, ¼ gr.		Anodyne.	1 to 4	60
" Hyoscyamus, (Eng.) ½ gr.		Nerve Stimulant.	1 to 3	40
" Nuc. Vomica, ¼ and ½ gr.		Nerve Stimulant.	1 to 3	40
GELSEMIN ¼ gr.		Arterial Sedative.	1 to 2	75
" ½ gr.		Arterial Sedative.	1 to 2	75
HYDRASTIN, ½ gr.		Emetic, Diuretic, Cathartic.	1 to 2	95
HELONIN, 1-9 gr.		Cathartic.	1 to 2	50
LEPTANDRIN, ¼ gr.		Cathartic.	1 to 4	40
" ½ gr.		Cathartic.	1 to 4	50
MERCURY, Iodide, ¼ gr.		Alterative.	1 to 4	40
" Red, 1-16 gr.		Alterative.	1 to 4	40
MORPHIA, Acet. ½ gr.		Anodyne.	1 to 2	60
" Sulphate, 1-10 gr.		Anodyne.	1 to 2	60
" " ½ gr.		Anodyne.	1 to 2	70
" " 1-9 gr.		Anodyne.	1 to 2	80
" " ½ gr.		Anodyne.	1 to 2	1 00
" Valerianate, ½ gr.		Anodyne.	1 to 2	1 00
PODOPHYLLIN, 1-10 gr.		Cathartic.	1 to 4	40
" ¼ gr.		Cathartic.	1 to 4	40
" ½ gr.		Cathartic.	1 to 2	50
COMP.	{ Ext. Hyoscyam, ½ gr. " Nuc. Vomica, 1-16 gr. }	Cathartic and Tonic.	1 to 2	75
SILVER, Nitrate, ¼ gr.		Alterative, to Mucous Memb'ne.	1 to 4	75
" Iodide, ¼ gr.		Alterative, to Mucous Memb'ne.	1 to 4	75
STRYCHNIA, 1-16, 1-20, 1-30, 1-32, 1-40 and 1-60 gr.		Nerve Stimulant, Tonic.	1 to 3	40

PILLS SENT BY MAIL ON RECEIPT OF LIST PRICE.

11 RUE NEUVE DES CAPUCINES,  
PARIS, February 20th, 1879.

*Editors North Carolina Medical Journal.*

GENTLEMEN:

\* \* \* \* \*  
I cannot conclude this letter without saying a word in regard to a medicine which has recently been introduced into France by our enterprising countrymen, Messrs. Wm. R. Warner & Co., of Philadelphia. Among other specimens of their exhibit at the recent Exposition, their agent in Paris very kindly sent me several bottles of *\*Ingluwin*—prepared from the gizzard of the chicken,—with the request that I would give it a fair trial in the treatment of gastric irregularity and disturbance. I am pleased to be able to chronicle the fact, that, in three cases of pronounced atonic dyspepsia and in one case of chronic indigestion, it has acted like a charm—promptly relieving all disagreeable symptoms and restoring the stomach to its proper functions. My patients, who had previously tried without benefit all ordinary forms of pepsine, bismuth, cerium, nux vomica, &c., &c., are delighted with this new remedy and assure me that they experienced benefit from the first dose. Hereafter I shall prescribe it liberally and with great confidence in its therapeutic value.

Assuring you of my abiding interest in the success of the JOURNAL,

*Very Truly and Respectfully Yours,*

EDWARD WARREN, (BEY) M. D., C. M.

---

\*A powder prescribed in the some manner and dose as Pepsin, and in all cases where the use of Pepsin is indicated, it is superior.

---

## FAVORITE AND SPECIAL RECIPES FOR PILLS.

Physicians having a special formula which they may desire to have made in pilular form and sugar-coated for convenience and office practice, can have them so prepared with the greatest care and perfection, by

WILLIAM R. WARNER & CO.,

DRUGGISTS AND CHEMISTS,

MANUFACTURERS OF SOLUBLE SUGAR-COATED PILLS,

1228 Market Street, Philadelphia.

A NEW AND IMPORTANT CLASS OF REMEDIES.  
FOR PHYSICIANS' PRESCRIPTIONS.

**PARVULES.** WARNER & CO.

SMALL DOSES FOR FREQUENT REPETITION, 33 VARIETIES.

At the solicitation of numerous medical friends we have prepared this new class of preparations, denominated PARVULES, to distinguish them from Pills and Granules. They are designed for the administration of medicine in doses for children, and for frequent repetition in case of adults. It is claimed by some practitioners that small doses given at short intervals exert a more salutary effect, and the peculiar mode of preparation secures this result.—Prepared only by WM. R. WARNER & CO., Chemists, 1228 Market Street, Philadelphia.

Price, 40 Cents per Bottle of 100 each. Discount for Quantities.

POCKET-CASES WITH 20 VARIETIES, FOR THE USE OF PRACTITIONERS, \$6.00 NET.  
" " 10 " " " " " 3.50 "

The DOSE of any of the Parvules will vary from one to four, according to age, or the frequency of their administration. For instance, one Parvule every hour, or two every two hours, or three every three hours, and so on for adults. For children, one three times a day is the minimum dose.

Acid Arseniosi.....	1-100 gr.
Acidi Salicylici.....	1-10 gr.
Acidi Tannici.....	1-20 gr.
Aconiti Rad.....	1-20 gr.
ALOIN.....	1-10 gr.

**A most desirable Cathartic.**

Dose.—1 to 6 at once. This number of Parvules will be found to exert an easy, prompt, and ample cathartic effect, unattended with nausea, and in all respects furnishing the most desirable aperient and cathartic preparation in use. For habitual constipation, it replaces, when taken in single parvules, the various medicated waters, without the quantity which they require as a dose, which fills the stomach and deranges the digestive organs.

Ammonii Chloridi.....	1-10 gr.
Antimonii et Potass. Tart.....	1-100 gr.
Arnice Flor.....	1-5 gr.
Arsenici Iodidi.....	1-100 gr.
Belladonnæ Fol.....	1-20 gr.
CALOMEL.....	1-20 gr.

**Alternative, Purgative.**

Dose: 1 to 2 every hour. Two parvules of Calomel, taken every hour, until five or six doses are administered (which will comprise but half a grain), produce an activity of the liver which will be followed by bilious defecations and beneficial effects, that twenty grains of Blue Mass or ten grains of Calomel rarely

cause, and sickness of the stomach does not usually follow.

Camphoræ.....	1-20 gr.
Cantharidis.....	1-50 gr.
Capsici.....	1-20 gr.
Digitalis Fol.....	1-20 gr.
Ergotina.....	1-10 gr.
Ferri Redacti.....	1-10 gr.
Gelsemini Rad.....	1-50 gr.
Hydrarg. cum Creta.....	1-10 gr.
Hydrastin.....	1-20 gr.
Iodoformi.....	1-20 gr.
Ipecac.....	1-50 gr.
Morphiæ Sulph.....	1-50 gr.
Nucis Vomice.....	1-50 gr.
Opii.....	1-40 gr.
Piperina.....	1-20 gr.
PODOPHYLLINI.....	1-40 gr.

**Cathartic, Cholagogue.**

Two parvules of Podophyllin, administered three times a day, re-establish and regulate the peristaltic action, and relieve habitual constipation, add tone to the liver, and invigorate the digestive functions.

Potassii Arsenitis.....	1-100 gr.
Potassii Nitratis.....	1-10 gr.
Quiniæ Sulphatis.....	1-10 gr.

**BI-SULPH. OF QUININE PILLS,**

1, 2 and 3 Grains each, at same price as Sulphate of Quinia.

Place one of Warner & Co's Bi-Sulphate of Quinine Pills in water. The perfect solution which it produces is a positive evidence of the solubility and superiority of W. R. WARNER & Co's SUGAR COATED PILLS of all kinds.

—PREPARED BY—

**WILLIAM R. WARNER & CO.,**

Manufacturers of PHYSICIANS' and HOSPITAL SUPPLIES,  
1228 Market Street, Philadelphia.