



PHYSICIANS' FORMULARY

RELIABLE AND PERMANENT

SOLUBLE COATED PILLS



PARVULES ETC.

WM. R. WARNER & CO.



PHILADELPHIA,

NEW YORK,

LONDON.



FOR THE SPEEDY RELIEF OF
Nervous Headache and Brain Fatigue.

BROMO

(**WARNER & CO.**)

SODA

Useful in Nervous Headache, Sleeplessness, Excessive Study, Over Brainwork, Sea Sickness, Epilepsy, Nervous Debility, Mania, etc., etc.

DOSE.—A heaping teaspoonful in half a glass of water, to be repeated after an interval of thirty minutes, if necessary.

It is claimed by prominent specialists in nervous diseases, that the Sodium Salt is more acceptable to the stomach than the Bromide Potassium. An almost certain relief is given by the administration of this Effervescent Salt. It is used with advantage in *Indigestion, depression* following alcoholic and other excesses, as well as *Nervous Headache*. It affords speedy relief for *mental and physical exhaustion*.

PREPARED BY

WM. R. WARNER & CO.

MANUFACTURERS OF

SOLUBLE COATED PILLS,

PHILADELPHIA and NEW YORK.

PHYSICIANS'
COMPLETE
FORMULÆ BOOK

GIVING THE DOSES AND MEDICAL
PROPERTIES.

—OF—

WM. R. WARNER & CO.'S
RELIABLE SOLUBLE-COATED
PILLS,
GRANULES and PARVULES
EFFERVESCENT SALTS, etc.

WITH REFERENCE NOTES RESPECTING
POISONS AND ANTIDOTES,
DISEASES AND REMEDIES,
Etc., Etc., Etc.


PUBLISHED BY

WILLIAM R. WARNER & CO.

PHILADELPHIA, NEW YORK AND LONDON.

1892.

CONTENTS



PAGE

PIL. CASCARA CATHARTIC.....	3
PHYSICIANS' MEDICAL CABINET,.....	4
INTRODUCTORY.....	5-6
SOLUBLE COATED PILLS.....	7-40
GELATIN COATED PILLS.....	41-50
SOLUBLE COATED GRANULES.....	51-54
ANTISEPTIC PASTILLES.....	54
ADDENDA SOLUBLE COATED PILLS.....	55-57
PARVULES.....	58-61
HYPODERMIC TABLETS.....	62
DOSIMETRIC GRANULES.....	63-68
GRANULAR EFFERVESCENT SALTS.....	69-78
PARVULE CASES for POCKET, HAND, and BUGGY,	79-82
PARVULES, ENDORSEMENT OF.....	83
DOSE TABLE.....	84
INGLUVIN.....	85
ARTHROSIA.....	86
GRAN. EFF. SALINE CHALYBEATE TONIC.....	87
GRAN. EFF. SULPHONAL.....	88
PIL. CHALYBEATE.....	89
PIL. CHALYBEATE COMP.....	90
BROMO LITHIA.....	91
POISONS AND ANTIDOTES.....	92-93
TABLET TRITURATES.....	94-95
SALICYLIC ACID COMP.....	96
BROMO SODA.....	2d page cover.
LIQUID PANCREOPEPSINE.....	3d page cover.

WARNER & CO.'S

PIL:

Cascara Cathartic[®]

(DR. HINKLE.)

Each containing

Cascarin.		Ext. Belladon.	$\frac{1}{8}$ gr.
Aloin,	āā $\frac{1}{4}$ gr.	Strychnin,	1-60 gr.
Podophyllin,	1-6 gr.	Gingerine,	$\frac{1}{8}$ gr.

Dose.—1 to 2 Pills.

This pill affords a brisk and easy cathartic, efficient in action and usually not attended with unpleasant pains in the bowels.

It acts mildly upon the liver, (Podophyllin), increases Peristalsis, (Belladonna), while the carminative effect of the Gingerine aids in producing the desired result, thus securing the most efficient and pleasant cathartic in use.

Per 100, 80 cts.

PREPARED BY

WM. R. WARNER & CO.

CHEMISTS,

1228 Market Street, Philadelphia.

WARNER & CO.'S Medical Cabinet for Physicians

Dispensing their own medicine where there are no drug stores;
SUPPLIED WITH WARNER & CO.'S BEAUTIFUL BOTTLES, WITH INDESTRUCTIBLE GLASS LABELS.


PRICE \$125.00. In Walnut or Ash Wood.

Articles contained in Physician's Cabinet, or changed to suit your wishes.

1/2 doz. 8 oz. Mouth Bottles
1/2 doz. 8 oz. Tincture Bottles
1/2 doz. 2 oz. Assorted Bottles

Acid Sulph. Arom.
Aqua Ammonia
Spiritus Amma. Arom.
Spiritus Aetheris Nil.
Spiritus Lax. Comp.
Ext. Senna Fluid.
Ext. Ergotæ Fluid.
Ext. Ser. Comp. Fluid.
Tinctura Opii.
Tinctura Opil Camph.
Tinctura Cinch. Comp.
Tinctura Ferri Chlorid.
Tinctura Iodii.
Tinctura Valerianæ
Chloroformum.
Æther.

Liq. Potass. Arsen.
Syrupus Scilla Comp.
Syrupus Ipecac.
Copaiba.
Ol. Terebinthina
Pulv. Acacia
" Aloë
" Kihl.
" Ammon. Chlor.
" Potass. Nitras.
1 Pocket, Parvule Case.



Pulv. Alumen.
" Opil.
" Ipecac.
" Doverl.
Camphora.
Potassii Chlor.
Potassii Iodidum.
Potassii Bitar.
Potassii Bromidum.
Sodii Borax.
Sodii Bicarbonas.
Sulphur Sublimatum.
Zinci Sulphas.
Sal Rochelle.
Acidum Tannicum.
Creta Preparata.
Sal Epsomense.
Magnesia Calca.
Argentii Nitras.
Morphin Sulphas.
Ferri Subsulph.
Acidum Carbolicum.
Bismuthi Subnitras.
Pil: Cath. Comp. U.S.P.
" Anti-Bilious Veg.
" Anodyne.
" Anti-Chlorotic.
" Anti-Chromania.
" Anti-Dyspeptic.
" Assafetide.
" Opil et Camphora.
" Quinin S. 1 gr.

4000 Parvules, 40 varieties

1 pair Scissors, 2 Spatulas, Pill Boxes, Powder Envelopes, Powder Papers, Gullipots, 1/2 Glass Plaster, Belladonna Plaster, Adhesive Plaster, 1 oz. Graduated, 4 oz. Graduated, 1-4 Gross Assorted Vials, 1 Gross Corks, 1 Mattson's Syringe, Glass Mono Syringes, Glass Female Syringes, Citrine Ointment, Resin Cerate, Blue Ointment, Seidlitz Powders, Small Mortar, Larger Mortar and Pill Tile

WM. R. WARNER & CO.

MEDICAL SUPPLIES OF ALL KINDS,

1228 MARKET STREET, PHILADELPHIA.

Messrs. Wm. R. Warner & Co.

Bound Brook, N. J., March 16th, 1885.

Dear Sirs:—I received the cabinet all right and am more than pleased with it. It exceeded my expectation. The whole thing carried very nicely.

Yours sincerely,

C. E. F. FISHER, M. D.

GARFIELD MEMORIAL HOSPITAL.

CITY OF WASHINGTON, OCT 14th, 1884.

DR. WM. R. WARNER, M. D., 1228 Market St., Phila.

DEAR SIR:—Your generous gift of shop bottles with indestructible glass labels has been received, and the Board of Directors of the Garfield Memorial Hospital request me to acknowledge the receipt thereof, and to convey to you their thanks for a contribution so useful.

Very Respectfully,
E. G. LOVELLOY, Secretary.



WARNER & CO.'S

Soluble Coated Pills.

These Pills are unsurpassed in their medicinal qualities, as only the best materials enter into their composition, while the most scrupulous care is exercised in their manufacture.

An extended laboratory experience comprising unceasing attention to details during a period of more than a quarter of a century enables us to arrive at results otherwise unattainable.

We claim a method of coating which remains permanent and avoids the necessity for drying the mass so hard as to render it insoluble or inert. This scientific method which we do not hesitate to call our own is fully recognized and appreciated, as is demonstrated by the confidence reposed and the success attained.

It is our wish to emphatically impress upon the minds of prescribers, that our make of Pills will produce the effects as should be expected in connection with the drug employed, and that every other desire is subordinate to this end. We thank the Profession for the very liberal endorsement and patronage that has been accorded us and offer our assurance that our efforts shall, as heretofore, be directed towards the production of the highest class of Pharmaceutical preparations.

Respectfully,

WM. R. WARNER & CO.

TO THE MEDICAL PROFESSION.

While presenting this revised edition of our Formulary we take the opportunity to extend our thanks to our many friends; who have aided us by their patronage and influence in distributing Pharmaceutical Preparations of the highest standard and to express the hope that our efforts, in this direction, may continue to gain for us a confidence and feeling that our experience covering as it has, a period of thirty years and comprising deep scientific research and skillful manipulations, in conjunction with a conscientious desire to produce only the best, should at least warrant us in claiming a perfection of manufacture unexcelled.

Such facts are worthy the attention of Practitioners who are called upon to battle with disease, and who must in using ready prepared medicines, depend upon the correctness of manufacture to gain the looked for therapeutical effects, whereby their own reputations are sustained and the ills of their patients alleviated.

It may be well, in this connection, to reiterate that our endeavors have always been directed towards the production of first-class preparations, regardless of cost and passing the question of extreme cheapness which so often arises through competition and an anxiety to dispose of products; all of which very naturally has a tendency to depreciate quality correspondingly with the falling off in price.

We maintain that quality is of primary importance and in this we flatter ourselves that we have received the undivided encouragement and support of an intelligent profession, throughout the course of our business career.

With these few preliminary words outlining our policy, we beg leave to suggest the importance of specifying Warner & Co.'s make when ordering or prescribing.

Very Respectfully,

WM. R. WARNER & CO.

A COMPLETE FORMULÆ BOOK.

—OF—

WM. R. WARNER & CO.'S

RELIABLE AND PERMANENT

SOLUBLE COATED

PILLS.

Of the United States Pharmacopœia and Recipes
of Eminent Physicians.

PILLS.	BOTTLE.	
	100	500
Abernethy's (Aperient)	75	3 50
Pulv. Aloes Socot., 2 grs. } Pulv. Ipecac., 5-6 gr. } Pil. Hydrarg., 1 gr. } Ext. Hyoscyam., 2 grs. }		
Acid Arsenious. 1-20, 1-30, 1-50 and 1-60 grs.....	40	1 75
Medical properties—Anti-periodic, Al- terative. Dose, 1 to 2.	75	3 50
Aconitia. 1-60 gr.....	75	3 50
Med. prop.—Nerve Sedative. Dose, 1.	75	3 50
Ague		
Med. prop.—Anti-periodic. Dose, 2 to 4.		
Chinoidin, 2 grs. } Ext. Coloc. Comp. 1/3 gr. } Ol. Pip. Nig., 1/6 gr. } Ferrî Sul., 1/2 gr. }		
Aloes, U. S. P.	40	1 75
Med. prop.—Stimulating, Purgative. Dose, 1 to 3.		
Aloes Compound. (See Pil. Gen- tian Compound).....	40	1 75
Med. prop.—Tonic, Purgative. Dose, 2 to 4.		
Aloes et Asafoetida, U. S. P....	40	1 75
Med. prop.—Purgative, Anti-spasmod- ic. Dose, 2 to 5.		

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Aloes et Ferri	40	1 75
Med. prop.—Tonic, Purgative. Dose, 1 to 3.		
Pv. Aloes Socot., ½ gr. }		
Pv. Zingiber Jam., 1 gr. }		
Ferri Sul. Exs., 1 gr. }		
Ext. Conii, ½ gr. }		
Aloes et Ferri, U. S. P.	40	1 75
Med. prop.—Tonic, Purgative Dose, 1 to 3.		
Pur. Aloes, 1 gr. }		
Aromat. Powd., 1 gr. }		
Ferri Sul. Exs., 1 gr. }		
Confect. Rose, q. s. }		
Aloes et Mastich. (Lady Webster).	50	2 25
Med. prop.—Stimulating Purgative. Dose, 1 to 2.		
Aloes et Myrrhæ, U. S. P.	50	2 25
Med. prop.—Cathartic, Emmenagogue. Dose, 3 to 6.		
Aloes et Nuc Vomiceæ	50	2 25
Med. prop.—Tonic, Purgative. Dose, 1 to 2.		
Pulv. Aloes Soc., 1½ gr. }		
Ext. Nuc. Vom., ½ gr. }		
Aloin. ½ gr.....	1 00	4 75
Med prop.—Laxative.		
Aloin Comp.	50	2 25
Med. prop.—Tonic, Laxative. Dose 1 to 2.		
Aloin, ⅛ gr. }		
Ext. Belladon. ¼ gr. }		
Podophyllin, ⅛ gr. }		
Aloin et Strychnin	60	2 75
Med. prop.—Tonic, Laxative.		
Aloin, 1-5 gr. }		
Strychnine, 1-60 gr. }		
Aloin et Strychnin. et Bella- don	60	2 75
Used very largely and with great success in the treatment of habitual constipation.		
Med. prop.—Tonic, Laxative.		
Aloin, 1-5 gr. }		
Strychnine, 1-60 gr. }		
Ext. Belladon., ⅛ gr. }		

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Aloin et Strychnin. et Bellad. Comp.	75	3 50
Med. prop.		
Aloin, 1-5 gr. }		
Ext. Belladon, 1/8 gr. }		
Strychninae, 1-60 gr. }		
Ext. Cascara Sag., 1/2 gr. }		
Alterative.	50	2 25
Med. prop.—Alterative, with tendency to Mercurial Impression. Dose, 1 to 2.		
Mass. Hydrarg., 1 gr. }		
Pulv. Opii., 1/8 gr. }		
Pulv. Ipecac., 1/8 gr. }		
Alterative. (Dr. C. C. Cox).....	50	2 25
Med. prop.—Alterative, with tendency to Mercurial Impression. Dose, 1 to 2.		
Mass. Hydrarg., 1 gr. }		
Pulv. Rhei., 1 gr. }		
Sodii. Bicarb., 1 gr. }		
Ammon. Bromid. 1 gr.....	75	3 50
Med. prop.—Sedative, Alterative, Re-solvent. Dose, 1.		
Analeptic.	60	2 75
Med. prop.—Stimulant, Diaphoretic. Dose, 1 to 4.		
Pv. Antimonialis, 3/4 gr. }		
Pv. Res. Guaiac., 1 gr. }		
Pv. Aloes Socot., 3/4 gr. }		
Pv. Myrrh., 1/2 gr. }		
Anderson's Scot's	40	1 75
Med. prop.—Cathartic. 2 to 5.		
Pv. Aloes Socot.,		
Pv. Saponis.		
Pv. Colocynth.		
Pv. Gambogiæ		
Anodyne.	75	3 50
Med. prop.—Anodyne. Dose, 2 to 5.		
Pv. Camphoræ, 1 gr. }		
Morphin Acetas, 1-20 gr. }		
Ext. Hyoscyami, 1 gr. }		
Ol. Res. Capsici, 1-20 gr. }		
Anthelmintic	1 00	4 75
Med. prop.—Anthelmintic. Dose, 1 to 2.		
Santonin, 1 gr. }		
Calomel, 1 gr. }		

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Anti-Bilious (Vegetable)	50	2 25
Med. prop.—Cholagogue Cathartic. Dose, 2 to 3.		
Pv. Ext. Col. Co., 2½ grs. } Podophyllin, ¼ gr. }		
Anti-Chill	1 00	4 75
Med. prop.—Anti-periodic. Applicable to obstinate intermittents. Dose, 1 to 2.		
Chinoidin, 1 gr. } Ferri Ferrocyanid, 1 gr. } Ol. Piper. Nig., 1 gr. } Ac. Arsenious, 1-20 gr. }		
Anti-Chlorotic	75	3 50
Med. prop.—Anti-chlorotic. Dose 1 to 2		
Potass. Chlor., 1 gr. } Ferri Chlor., ½ gr. } Pv. Podophylli., 1 gr. } Pv. Myrrhæ, ½ gr. }		
Anti-Choromania	75	3 50
Med. prop.—Anti-spasmodic. Dose, 1 to 2.		
Zinci Valer, 2 grs. } Ferri Valer, ¼ gr. } Ext. Sumbul., ½ gr. }		
Anti-Constipation	75	3 50
Dose, 1 to 4.		
Podophyllin, 1-10 gr. } Ext. Nuc. Vom. ¼ gr. } Pv. Capsici, ¼ gr. } Ext. Belladon., 1-10 gr. } Ext. Hyoscyami, ¼ gr. }		
Anti-Constipation. (Palmer.) ...	75	3 50
Dose, 1 to 2.		
Aloes Soc't 1 gr. } Ext. Hyoscyami, 1 gr. } Ext. Nuc Vom., ⅓ gr. } Ipecac Pulv., 1-10 gr. }		
Anti-Dyspeptic	1 00	4 75
Med. prop.—Applicable where Debility and Impaired Digestion exist. Dose, 1 to 2.		
Strychnine, 1-40 gr. } Ext. Belladon, 1-10 gr. } Pulv. Ipecac., 1-10 gr. } Mass. Hydrarg., 2 grs. } Ext. Coloc. Comp. 2 grs. }		

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Anti-Dyspeptic. (Fothergill).....	75	3 50
Dose, 1.		
Pv. Ipecac.,	$\frac{2}{3}$ gr. }	
Strychnine,	1-20 gr. }	
Pv. Piper. Nig.	$1\frac{1}{2}$ gr. }	
Ext. Gentian,	1 gr. }	
Anti-Malarial	1 25	6 00
Med. prop.—Anti-malarial. Dose, 1 to 2		
Quininæ Sulph.,	1 gr. }	
Cinchoninæ Sulph.,	$\frac{1}{2}$ gr. }	
Ferri Sulph. Exs.	$\frac{1}{4}$ gr. }	
Ac. Arsenious,	1-40 gr. }	
Anti-Malarial (Philadelphia).....	1 00	4 75
Med. prop.—Anti-malarial. Dose, 1 to 2.		
Ferri Sulph.,	1 gr. }	
Pv. Capsici,	$\frac{1}{8}$ gr. }	
Cinchonid. Sulph.,	2 grs. }	
Strychnine,	1-30 gr. }	
Anti-Malarial. (McCaw).....	1 50	7 25
Dose, 1 to 2.		
Quininæ Sulph.,	1 gr. }	
Ferri Sulph. Exs.,	$\frac{1}{4}$ gr. }	
Ac. Arsenious,	1-80 gr. }	
Gelsemin,	$\frac{1}{4}$ gr. }	
Podophyllin,	$\frac{1}{8}$ gr. }	
Ol. Res. Pip. Nig.,	1-10 gr. }	
Antimonii Comp., U. S. P. (Pil. Plummer).....	40	1 75
Med. prop.—Alterative. Dose, 1 to 3.		
Anti-Periodic	80	3 75
Med. prop.—Anti-periodic. Dose 1 to 3.		
Cinchonidin Sulph.,	1 gr. }	
Res. Podophylli,	1-20 gr. }	
Strychninæ Sul.,	1-33 gr. }	
Gelsemin.,	1-20 gr. }	
Ferri Sulph. Exs.,	$\frac{1}{2}$ gr. }	
Ol. Res. Capsici,	1-10 gtt. }	
Anti-Periodic. (One-half size).....	45	2 00
Dose, 1 to 3.		
Anti-Spasmodic	75	3 50
Med. prop.—Anti-spasmodic. Dose, 1 to 2.		
Ext. Hyoscyami,	$\frac{1}{2}$ gr. }	
Morphinæ Acetas.,	1-10 gr. }	
Brom. Camphor.,	$\frac{1}{2}$ gr. }	
Pv. Capsici,	$\frac{1}{2}$ gr. }	

PILLS.	BOTTLE.	
	100	500
Antisplenetic	60	2 75
Med. prop.—Anti-splenetic. Dose, 2 to 4.		
Pv. Aloes Soc.,	1 gr. }	
Pv. Ammoniaci,	½ gr. }	
Pv. Myrrhæ,	½ gr. }	
Ext. Bryony,	1 gr. }	
Aperient	85	4 00
Med. prop.—Aperient, Tonic. Dose, 1 to 2.		
Ext. Nuc. Vom.,	⅓ gr. }	
Ext. Hyoscyami,	½ gr. }	
Ext. Coloc. Co.,	2 grs. }	
Aperient. (Dr. Fordyce Barker.) ...	1 00	4 75
Med. prop.—Aperient.		
Ext. Coloc. Co.,	1 ⅔ gr. }	
Ext. Nuc. Vom.,	½ gr. }	
Ext. Hyoscyam.,	1 ¼ gr. }	
Pulv. Ipecac,	1-12 gr. }	
Pulv. Aloes Soc't,	5-12 gr. }	
Res. Podophylli.,	1-12 gr. }	
Aperient. (Drysdale.)	60	2 75
Med. prop.—Aperient. Dose, 1 to 2.		
Pv. Rhei,	1 ¼ gr. }	
Pv. Ipecac,	5-12 gr. }	
Pv. Aloes Soc.,	1 ¼ gr. }	
Pv. Nuc. Vom.,	½ gr. }	
Arthrosia. (See special page)	80	
Med. prop.—Antilithic, Tonic, Alterative.		
Acid Salicylic.		
Ext. Colchicum.		
Ext. Phytolacca.		
Res. Podoyhylli.		
Quinine.		
Pv. Capsicum.		
Asafoetida, U. S. P.	40	1 75
Med. prop.—Nerve Stimulant. Dose, 1 to 3.		
Asafoetida. 2 grs.	40	1 75
Med. prop.—Nerve Stimulant. Dose, 2 to 4.		
Asafoetida Comp	40	1 75
Med. prop.—Tonic and Nerve Stimulant. Dose, 2 to 5.		
Asafoetidæ,	2 grs. }	
Ferri Sulph. Exsic.,	1 gr. }	

PILLS.	BOTTLE.	
	100	500
Asafoetida et Aloes	40	1 75
Med. prop.—Purgative, Anti-spasmodic. Dose, 2 to 5.		
Asafoetida et Rhei	75	3 50
Med. prop.—Tonic, Laxative, Nerve Stimulant. Dose, 2 to 4.		
Asafoetidæ, 1 gr. } Pulv. Rhei, 1 gr. } Ferri Redact., 1 gr. }		
Astringent	60	2 75
Med. prop.—Astringent. Dose, 1 to 2.		
Ext. Geranii, 2 grs. } Pv. Opii, ¼ gr. } Ol. Ment. Pip., 1-20 gtt. } Ol. Res. Zingiber., 1-20 gtt. }		
Atropina. 1-50 and 1-100 gr.....	75	3 50
Med. prop.—Anodyne.		
Atropinæ Sulph. 1-60 gr.....	75	3 50
Med. prop.—Anodyne.		
Bismuth Subcarb. 3 grs.....	75	3 50
Med. prop.—Sedative. Dose, 2 to 5.		
Bismuth Subnit. 3 grs.....	75	3 50
Med. prop.—Sedative, Anti-periodic. Dose, 1 to 5.		
Bismuth et Ext. Nuc. Vom.	1 50	7 25
Med. prop.—Sedative, Tonic. Dose, 1 to 2.		
Bismuth. Subcarb., 4 grs. } Ext. Nuc. Vomicae, ¼ gr. }		
Bismuth et Ignatia	1 50	7 25
Med. prop.—Sedative, Anti-periodic, Tonic. Dose, 1 to 2.		
Bismuth. Subcarb., 4 grs. } Ext. Ignatiæ Amara, ¼ gr. }		
Blennorrhagic. (W & Co.)	1 00	4 75
Dose, 1 to 2.		
Terebinth Alb., 1½ grs. } Ext. Humuli, ¾ gr. } Camph. Monobrom., ¾ gr. } Res. Podophyllin, ⅞ gr. }		

The remedy *par excellence* for Chronic Blennorrhœa, uncomplicated with organic stricture, very frequently effecting a speedy cure in gleet of long standing.

It is also almost equally serviceable as a remedy for cystorrhœa and inflammation of whatever kind effecting the urinary or sexual organs.

PILLS.	BOTTLE.	
	100	500
Caffein Citras. 1 gr.....	2 75	13 50
Med. prop.—Nerve Stimulant. Dose, 1.		
Calcium Sulphide. 1-10 gr.....	50	2 25
Med. prop.—Useful in Cutaneous Diseases. Dose, 2 to 4.		
[EXTRACT FROM DR. HOWARD CANE'S ARTICLE IN THE LONDON LANCET.]		
From the great frequency of occurrence of acne, and from its manifesting itself on the faces of individuals of both sexes, any therapeutic agent which promises success in this often intractable skin disease will be welcomed by most practitioners. I do not bring the sulphide of calcium forward as a new remedy in the treatment of this disease, for it was recommended some years ago by Dr. Sydney Ringer, but I wish to bring it more prominently into notice as a drug which will often prove of signal service in acne when other means have failed. The success which I attained in my first case which was of a most obstinate nature, led me to try it in others.		
Calcium Sulphide. ¼ gr.....	60	2 75
Med. prop.—Useful in Cutaneous Diseases. Dose, 2 to 3.		
Calcium Sulphide. ½ gr.....	75	3 50
Med. prop.—Useful in Cutaneous Diseases. Dose, 2 to 3.		
Calcium Sulphide. 1 gr.....	1 00	4 75
Med. prop.—Useful in Cutaneous Diseases. Dose, 1 to 2.		
Calomel. ½ gr., 1, 2, and 3 grs.....	40	1 75
Med. prop.—Alterative. Dose, 1 to 3.		
Calomel. 5 grs.....	50	2 25
Med. prop.—Alterative, Purgative. Dose, 1 to 3.		
Calomel et Opil	85	4 00
Med. prop.—Cathartic, Anodyne. Dose 1		
Calomel, 2 grs. }		
Opium, 1 gr. }		
Calomel et Rhei	75	3 50
Med. prop.—Mild Purgative. Dose, 1 to 3.		
Calomel, ⅓ gr. }		
Ext. Rhei, ½ gr. }		
Ext. Coloc. Comp., ½ gr. }		
Ext. Hyoscyami, ⅙ gr. }		

PILLS.	BOTTLE.	
	100	500
Camphor. ½ gr.....	40	1 75
Med. prop.—Diaphoretic Carminative. Dose, 2 to 4.		
Camphor. 1 gr.....	50	2 25
Med. prop.—Diaphoretic Carminative. Dose, 1 to 2.		
Camphor et Ext. Hyoscyamus.	50	2 25
Med. Prop —Anodyne, Cerebral Stimulant. Dose, 1 to 2.		
Camphor, 1 gr } Ext. Hyoscyami, Eng., 1 gr. }		
Camphor Monobromated. 2 grs.	1 25	6 00
Med. prop.—Anti-spasmodic. Dose, 1 to 2.		
Cascara Comp.	75	3 50
Med. prop.—Laxative, Cathartic. Ext. Cascara Sagrad., 3 grs. } Res. Podophylli, ½ gr. }		
Cathart. Comp., U.S.P.	30	1 35
Med. prop.—Cathartic. Dose, 2 to 4. These pills are made strictly in accordance with the formula as directed by the Pharmacopœia.		
Cathart. Comp., Imprv'd	30	1 35
Med. prop.—Cathartic. Dose, 2 to 4. Ext. Coloc. Comp. Ext. Jalap. Podophyllin, Leptandrin. Ext. Hyoscyami. Ext. Gentian. Ol. Menth. Pip.		
Cathart. Comp., Vegetable	30	1 35
Med. prop.—Cathartic. Dose, 2 to 3. Podophyllin, Scammony. Ext. Colocynth. Aloes, Soap, and Cardamom.		
Cathart. Comp., Cholagogue ...	60	2 75
Med. prop.—Cathartic. Dose, 2 to 4. Res. Podophylli, ½ gr. } Pil. Hydrarg., ¼ gr. } Ext. Hyoscyami, ⅛ gr. } Ext. Nuc. Vom, 1-16 gr. } Ol. Res. Capsici, ⅛ gtt. }		
Caulophyllin. 1-10 gr.....	40	1 75
Med. prop.—Emmenagogue. Dose, 1 to 3.		

PILLS.	BOTTLE.	
	100	500
Chalybeate. 3 grs.....	60	
Med. prop.—Antichlorotic.		
Ferri Sulph.,		
Potassa Carb.,		
1½ gr. }		
1½ gr. }		
<p>This combination which we have successfully and scientifically put in pill form produces when taken into the stomach, Carbonate of Protoxide of Iron, (Ferrous Carbonate) in a quickly assimilable condition.</p> <p>This pill contributed to make the reputation of Niemeyer, and the following language, which speaks without comment, is taken from his TEXT BOOK ON THE PRACTICE OF MEDICINE.</p> <p>PROF. NIEMEYER says: "For more than twenty years I have used these pills almost exclusively in Chlorosis, and have witnessed such brilliant results from them in a large number of cases that I have never needed any opportunity to experiment with other articles. At Madgeburg and Greifswald I often had to send my recipe for the pills to a great distance, my good fortune in the treatment of Chlorosis—to which, by-the-by, I owe the rapid growth of my practice—having given me great repnte as the possessor of a sovereign remedy against that disease."</p> <p>The dose of Pil: Chalybeate is from 1 to 4 at meal times and is recommended and successfully used in the treatment of Pulmonary Phthisis or Consumption, Anæmia and Chlorosis, Caries and Scrofulous Abscesses, Chronic Discharges, Dyspepsia, Loss of Appetite, etc.</p> <p><i>The physician may see that he is obtaining exactly what he prescribes, by ordering in bottles containing 100 each.</i></p>		
Ceril Oxalas. 1 gr.....	1 00	4 75
Med. prop.—Nerve Tonic. Dose, 1 to 3.		
Chapman's Dinner Pills	60	2 75
Med. prop.—Stimulating, Laxative.		
Dose, 1 to 3.		
Pulv. Aloes Soc.		
Pulv. Rhei Opt.		
Gum Mastich.		
Chinoidin. 1 gr.....	40	1 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 2 to 4.		

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Chinoidin. 2 grs..... Med. prop.—Tonic, Anti-periodic. Dose, 2 to 4.	50	2 25
Chinoidin Comp. Med. prop.—Tonic, Anti-periodic. Dose, 1 to 2.	75	3 50
Chinoidin, 2 grs. } Ferri Sulph. Exsic., 1 gr. } Piperin, ½ gr. }		
Cholagogue. (Dr. Blackwood.).... Med. prop.—“An admirable Cholagogue.” Dose, 1 to 2.	1 00	4 75
Cinchonid. Sulph., ½ gr. } Euonymin, ½ gr. } Leptandrin, ½ gr. } Iridin, ½ gr. } Juglandin, ½ gr. } Podophyllin, ¼ gr. } Ext. Belladon., ¼ gr. } Ext. Nuc. Vom., ¼ gr. } Ext. Hyoscyam., ¼ gr. }		
Cimicifugin. 1-10 gr..... Med. prop.—Tonic, Nerve Stimulant. Dose, 1 to 4.	40	1 75
Cinchoninæ Sulph. 1½ gr..... Med. prop.—Tonic, Anti-periodic. Dose, 1 to 3.	60	2 75
Cinchoninæ Sulph. 2 grs..... Med. prop.—Tonic, Anti-periodic. Dose, 1 to 3.	60	2 75
Cinchonidin. Comp. (Warner & Co.)..... Med. prop.—Tonic, Anti-periodic.	1 50	7 25
Cinchonid. Sulph., 2 grs. } Ac. Salicylic., 1 gr. } Pv. Opii, ½ gr. } Ol. Res. Capsici., ¼ gr. }		
This pill is also termed Pil. Salicylic Acid Comp.		
Cinchonidinæ Salicylate. 2½ grs..... Med. prop.—Anti-rheumatic. Dose, 1 to 2.	1 50	7 25
Cinchonidinæ Sulph. 1 gr..... Med. prop.—Anti-malarial, Anti-periodic. Dose, 1 to 3.	40	1 75

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Cinchonidinæ Sulph. 2 grs..... Med. prop.—Anti-malarial, Anti-periodic. Dose, 1 to 3.	40	1 75
Cinchonidinæ Sulph. 3 grs..... Med. prop.—Anti-malarial, Anti-periodic. Dose, 1 to 2.	50	2 25
Cinchonidinæ Sulph. 5 grs..... Med. prop.—Anti-periodic, Anti-malarial. Dose, 1 to 2.	1 00	4 75
Cincho-Quinine. 1 gr. Med. prop.—Tonic, Anti-periodic. Dose, 1 to 3.	1 00	4 75
Cincho-Quinine. 2 grs..... Med. prop.—Tonic, Anti-periodic. Dose, 1 to 2.	1 90	9 25
Coccia Med. prop.—Hydragogue cathartic. Dose, 2 to 4. Pulv. Res. Scammon., 1 gr. } Pulv. Soc. Aloes, 1¼ gr. } Pulv. Colocynth., ½ gr. } Potass. Sulph., ⅛ gr. } Ol. Caryophyl., ⅛ gtt. }	90	4 25
Codein. ¼ gr..... Med. prop.—Anodyne, replacing morphine without the usual disagreeable after-effects produced by the latter. Dose, 1 to 2.	1 25	6 00
Colocynthidis Comp., U. S. P. 3 grs..... Med. prop.—Purgative. Dose, 2 to 5.	80	3 75
Colocynth. et Hydrarg. et Ipecac Med. prop.—Cholagogue, Cathartic. Dose, 1 to 3. Pulv. Ext. Coloc. Co., 2 grs. } Pil. Hydrarg., 2 grs. } Pulv. Ipecac, ⅛ gr. }	75	3 50
Colocynth. et Hyoseyamus. ... Med. prop.—Gentle laxative. Dose, 1 to 2. Ext. Coloc. Comp., 2⅓ grs. } Ext. Hyoseyami, 1⅓ gr. }	75	3 50

PILLS.	BOTTLE.	
	100	500
Cook's 3 Grs.	50	2 25
Med. prop.—Purgative. Dose, 2 to 4.		
Pulv. Aloes Soc., 1 gr. }		
Pulv. Rhei, 1 gr. }		
Calomel, ½ gr. }		
Sapon. Hispan., ½ gr. }		
Copaibæ, U. S. P.	50	2 25
Med. prop.—Alterative to Mucous Membrane. Dose, 2 to 6.		
Copaibæ et Ext. Cubebæ	80	3 75
Med. prop.—Alterative to Mucous Membrane. Dose, 2 to 4.		
Pil. Copaibæ, 3 grs. }		
Oleo-Resin. Cubebæ, 1 gr. }		
Copaibæ Comp.	80	3 75
Med. prop.—Alterative to Mucous Membrane, Tonic. Dose, 2 to 4.		
Pil. Copaib.		
Resin. Guaiac.		
Ferri Citras.		
Oleo-Resin. Cubebæ.		
Corrosive Sublimate. 1-12, 1-20, 1-40 and 1-100 gr.	40	1 75
Med. prop.—Mercurial, Alterative.		
Corrosive Sublimate has been administered with most gratifying results in certain forms of Chronic Dyspepsia. Ringer and other eminent therapeutists extol it very highly in 1-100 gr. doses in dysentery of children, regarding it as almost specific.		
Damianæ cum Phos. et Nuc. Vom.	1 50	
Med. prop.—Aphrodisiac. Dose, 1 to 2.		
Ext. Damianæ, 2 grs. }		
Phosphori, 1-100 gr. }		
Ext. Nuc. Vom., ⅓ gr. }		
A valuable remedy indicated in sexual debility, over work of the brain, impotency, etc. It is also highly recommended as an uterine tonic. Also of value in Leucorrhœa, Amenorrhœa, Dysmenorrhœa, etc.		
Diaphoretic	75	3 50
Med. prop.—Diaphoretic. Dose, 1 to 2.		
Morphniæ Acetas., 1-25 gr. }		
Pv. Ipecac, ¼ gr. }		
Pv. Potass. Nitras., 1 gr. }		
Pv. Camphoræ, ¼ gr. }		

PILLS.	BOTTLE.	
	100	500
Digestiva	75	
Med. prop.—Useful in Indigestion.		
Dose, 1 to 2.		
Pepsin Concentrat.,	1 gr. }	
Pv. Nuc. Vom.,	¼ gr. }	
Gingerine,	1-10 gr. }	
Sulphur,	⅛ gr. }	
<p>This combination is very useful in relieving various forms of Dyspepsia and Indigestion and will afford permanent benefit in cases of enfeebled digestion, where the gastric juices are not properly secreted.</p> <p>As a corrective of nausea or lack of appetite in the morning, induced by over indulgence in food or stimulants during the night, these pills are unsurpassed; they should be taken in doses of two pills before retiring or in the morning at least one hour before eating; the first mentioned time is the most desirable as the effects are more decided, owing to the longer period for action and the natural rest is more fully experienced through their mild but effective influence.</p> <p>As a dinner pill, Pil: Digestiva is unequalled and may be taken in doses of a single pill either before or after eating.</p>		
Digitalin. (Alkaloid.) 1-60 gr.....	75	3 50
Med. prop.—Arterial sedative. Dose,		
1 to 2.		
Digitalis Comp	50	2 25
Med. prop.—Arterial sedative. Dose,		
1 to 3.		
Pv. Digitalis,	1 gr. }	
Pv. Scillæ,	1 gr. }	
Potass. Nitras.,	2 grs. }	
Diuretic	50	2 25
Med. prop.—Diuretic, Antacid. Dose,		
1 to 3.		
Sapon. Hispan. Pv.,	2 grs. }	
Sodii Carb. Exsic.,	2 grs. }	
Ol. Baccæ Junip.,	1 gtt. }	
Dupuytren	50	2 25
Med. prop.—Specific Alterative. Dose,		
1.		
Pulv. Guaiac.,	3 grs. }	
Hydg. Chlor. Cor.,	1-10 gr. }	
Pulv. Opii,	⅛ gr. }	

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Eccoprotic	60	2 75
Med. prop.—Mild cathartic. Dose, 2 to 4.		
Ext. Aloes Soc., 2 grs. }		
Ext. Nuc. Vomicae, 1-5 gr. }		
Res. Podophylli, 3-10 gr. }		
Ol. Caryophyl., 1-10 gtt. }		
Elaterium. (Clutterbuck's) 1-10 gr.	95	4 50
Med. prop.—Diuretic, Hydragogue Cathartic. Dose, 1 to 2.		
Emmenagogue	1 25	6 00
Med. prop.—Active Emmenagogue, Tonic. Dose, 1 to 3.		
Ergotine, 1 gr. }		
Ext. Hellebor. Nig., 1 gr. }		
Aloes, 1 gr. }		
Ferri Sul. Exs., 1 gr. }		
Ol. Sabinæ, ½ gr. }		
Emmenagogue. (Mutter).....	40	1 75
Med. prop.—Emmenagogue. Dose, 1 to 3.		
Ferri Sulph. Exs., 1½ gr. }		
Aloes Pv., ½ gr. }		
Terebinth. Alb., 1½ gr. }		
Ergotin. 1 gr.....	1 00	4 75
Med. prop.—Parturient.		
Ergotin. 3 grs.....	1 50	7 25
Med. prop.—Parturient. Dose, 1 to 2.		
Ergotin. Comp. (Dr. Reeves.)....	1 75	8 50
Med. prop.—Sedative, Parturient.		
Ergotin, 3 grs. }		
Ext. Cannab. Ind., ¼ gr. }		
Ext. Belladon., ¼ gr. }		
Extract Belladonna. (Eng.) ¼ gr.	40	1 75
Med. prop.—Anodyne.		
Extract Cannabis Indica. ¼ gr.	60	2 75
Med. prop.—Anodyne.		
Ext. Guaranae. 3 grs.....	2 00	9 75
Med. prop.—Nervine. Dose, 1 to 3.		
Extract Hyoseyamus. (Eng.) ½ gr.....	40	1 75
Med. prop.—Nerve Stimulant.		
Ext. Coca. 3 grs.....	80	3 75
Med. prop.—A powerful Tonic and Sedative. Dose, 1 to 2.		

PILLS.	BOTTLE.	
	100	500
Extract Ignatia Amara. $\frac{1}{4}$ gr. Med. prop.—Nerve Sedative. Dose, 1 to 2.	50	2 25
Extract Nuc. Vom. $\frac{1}{4}$ and $\frac{1}{2}$ gr.. Med. prop.—Nerve Stimulant. Dose, 1 to 3.	40	1 75
Fel Bovinum Med. prop.—Laxative. Dose, 1 to 3. Fel Bovis. Ins. 2 grs. } Pv. Zingiber Jam., 1 gr. }	50	2 25
Ferri Iodid. 1 gr..... Med. prop.—Tonic, Alterative. Dose, 1 to 2.	80	
<p>In cases where Iodide of Iron is prescribed, it is absolutely necessary, for the physician, who relies on the therapeutic action for beneficial results, that the compound should be perfectly protected, and so prepared as to remain inalterable and stable.</p> <p>With this important fact in view, we have devoted special study to Iodide of Iron in pilular form, and are warranted in announcing that Warner & Co.'s Iodide of Iron Pills meet all the requirements, and are the most perfect preparation of the kind.</p> <p>A salt is formed and so prepared as to guard against oxidation, and will remain unchanged for years. A coating of pure sugar renders them pleasant to administer, and further insures protection.</p> <p>In proof of the above statement, a pill cut through presents all the characteristics of a perfect pill mass and the presence of Iodide Iron, without the free Iodine, forming a clear solution; and dissolving <i>readily</i> if thrown into a glass of water.</p> <p>The dose of Iodide Iron Pills is from ONE to TWO at meal time and is recommended and successfully used in the treatment of Pulmonary Phthisis or Consumption, Anæmia and Chlorosis, Caries and Scrofulous Abscesses, Chronic Discharges, Dyspepsia, Loss of Appetite, etc.</p>		
Ferri Carb. (Vallett's) U. S. P. 3 grs..... Med. prop.—Tonic. Dose, 1 to 4.	40	1 75

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Ferri Citras, U. S. P. 2 grs..... Med. prop.—Tonic. Dose, 1 to 3.	50	2 25
Ferri Comp., U. S. P. Med. prop.—Tonic, Emmenagogue. Dose, 2 to 6.	40	1 75
Ferri Lactas. 1 gr..... Med. prop.—Tonic. Dose, 1 to 3.	50	2 25
Ferri Pyrophos. 1 gr..... Med. prop.—Tonic. Dose, 1 to 3.	40	1 75
Ferri et Quas. et Nuc. Vom. Med. prop.—Tonic, Nerve Stimulant. Dose, 1 to 2. Fer. per Hydrog., 1½ gr. } Ext. Quassia, 1 gr. } Ext. Nuc. Vom., ¼ gr. } Pulv. Saponis, ½ gr. }	75	3 50
Ferri et Strychnin Med. prop.—Tonic, Nerve stimulant. Dose, 1 to 2. Ferrum per Hydrog., 2 grs. } Strychnina, 1-60 gr. }	75	1 50
Ferri et Strychninae Cit. Med. prop.—Tonic, Nerve stimulant. Dose, 1 to 2. Strych. Citrat., 1-50 gr. } Ferri Citras., 1 gr. }	75	3 50
Ferri Sulph. Exs. 2 grs..... Med. prop.—Tonic. Dose, 2 to 4.	40	1 75
Ferri Valer. 1 gr..... Med. prop.—Tonic, Anti-spasmodic. Dose, 1 to 2.	1 00	4 75
Ferrum. (Quevenne's.) 1 gr..... Med. prop.—Tonic. Dose, 1 to 3.	50	2 25
Ferrum. (Quevenne's.) 2 grs..... Med. prop.—Tonic. Dose, 1 to 2.	75	3 50
Galbani Comp. Med. prop.—Anti-spasmodic. Dose, 2 to 4. Galbani, 1½ gr. } Pv. Myrrh., ½ gr. } Asafœt, ½ gr. }	50	2 25
Gambogiae Comp. Med. prop.—Active purgative. Dose, 2 to 5. Pv. Gambogia. Pv. Aloes Socot. Pv. Zingib. Jam. Pv. Saponis.	40	1 75

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Gelsemin. 1-16 gr..... Med. prop.—Arterial sedative. Dose, 1 to 4.	40	1 75
Gelsemin. 1/8 gr..... Med. prop.—Arterial sedative. Dose, 1 to 2.	50	2 25
Gelsemin. 1/4 gr..... Med. prop.—Arterial Sedative. Dose, 1 to 2.	75	3 50
Gentian. Comp. (Aloe Comp.).... Med. prop.—Tonic, Purgative. Dose, 2 to 4. Ext. Gentian, 2/3 gr. } Pv. Aloes Soc., 2 grs. } Ol. Carui, 1-5 gr. }	40	1 75
Gonorrhœa Med. prop.—Tonic, Alterative to Mu- cous Membrane. Dose, 1 to 3. Pulv. Cubeb., 2 grs. } Bals. Copaib. Solid., 1 gr. } Ferri Sulph., 1/2 gr. } Terebinth. Venet., 1 1/2 gr. }	60	2 75
Heim's (Niemeyer.)..... Med. prop.—Anti-periodic, Tonic. Dose, 1. Quininae Sulph., 1 gr. } Pulv. Digital. Fol., 1/2 gr. } Pulv. Ipecac., 1/4 gr. } Pulv. Opii, 1/4 gr. }	1 25	6 00
Helonin. 1-10 gr..... Med. prop.—Cathartic. Dose, 1 to 4.	50	2 25
Hepatica Med. prop.—Cholagogue, Cathartic. Dose, 1 to 2. Pil. Hydrarg., 3 grs. } Ext. Coloc. Comp., 1 gr. } Ext. Hyoscyami, 1 gr. }	80	3 75
Hooper. (Female Pills.) 2 1/2 grs.... Med. prop.—Emmenagogue. Dose, 1 to 3	40	1 75
Hydrarg. 5 grs..... Med. prop.—Mercurial alterative. Dose, 1 to 2.	50	2 25
Hydrargyri, U. S. P. 3 grs..... Med. prop.—Mercurial alterative. Dose, 2 to 3.	40	1 75
Hydrarg. Bin Iodide. 1-16 gr... Med. prop.—Alterative. Dose, 1 to 3.	40	1 75

PILLS.	BOTTLE.	
	100	500
Hydrargyri Comp	75	3 50
Med. prop.—Mercurial alterative.		
Dose, 1 to 2.		
Mass. Hydrarg., 1 gr. }		
Pulv. Opii, ½ gr. }		
Pulv. Ipecac, ¼ gr. }		
Hydrargyri Iod. et Opii.		
(Ricords.)	75	3 50
Med. prop.—Mercurial alterative.		
Dose, 1 to 2.		
Hydrarg. Iodid., 1 gr. }		
Pulv. Opii, ⅓ gr. }		
Hydrarg. Prot Iodide. 1-5 gr..	40	1 75
Med. prop.—Alterative. Dose, 1 to 4.		
Our preparation of Prot Iodid. Mercury is made by precipitation and is entirely free from traces of the Bin-Iodid.		
Hydrarg. Prot Iodide. ⅛ gr...	40	1 75
Med. prop.—Alterative. Dose, 1 to 4.		
Hydrarg. Prot Iodide. ¼ gr...	40	1 75
Med. prop.—Alterative. Dose, 1 to 2.		
Hydrarg. Prot Iodide. ½ gr...	50	2 25
Med. prop.—Alterative. Dose, 1 to 2.		
Hydrastin. ½ gr.....	95	4 50
Med. prop.—Cathartic. Dose, 1 to 2.		
Hyoseyamie. 1-100 gr.....	3 00	14 75
(Crystals, Pure Alkaloid.)		
Med. prop.—Anodyne, Soporific.		
Dose, 1.		
Iodoform. 1 gr.....	1 00	4 75
Med. prop.—Tonic, Alterative. Dose, 1 to 2.		
Iodoform et Ferri	1 50	7 25
Med. prop.—Tonic, Alterative. Dose, 1 to 2.		
Iodoform, 1 gr. }		
Ferri Redact., 1¼ gr. }		
Iodoform et Ferri et Nuc. Vom	1 50	7 25
Med. prop.—Tonic, Alterative. Dose, 1 to 2.		
Iodoform, 1 gr. }		
Ferri Redact., 1 gr. }		
Ext. Nuc. Vom., ¼ gr. }		

PILLS.	BOTTLE.	
	100	500
Iodoform et Hydrarg.	I 50	7 25
Med. prop.—Alterative. Dose, 1 to 3.		
Iodoform, $\frac{1}{2}$ gr. }		
Hydrarg. Prot Iodid., $\frac{1}{8}$ gr. }		
Iodoform et Nuc. Vom. Comp. ..	I 50	7 25
Med. prop.—Alterative, Tonic, Laxative, Repellant. Dose, 1 to 3.		
Iodoform $\frac{1}{2}$ gr. }		
Ext. Nuc. Vom., $\frac{1}{8}$ gr. }		
Podophyllin, 1-16 gr. }		
Ext. Belladon., $\frac{1}{8}$ gr. }		
Iodoform et Quinine	I 25	6 00
Med. prop.—Alterative, Tonic. Dose, 1 to 3.		
Iodoform, $\frac{1}{2}$ gr. }		
Quininæ Bisulph., $\frac{1}{2}$ gr. }		
Iodoform et Quina et Ferri. I 75	8 50	
Med. prop.—Tonic, Alterative. Dose, 1 to 2.		
Iodoform, 1 gr. }		
Ferri Carb., (Vallet's) 2 grs. }		
Quininæ Sul., $\frac{1}{2}$ gr. }		

Iodoform therapeutically is alterative, nervine, sorbefacient, anti-periodic, and anæsthetic. As an alterative it acts with more rapidity than other medicines of that class, in doses of one, two, or three grains, repeated thrice daily. As a nervine it is prompt and efficient; while it gives nervous strength, it calms speedily the most severe pains.

It is rapidly absorbed into the blood.

Accumulative effects have not been observed.

Iodoform is destitute of any local irritant action, and has that advantage over all other iodic remedies.

It may be administered, with reasonable expectation of success, in the following diseases:

Neuralgia of every description, chronic rheumatism, consumption, scrofula, ophthalmia, chronic ulcerations, and skin diseases, syphilis, and certain affections of the neck of the bladder and prostrate gland, and whenever a powerful alterative agent is needed. This quality of Iodoform is greatly enhanced, in the majority of cases, by the addition of pure iron, Fer. per hydrog.

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Ipecac. et Opii. 3½ grs. (Pulv. Doveri, U. S. P.).....	50	2 25
Med. prop.—Anodyne, Soporific. Dose, 1 to 3.		
Ipecac. et Opii. 5 grs.....	65	3 00
Med. prop.—Anodyne, Soporific. Dose 1.		
Irisin Comp.	50	2 25
Med. prop.—Cathartic, Nerve stimulant. Dose, 1 to 2.		
Irisin, ¼ gr. }		
Podophyllin, 1-10 gr. }		
Strychnine, 1-40 gr. }		
Laxative	60	2 75
Med. prop.—Gentle purgative. Dose, 1 to 2.		
Pulv. Aloes Soc., 1 gr. }		
Sulphur, 1-5 gr. }		
Res. Podophylli, 2-5 gr. }		
Res. Guaiaci, ½ gr. }		
Syr. Rhamni, q. s. }		
Leptandrin. ¼ gr.....	40	1 75
Med. prop. Cathartic. Dose, 1 to 4.		
Leptandrin. ½ gr.....	50	2 25
Med. prop.—Cathartic. Dose, 1 to 2.		
Leptandrin. 1 gr.....	75	3 50
Med. prop.—Cathartic. Dose, 1.		
Leptandrin Comp.	1 00	4 75
Med. prop.—Laxative, Diuretic. Dose, 1 to 2.		
Leptandrin, 1 gr. }		
Irisin ¼ gr. }		
Podophyllin, ⅛ gr. }		
Lupulin. 3 grs.....	40	1 75
Med. prop.—Anodyne. Dose, 2 to 4.		
Morphinæ Acetas. ⅛ gr.....	50	2 25
Med. prop.—Anodyne. Dose, 1 to 2.		
Morphinæ Comp.	1 25	6 00
Med. prop.—Anodyne, Febrifuge. Dose, 1.		
Morph. Sulph., ¼ gr. }		
Ant. et, Pot. Tart., ¼ gr. }		
Hydrarg. Chlor. Mit., ¼ gr. }		
Morphinæ Sulph. 1-20 gr.....	40	1 75
Med. prop.—Anodyne. Dose, 1 to 2.		
Morphinæ Sulph. 1-10 gr.....	40	1 75
Med. prop.—Anodyne. Dose, 1 to 2.		

PILLS.	BOTTLE.	
	100	500
Morphinæ Sulph. ⅛ gr.....	50	2 25
Med. prop.—Anodyne. Dose, 1 to 2.		
Morphinæ Sulph. ¼ gr.....	60	2 75
Med. prop.—Anodyne. Dose, 1 to 2.		
Morphinæ Sulph. ½ gr.....	75	3 50
Med. prop.—Anodyne. Dose, 1 to 2.		
Morphinæ Sulph. ½ gr.....	1 25	6 00
Med. prop.—Anodyne. Dose, 1.		
Morphinæ Valerianas. ⅛ gr...	90	4 25
Med. prop.—Anodyne. Dose, 1 to 2.		
Neuralgie	1 90	9 25
Med. prop.—Tonic, Alterative, Anodyne. Dose, 1 to 3.		
Quininæ Sulph., 2 grs. }		
Morphinæ Sulph., 1-20 gr, }		
Strychnine, 1-30 gr. }		
Acid Arsenious, 1-20 gr. }		
Ext. Aconiti, ½ gr. }		
Neuralgie. (One-half size.).....	1 00	4 75
Med. prop.—As above. Dose, 1 to 3.		
Neuralgie. (Brown Sequard.).....	1 60	7 75
Med. prop.—Anodyne. Dose, 1.		
Ext. Hyoscyami, ⅔ gr. }		
Ext. Conii, ⅔ gr. }		
Ext. Ignat. Amar., ¼ gr. }		
Ext. Opii, ½ gr. }		
Ext. Aconiti, ⅓ gr. }		
Ext. Cannab. Ind., ¼ gr. }		
Ext. Stramon., 1-5 gr. }		
Ext. Belladon., ⅓ gr. }		
Neuralgie. (Sine Morphine.).....	1 90	9 25
Med. prop.—Tonic, Alterative. Dose, 1 to 3.		
Opii. ½ gr.....	40	1 75
Med. prop.—Anodyne. Dose, 1 to 2.		
Opii, U. S. P. 1 gr.....	50	2 25
Med. prop.—Anodyne. Dose, 1.		
Opii et Camphor	60	2 75
Med. prop.—Anodyne, Nerve sedative. Dose, 1.		
Pulv. Opii, 1 gr. }		
Camphoræ, 2 grs. }		

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Opium et Camphor et Tannin....	60	2 75
Med. prop.—Anodyne, Astringent. Dose, 1 to 3.		
Pulv. Opium, $\frac{1}{4}$ gr. } Camphoræ, 1 gr. } Acid Tannic, 2 grs. }		
Opium et Plumbi Acetas.....	50	2 25
Med. prop.—Anodyne, Sedative. Dose, 1 to 2.		
Pulv. Opium, $\frac{1}{2}$ gr. } Plumbi Acet., $1\frac{1}{2}$ gr. }		
Opium, Purified. $\frac{1}{2}$ gr.....	1 25	6 00
Med. prop.—Anodyne, Soporific. Dose, 1 to 2.		
Phosphori. 1-100 gr., 1-50 gr., 1-25		
gr., in each.....	1 00	
Med. prop.—Nerve stimulant. Dose, 1.		
The method of preparing Phosphorus in pillular form has been <i>discovered and brought to perfection by us</i> , without the necessity of combining it with resin, which forms an insoluble compound. The ele- ment is in a perfect state of subdivision and incorporated with the excipient while in solution. The non-porous coating of sugar protects it thoroughly from oxida- tion, so that the pill is not impaired by age. It is the most pleasant and accept- able form for the administration of Phos- phorus.		
Phosphori Comp.....	1 25	
Med. prop.—Nerve tonic. Dose, 1.		
Phosphori, 1-100 gr. } Ext. Nuc. Vom., $\frac{1}{4}$ gr. }		
Phosphori cum Aloe et Nuc.		
Vomica.....	1 50	
Med. prop.—Useful in the atonic form of Dyspepsia and Neurosis of the Stomach. Dose, 1.		
Phosphori, 1-50 gr. } Ext. Aloe Aq., $\frac{1}{2}$ gr. } Ext. Nuc. Vom., $\frac{1}{4}$ gr. }		
Phosphori cum Belladonna..	1 50	
Med. prop.—Useful in Anæmic Condi- tions and Neuralgia. Dose, 1 to 2.		
Phosphori, 1-100 gr. } Ext. Belladonna $\frac{1}{8}$ gr. }		

PILLS.

BOTTLE.
100 500

Phosphori cum Cannab. Ind . I 75

Med. prop.—Narcotic, Aphrodisiac.

Dose, 1 to 2.

Phosphori, 1-50 gr. }
Ext. Cannab. Ind., ¼ gr. }

Phosphori cum Ferro Comp. . I 50

Med. prop.—Nutritive, Tonic and Stimulant to the Nervous system. Dose, 1.

Phosphori, 1-50 gr. }
Strychnine, 1-60 gr. }
Ferri Redact., 1½ gr. }

PHOSPHORUS has recently been prescribed with great advantage in cases of extreme debility and mental depression, from prolonged anxiety or excessive excitement; also, in nervous prostration from overwork, especially brain-work. It is recommended in cases which are attended with great prostration of the vital powers; in exhausting diseases, such as Cholera, Diphtheria, and the latter stages of Typhus and other Fevers, etc. In Epilepsy, Epileptiform-Vertigo, Melancholia, Softening and some other diseases of the Brain, it has been given with marked benefit; also in Neuralgia, Tuberculosis, and Scrofula, in chronic and inveterate diseases of the skin, Leprosy, Lupus, and Psoriasis. Dr. Burgess recommends it in Pruritus Pudendi and other forms of Pruritus.

PHOSPHORUS, STRYCHNINE, AND IRON, combined in the proportions above indicated, is a safe and valuable remedy. As a nutritive tonic and stimulant to the nervous system, especially the spinal cord, it is admirably adapted for the treatment of a large number of nervous disorders dependent on defective nutrition and debility. It increases appetite and promotes digestion. It may be safely given in all those cases in which hypophosphites are employed. It is strongly recommended in *Consumption, Neuralgia, Atonic Dyspepsia, Lowness of Spirit, in General Debility*, and in that general condition of depression and loss of power popularly known as *below par*, and in *breakdown* from overwork and mental fatigue.

PILLS.	BOTTLE.	
	100	500
Phosphori cum Digital. Co	I	50
Med. prop.—Valuable as a Heart tonic.		
Dose, ʒ.		
Phosphori, 1-50 gr. }		
Pv. Digitalis, 1 gr. }		
Ext. Hyoscy., 1 gr. }		
Phosphori cum Digitale et Ferro	I	50
Med. prop.—Valuable as a Heart tonic.		
Dose, ʒ.		
Phosphori, 1-50 gr. }		
Pv. Digitalis, 1 gr. }		
Ferri Redact., 1 gr. }		
Phosphori cum Ext. Aconiti	I	50
Med. prop.—Useful in the Treatment of Phthisis with Pyrexia.		
Dose, ʒ.		
Phosphori, 1-50 gr. }		
Ext. Aconiti, 1-16 gr. }		
Phosphori cum Ferro	I	25
Med. prop.—A Powerful Nervine tonic and Blood restorer.		
Dose, ʒ to 2.		
Phosphori, 1-50 gr. }		
Ferri Redact., 1 gr. }		
Phosphori cum Cantharide Co	I	50
Med. prop.—Stimulating emmenagogue and Diuretic.		
Dose, ʒ to 2.		
Phosphori, 1-50 gr. }		
Pv. Nuc. Vom., 1 gr. }		
Sol. Cantharidis Con., ʒ.		
Phosphori cum Ferro et Nuc. Vom	I	25
Med. prop.—Nerve stimulant, Tonic.		
Dose, ʒ to 2.		
Phosphori, 1-100 gr. }		
Ferri Carb., 1 gr. }		
Ext. Nuc. Vom., ¼ gr. }		
Phosphori cum Ferro et Quinina	I	60
Med. prop.—Nerve tonic.		
Dose, ʒ to 2		
Phosphori, 1-100 gr. }		
Ferri Carb., 1 gr. }		
Quininæ Sul., 1 gr. }		
Phosphori cum Ferro et Quinina et Nuc. Vom	I	60
Med. prop.—Nerve tonic.		
Dose, ʒ to 2		
Phosphori, 1-100 gr. }		
Ferri Carb., 1 gr. }		
Quininæ Sul., 1 gr. }		
Ext. Nuc. Vom., ¼ gr. }		

PILLS.	BOTTLE.	
	100	500
Phosphori cum Ferro et Strychnina	1	50
Med. prop.—Nerve tonic and Stimulant.		
Dose, 1 to 2.		
Phosphori, 1-100 gr. }		
Ferri Carb., 1 gr. }		
Strychnin, 1-60 gr. }		
Phosphori cum Morphina et Zinco Valer	2	00
Med. prop.—Nerve tonic and Sedative.		
Dose, 1.		
Phosphori, 1-50 gr. }		
Morphinæ Sul., 1-12 gr. }		
Zinci Valer, 1 gr. }		
Phosphori cum Nuc. Vomica ..	1	25
Med. prop.—Nerve tonic and Stimulant.		
Dose, 1 to 2.		
Phosphori, 1-50 gr. }		
Ext. Nuc., Vom., 1/8 gr. }		
Phosphori cum Opio et Digital	1	50
Med. prop.—Useful in Arresting Abnormal calorification. Dose, 1 to 2.		
Phosphori, 1-50 gr. }		
Pv. Digitalis, 1/2 gr. }		
Pv. Ipecac., 1/4 gr. }		
Pv. Opii, 1/4 gr. }		
Phosphori cum Quinina	1	80
Med. prop.—Nerve tonic. Dose, 1 to 2		
Phosphori, 1-50 gr. }		
Quininæ Sul., 1 gr. }		
Phosphori cum Quininæ Co ..	1	35
Med. prop.—Nerve tonic. Dose, 1.		
Phosphori, 1-50 gr. }		
Ferri Redact., 1 gr. }		
Quininæ Sul., 1/2 gr. }		
Strychnin., 1-60 gr. }		
Phosphori cum Quinina et Ferro et Strychnina	1	60
Med. prop.—Powerful nerve stimulant.		
Dose, 1.		
Phosphori 1-100 gr. }		
Quininæ Sul., 1 gr. }		
Ferri Redacti, 1 gr. }		
Strychnin, 1-60 gr. }		

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Phosphori cum Quinina et Digitale Co.	1	35
Med. prop.—Valuable as a Sedative and Diuretic. Dose, 1 to 2.		
Phosphori, 1-50 gr. }		
Quininae Sul., ½ gr. }		
Pv. Digitalis, ½ gr. }		
Pv. Opii, ¼ gr. }		
Pv. Ipecac., ¼ gr. }		
Phosphori cum Quinina et Nuc Vom.	1	60
Med. prop.—Nerve tonic. Dose, 1 to 2		
Phosphori, 1-50 gr. }		
Quininae Sul., 1 gr. }		
Ext. Nuc. Vom., ¼ gr. }		
Phosphori cum Strychnina...	1	25
Med. prop.—Nerve tonic and Stimulant.		
Dose, 1.		
Phosphori, 1-50 gr. }		
Strychnin, 1-60 gr. }		
Phosphori cum Zinco Co.	1	50
Med. prop.—Useful in Uterine disturbances, Leucorrhœa and Hysteria.		
Dose, 1 to 2.		
Phosphori, 1-50 gr. }		
Zinci Sul., 1 gr. }		
Lupulin, 1 gr. }		
Phosphori et Damiana cum Nuc. Vom.	1	50
Med. prop.—Aphrodisiac. Dose, 1 to 2.		
Ext. Damiana, 2 grs. }		
Phosphori, 1-100 gr. }		
Ext. Nuc. Vom., ⅛ gr. }		
Podophyllin. 1-10 gr.....	40	1 75
Med. prop.—Cathartic. Dose, 1 to 4.		
Podophyllin. ¼ gr.....	40	1 75
Med. prop.—Cathartic. Dose, 1 to 4.		
Podophyllin. ½ gr.....	50	2 25
Med. prop.—Cathartic. Dose, 1 to 2.		
Podophyllin. 1 gr.....	75	3 50
Med. prop.—Cathartic. Dose, 1.		

PILLS.	BOTTLE.	
	100	500
Podophylli. (Dr. E. R. Squibb.)...	75	3 50
Dose, 1 to 2.		
Res. Podophylli,	$\frac{1}{4}$ gr. }	
Pv. Capsici,	$\frac{1}{2}$ gr. }	
Ext. Belladon.,	$\frac{1}{8}$ gr. }	
Pv. Sacch. Lact.,	1 gr. }	
Acacia and Glycerin.,	aa q. s.	
The composition of this pill is the same as Dr. Squibb's recipe, and for administration is preferable, being just as soluble and more elegant in appearance.		
Practical test for Solubility:—Suspend 3 of these pills in water and they will dissolve, coating included, as soon as the plain pills ready prepared. This is accomplished through our method of manipulation and coating, and physicians should not regard the prejudice against sugar-coated pills as applying to Wm. R. Warner & Co.'s manufacture.		
Podophyllin et Bellad.	75	3 50
Med. prop.—Mild stimulating laxative.		
Dose, 1 to 3.		
Podophyllin,	$\frac{1}{4}$ gr. }	
Ext. Bellad.,	$\frac{1}{8}$ gr. }	
Ol. Res. Capsici,	$\frac{1}{4}$ gr. }	
Saccharum Lact.,	1 gr. }	
Podophyllin Comp.	75	3 50
Med. prop.—Cathartic and Tonic.		
Dose, 1 to 2.		
Podophyllin,	$\frac{1}{2}$ gr. }	
Ext. Hyoscyami,	$\frac{1}{8}$ gr. }	
Ext. Nuc. Vomicæ,	1-16 gr. }	
Podophyllin Comp. (Eclectic)..	75	3 50
Med. prop.—Purgative. Dose, 2 to 4.		
Podophyllin,	$\frac{1}{8}$ gr. }	
Leptandrin,	1-16 gr. }	
Juglandin,	1-16 gr. }	
Macrotin,	1-32 gr. }	
Ol. Res. Capsici,	q. s. }	
Podophyl. et Hydrarg.	50	2 25
Med. prop.—Laxative. Dose, 2 to 4.		
Podophyllin,	$\frac{1}{4}$ gr. }	
Pil. Hydrarg.,	2 grs. }	
Podophyllin et Hyoscyamus.	60	2 75
Med. prop.—Gentle cathartic. Dose, 1 to 2.		
Podophyllin,	$\frac{1}{2}$ gr. }	
Ext. Hyoscyami,	$\frac{1}{2}$ gr. }	

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Podophyllotoxin. $\frac{1}{8}$ gr..... Med. prop.—Cathartic, without the nausea induced by Podophyllin. Dose, 1 to 2.	50	2 25
Podophyllotoxin. $\frac{1}{4}$ gr..... Med. prop.—Cathartic, without the nausea induced by Podophyllin. Dose, 1 to 2.	75	3 50
Post-Partum. (Dr. Fordyce Barker.) Dose, 1. Ext. Coloc. Comp., $1\frac{1}{2}$ gr. } Hydrarg. Chlor. Mit., $1\frac{1}{2}$ gr. } Ext. Hyoscyami, $\frac{1}{3}$ gr. } Ext. Nuc. Vom., $\frac{1}{6}$ gr. } Pulv. Aloes, $\frac{1}{6}$ gr. } Pulv. Ipecac., $\frac{1}{6}$ gr. }	1 00	4 75
Potass. Bromid. 1 gr..... Med. prop.—Nerve sedative. Dose, 2 to 5.	75	3 50
Potass. Bromid. 5 grs..... Med. prop.—Nerve sedative. Dose, 1 to 2.	1 25	6 00
Potass. Iodid. (Merck's) 2 grs.... Med. prop.—Alterative. Dose, 1 to 3.	85	4 00
Potass. Permanganas. $\frac{1}{8}$ gr... Med. prop.—DR. ROBERTS BARTHOL-LOW, Professor of Materia Medica and Therapeutics in the Jefferson Medical College of Philadelphia, says ("Permanganate of Potassium, its Action and Uses"): "One of the most important therapeutical applications of permanganate of potassium, a recent discovery, is in the treatment of amenorrhœa. We owe this valuable improvement, as indeed many others, to Drs. Ringer and Murrell. They have shown that this remedy is remarkably certain when applied in suitable cases. Given in doses of two to five grains three times a day, for several days preceding the menstrual molimen, this agent is quite sure to start the flow. Dose, 2 to 5 grs.	50	2 25
Potass. Permanganas. 1 gr.... Med. prop.—As above. Dose, 1 to 4.	75	3 50
Potass. Permanganas. 2 grs.... Med. prop.—As above. Dose, 1 to 2.	1 00	4 75

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Prandii	75	3 50
Med. prop.—Stimulating purgative.		
Dose, 1 to 2.		
Ext. Aloe Aq., 1 gr. }		
Ext. Gentian, 2 grs. }		
Ext. Anthemid., 1 gr. }		
Pv. Capsici, ¼ gr. }		
Quininæ Bi-Sulph. ½ gr.....	35	1 50
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 4.		
Quininæ Bi-Sulph. 1 gr.....	40	1 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 3.		
Quininæ Bi-Sulph. 2 grs.....	60	2 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 3.		
Quininæ Bi-Sulph. 3 grs.....	85	4 00
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 2.		
Quininæ Bi-Sulph. 5 grs.....	1 50	
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 2.		
Quininæ Comp	1 00	4 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 2.		
Quininæ Sulph., 1 gr. }		
Fer. Carb. (Vallett's), 2 grs. }		
Acid Arsenious, 1-60 gr. }		
Quininæ cum Capsicum	80	3 75
Med. prop.—Anti-periodic, Stimulant.		
Dose, 1 to 3.		
Quininæ Sulph., 1 gr. }		
Capsicum, ¼ gr. }		
Quininæ et Ext. Bellad	1 00	4 75
Med. prop.—Nerve tonic, Anti-periodic.		
Dose, 1 to 2.		
Quininæ Sulph., 1 gr. }		
Ext. Belladon., ½ gr. }		
Quininæ et Ferri	80	3 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 2.		
Quininæ Sulph., 1 gr. }		
Ferrum per Hydrog., 1 gr. }		
Quininæ et Ferri Carb	1 00	4 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 2.		
Quininæ Sulph., 1 gr. }		
Fer. Carb. (Vallett's), 2 grs. }		

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Quininæ et Ferri Cit. 1 gr..... Med. prop.—Tonic, Anti-periodic. Dose, 1 to 2.	40	1 75
Quininæ et Ferri Cit. 2 grs.... Med. prop.—Tonic, Anti-periodic. Dose, 1 to 2.	50	2 25
Quininæ et Fer. et Strych- nin Med. prop.—Tonic, Anti-periodic. Dose, 1 to 2. Quininæ Sulph., 1 gr. } Fer. Carb. (Vallett's), 2 grs. } Strych. Sulph., 1-60 gr. }	80	3 75
Quininæ et Fer. et Strych. 1 00 Phos Med. prop.—Tonic, Anti-periodic. Dose, 1 to 2. Quininæ Phos., 1 gr. } Ferri Phos., 1 gr. } Strychninæ Phos., 1-60 gr. }	1 00	4 75
Quininæ et Ferri Valer. 2 gr.. 1 75 Med. prop.—Tonic, Nerve sedative. Dose, 1 to 2.	1 75	8 50
Quininæ et Hydrarg 1 00 Med. prop.—Tonic, Anti-periodic. Dose, 1 to 2. Quininæ Sulph., 1 gr. } Mass. Hydrarg., 2 grs. } Oleo-Res. Piper. Nig., ¼ gr. }	1 00	4 75
Quininæ et Iodoform 1 50 Med. prop.—Tonic, Alterative. Dose, 1 to 3. Iodoform, ½ gr. } Quininæ Bi-Sulph., ½ gr. }	1 50	
Quininæ Iodoform et Fer 1 25 Med. prop.—Tonic, Alterative. Dose, 1 to 2. Iodoform, 1 gr. } Fer. Carb. (Vallett's), 2 grs. } Quininæ Sulph., ½ gr. }	1 25	6 00
Quininæ et Strychnin 80 Med. prop.—Tonic, Nerve stimulant. Dose, 1 to 2. Quininæ Sulph., 1 gr. } Strychninæ, 1-60 gr. }	80	3 75

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Quininæ et Strychnin Comp..	1 00	4 75
Med. prop.—Tonic, Alterative. Dose, 1.		
Quininæ Sulph., 1 gr. }		
Ferri per Hydrog., 1½ gr. }		
Strychnine, 1-20 gr. }		
Acid Arsenious, 1-20 gr. }		
Quininæ Sulph. ½ gr.....	35	1 50
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 4.		
Our Quinine Pills are manufactured from Powers & Weightman's Quinine, and other brands having an established reputation. An examination by a competent Chemist is made to verify our tests. Each Pill contained in packages to which our label is attached, is warranted to have the full complement of pure material as expressed thereon.		
Quininæ Sulph. 1 gr.....	40	1 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 3.		
Quininæ Sulph. 2 grs.....	60	2 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 3.		
Quininæ Sulph. 3 grs.....	85	4 00
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 2.		
Quininæ Sulph. 5 grs.....	1 50	
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 2.		
Quininæ Valerianas. ½ gr.....	1 45	7 00
Med. prop.—Tonic, Nervine Dose, 1 to 2.		
Quinidinæ Sulph. 1 gr.....	1 15	5 50
Med. prop.—Anti-periodic. Dose, 1 to 3		
Quinidinæ Sulph. 2 grs.....	2 15	10 50
Med. prop.—Anti-periodic. Dose, 1 to 3		
Quinidinæ Sulph. 3 grs.....	3 25	16 00
Med. prop.—Anti-periodic. Dose, 1 to 2		
Rhei Comp., U. S. P.....	75	3 50
Med. prop.—Purgative. Dose, 2 to 4.		
Pulv. Rhei, 2 grs. }		
Pur. Aloes, 1½ gr. }		
Myrrh., 1 gr. }		
Ol. Menth. Pip., 1-10 gr. }		

WARNER & CO.'S SOLUBLE COATED PILLS.

PILLS.	BOTTLE.	
	100	500
Rhei et Hydrarg.	80	3 75
Med. prop.—Cholagogue cathartic.		
Dose, 2 to 5.		
Pulv. Rhei.		
Mass. Hydrarg.		
Sodii Carb. Exsic.		
Rhei, U. S. P.	75	3 50
Med. prop.—Gentle laxative. Dose, 2		
to 5.		
Pulv. Rhei,	3 grs. }	
Pulv. Saponis,	1 gr. }	
Rheumatic	90	4 25
Med. prop.—Anti-rheumatic, Purgative.		
Dose, 1 to 3.		
Ext. Coloc. Comp.,	1½ gr. }	
Ext. Colchici Acet.,	1 gr. }	
Ext. Hyoscyami,	⅓ gr. }	
Hydrarg. Chlor. Mit.,	⅓ gr. }	
Salicylic Acid. 2½ grs.....	75	3 50
Med. prop.—Anti-rheumatic. Dose, 1		
to 2.		
Salicylic Acid. 5 grs.....	1 30	6 25
Med. prop.—Anti-rheumatic. Dose, 1		
to 2.		
Santonin. 1 gr.....	1 00	4 75
Med. prop.—Anthelmintic. Dose, 1 to 3.		
Scillæ Comp., U. S. P.	50	2 25
Med. prop.—Expectorant, Diuretic.		
Dose, 1 to 3.		
Pulv. Scillæ,	½ gr. }	
Pulv. Zingiber. Jam.,	1 gr. }	
Gum Ammoniac,	1 gr. }	
Pulv. Saponis,	1½ gr. }	
Sedative	75	3 50
Med. prop.—Sedative. Dose, 1 to 2.		
Ext. Sumbul,	½ gr. }	
Ext. Valerian,	½ gr. }	
Ext. Hyoscyami,	½ gr. }	
Ext. Cannab. Ind.,	1-10 gr. }	
Silver Nitras. ¼ gr.....	75	3 50
Med. prop.—Alterative to Mucous		
Membrane. Dose, 1 to 4.		
Silver Iodid. ¼ gr.....	75	3 50
Med. prop.—Alterative to Mucous		
Membrane. Dose, 1 to 4.		

PILLS.	BOTTLE.	
	100	500
Stomachicæ. (Lady Webster.).....	50	2 25
Med. prop.—Stimulating purgative.		
Dose, 1 to 2.		
Aloe Socot.,	2 grs. }	
Gum Mastich.,	½ gr. }	
Fol. Rosæ,	½ gr. }	
Strychnina. 1-60 gr. 1-40 gr. 1-32 gr.	40	1 75
1-30 gr. 1-20 gr. 1-16 gr.....		
Med. prop.—Nerve stimulant, Tonic.		
Dose, 1 to 3.		
Strychninæ Sulph. 1-32 gr.....	40	1 75
Med. prop.—Nerve stimulant, Tonic.		
Dose, 1 to 3.		
Syphilitic.	1 00	4 75
Med. prop.—Specific alterative. Dose,		
1 to 2.		
Potass. Iodid.,	2½ grs. }	
Hyd. Chlor. Cor.,	1-40 gr. }	
Tonic.	60	2 75
Med. prop.—Tonic. Dose, 2 to 3.		
Ext. Gentian,	1 gr. }	
Ext. Humuli,	½ gr. }	
Ferri Carb. Sacch.,	¼ gr. }	
Ext. Nuc. Vom.,	1-20 gr. }	
Res. Podophylli,	1-25 gr. }	
Ol. Res. Zingiber.,	1-10 gtt. }	
Triplex.	75	3 50
Med. prop.—Purgative. Dose, 2 to 4.		
Aloe Socot.,	2 grs. }	
Mass. Hydrarg.,	1 gr. }	
Podophyllin,	¼ gr. }	
Triplex Improved.	75	3 50
Med. prop.—Purgative. Dose, 2 to 4.		
Pv. Scammon. Virg.,	1 1-5 gr. }	
Pv. Aloes Soct.,	1 1-5 gr. }	
Pil. Hydrarg.,	1 1-5 gr. }	
Ol. Tiglii,	1-20 ℥. }	
Ol. Carui,	¼ ℥. }	
Tinct. Aloes et Myrrh.,	q. s. }	
Zinc Phosphide. ⅙, ¼ gr.....	75	3 50
Med. prop.—Tonic. Dose, 1 to 3.		
Zinci Phosphide et Nuc. Vom. 1 00	4 75	
Med. prop.—Tonic, Stimulant. Dose,		
1 to 3.		
Zinci Phos.,	1-10 gr. }	
Ext. Nuc. Vom.,	¼ gr. }	
Zinci Valerianas. 1 gr.....	1 00	4 75
Med. prop.—Anti-spasmodic. Dose, 1		
to 3.		

WM. R. WARNER & CO.'S GELATIN COATED PILLS.

PREPARED FOR PHYSICIANS' PRESCRIPTIONS.

PILLS.	BOTTLE	
	100	500
Aloes, U. S. P.	40	1 75
Med. prop.—Stimulating, Purgative. Dose, 1 to 3.		
Aloes et Asafœtida, U. S. P. ...	40	1 75
Dose, 2 to 5.		
Aloes et Ferri, U. S. P.	40	1 75
Med. prop.—Tonic, Purgative. Dose, 1 to 3.		
Pur. Aloes, 1 gr. }		
Aromat. Powd. 1 gr. }		
Ferri Sulph. Exs. 1 gr. }		
Confect. Rose, q. s. }		
Aloes et Mastich. (Lady Webster)	50	2 25
Med. prop.—Stimulating purgative. Dose, 1 to 2.		
Aloes et Myrrhæ, U. S. P.	50	2 25
Med. prop.—Cathartic, Emmenagogue. Dose, 3 to 6.		
Aloes et Nuc. Vomicae	50	2 25
Med. prop.—Tonic, Purgative. Dose, 1 to 2.		
Pulv. Aloes Soc. 1½ grs. }		
Ext. Nuc. Vom. ½ gr. }		
Aloin et Strychnin. et Bella- don	60	2 75
Med. prop.—Tonic, Laxative.		
Aloin, ⅙ gr. }		
Strychnine, 1-60 gr. }		
Ext. Belladon. ⅛ gr. }		
Used very largely and with great suc- cess in the treatment of habitual constipa- tion.		
Alterative	50	2 25
Med. prop.—Alterative with tendency to mercurial impression. Dose, 1 to 2.		
Mass. Hydrarg. 1 gr. }		
Pulv. Opii, ⅛ gr. }		
Pulv. Ipecac, ⅛ gr. }		
Anti-Bilious, (Vegetable)	50	2 25
Med. prop.—Cholagogue, Cathartic. Dose, 2 to 3.		
Pulv. Ext. Coloc. Co. 2½ grs. }		
Podophyllin, ¼ gr. }		

PILLS.	BOTTLE	
	100	500
Antiperiodic	80	3 75
Med. prop.—Antiperiodic. Dose, 1 to 2		
Cinchona Sul. 1 gr. }		
Podophyl. 1-20 gr. }		
Strych. Sul. 1-33 gr. }		
Gelsemin. 1-20 gr. }		
Ferri Sul. Ext. ½ gr. }		
Ol. Res. Caps. 1-10 gtt. }		
Aperient	85	4 00
Med. prop.—Aperient, Tonic. Dose, 1 to 2.		
Ext. Nuc. Vom. ⅓ gr. }		
Ext. Hyoscyami ½ gr. }		
Ext. Coloc. Comp. 2 grs. }		
Aperient, (Dr. Fordyce Barker)	1 00	4 75
Med. prop.—Aperient.		
Ext. Coloc. Comp. 1 2/3 grs. }		
Ext. Nuc. Vom. ½ gr. }		
Ext. Hyoscyam. 1 1/4 grs. }		
Pulv. Ipecac. 1-12 gr. }		
Pulv. Aloes Soc. 5-12 gr. }		
Res. Podophylli, 1.12 gr. }		
Asafoetida, U. S. P.	40	1 75
Med. prop.—Nerve stimulant. Dose, 1 to 3,		
Camphor et Ext. Hyoscyamus	50	2 25
Med. prop.—Anodyne, Cerebral stimulant. Dose, 1 to 2.		
Camphor, 1 gr. }		
Ext. Hyoscyami, Eng. 1 gr. }		
Cascara Comp.	75	3 50
Med. prop.—Laxative, Cathartic.		
Dose, 2 to 4.		
Ext. Cascara Sagrad. 3 grs. }		
Res. Podophylli, ⅓ gr. }		
Cathart. Comp. U. S. P.	30	1 35
Med. prop.—Cathartic. Dose, 2 to 4.		
These pills are made strictly in accordance with the formula as directed by the Pharmacopœia.		
Cathart. Comp. Improved	30	1 35
Med. prop.—Cathartic. Dose, 2 to 4.		
Ext. Coloc. Comp. }		
Ext. Jalap. }		
Podophyllin, Leptandrin. }		
Ext. Hyoscyami. }		
Ext. Gentian. }		
Ol. Ment. Pip. 3 grs. }		

PILLS.	BOTTLE	
	100	500
Cathart. Comp. Vegetable	30	1 35
Med. prop.—Cathartic. Dose, 2 to 3. Podophyllin, Scammony, Ext. Colocynth, Aloes, Soap and Card. 3 grs. }		
Cinchoniz Sulph. 1½ grs.....	60	2 75
Med. prop.—Tonic, Antiperiodic. Dose, 1 to 3.		
Cinchonidiz Salicylate, 2½ grs. I	50	7 25
Med. prop.—Antirheumatic. Dose, 1 to 2.		
Cinchonidiz Sulph. 1 gr.....	40	1 75
Med prop.—Antimalarial, Antiperiodic. Dose, 1 to 3.		
Cinchonidiz Sulph. 2 grs.....	45	2 00
Med. prop.—Antimalarial, Antiperiodic. Dose, 1 to 3.		
Cinchonidiz Sulph. 3 grs.....	50	2 25
Med. prop.—Antimalarial, Antiperiodic. Dose, 1 to 2.		
Colocynth et Hydrarg. et Ipecac	75	3 50
Med. prop.—Cholagogue, Cathartic. Dose, 1 to 3. Pulv. Ext. Coloc. Co. 2 grs. } Pil. Hydrarg. 2 grs. } Pulv. Ipecac, ⅛ gr. }		
Colocynth et Hyoseyamus	75	3 50
Med. prop.—Gentle laxative. Dose, 1 to 2. Ext. Coloc. Comp. 2⅓ grs. } Ext. Hyoscyami, 1⅓ grs. }		
Damianiz cum Phos. et Nuc Vom	I 50	7 25
Med. prop.—Aphrodisiac. Dose, 1 to 2. Ext. Damianiz, 2 grs. } Phosphori, 1-100 gr. } Ext. Nuc. Vom. ⅓ gr. }		
A valuable remedy, indicated in sexual debility, overwork of the brain, impotency, etc. It is also highly recommended as a uterine tonic. Also of value in Leucorrhœa, Amenorrhœa, Dysmenorrhœa,		

PILLS.	BOTTLE	
	100	500
Digestiva	75	3 50
Med. prop.—Useful in Indigestion. Dose, 1 to 2.		
Pepsin Concentrat. 1 gr. } Pulv. Nuc. Vom. ¼ gr. } Gingerine, 1-10 gr. } Sulphur, ½ gr. }		
This combination is very useful in relieving various forms of Dyspepsia and Indigestion, and will afford permanent benefit in cases of enfeebled digestion, where the gastric juices are not properly secreted.		
As a corrective of nausea or lack of appetite in the morning, induced by over-indulgence in food or stimulants during the night, these pills are unsurpassed. They should be taken in doses of two pills before retiring, or in the morning at least one hour before eating; the first mentioned time is the most desirable, as the effects are more decided, owing to the longer period for action, and the natural rest is more fully experienced through their mild but effective influence.		
As a dinner pill, Pil. Digestiva is unequalled, and may be taken in doses of a single pill either before or after eating.		
Digitalin (Alkaloid) 1-60 gr.....	75	3 50
Med. prop.—Arterial sedative. Dose, 1 to 2.		
Emmenagogue	1 25	6 00
Med. prop.—Active emmenagogue. Tonic. Dose, 1 to 3.		
Ergotine, 1 gr. } Ext. Hellebor. Nig. 1 gr. } Aloes, 1 gr. } Ferri Sulph. Exs. 1 gr. } Ol. Sabinæ, ½ gr. }		
Ergotin , 1 gr.....	1 00	4 75
Dose, 1 to 4.		
Ergotin , 3 grs.....	1 50	7 25
Med. prop.—Parturient. Dose, 1 to 2.		
Ext. Colocynth Comp. 3 grs....	80	3 75
Dose, 1 to 3.		
Ferrum (Quevenne's) 2 grs.....	75	3 50
Med. prop.—Tonic. Dose, 1 to 2.		

WARNER & CO.'S GELATIN COATED PILLS.

PILLS.	BOTTLE	
	100	500
Gonorrhœa	60	2 75
Med. prop.—Tonic, Alterative to Mucous Membrane. Dose, 1 to 3.		
Pulv. Cubeb. 2 grs. }		
Bals. Copaib. Solid, 1 gr. }		
Ferri Sulph. ½ gr. }		
Terebinth Venet. 1½ grs. }		
Hepatica	80	3 75
Med. prop.—Cholagogue, Cathartic.		
Dose, 1 to 2.		
Pil. Hydrarg. 3 grs. }		
Ext Coloc. Comp. 1 gr. }		
Ext. Hyoscyami, 1 gr. }		
Hydrargyri, 5 grs.	50	2 25
Dose, 1 to 2.		
Hydrargyri, U. S. P. 3 grs.....	40	1 75
Med. prop.—Mercurial alterative.		
Dose, 2 to 3.		
Ipecac et Opil, (Pulv. Doveri, U. S. P.) 3½ grs.....	50	2 25
Med. prop.—Anodyne, Soporific.		
Dose, 1 to 3.		
Ipecac et Opil, 5 grs.	65	3 00
Med. prop.—Anodyne, Soporific.		
Dose, 1 to 2.		
Laxative	60	2 75
Med. prop.—Gentle purgative. Dose, 1 to 2.		
Pulv. Aloes Soc. 1 gr. }		
Sulphur, 1-5 gr. }		
Res. Podophylli, 1-5 gr. }		
Res. Guaiaci, ½ gr. }		
Syr. Rhamni, q. s. }		
Morphiæ Sulph., 1-20 gr.	40	1 75
Med. prop.—Anodyne. Dose, 1 to 2.		
Morphiæ Sulph., 1-10 gr.	40	1 75
Med. prop.—Anodyne. Dose, 1 to 2.		
Morphiæ Sulph., ½ gr.	50	2 25
Med. prop.—Anodyne. Dose, 1 to 2.		
Morphiæ Sulph., ¼ gr.	60	2 75
Med. prop.—Anodyne. Dose, 1 to 2.		
Morphiæ Sulph., ¼ gr.	75	3 50
Med. prop.—Anodyne. Dose, 1		

WARNER & CO.'S GELATIN COATED PILLS.

PILLS.	BOTTLE	
	100	500
Morphiæ Sulph. , ½ gr.....	1 25	6 00
Med. prop.—Anodyne. Dose, 1 to 2.		
Morphiæ Valerianas , ⅙ gr.....	90	4 25
Med. prop.—Anodyne. Dose, 1 to 2.		
Neuralgic , (one-half size).....	2 00	4 75
Med. prop.—Tonic, Alterative, Anodyne. Dose, 1 to 3		
Neuralgic	1 90	9 25
Med. prop.—Tonic, Alterative, Anodyne. Dose, 1 to 3.		
Quiniæ Sulph. 2 grs. }		
Morphiæ Sulph. 1-20 gr. }		
Strychnine, 1-30 gr. }		
Acid Arsenious, 1-20 gr. }		
Ext. Aconiti, ½ gr. }		
Neuralgic , (Brown-Sequard).....	1 60	7 75
Med. prop.—Anodyne. Dose, 1.		
Ext. Hyoscyami, ⅔ gr. }		
Ext. Conii, ⅔ gr. }		
Exs. Ignat. Amar. ¼ gr. }		
Ext. Opii, ½ gr. }		
Ext. Aconiti, ⅓ gr. }		
Ext. Cannab. Ind. ¼ gr. }		
Ext. Strammon. 1-5 gr }		
Ext. Belladon. ⅙ gr. }		
Opii, U.S. P. , 1 gr.	50	2 25
Medp. pro.—Anodyne. Dose, 1.		
Opii et Camphor	60	2 75
Med. prop.—Anodyne, Nerve sedative.		
Dose, 1.		
Pulv. Opii, 1 gr. }		
Camphoræ, 2 grs }		
Pepsin et Bismuth	1 25	6 00
Dose, 1 to 2.		
Pepsin Sacch, 2 grs. }		
Bis. Sub. Nit., 3 grs. }		
Pepsin Sacch	1 00	4 75
Each containing 3 grs.		
Dose, 1 to 2.		
Pepsin Sacch	1 00	4 75
Each containing 5 grs.		
Dose, 1.		
Phosphori Comp	1 25	
Med. Pro.—Nerve tonic. Dose, 1.		
Phosphori, 1-100 gr. }		
Ext. Nuc. Vom. ¼ gr. }		

PILLS.	BOTTLE	
	100	500
Phosphori cum Cantharide Comp	1	50
Med. prop.—Stimulating emmenagogue and diuretic.		
Phosphori, 1-50 gr. }		
Pulv. Nuc. Vom. 1 gr. }		
Sol. Cantharidis, 1 m. }		
Phosphori cum Ferro	1	25
Med. prop.—A powerful nerve tonic and blood restorer. Dose, 1 to 2.		
Phosphori, 1-50 gr. }		
Ferri Redact, 1 gr. }		
Phosphori cum Ferro et Nuc. Vom.	1	25
Med. prop.—Nerve stimulant, Tonic. Dose, 1 to 2.		
Phosphori, 1-100 gr. }		
Ferri Carb., 1 gr. }		
Ext. Nuc. Vom. ¼ gr. }		
Phosphori cum Ferro et Quinina	1	60
Med. prop.—Nerve Tonic. Dose, 1 to 2		
Phosphori, 1-100 gr. }		
Ferri Carb., 1 gr. }		
Quinine Sulph., 1 gr. }		
Phosphori cum Ferro et Quinina et Nuc. Vom.	1	60
Med. prop.—Nerve Tonic. Dose, 1 to 2.		
Phosphori, 1-100 gr. }		
Ferri Carb., 1 gr. }		
Quinæ Sulph., 1 gr. }		
Ext. Nuc. Vom. ¼ gr. }		
Phosphori cum Quinina et Ferro et Strychnina	1	60
Med. prop.—Powerful Nerve stimulant. Dose, 1.		
Phosphori, 1-100 gr. }		
Quinæ Sulph., 1 gr. }		
Ferri Radacti, 1 gr. }		
Strychnina, 1-60 gr. }		
Phosphori cum Ferro et Strychnina	1	50
Med. prop.—Nerve tonic and stimulant. Dose, 1 to 2.		
Phosphori, 1-100 gr. }		
Ferri Carb., 1 gr. }		
Strychnina., 1-60 gr. }		

PILLS,	BOTTLE	
	100	500
Phosphori cum Nuc. Vom.....	I	25
Med. prop.—Nerve tonic and stimulant. Dose, 1.		
Phosphori, 1-50 gr. }		
Ext. Nuc. Vom. 1/8 gr. }		
Phosphori cum Quiniae Comp.	I	35
Med. prop.—Nerve tonic Dose, 1.		
Phosphori, 1-50 gr. }		
Ferri Redact., 1 gr. }		
Quiniae Sulph., 1/2 gr. }		
Strychnia, 1-60 gr. }		
Podophylli (Warner & Co.).....	75	I 50
Dose, 1 to 2.		
Res Podophylli, 1/4 gr. }		
Pulv. Capsici, 1/2 gr. }		
Ext. Belladona., 1/8 gr. }		
Pulv. Sacch Lact., 1 gr. }		
Acacia and Glycerine, aa q. s. }		
The composition of this pill is the same as Dr. Squibb's recipe, and for administration it is preferable, being just as soluble and more elegant in appearance.		
PRACTICAL TEST FOR SOLUBILITY.		
Suspend three of these pills in water, and they will dissolve, coating included as soon as the plain pills ready prepared. This is accomplished through our method of manipulation and coating, and physicians should not regard the prejudice against sugar-coated pills as applying to Wm. R. Warner & Co.'s manufacture.		
Quiniae Bi-Sulph., 1/2 gr.....	35	I 50
Med. prop.—Tonic, Anti-periodic		
Dose, 1 to 4.		
Quiniae Bi-Sulph., 1 gr.....	40	I 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 3.		
Quiniae Bi-Sulph., 2 grs.....	60	2 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 3.		
Quiniae Bi-Sulph., 3 grs.....	85	4 00
Med. prop.—Tonic Anti-periodic.		
Dose, 1 to 2.		

WARNER & CO.'S GELATIN COATED PILLS

PILLS.	BOTTLE	
	100	500
Quiniae Bi-Sulph. , 5 grs.....	1	50
Med. prop.—Tonic Anti-periodic.		
Dose, 1 to 3.		
Quiniae cum Capsicum	80	3 75
Med. prop.—Anti-periodic, Stimulant.		
Dose, 1 to 3.		
Quiniae Sulph.,	1 gr. }	
Capsicum,	¼ gr. }	
Quiniae et Ferri et Strychnin	80	3 75
Med. prop.—Tonic Anti-periodic.		
Dose, 1 to 2.		
Quiniae,	1 gr. }	
Ferri Carb. (Vallett's),	2 gr. }	
Strych. Sulph.,	1-60 gr. }	
Quiniae et Ferri et Strychnin Phos.	1 00	4 75
Dose, 1 to 2.		
Quiniae Phos.,	1 gr. }	
Ferri Phos.,	1 gr. }	
Strych. Phos..	1-60 gr. }	
Quiniae Sulph. , ½ gr.....	35	1 50
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 4.		
Our Quinine Pills are manufactured from Powers & Weightman's Quinine and other brands having an established reputation. An examination by a competent chemist is made to verify our tests. Each pill, contained in package, to which our label is attached, is warranted to have the full complement of pure material as expressed thereon.		
Quiniae Sulph. , 1 gr.	40	1 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 3.		
Quiniae Sulph. , 2 grs.	60	2 75
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 3.		
Quiniae Sulph. , 3 grs.	85	4 00
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 2.		
Quiniae Sulph. 5 grs.	1 50	
Med. prop.—Tonic, Anti-periodic.		
Dose, 1 to 2.		

WARNER & CO'S GELATIN COATED PILLS.

PILLS.	BOTTLE	
	100	500
Salicylic Acid , 2½ grs. Med. prop.—Anti-rheumatic. Dose, 1 to 2.	75	3 50
Salicylic Acid , 5 grs. Med. prop.—Anti-rheumatic. Dose, 1.	1 30	6 25
Salol , 2½ and 5 grs. Dose, 1 to 2.	1 20	5 75
Salutis (Dr. T. G. Thomas) Dose, 1. Aloin, ½ gr. } Ext. Hyoscyam, ½ gr. } Ext. Nuc' Vom. ⅛ gr. } Ext. Belladon, 1-16 gr. }	80	3 75
Sedative Med. prop.—Sedative. Ext. Sumbul, ½ gr. } Ext. Valerian, ½ gr. } Ext. Hyoscyami, ½ gr. } Ext. Cannab. Ind., 1-10 gr. }	75	3 50
Strychnia , 1-20, 1-40, 1-60 gr. Dose, 1 to 2.	40	1 75
Tonic (Dr. Aiken) Med. prop.—Tonic. Dose, 1. Quinin Sul., 1 gr. } Ac Arsenious, 1-50 gr. } Strychnine, 1-50 gr. } Ferri Redacti, ⅔ gr. }	1 25	6 00
Tonic—Laxative (Dr. Skene) Dose, 1. Quininæ Sul. 1 gr. } Ext. Colocynth, ½ gr. } Ext Belladon., 1-10 gr. }	80	3 75

WM. R. WARNER & CO.

MANUFACTURING CHEMISTS,

PHILADELPHIA AND NEW YORK.

WARNER & CO.'S

SOLUBLE COATED

GRANULES.

GRANULES.	BOTTLE.	
	100	500
Acid Arsenious. 1-20, 1-30, 1-50, and 1-60 gr.	40	1 75
Medical properties.—Anti-periodic, Al- terative. Dose, 1 to 2.		
Aconitia. 1-60 gr.	75	3 50
Med. prop.—Nerve sedative. Dose, 1 to 2.		
Aloin et Strychnin.	60	2 75
Med. prop.—Tonic laxative. Dose, 1 to 2.		
Aloin et Strychnin. et Bella- don	60	2 75
Med. prop.—Tonic, Laxative. Dose, 1 to 2.		
Aloin, 1-5 gr. } Strychnine, 1-60 gr. } Ext. Belladon., 1/8 gr. }		
Atropina. 1-60 gr.	75	3 50
Med. prop.—Anodyne. Dose, 1 to 2.		
Atropina. 1-100 gr.	75	3 50
Med. prop.—Anodyne. Dose, 1 to 2.		
Atropinae Sulph. 1-60 gr.	75	3 50
Med. prop.—Same as Atropina. Dose, 1 to 2.		
Caulophyllin. 1-10 gr.	40	1 75
Med. prop.—Emmenagogue. Dose, 1 to 4.		
Cimicifugin. 1-10 gr.	40	1 75
Med. prop.—Tonic, Nerve stimulant. Dose, 1 to 4.		
Codein. 1/4 gr.	1 25	6 00
Med. prop.—Anodyne, replacing mor- phia without the usual disagreeable after-effects produced by the latter. Dose, 2 to 4.		
Corrosive Sublimate. 1-12, 1-20, 1-40, and 1-100 gr.	40	1 75
Med. prop.—Mercurial alterative. Dose, 1 to 2.		

GRANULES.	BOTTLE.	
	100	500
Digitalin. (Alkaloid.) 1-60 gr..... Med. prop.—Arterial sedative. Dose, 1 to 2.	75	3 50
Elaterium. (Clutterbuck's) 1-10 gr. Med. prop.—Diuretic, Hydragogue cathartic. Dose, 1 to 2.	95	4 50
Ext. Belladonna. (English) ¼ gr Med. prop.—Anodyne. Dose, 1 to 3.	40	1 75
Extract Cannabis Indica. ¼ gr. Med. prop.—Anodyne. Dose, 1 to 4.	60	2 75
Extract Hyoscyam. (Eng.) ½ gr. Med. prop.—Nerve stimulant. Dose, 1 to 3.	40	1 75
Extract Ignatia Amara. ¼ gr.. Med. prop.—Nerve sedative. Dose, 1 to 2.	50	2 25
Extract Nuc. Vom. ¼ and ½ gr.. Med. prop.—Nerve stimulant. Dose, 1 to 3.	40	1 75
Gelsemin. 1-16 gr..... Med. prop.—Arterial sedative. Dose, 1 to 4.	40	1 75
Gelsemin. ⅛ gr..... Med. prop.—Arterial sedative. Dose, 1 to 2.	50	2 25
Gelsemin. ¼ gr..... Med. prop.—Arterial sedative. Dose, Dose, 1 to 2.	75	3 50
Helonin. 1-10 gr..... Med. prop.—Cathartic. Dose, 1 to 4.	50	2 25
Hydrastin. ½ gr..... Med. prop.—Cathartic. Dose, 1 to 2.	95	4 50
Hyoscyamiæ. 1-100 gr..... (Crystals, Pure Alkaloid.) Med. prop.—Anodyne, Soporific. Dose, 1.	3 00	14 75
Leptandrin. ¼ gr..... Med. prop.—Cathartic. Dose, 1 to 4.	40	1 75
Leptandrin. ½ gr..... Med. prop.—Cathartic. Dose, 1 to 4.	50	2 25
Mercury Bin-Iodide. 1-16 gr.... Med. prop.—Anodyne. Dose, 1 to 4.	40	1 75

WARNER & CO.'S SOLUBLE COATED GRANULES.

GRANULES.	BOTTLE.	
	100	500
Mercury Protiodide. ¼ gr..... Med. prop.—Alterative. Dose, 1 to 4. Prepared from the precipitated Iodide and free of all traces of the Bin-Iodid.	40	1 75
Mercury Protiodide. ½ gr..... Med. prop.—Alterative. Dose, 1 to 2.	50	2 25
Mercury Protiodide. ⅛ gr..... Med. drop.—Alterative. Dose, 2 to 4.	40	1 75
Mercury Protiodide. 1-5 gr..... Med. prop.—Alterative. Dose, 1 to 4.	40	1 75
Morphinæ Acet. ½ gr..... Med. prop.—Anodyne. Dose, 1 to 2.	50	2 25
Morphinæ Sulph. 1-20 gr..... Med. prop.—Anodyne. Dose, 1 to 2.	40	1 75
Morphinæ Sulph. 1-10 gr..... Med. prop.—Anodyne. Dose, 1 to 2.	40	1 75
Morphinæ Sulph. ⅛ gr..... Med. prop.—Anodyne. Dose, 1 to 2.	50	2 25
Morphinæ Sulph. ⅙ gr..... Med. prop.—Anodyne. Dose, 1 to 2.	60	2 75
Morphinæ Sulph. ¼ gr..... Med. prop.—Anodyne. Dose, 1 to 2.	75	3 50
Morphinæ Sulph. ½ gr..... Dose, 1.	1 25	6 00
Morphinæ Valer. ⅛ gr..... Med. prop.—Anodyne. Dose, 1 to 2.	90	4 25
Podophyllin. 1-10 gr..... Med. prop.—Cathartic. Dose, 1 to 4.	40	1 75
Podophyllin. ¼ gr..... Med. prop.—Cathartic. Dose, 1 to 4.	40	1 75
Podophyllin. ½ gr..... Med. prop.—Cathartic. Dose, 1 to 2.	50	2 25
Podophyllin Comp. Med. prop.—Cathartic and Tonic. Dose, 1 to 2.	75	3 50
Podophyllin, Ext. Hyoscyami, Ext. Nuc. Vom.,	½ gr. } ⅛ gr. } 1-16 gr. }	

WARNER & CO.'S SOLUBLE COATED GRANULES.

GRANULES.	BOTTLE.	
	100	500
Silver Iodid. $\frac{1}{4}$ gr..... Med. prop.—Alterative to Mucous Membrane. Dose, 1 to 4.	75	3 50
Silver Nitrate. $\frac{1}{4}$ gr..... Med. prop.—Alterative to Mucous Membrane. Dose, 1 to 4.	75	3 50
Strychnin. 1-16, 1-20, 1-30, 1-32, 1-40, and 1-60 gr..... Med. prop.—Nerve stimulant, Tonic. Dose, 1 to 3.	40	1 75
Strychninæ Sulph. 1-32..... Med. prop.—Tonic. Dose, 1 to 2.	40	1 75
Veratrinæ Sulph. 1-12 gr..... Med. prop.—Powerful topical excitant. Dose, 1.	50	2 25
Zinc Phosphide. $\frac{1}{6}$ and $\frac{1}{4}$ gr.... Med. prop.—Tonic. Dose, 1 to 3.	75	3 50

Antiseptic Pastilles.

(Dr. Carl Seiler's Formula.)

Useful in Nasal Catarrh and Inflamed Mucous Membranes. Used as an Antiseptic Spray, Nasal and Mouth Wash.

DIRECTIONS.—Dissolve one tablet in two fluid ounces of warm water to be sniffed up the nose or used as a spray or with a soft tooth brush, as a mouth wash for tender gums. It is a valuable antiseptic and healing agent, imparting a pleasant and cleansing after effect when used as directed. Per bottle, 50 cts.

PREPARED BY

WILLIAM R. WARNER & CO.

PHILADELPHIA AND NEW YORK.

ADDENDA

SOLUBLE COATED PILLS

PILLS.	BOTTLE.	
	100	500
Euonymin. 2 grs.....	2 00	9 75
Med. prop.—Tonic, Laxative, Diu- retic. Dose, 1 to 2.		
Cocaine Hydrochlor. 1-10 gr...	1 50	7 25
Med. prop.—Stimulant, Tonic, Aph- rodisiac.		
Ergotin. 2 grs.....	1 25	6 00
Med. prop.—Parturient. Dose, 1 to 2.		
Ext. Eucalyptus. 2 grs.....	1 00	4 75
Med. prop.—Diaphoretic, Febrifuge.		
Morphinæ Murias. ½ gr.....	1 50	7 25
Med. prop.—Anodyne, Soporific. Dose, 1.		
Morphinæ Murias. ¼ gr.....	90	4 25
Med. prop.—Anodyne, Soporific.		
Morphinæ Murias. ⅛ gr.....	60	2 75
Med. prop.—Anodyne, Soporific. Dose, 1 to 2.		
Nickel Bromid. 2½ grs.....	1 50	7 25
Med. prop.—Recommended in Epil- epsy. Dose, 1 to 2.		
Sumbul Comp.	1 50	7 25
Ext. Sumbul. 1 gr. } Asafœtida, 2 grs. } Ferri Sulph. Exsic., 1 gr. } Acid Arsen., 1-30 gr. }		

PILLS.	BOTTLE.	
	100	500
Quinina et Ferri et Zinci Valer.	1 50	7 25
Med. prop.—Recommended for the relief of Melancholia, Incipient Insanity, and as being particularly adapted for the cure of the worry of nervous females.		
Dose, 1.		
℞ Quininæ Valer.		
Ferri Valer.		
Zinci Valer. āā 1 gr.		
Chalybeate Comp. (Warner & Co.)	80	
Med. prop.—Employed in the treatment of Anemia, Chlorosis, Phthisis, etc. Dose, 1 to 3.		
Chalybeate Mass. 2 grs. }		
Ext. Nuc. Vom. 1/8 gr. }		
Manganese Bin-Oxide. 2 grs...	1 25	6 00
Med. prop.—Emmenagogue. Dose, 1.		
Aloin. 1/4 gr.....	75	3 50
Med. prop.—Laxative. Dose, 1 to 3.		
Antiseptic. (Warner & Co.)	80	
Med. prop.—Pil. Antiseptic is prescribed with great advantage in cases of Dyspepsia attended with Acid Stomach and Enfeebled Digestion following an over indulgence in eating or drinking. It is also useful in Rheumatism. Dose, 1 to 3.		
Sulphite Soda, 1 gr. }		
Salicylic Acid, 1 gr. }		
Ext. Nuc. Vom. 1/4 gr. }		
Antiseptic Comp. (Warner & Co.)	80	
Med. prop.—Used with great advantage in cases of Dyspepsia, Indigestion and Malassimilaticn of food. Dose, 1 to 3.		
Sulphite Soda, 1 gr. }		
Salicylic Acid, 1 gr. }		
Ext. Nuc. Vom. 1/8 gr. }		
Powd. Capsicum, 1-10 gr. }		
Concent. Pepsin, 1 gr. }		
Lapacticæ	60	2 75
Aloin, 1/4 gr. }		
Strychnin, 1-60 gr. }		
Ext. Belladon. 1/8 gr. }		
Ipecac, 1-16 gr. }		

WARNER & CO.'S SOLUBLE COATED PILLS

PILLS	BOTTLE	
	100	500
Salutis, (Dr. T. G. Thomas).....	80	3 75
Aloin, ½ gr. }		
Ext. Hyoscy. ½ gr. }		
Ext. Nuc. Vom. ⅛ gr. }		
Ext. Belladon. 1-16 gr. }		
Tonic-Laxative, (Dr. Skene).....	80	3 75
Dose, 1.		
Quininæ Sulph. 1 gr. }		
Ext. Colocynth. Co. ½ gr. }		
Ext. Belladon. 1-10 gr. }		
Ferruginous, (Blaud) Improved.	60	2 75
Dose, 1.		
Ferruginous, (Blaud) 3 grs.	40	1 75
Dose, 1 to 4.		
Ferruginous, (Blaud) 5 grs.	50	2 25
Dose, 1 to 2.		
Ferri Carb. (Vallett) 5 grs.	50	2 25
Dose, 1 to 2.		
Ext. Damiana, 2 grs.....	1 00	4 75
Dose, 1.		
Ext. Damiana, 3 grs.....	1 00	4 75
Dose, 1.		

WM. R. WARNER & CO.

MANUFACTURING CHEMISTS,

PHILADELPHIA and NEW YORK.

A NEW
Important Class of Remedies.
PARVULES.

⚠ YOU ARE CAUTIONED AGAINST IMITATIONS
AND SUBSTITUTIONS OFFERED UNDER
OTHER NAMES.

This is a new class of medicines (minute pills), designed for the administration of remedies in small doses for frequent repetition in cases of children and adults. It is claimed by some practitioners that small doses, given at short intervals, exert a more salutary effect. *The elegance and efficiency of Parvules, and the avoidance of cumulative effect, depend on our mode of preparation.*

THE DOSE

of any of the parvules will vary from one to four, according to age or the frequency of their administration. For instance, one Parvule every hour, or two every two hours, or three every three hours, and so on for adults. For children, one three times a day is the minimum dose.

PRICE, 25 CENTS PER BOTTLE OF 100 EACH. DISCOUNT
FOR QUANTITIES.

POCKET CASES, WITH 20 VARIETIES, FOR THE USE OF
PRACTITIONERS, \$5.00 NET.

POCKET CASES, WITH 10 VARIETIES, FOR THE USE OF
PRACTITIONERS, \$2.50.

HAND OR BUGGY CASES, 40 BOTTLES, ALL THE VARIETIES,
\$10.00 NET.

SUPPLIED BY ALL DRUGGISTS, OR SENT BY MAIL ON
RECEIPT OF PRICE.

Acidi Arseniosi.....I-100 gr.
Medical properties.—Alterative, Anti-periodic.

Acidi Salicylic.....I-10 gr.
Med. prop.—Anti-rheumatic.

Acidi Tannic.....1-20 gr.
Med. prop.—Astringent.

Aconiti Rad.....1-20 gr.
Med. prop.—Narcotic, Sudorific.

Aloin.....1-10 gr.
Med. prop.—A most desirable cathartic.

DOSE.—4 to 6 at once. This number of Parvules, taken at any time, will be found to exert an easy, prompt, and ample cathartic effect, unattended with nausea, and in all respects furnishing the most desirable aperient and cathartic preparation in use. For habitual constipation they replace, when taken in single Parvules, the various medicated waters without the quantity which they require as a dose, which fills the stomach and deranges the digestive organs.

Ammonii Chlorid.....1-10 gr.
Med. prop.—Diuretic, Stimulant.

Antimonii et Potass. Tart.....1-100 gr.
Med. prop.—Expectorant, Alterative.

Arnicae Flor.....1-5 gr.
Med. prop.—Narcotic, Stimulant, Diaphoretic.

Arsenici Iodid.....1-100 gr.
Med. prop.—Alterative.

Belladonnae Fol.....1-20 gr.
Med. prop.—Narcotic, Diaphoretic, Diuretic.

Calomel.....1-20 gr.
Med. prop.—Alterative, Purgative.

DOSE.—1 to 2 every hour. Two Parvules of calomel, taken every hour until five or six doses are administered (which will comprise but half a grain), produce an activity of the liver which will be followed by bilious dejections and beneficial effects that twenty grains of blue mass or ten grains of calomel rarely cause, and sickness of the stomach does not usually follow.

Calomel et Ipecac..... āā 1-10 gr.
Med. prop.—Alterative, Purgative.

Camphoræ.....1-20 gr.
Med. prop.—Diaphoretic, Carminative.

Cantharidis.....1-50 gr.
Med. prop.—Diuretic, Stimulant.

- Capsici**.....I-20 gr.
Med. prop.—Stimulant and Carminative.
- Cathartic Comp., Official**..... $\frac{1}{3}$ gr.
Med. prop.—Cathartic.
- Cathartic Comp., Improved**..... $\frac{1}{3}$ gr.
Med. prop.—Cathartic.
- Digitalis Fol.**.....I-20 gr.
Med. prop.—Sedative, Narcotic, Diuretic.
- Dover's Powder**..... $\frac{1}{3}$ gr.
Med. prop.—Anodyne, Soporific.
- Ergotin**.....I-10 gr.
Med. prop.—Emmenagogue, Parturient.
- Ferri Redact.**.....I-10 gr.
Med. prop.—Tonic.
- Gelsemini Rad.**.....I-50 gr.
Med. prop.—Nervous and Arterial Sedative.
- Hydrarg. Bi-Chlor.**.....I-100 gr.
Med. prop.—Mercurial alterative, Germicide.
- Recently, Corros. Sub., in small doses, has been administered with most gratifying results in certain forms of Chronic Dyspepsia.
- DOSE.—One Parvule, repeated according to the age or nature of the disease. Ringer and other eminent therapeutists extol very highly I-100 gr. in dysentery of children, regarding it as almost *specific*.
- Hydrarg. cum Creta**.....I-10 gr.
Med. prop.—Alterative.
- Hydrarg. Iodid.**.....I-20 gr.
Med. prop.—Alterative.
- Hydrastin**.....I-20 gr.
Med. prop.—Tonic, Astringent.
- Iodoform**.....I-10 gr.
Med. prop.—Alterative.
- Ipecac.**.....I-50 gr.
Med. prop.—Emetic, Expectorant.
- Morphinæ Sulph.**.....I-50 gr.
Med. prop.—Narcotic, Sedative.

WARNER & CO.'S PARVULES.

Nucis Vomicae.....I-50 gr.
Med. prop.—Tonic, Stimulant.

Opii.....I-40 gr.
Med. prop.—Narcotic, Sedative, Anodyne.

PhosphorusI-200 gr.
Med. prop.—Nerve stimulant.

PiperinI-20 gr.
Med. prop.—Tonic, Anti-periodic, Carminative.

PodophyllinI-40 gr.
Med. prop.—Carhartic, Cholagogue.

Two parvules of podophyllin administered three times a day will re-establish and regulate the peristaltic action and relieve habitual constipation, add tone to the liver, and invigorate the digestive functions.

Potass. Arsenitis.....I-100 gr.
Med. prop.—Alterative.

Potass. Bromid.....I-5 gr.
Med. prop.—Alterative, Resolvent.

Potass. Nitratis.....I-10 gr.
Med. prop.—Diuretic and Refrigerant.

Quininæ SulphasI-10 gr.
Med. prop.—Tonic, Anti-periodic.

Santonin.....I-10 gr.
Med. prop.—Anthelmintic.

Strychninæ.....I-100 gr.
Med. prop.—Nerve stimulant, Tonic.

PREPARED ONLY BY

WILLIAM R. WARNER & CO.,

1228 MARKET STREET;

PHILADELPHIA.

SOLUBLE Hypodermic Tablets.

In compliance with repeated requests from the medical profession to manufacture Tablets for subcutaneous medication, we have prepared a series as per following list, which will be found easily and quickly soluble.

**PRICE PER BOX, ASSORTED, 12 TUBES,
20 TABLETS IN EACH, \$2.35.**

	Per tube.	Per doz.
PILOCARPINÆ HYDROCHL., 1-5 gr.	\$0.20	\$2.00
ERGOTIN, 1-6 gr.....	.20	2.00
A POMORPHINE, 1-12 gr.....	.20	2.00
ATROPINÆ SULPH., 1-60 gr.....	.20	2.00
STRYCHNINÆ SULPH., 1-60 gr.....	.20	2.00
MORPHINÆ SULPH., ¼ gr. et ATROPINÆ SULPH., 1-120 gr.....	.25	2.50
MORPHINÆ SULPH., ½ gr.....	.20	2.25
MORPHINÆ SULPH., ¼ gr.....	.20	2.25
MORPHINÆ SULPH., 1-6 gr.....	.15	.75
HYOSCYAMIN SULPH., 1-100 gr.....	.60	5.75
HYDRARG. BI-CHLOR., 1-150 gr.....	.20	2.00
ESERINÆ SULPH., 1-60 gr.....	.30	3.00

THE VIALS SHOULD BE KEPT TIGHTLY CORKED.

DR. GRANT'S IMPROVED HYPODERMATIC SYRINGE.

PRICE, \$3.50 EACH.

ILLUSTRATED CIRCULAR SENT ON APPLICATION.

Globules sent by mail on receipt of price.

WM. R. WARNER & CO.

MANUFACTURING CHEMISTS,

PHILADELPHIA AND NEW YORK.

DOSIMETRIC GRANULES.

WM. R. WARNER & CO.

As their name indicates, these Granules are *measured doses* of the alkaloids, metals and metalloids in such definite and accurate proportions as may best meet the requirements of the physician.

The most perfect system of Dosimetry is that comprised in Parvules originally introduced by Warner & Co. several years ago, but Dosimetric Granules are intended to comprise such remedies as are new and such as are *proximate principles* not so frequently repeated in a measured time for all cases.

These Granules have been divided according to the metric system into strengths of half milligramme, one milligramme and centigramme. In each instance, however, their equivalents are stated in *grains* or fractions thereof. Such a plan, we think will easily familiarize the practitioner with the metric system for all practical purposes and will commend itself at once to his recognition.

The selection of the list is based entirely upon the *physiological action* of these active or essential principles, and are therefore administered upon a rational basis, thus making therapeutics stand upon firmer ground than that which it has occupied or even still occupies, when compared with the advances which its sister

sciences have taken within the last decade. Under the administration of these Granules, therapeutics partake of the character of a *specific* form of treatment.

The cutting short or strangulation of many acute diseases while as yet in their incipient or formative stages has not been sufficiently appreciated. That this is possible, the medical literature of the day affords ample evidence; but to accomplish it, treatment must be both scientific and energetic, i. e., must be based upon the physiological action of drugs and upon the action of reliable medications.

With such an intention, these Granules have been prepared abroad, (in France particularly as suggested by Dr. Burggraeve.)

This method of treatment has met with success, and it will be a matter of no surprise that therapeutists in this country should be prompt in adopting it.

In the hands of the physician and *his hands only*, these Granules are potent remedies, capable of accomplishing results far more quickly and certainly than the uncertain fluid extracts and tinctures, and far more pleasantly.

See following pages for list comprising 66 varieties.

PREPARED BY

WM. R. WARNER & CO.

MANUFACTURING CHEMISTS.

PHILADELPHIA AND NEW YORK.

DOSIMETRIC GRANULES.

The dose is one Granule, repeated to meet the requirements of the case.

	Per 100
Aconitin1-65 gr. (1 milligram)	75
Med. prop.—Nerve sedative.	
Acid Arseniosum ... 1-65 gr. (1 milligram)	40
Med. prop.—Anti-periodic, Alterative.	
Acid Phosphoric1-65 gr. (1 milligram)	40
Med. prop.—Nerve stimulant.	
Acid Tannicum $\frac{1}{2}$ gr. (1 centigram)	40
Med. prop.—Astringent.	
Acid Salicylicum $\frac{1}{2}$ gr. (1 centigram)	40
Med. prop.—Anti-rheumatic.	
Antimonii Arsenias ..1-65 gr. (1 milligram)	40
Med. prop.—Alterative, Diaphoretic.	
Arsenii Iodidum1-65 gr. (1 milligram)	40
Med. prop.—Alterative.	
Asparagin1-65 gr. (1 milligram)	40
Med. prop.—Arterial sedative.	
Atropinæ Sulphas ..1-130 gr. ($\frac{1}{2}$ milligram)	75
Med. prop.—Anodyne, Anti-spasmodic.	
Brucein1-130 gr. ($\frac{1}{2}$ milligram)	40
Med. prop.—Tonic.	
Bryonin1-65 gr. (1 milligram)	50
Med. prop.—Hydragogue, Cathartic.	
Caffeinæ Arsenias ... 1-65 gr. (1 milligram)	50
Med. prop.—Alterative.	
Caffeinæ Citras1-65 gr. (1 milligram)	50
Med. prop.—Nerve stimulant.	
Caffeinæ Valerianas 1-65 gr. (1 milligram)	50
Med. prop.—Stimulant, Anti-spasmodic.	
Calabarin. Sulphas ..1-130 gr. ($\frac{1}{2}$ milligram)	75
Med. prop.—Spinal sedative.	
Calomel1-65 gr. (1 milligram)	40
Med. prop.—Alterative, Purgative.	
Camphoræ Bromated .. $\frac{1}{2}$ gr. (1 centigram)	40
Med. prop.—Sedative.	

GRANULES ARE NOT PARVULES.

WARNER & CO.'S DOSIMETRIC GRANULES.

	Per 100
Cicutin1-130 gr. ($\frac{1}{2}$ milligram)	50
Med. prop.—Nerve sedative.	
Cicutin. Hydrobromas ...1-65 gr. (1 milligram)	75
Med. prop.—Nerve sedative.	
Codein1-65 gr. (1 milligram)	75
Med. prop.—Hypnotic sedative.	
Colchicin1-130 gr. ($\frac{1}{2}$ milligram)	75
Med. prop.—Sedative, Diuretic, Emetic.	
Croton Chloral $\frac{1}{6}$ gr. (1 centigram)	75
Med. prop.—Hypnotic.	
Cubebin1-65 gr. (1 milligram)	50
Med. prop.—Diuretic.	
Daturin1-130 gr. ($\frac{1}{2}$ milligram)	75
Med. prop.—Narcotic, Anodyne.	
Diastase $\frac{1}{6}$ gr. (1 centigram)	75
Med. prop.—Possesses the power of converting starch into sugar (of the grape.)	
Elaterin1-65 gr. (1 milligram)	75
Med. prop.—Purgative.	
Emetine1-65 gr. (1 milligram)	75
Med. prop.—Emetic, Diaphoretic, Expectorant.	
Ergotin $\frac{1}{6}$ gr. (1 centigram)	40
Med. prop.—Emmenagogue, Parturient.	
Ferri Arsenias1-65 gr. (1 milligram)	40
Med. prop.—Tonic, Alterative.	
Ferri Salicylas $\frac{1}{6}$ gr. (1 centigram)	40
Med. prop.—Tonic.	
Ferri Valerianas $\frac{1}{6}$ gr. (1 centigram)	40
Med. prop.—Tonic, Anti-spasmodic	
Hydrargyri Iodid. Rub. ...1-65 gr. (1 milligram)	40
Med. prop.—Alterative.	
Hydrargyri Iodid. Vir. $\frac{1}{6}$ gr. (1 centigram)	40
Med. prop.—Alterative.	
Hyoseyamin1-130 gr. ($\frac{1}{2}$ milligram)	3 00
Med. prop.—Hypnotic, Anti-spasmodic.	

GRANULES ARE NOT PARVULES.

WARNER & CO.'S DOSIMETRIC GRANULES.

	Per 100
Iodoform1-65 gr. (1 milligram)	40
Med. prop.—Alterative.	
Jalapin1-65 gr. (1 milligram)	50
Med. prop.—Hydragogue cathartic.	
Koosin1-65 gr. (1 milligram)	50
Med. prop.—Anthelmintic.	
Lithii Carbonas $\frac{1}{6}$ gr. (1 centigram)	50
Med. prop.—Diuretic.	
Lithii Benzoes $\frac{1}{6}$ gr. (1 centigram)	75
Med. prop.—Diuretic, Expectorant.	
Morphinæ Hydrobromas ...1-65 gr. (1 milligram)	75
Med. prop.—Anodyne.	
Morphinæ Iodohydras1-65 gr. (1 milligram.)	75
Med. prop.—Anodyne.	
Narcein1-65 gr. (1 milligram)	75
Med. prop.—Supposed to influence the inferior part of the spinal marrow, diminishing the sensation and mobility in the inferior extremities.	
Piperina1-65 gr. (1 milligram)	40
Med. prop.—Local and general stimulant.	
Picrotoxin1-130 gr. (1 milligram)	75
Med. prop.—Narcotic.	
Pilocarpin1-65 gr. (1 milligram)	75
Med. prop.—Sudorific.	
Podophyllin $\frac{1}{6}$ gr. (1 centigram)	40
Med. prop.—Cholagogue cathartic.	
Potassii Arsenias1-65 gr. (1 milligram)	40
Med. prop.—Alterative.	
Quassin1-65 gr. (1 milligram)	50
Med. prop.—Tonic, Febrifuge, Anthelmintic.	
Quininæ Arsenias ...1-65 gr. (1 milligram)	50
Med. prop.—Tonic, Alterative.	
Quininæ Hydrobromas $\frac{1}{6}$ gr. (1 centigram)	75
Med. prop.—Tonic, Anti-spasmodic.	

GRANULES ARE NOT PARVULES.

WARNER & CO.'S DOSIMETRIC GRANULES.

	Per 100
Quininæ Hydroferrocyanas	
1-65 gr. (1 milligram)	75
Med. prop.—Tonic.	
Quininæ Salicylas....	$\frac{1}{6}$ gr. (1 centigram)
Med. prop.—Tonic, Stimulant.	75
Quininæ Sulphas.....	$\frac{1}{6}$ gr. (1 centigram)
Med. prop.—Tonic, Anti-periodic.	75
Quininæ Valerianas..	$\frac{1}{6}$ gr. (1 centigram)
Med. prop.—Tonic, Anti-spasmodic.	75
Santonin.....	$\frac{1}{6}$ gr. (1 centigram)
Med. prop.—Anthelmintic.	40
Scillitin.....	1-65 gr. (1 milligram)
Med. prop.—Cardiac sedative, Diuretic.	50
Sodii Benzoas.....	$\frac{1}{6}$ gr. (1 centigram)
Med. prop.—Diaphoretic, Expectorant.	40
Sodii Salicylas.....	$\frac{1}{6}$ gr. (1 centigram)
Med. prop.—Hepatic stimulant.	40
Strychninæ Arsenias....	1-130 gr.
($\frac{1}{2}$ milligram)	50
Med. prop.—Tonic, Alterative.	
Strychninæ Hypophos... 	1-130 gr.
($\frac{1}{2}$ milligram)	50
Med. prop.—Tonic.	
Strychninæ Sulphas....	1-130 gr.
($\frac{1}{2}$ milligram)	40
Med. prop.—Tonic.	
Sulphur Iodidum....	$\frac{1}{6}$ gr. (1 centigram)
Med. prop.—Alterative.	40
Veratrina.....	1-130 gr. ($\frac{1}{2}$ milligram)
Med. prop.—Topical excitant.	40
Zinci Cyanidum.....	1-65 gr. (1 milligram)
Med. prop.—Anti-spasmodic.	40
Zinci Phosphidum..	1-65 gr. (1 milligram)
Med. prop.—Tonic, Stimulant.	40
Zinci Valerianas.....	$\frac{1}{6}$ gr. (1 centigram)
Med. prop.—Anti-spasmodic.	40

GRANULES ARE NOT PARVULES.

Granular Effervescent Salts.

(EQUAL TO THE BEST ENGLISH.)

PREPARED BY

WILLIAM R. WARNER & CO.

GRANULAR EFFERVESCENT
ANTALGIC SALINE.

Each dessertspoonful contains

ANTIPYRINE, - - - - 4 grains.
SALICYLATE SODA, - - - - 4 grains.

A specific in Neuralgic Headaches.

GRANULAR EFFERVESCENT
ANTIPYRINE.

Each dose or heaping teaspoonful contains
5 grains Antipyrine.

The effervescent form is the most desirable for the administration of this remedy because of the attending Carbonic Acid; which according to Prof. Germain, avoids the tendency to produce nausea and the rash, which frequently follows the administration of Antipyrine.

GRANULAR EFFERVESCENT.
ACID. SALICYLIC.

Each teaspoonful contains five grains of Salicylic Acid Valuable in Rheumatism and analogous disorders.

The temperature should be carefully watched in special cases.

GRANULAR EFFERVESCENT.

BROMO SODA.

COMPOSITION:

CAFFEINE, 1 gr.
 BROMIDE SODIUM, 30 gr.

In each teaspoonful.

Useful in Nervous Headache, Sleeplessness, Excessive Study Over Brainwork, Nervous Debility, Mania, etc., etc.

Dose—A heaping teaspoonful in half a glass of water, to be repeated once after an interval of thirty minutes, if necessary.

It is claimed by some prominent specialists in nervous diseases, that the Sodium Salt is more acceptable to the stomach than the Bromide Potassium. An almost certain relief is given by the administration of this Effervescing Salt. It is also used with advantage in *Indigestion*, *Depression* following alcoholic and other excesses, as well as *Nervous Headache*. It affords speedy relief for *Mental and Physical Exhaustion*.

GRANULAR EFFERVESCENT

CAFFEINE

AND

BROMIDE OF POTASSIUM.

Specially prepared by William R. Warner & Co.

Dose—A large teaspoonful, in water containing

HYDROBROMATE OF CAFFEINE, 1 gr.
 BROMIDE OF POTASSIUM, 20 grs.

PROPERTIES:—Useful in *Sleeplessness*, *Over Exertion of the Brain*, *Over Study*, *Nervous Debility*, etc. and in all cases for which the above remedies are given singly to advantage. An almost certain relief is given by the administration of this Effervescing Salt. It affords a pleasant and delightful draught, by mixing a large teaspoonful with a glass of water and drinking while effervescing. It is also used with advantage in *Indigestion*, *Depression* following alcoholic and other excesses, as well as *Nervous Headache*. It affords speedy relief for *Mental and Physical Exhaustion*. Physicians recognize its great advantage.

The dose named may be repeated, if necessary, three times at intervals of thirty minutes.

GRANULAR EFFERVESCENT

CITRATE OF BISMUTH.

Each dose or heaping teaspoonful of the salt contains two grains of soluble Citrate of Bismuth, and should be placed in part of a glass of water and drank while effervescing.

GRANULAR EFFERVESCENT

CITRATE OF CAFFEINE.

A dessertspoonful containing one grain of Citrate of Caffeine should be given for sick headache every hour or two before and during the paroxysms.

This preparation should be used more particularly in those cases of sick headache, the cause of which is torpidity of the liver and other excretory organs.

GRANULAR EFFERVESCENT

CITRATE LITHIA AND POTASH.

Each dose or heaping teaspoonful contains

LITHII CITRAS. 5 grains.

POTASSII CITRAS. 10 grains.

To be taken in a glass of water at a temperature not under 60°

GRANULAR EFFERVESCENT

CRAB ORCHARD SALT.

Prepared from the exact of analysis of the purified natural salt as obtained from the Crab Orchard Spring, Ky.

A heaping teaspoonful in half of a glass of water forms a grateful, effervescent draught, producing the effect of the natural water.

GRANULAR EFFERVESCENT

HYDROBROMATE CAFFEINE.

A dessertspoonful containing one grain of Hydrobromate of Caffeine, should be given for sick headache every hour or two before and during the paroxysms.

This most valuable therapeutic agent acts with marvelous promptitude in those cases of headache the cause of which is gastric irritability from over indulgence in food or drink, and also when due to nervous exhaustion caused by want of sleep and overwork.

GRANULAR EFFERVESCENT

NITRATE OF CERIUM.

Each heaping teaspoonful contains two grains of Nitrate of Cerium.

Useful in reflex vomiting and gastric distress not due to organic disease of the stomach.

The dose may be increased to four and even eight grains of Nitrate of the Cerium as occasion demands.

GRANULAR EFFERVESCENT

CONGRESS SALT.

A Saline Aperient.

A heaping teaspoonful in a glass half full of water, forms an agreeable and refreshing draught identical with the water of the popular "Congress Spring" at Saratoga.

GRANULAR EFFERVESCENT

OXALATE OF CERIUM.

Each heaping teaspoonful contains two grains of Oxalate of Cerium.

Valuable in *reflex* vomiting not due to gastric irritability. In many cases of so-called nervous Dyspepsia it will control the paroxysms.

GRANULAR EFFERVESCENT

GINGERADE.

A tablespoonful dissolved in a glass of water forms an exceedingly grateful summer drink, similar to Ginger Ale.

GRANULAR EFFERVESCENT

KISSINGEN SALT.

A heaping teaspoonful dissolved in half of a glass of water, forms an agreeable and refreshing draught, identical with the natural water.

GRANULAR EFFERVESCENT

BENZOATE OF LITHIA.

Each teaspoonful contains four grains of chemically pure salt.

This preparation has been strongly recommended as a remedy for gout. It may be used with good effect in all cases of Lithaemia, Gout and Rheumatic Gout.

GRANULAR EFFERVESCENT
BROMIDE OF LITHIA.

Each teaspoonful contains five grains of the chemically pure salt.

This preparation has been strongly recommended as a remedy for epilepsy and as a hypnotic of great value.

GRANULAR EFFERVESCENT
SALICYLATE OF LITHIA.

DOSE.—A teaspoonful, containing ten grains of the salt. A convenient and pleasant remedy in Gout and Rheumatism.

This preparation is intended for physicians' use, and will be found to possess advantages over Salicylic Acid, being less irritating to the stomach, and combining the efficacy of Lithia and Salicylic Acid.

GRANULAR EFFERVESCENT
CITRATE LITHIA.

Each heaping teaspoonful contains four grains of the chemically pure salt. Valuable in Rheumatic, Gouty, and analogous disorders being acceptable to delicate stomachs, where the Carbonate is not well borne.

GRANULAR EFFERVESCENT
CARBONATE LITHIA.

Each heaping teaspoonful contains four grains of the chemically pure salt. A remarkable and often magical resolvent of Gouty Rheumatic deposits.

Dr. A. Garrod, the well-known English authority on Gout, and who was the first physician to introduce the Lithia Salts in the treatment of the gouty diathesis, states that their action is materially increased by being administered in a *freely diluted form*.

The effervescing salts of Lithia furnish an easy and elegant way of applying Dr. Garrod's methods.

GRANULAR EFFERVESCENT
CHALYBEATE SALINE.

(FERRIC SALINE EFFERVESCENS, DR. MEANS.)

Each heaping teaspoonful contains one grain of Citro-tartrate of Iron and twenty grains of Soda.

DOSE.—A heaping teaspoonful of the Salt, containing one grain of Citro-tartrate of Iron and twenty grains of Soda, to be taken in a glass two-thirds full of water and drunk while effervescing. If a more decided effect is desired, warm instead of cold water may be used. In all cases this draught should be taken but once or twice a day, and then on an empty stomach, preferably before breakfast. No restrictions as to diet. One or two Pil. Digestiva (W.&Co.) may be taken at noon, before eating as a dinner pill.

GRANULAR EFFERVESCENT
CITRATE OF MAGNESIA.

Pleasant and Efficient.

DIRECTIONS.

For a purgative effect take two or more tablespoonfuls added to a small glass of water, and drink while effervescing. As a laxative, one or two tablespoonfuls, taken in the same manner. One or two teaspoonfuls in sweetened water, produces a delightful cooling drink in summer.

This preparation of Citrate of Magnesia has the advantage over the liquid form, and a fresh and effective preparation is possible in every household.

GRANULAR EFFERVESCENT
SULPHATE OF MAGNESIA.

DIRECTIONS.

For a purgative effect, take two or more tablespoonfuls added to a small glass of water, and drink while effervescing. As a laxative, one or more tablespoonfuls taken in the same manner.

This preparation is more agreeable and quite as efficient as the old fashioned dose of salts, and is thus a great boon to the nursery.

GRANULAR EFFERVESCENT
PEPSIN AND BISMUTH.

Each heaping teaspoonful contains the dose of Saccharated Pepsin and soluble Citrate of Bismuth.

Useful in cases of Indigestion due to catarrhal conditions of the gastric mucous membrane.

GRANULAR EFFERVESCENT

PEPSIN, BISMUTH AND IRON.

Each heaping teaspoonful contains the dose of Saccharated Pepsin, soluble Citrate of Bismuth and one grain of Citrate of Iron.

Useful in cases of Dyspepsia, Indigestion and gastric irritability.

GRANULAR EFFERVESCENT

**PEPSIN, BISMUTH AND
STRYCHNINE.**

Each heaping teaspoonful contains the dose of Saccharated Pepsin, soluble Citrate of Bismuth, and the one-sixtieth grain of Citrate of Strychnine.

A valuable and agreeable tonic, indicated in cases of atonic dyspepsia.

GRANULAR EFFERVESCENT

LITHIATED POTASH.

Each heaping teaspoonful contains five grains of Carb. Lithia and ten grains of Bi-Carb. Potash.

GRANULAR EFFERVESCENT

BI-CARBONATE OF POTASSIUM.

A dessertpoonful in a glass of water makes an excellent neutral mixture and effervescent draught. The diaphoretic and refrigerant effects are readily produced.

GRANULAR EFFERVESCENT

IODIDE OF POTASSIUM.

Each heaping teaspoonful contains two grains of Iodide of Potassium.

This preparation of Iodide of Potassium has the advantage of being easily borne by the stomach, and as the peculiar taste is disguised, can be taken for a long time without arousing disgust in the patient which is often found when other preparations of Iodide of Potassium have to be taken for a long period.

GRANULAR EFFERVESCENT

BROMIDE OF POTASSIUM.

Each heaping teaspoonful contains ten grains of Bromide of Potassium.

GRANULAR EFFERVESCENT

CITRATE OF POTASSIUM.

A dessertspoonful in a glass of water makes an excellent neutral mixture and effervescent draught. The diaphoretic and refrigerant effects are readily produced.

GRANULAR EFFERVESCENT

NITRATE OF POTASSIUM.

A dessertspoonful in half of a glass of water makes an excellent mixture and effervescent draught. The diaphoretic and refrigerant effects are readily produced.

GRANULAR EFFERVESCENT

PULLNA SALTS.

A large teaspoonful dissolved in a glass half full of water, forms an agreeable and refreshing draught, identical with the water of the Pullna Springs in Germany.

GRANULAR EFFERVESCENT

ROCHELLE SALTS.

A pleasant and gentle laxative; its use is recommended when a mild purgative effect is desired.

The dose is a heaping dessertspoonful in a glass of water to be drunk while effervescing. The dose to be increased to a tablespoonful if required.

GRANULAR EFFERVESCENT

SEIDLITZ MIXTURE.

(Seidlitz Powder, U. S. P.)

An excellent aperient and refrigerant, very acceptable to the stomach.

Dose.—One tablespoonful in a glass of water.

Like the Citrate of Magnesia this preparation is a more convenient and agreeable form of an aperient medicine than is usually administered.

GRANULAR EFFERVESCENT

BROMIDE OF SODIUM.

Each large teaspoonful contains ten grains of Bromide of Sodium.

GRANULAR EFFERVESCENT

SELTZER SALT.

A tablespoonful to half of a glass of water, forms a grateful and refreshing saline draught, identical with the natural water.

GRANULAR EFFERVESCENT

BI-CARBONATE OF SODIUM.

An excellent antacid, also antilithic and resolvent.

DOSE.—A heaping teaspoonful in part of a glass of water.

GRANULAR EFFERVESCENT

PHOSPHATE OF SODIUM.

Each heaping teaspoonful contains thirty grains of Phosphate of Sodium.

GRANULAR EFFERVESCENT

SALICYLATE OF SODIUM.

Anti-Rheumatic.

Each heaping teaspoonful contains ten grains of Salicylate of Sodium.

Salicylate of Sodium is now generally preferred to other form of Salicylic Acid, owing to its greater solubility, etc.

GRANULAR EFFERVESCENT

**SALICYLATE OF SODA
With BROMIDE OF POTASH.**

Anti-rheumatic, Sedative.

Each heaping teaspoonful contains ten grains of Salicylate of Soda and ten grains of Bromide of Potash.

The dose is usually one large teaspoonful in half of a glass of water, three times a day before eating.

This is the minimum dose for adults, and may be increased with advantage in many cases of Rheumatism and Rheumatic Gout.

This preparation is particularly valuable in cases of Lythiasis, in which the more prominent symptoms are inflammation of the mucous membranes of the respiratory and digestive tracts and ill-defined muscular soreness.

GRANULAR EFFERVESCENT

TRIPLE BROMIDES.

Useful in Headache, Nervousness, Sleeplessness, Migraine, Diurnal Epilepsy, etc., etc.,

Dose.—A teaspoonful containing Sodium Bromide, 15 grains; Potassium Bromide, 10 grains; 5 grains Ammonium Bromide, three times daily.

Administer one teaspoonful in half of a glass of water. Drink while effervescing. In Diurnal Epilepsy take a dessertspoonful three times daily until sense of taste is partly destroyed. After this reduce the frequency of the dose, but keep the fauces in a benumbed condition.

GRANULAR EFFERVESCENT

VICHY SALT.

(Grand Grille.)

A heaping teaspoonful dissolved in a half of a glass of water, forms a grateful and refreshing draught, identical with the natural water.

GRANULAR EFFERVESCENT

VICHY SALT, LITHIATED.

A large teaspoonful dissolved in half of a glass of water, forms a grateful and refreshing draught, identical with the natural water, combined with the antilithic properties of the Lithia.

PREPARED BY


WILLIAM R. WARNER & CO.,

MANUFACTURING CHEMISTS,

PHILADELPHIA AND NEW YORK.

PARVULE CASES FOR PHYSICIANS' USE.

DELIVERED BY POST ON RECEIPT OF PRICE.




Pocket Parvule Case, filled with ten varieties, any selection, \$2.50

This case is of a convenient size for carrying in the coat pocket, and presents a handsome appearance. The dimensions, when closed, are:—Length, 8 in. Width, 3 in. Thickness, 1½ in.

Manufactured only by WM. R. WARNER & CO.

PARVULE CASES FOR PHYSICIANS' USE.

DELIVERED BY POST ON RECEIPT OF PRICE.




Pocket Parvule Case containing twenty filled bottles, any selection, \$5.00
A presentable and compact case suitable for pocket or hand. The dimensions, when closed, are:—Length, 8 in. Width, 3 in. Thickness, 2 in.

Manufactured only by **WILLIAM R. WARNER & CO.**

PARVULE CASES FOR PHYSICIANS' USE.

DELIVERED BY POST ON RECEIPT OF PRICE.




Warner & Co.'s Buggy or Hand Parvule Case, containing 40 filled bottles,
all the varieties, \$10.00.

Manufactured only by WM. R. WARNER & CO.

Office or Stock Case, glass top, containing forty bottles, full variety, \$10.00

DELIVERED FREE ON RECEIPT OF PRICE.



This case with glass top is intended as an office case for Physicians and as a stock or show case for Druggists. It is neat and shows the Parvules to good advantage.

Manufactured only by WM. R. WARNER & CO.

“PARVULES.”

GENTLEMEN:

Although a practitioner of over forty years, I think I may feel privileged to express my great pleasure and appreciation of the new class of remedies prepared by you called “Parvules.” I regard them the greatest improvement in modern medicine, and I could scarcely practice my profession without them, as they are so handy, so convenient, and easily taken by children and adults. Their most important quality is their unvarying and *reliable* strength and efficacy. I can obtain with a grain or less of Calomel, with a grain or less of Aloin, and with a grain or less of Podophyllin, divided respectively into the tenth, twentieth, or fortieth of a grain, in “Parvules,” all that I could desire in most cases, and in a more satisfactory manner than in the usual form. I have used successfully a “Parvule” of one-fiftieth of a grain of Sulph. Morphia repeatedly for two or three hours, and have relieved pain without the least nausea or vomiting in patients that could not bear opiates in any other form. I do not know what to attribute this to, except the peculiar mode of preparing the “Parvules,” as they are so readily dissolved and absorbed after being taken, and in endorsing them I must disclaim any favoritism or sympathy with Homœopathy. A “Parvule” given every hour, it will be seen, is not Homœopathy in theory or practice. I usually give two “Parvules” of Calomel every hour until six or seven doses are taken, and the result is the same as with ten grains of the same without the embarrassing effect. I give four or five “Parvules” of Aloin, the effect is the same as four or five cathartic pills; also with the Podophyllin “Parvules;” they will relieve habitual constipation, derangement of the liver and digestive organs, if given, one or two, three times a day.

I have no doubt that every practitioner who will use these “Parvules” will find the same results which convinced me of their importance and convenience. I have no other medicine chest in my daily rounds than my pocket case of “Parvules.”

Yours very truly,

GEORGE P. REX, M. D.

REAVILLE, N. J.

DOSE TABLE

Showing the ordinary mode of adjusting the dose to suit the age of the patient.

The average adult dose being represented by one, the several doses at different ages may be put down as follows.

Age	1 to 3 months,	Dose, 1-16
"	4 to 12 "	" 1-10
"	1 to 3 years,	" $\frac{1}{8}$
"	4 to 5 "	" $\frac{1}{4}$
"	6 to 8 "	" $\frac{1}{3}$
"	8 to 12 "	" $\frac{1}{2}$
"	13 to 16 "	" $\frac{2}{3}$
"	17 to 20 "	" $\frac{3}{4}$
"	21 to 45 "	" 1
"	50 "	" $\frac{3}{4}$
"	60 to 70 "	" $\frac{2}{3}$
"	80 to 90 "	" $\frac{1}{2}$
"	100 "	" $\frac{1}{2}$

The simple rule generally applicable is as follows:

Under 12 years of age diminish the dose of the medicine in the proportion of the age to the age increased by 12 thus:—at 6 years $\frac{6}{6-1-12} = \frac{1}{3}$.

AN IMPORTANT NEW REMEDY.
SUPERIOR TO PEPSIN OF THE HOG.

A POWDER,

**PRESCRIBED IN THE SAME MANNER, DOSES AND
COMBINATIONS AS PEPSIN.**

INGLUVIN.

VENTRICULUS CALLOSUS GALLINACEUS.

From the Gizzard of the Domestic Fowl, Pullus
Gallinaceus.

Dose.—10 to 20 Grains.

A Specific for Vomiting in Pregnancy

AND A

Potent and reliable remedy for the cure of **MARASMUS,**
CHOLERA INFANTUM, INDIGESTION, DYSPEPSIA
and **SICK STOMACH,** caused from debility
of that organ. It is superior to the
pepsin preparations, since it acts
with more certainty, and
effects cures where
they fail.

PREPARED BY

WM. R. WARNER & CO.

MANUFACTURING CHEMISTS,

PHILADELPHIA and NEW YORK.

**SOLD BY DRUGGISTS THROUGHOUT THE COUNTRY, OR
SENT BY MAIL TO ANY ADDRESS.**

**PHYSICIANS WILL PLEASE SEE THAT NO OTHER
ARTICLE IS SUBSTITUTED.**

WARNER & CO.'S PIL: ARTHROSIA.

FORMULA.

ACIDUM SALICYLICUM.
(Salicylic Acid.)

RESIN PODOPHYLLUM.
(May Apple.)

EXT. COLCHICUM.
(Meadow Saffron.)

EXT. PHYTOLACCA.
(Poke Root.)

QUININA.
(Quinine.)

CAPSICUM.
(Red Pepper.)

The attention of the Medical Profession is respectfully directed to this valuable remedy in acute and chronic Gout, Rheumatism, Rheumatic Headache, Sciatica, Neuralgia, and disorders of the Liver and Kidneys. The ingredients entering into its composition, when skillfully prepared and compounded, are each well-known remedies in the cure of these painful and dangerous conditions, and this preparation is regarded as specific.

ARTHROSIA is permanently anti-lithic, a perfect antidote in Rheumatism and Gout, powerfully tonic, alterative and blood restorer. Arthrosia is prepared in pilular form for convenience of physicians' prescriptions, and coated with the *superior* non-oxidizable and readily soluble coating of *sugar*.

Arthrosia is put up in bottles, simply labelled with directions for use; there are 100 pills in each, and the physicians' directions are written by the pharmacist.

Pills forwarded by mail on receipt of price.

DIRECTIONS FOR USE OF ARTHROSIA.

Two to four pills at one dose, morning, noon and night, one hour before meals, and when the pain or suffering is severe, take two pills during the night. Its use should be persisted in until all inflammation and stiffness in the affected parts totally cease. The dose should be modified according to the purgative effect produced.

WILLIAM R. WARNER & CO.

MANUFACTURERS OF SOLUBLE COATED PILLS,
PHILADELPHIA and NEW YORK.

GRANULAR EFFERVESCENT

Saline Chalybeate Tonic.

(DR. AUSTIN FLINT.)

Each dose or heaping teaspoonful contains

Sodium Chloride, 3 grs.	Potass. Chloride, 3-20 gr.
Potass. Sulphate, 1-10 gr.	Potass. Carb. 1-20 gr.
Sodium Carb. 3-5 gr.	Magnes. Carb. 1-20 gr.
Calc. Phos. Prec. $\frac{1}{2}$ gr.	Calcium Carb. 1-20 gr.
Ferri Reduct. 9-20 gr.	Ferri Carb. 1-20 gr.

To be taken in part of a glass of water to be repeated three times daily, or oftener if required.

A remedy in Anæmia, Diabetes, Albuminuria, etc., as formulated and so successfully used by Prof. Austin Flint. Dr. Flint has spoken very highly of this combination as a tonic in Bright's Disease, as well as simple Anæmia, and used it in nearly every case in practice in which a chalybeate tonic was indicated and with marked success. This preparation is offered as an improvement upon the pill form heretofore used.

PREPARED BY

WM. R. WARNER & CO.

MANUFACTURERS OF

Soluble Coated Pills, Parvules and Granules,
PHILADELPHIA and NEW YORK.

EFFERVESCENT

(WARNER & CO.)

SULPHONAL

Each teaspoonful contains 3 grains
of Sulphonal.

Sulphonal is the most recent of the hypnotic, and one that has fulfilled the claims made for it. Many eminent medical men, in Europe and in this country, have pronounced in its favor. It has become recognized as an hypnotic of remarkable efficacy, and promises in a great measure to supercede, in the near future, almost all the other sleep producers, such as Chloral, Paraldehyde, etc.

A heaping teaspoonful contains 3 grains of Sulphonal. If repeated every hour until three or four doses are taken, it will produce sleep, from which there will be no unpleasant after effects.

PREPARED ONLY BY

WM. R. WARNER & CO.

1228 MARKET ST.,

PHILADELPHIA

18 LIBERTY ST.,

NEW YORK

WARNER & CO.'S PIL: CHALYBEATE.

3 Grains. Dose.—1 to 4 Pills.

COMPOSITION:

Ferri Sulph. Fe SO_4 } Ferri Carb. Fe CO_3
Potass. Carb. $\text{K}_2 \text{CO}_3$ } = Potass. Sulph. $\text{K}_2 \text{SO}_4$

As prepared by Wm. R. Warner & Co., Philadelphia.

The above combination which we have successfully and scientifically put in pill form, produces when taken into the stomach, Carbonate of the Protoxide of Iron, (Ferrous Carbonate) in a quickly assimilable condition.

This Pill contributed to make the reputation of Niemeyer, and the following language, which speaks without comment, is taken from his TEXT BOOK ON THE PRACTICE OF MEDICINE.

PROF. NIEMEYER says: "For more than twenty years I have used these pills almost exclusively in Chlorosis, and have witnessed such brilliant results from them in a large number of cases that I have never needed any opportunity to experiment with other articles. At Madgeburg and Greifswald I often had to send my recipe for the pills to a great distance, my good fortune in the treatment of Chlorosis—to which, by-the-by, I owe the rapid growth of my practice—having given me great repute as the possessor of a sovereign remedy against that disease."

The dose of Pil: Chalybeate is from 1 to 4 at meal times and is recommended and successfully used in the treatment of Pulmonary Phthisis or Consumption, Anæmia and Chlorosis, Caries and Scrofulous Abscesses, Chronic Discharges, Dyspepsia, Loss of Appetite, etc.

℞ The physician may see that he is obtaining exactly what he prescribes, by ordering in bottles of 100 each.

CAUTION.—Specify WARNER & Co., and see to the special marks and Autograph on wrapper. The coating is very soluble, and is colored a delicate pink.

Pills can be safely sent by mail—discount for quantities

WM. R. WARNER & CO.

MANUFACTURERS OF

SOLUBLE COATED PILLS AS A SPECIALTY.

PHILADELPHIA and NEW YORK.

WARNER'S

PIL: CHALYBEATE COMP:

COMPOSITION OF EACH PILL.

℞ (Chalybeate Mass.) Carb. Protoxide of Iron, gr. iiss.
Extract Nux Vomica, gr. ¼.

DOSE.—One or two pills may be prescribed three times a day. They should be taken immediately after eating.

It is truly stated by eminent practitioners that these pills will cause the pale lips to become red and the rosy flush of health to creep into the face in about two weeks' time.

La Progress Medicale:—"Iron is one of the most important principles of the organism and the only metal the presence of which is indispensable to the maintenance of life. It exists in all parts of the system, but nowhere does it acquire such importance as in the blood.

The blood of a person in good condition contains about forty-five grains of Iron; when this amount is diminished a decline takes place, the appetite fails, the strength is enfeebled, and the blood loses its fine natural color and qualities.

In a great number of diseases such as anæmia, chlorosis, hemorrhages, debility, etc., it sometimes happens that the blood has lost half its iron, and, to cure these diseases, it is absolutely necessary to restore to the blood the iron which it lacks, and great care should be exercised that the most assimilable form of iron should be used, one that penetrates into the organism without unduly taxing the digestive tract or interfering with the essential qualities of the gastric juice."

In chloro-anæmia, Warner's Pil. Chalybeate Comp. regenerates the diseased red globules of the blood with a rapidity not before observed under the use of other ferruginous preparations; it adds to their physiological power, and makes them richer in coloring matter. Moreover, being neither styptic nor caustic, and having no coagulating or astringent action on the gastrointestinal mucous membrane, this preparation of iron causes neither constipation or diarrhœa as it does not need to be digested in order to be absorbed, it does not give rise to the sensation of weight in the stomach, or the gastric pain and indigestion occasioned by other preparations. In women who have not menstruated for many months, the amenorrhœa disappears; in others suffering from an anæmic state of long duration, give in proportion as the ordinary preparations of iron have not been well borne, Warner's Pil. Chalybeate Comp. one or two after each meal, soon restore the digestive functions to their normal state.

The small quantity of Nux Vomica is added to increase the tonic effect, to give tone to the stomach and nerves and increase the appetite.

PREPARED BY

WM. R. WARNER & CO.
PHILADELPHIA AND NEW YORK.

GRANULAR EFFERVESCENT

BROMO

(WARNER & CO.)

LITHIA

Each dessertspoonful contains

Salicylate Lithia, - 10 grs.

Bromide Soda, - - 10 grs.

Bromo Lithia is an extremely potent remedy, in the treatment of Rheumatism, Rheumatic Gout, and Gouty Diathesis, originated by W. R. Warner & Co. It consists of Salicylate Lithium, 10 grains, and Bromide Sodium, 10 grains in each dessertspoonful.

It will be found to possess advantages over Salicylic Acid, combining, as it does, the efficacy of Lithium in combination with Salicylic Acid as well as the sedative properties of Bromide of Soda.

Dr. A. Garod, the well known English authority on Gout, who was the first physician to use the Salicylate of Lithia in the treatment of the Gouty Diathesis, believes that its action is materially increased by being administered in a freely diluted form.

Bromo Lithia (Warner & Co.) being an effervescing salt, furnishes an *elegant* and *convenient* form for applying Dr. Garod's methods, and we have pleasure in offering it to the Profession. We have attained skill in the manufacture of these elegant effervescent salts, and physicians will receive the benefits of our efforts if they will specify "W. R. W. & Co.'s."

POISONS AND ANTIDOTES.

COMPILED FROM VARIOUS SOURCES.

 In all cases use the stomach pump at once if possible.

INORGANIC POISONS.

ACIDS.

Acetic.
Citric.
Muriatic.
Sulphuric.
—
Nitric.
Oxalic.
—
Prussic.
Laurel Water.
Nitrobenzole.
Oil Bitter Almond.
—

Carbonates of sodium, potassium, calcium and magnesium are all antidotes. In the case of sulphuric acid, water should not be drunk, as the union of the two produces great heat. Subsequent inflammation may be treated in the ordinary manner.

Carbonates of calcium and magnesium alone should be employed; see above.

Ammonia is an antidote but it should not be employed in a very concentrated form. Liquid chlorine has also been found efficacious. The cold *douche* to the head has been recommended.

ANTIMONY.

Butter Antim.
Oxide Antim.
Tarter Emetic.
—

Vomiting should be produced by tickling the fauces and giving large draughts of warm water. Astringent infusions as galls, oak bark, peruvian bark, act as antidotes, and should be given at once. Powdered yellow bark may be given until the infusion is prepared.

ARSENIC.

White Arsenic

Arsenic Acid.

Yellow Arsen.

Emer'd Green.

—

Hydrated peroxide iron, diffused through water, or the precipitated carbonate in very fine powder, should be given every five or ten minutes until relief is obtained. This is particularly efficacious where white arsenic has been swallowed.

Dialysed iron solution has come much into vogue at the present time and been highly recommended as an antidote, but the recent experiments of E. Hirschsohn, Russia, prove that when used alone, it has no value whatever in this respect, and, when used in connection with ammonia, or magnesia, the resulting insoluble compound formed with the arsenic, is decomposed much more readily in the presence of acids than when the hydrated peroxide of iron is employed.

COPPER.

and Salts.
Verdigris.
Pickles.

Albumen in form most readily obtained, as milk, white of eggs, &c. Vinegar should *not* be given. The inflammatory and nervous symptoms to be treated on general principles.

LEAD.

Acetate and Carb. Litharge
Goulard's Ex.

MERCURY.

White and Red
Precipitate.
Cor. Sublimata
Vermillion.

ZINC.

Acetate and
Sulphate.
White Vitriol.

CREASOTE.

Phosphorus.

Matches, &c.

Sulphate magnesium and phosphate sodium are both good antidotes for the soluble salts. For the solid forms, giving dilute sulphuric acid. The use of strychnia for the paralysis, and of iodide potassium, for the *chronic* forms generally, have been recommended.

Albumen such as white of eggs, milk and wheat flour beaten with water, must be promptly administered. Counteract inflammation by ordinary means. Gold finely mixed in dust with iron filings. The iron filings and *ferris pulvis* have been given enclosed in gold leaf.

The vomiting may be relieved by copious draughts of warm water. Carbonate sodium in solution will decompose the sulphate. Milk and albumen act as antidotes. General principles to be observed in the subsequent treatment.

Is immediately coagulated by albumen.

An emetic promptly; give copious draughts containing magnesia in suspension; mucilaginous drinks; general treatment for inflammatory symptoms.

ACRONARCOTIC AND NARCOTIC.

Aconite.
Baneberry.
Belladonna.
Bloodroot.
Calabar bean.
Camphor.
Cherry Laurel.
Coc. Indc.
Colchicum.
Curare.
Dogsbane.
Ergot.
Fox Glove.
Gelsemium.
Helebore.
Hemlock.
Henbane.
Lobelia.
Nux Vomica.
Opium.
Poison Oak.
Rue.
Squill.
Stramon.
Tobacco.
Verat. Vir.
Wild Cherry.
Wild Orange.

Evacuate the stomach with four or five grains of tartar emetic, or ten to twenty of sulphate zinc, repeated every quarter hour until the full effect is produced, assist by tickling the throat with a feather. Large and strong glysters of soap dissolved in water, or of salt and gruel, should be speedily administered to clear the bowels and assist in getting rid of the poison. Active purgatives may be given after vomiting has ceased. When as much as possible of the poison has been expelled, give alternately, a teacupful of strong hot coffee and diluted vinegar. If the drowsiness or insensibility be not relieved by these means, blood may be taken from the jugular vein, blisters applied to the neck and legs and the attention roused by every means possible. If the heat declines, warmth and frictions must be persistently used. Vegetable acid should on no account be given *before* the poison is expelled, and it is desirable that but little fluids of any kind should be administered.

WILLIAM R. WARNER & CO.'S

SUGAR-COATED

Tablet Triturates

(QUICKLY SOLUBLE)

Warner & Co.'s Sugar-Coated Triturates consist of the medicinal ingredient and pure Sugar of Milk, thoroughly mixed and incorporated together by trituration.

The ready solubility or diffusibility of the tablets in water and in the fluids of the stomach is worthy of the physician's attention.

Triturates, to be genuine preparations, must be made in accordance with certain well-defined principles.

They must have the precise quantity of medicament they are alleged to contain, and they must be accurate in dose.

The medicinal agent should be uniformly distributed through the whole mass.

	PER BOT. OF 500 EACH
ACID ARSENIOSUM, 1-20 gr.	-.50
ACID ARSENIOSUM, 1-30 gr.	-.50
ACID ARSENIOSUM, 1-40 gr.	-.50
ACID ARSENIOSUM, 1-60 gr.	-.50
ACID ARSENIOSUM, 1-100 gr.	-.50
ACONITINA, (Duquesnel's), 1-500 gr.	-.80
ACONITINA, (Duquesnel's), 1 200 gr.	1.25
ALOIN, 1-5 gr.	-.50
ALOIN, 1-10 gr.	-.50
CALOMEL, 1-10 gr.	-.50
CATHART. COMP. IMP., 1-5 gr.	-.50
CATHART. COMP. IMP., 1-10 gr.	-.50
CATHART. COMP. U. S. P., 1-5 gr.	-.50
CATHART. COMP. VEG., 1-5 gr.	-.50
CORROSIVE SUBLIMATE, 1-100 gr.	-.50
CORROSIVE SUBLIMATE, 1-200 gr.	-.50
EXT. NUC. VOMICA, 1/4 gr.	-.50
EXT. COLCHICI FLD., 1 min	-.50

WM. R. WARNER & CO.'S TABLET TRITURATES.

	PER BOT. OF 500 EACH
IODIDE MERCURY, 1-50 gr.	.50
MERCURY WITH CHALK, $\frac{1}{3}$ gr.	.50
MORPHINE SULPH., $\frac{1}{4}$ gr.	1.75
MORPHINE SULPH., $\frac{1}{8}$ gr.	1.00
MORPHINE SULPH., $\frac{1}{16}$ gr.	1.25
PODOPHYLLIN, $\frac{1}{4}$ gr.	.50
PODOPHYLLIN, 1-10 gr.	.50
PODOPHYLLIN, 1-20 gr.	.50
SALICINUM, $\frac{1}{2}$ gr.	.50
STRYCHNINE, 1-100 gr.	.50
STRYCHNINE, 1-200 gr.	.50
TARTAR EMETIC, 1-50 gr.	.50
TINCT. ACONITE, $\frac{1}{4}$ min.	.50
TINCT. ACONITE, $\frac{1}{2}$ min.	.50
TINCT. ACONITE, 1 min.	.50
TINCT. ACONITE, 2 min.	.50
TINCT. BELLADONNA, 1 min.	.50
TINCT. BELLADONNA, 3 min.	.50
TINCT. BELLADONNA, 5 min.	.50
TINCT. CANNABIS INDICA, 2 min.	.50
TINCT. CANTHARIDIS, 1 min.	.50
TINCT. CAPSICUM, 2 min.	.50
TINCT. DIGITALIS, 1 min.	.50
TINCT. DIGITALIS, 5 min.	.50
TINCT. GELSEMINUM, $\frac{1}{3}$ gr.	.50
TINCT. NUCIS VOMICA, 1 min.	.50
TINCT. NUCIS VOMICA, 2 min.	.50
TINCT. NUCIS VOMICA, 3 min.	.50
TINCT. PULSATILLA, 2 min.	.50
TINCT. STROPHANTHUS, 1 min.	.50
TINCT. STROPHANTHUS, 2 min.	.50
TINCT. VERATRI VIRIDIS, $\frac{1}{2}$ gr.	.50
TINCT. VERATRI VIRIDIS, 1 min.	.50
TINCT. VERATRI VIRIDIS, 2 min.	.50
TINCT. ZINGIBERIS, 3 min.	.50
TINCT. ZINGIBERIS, 5 min.	.50

PREPARED BY

WM. R. WARNER & CO.

Manufacturing Chemists,

1228 Market St.,

18 Liberty St.,

PHILADELPHIA.

NEW YORK.

ELIXIR

SALICYLIC ACID COMP.

A POTENT AND RELIABLE REMEDY IN

**RHEUMATISM, GOUT, LUMBAGO AND
KINDRED COMPLAINTS.**

This preparation combines, in a pleasant and agreeable form, Salicylic Acid, Cimicifugæ, Gelsemium, Sodii Bi-Carb. and Potass. Iodid., so combined as to be more prompt and effective in the treatment of this class of diseases than either of the ingredients when administered alone.

This remedy can be given without producing any of the unpleasant results which so often follow the giving of Salicylic Acid and Salicylate Sodium—viz., gastric and intestinal irritation, nausea, delirium, deafness, nervous irritability, restlessness and rapid respiration; on the contrary, it gives prompt relief from pain and quiets the nerves without the aid of opiates.

The dose is from a tea to a dessertspoonful. Each teaspoonful contains five grains Salicylic Acid.

**Elixir Salicylic Acid Comp. is put up in
12 oz. square bottles.**

PREPARED BY

WILLIAM R. WARNER & CO.

MANUFACTURING CHEMISTS,

PHILADELPHIA and NEW YORK.

QV
P719P
1892

AN IMPORTANT NEW REMEDY.

LIQUID

PANCREOPEPSINE

—OR—

LIQUOR PANCREATICUS COMP.

(DIGESTIVE FLUID.)

This preparation contains in an agreeable form the natural and assimilative principles of the digestive fluid of the stomach, comprising **Pancreatine, Pepsin, Lactic and Muriatic Acids.** The best means of re-establishing digestion in enfeebled stomachs, where the power to assimilate and digest food is impaired, is to administer principles capable of communicating the elements necessary to convert food into nutriment.

The value of **Liquor Pancreopepsine** in this connection has been fully established, and we can recommend it with confidence to the profession as superior to pepsin alone. It aids in digesting animal and vegetable cooked food, fatty and amylaceous substances, and may be employed in all cases where from prolonged sickness or other causes, the alimentary processes are not in their normal condition.

It is usually given in tablespoonful doses after each meal, with an equal quantity of water or wine, or alone, as it is most pleasant and agreeable to the taste.

Put up in 16 oz. French Square Bottles

Price, \$1.00.

PREPARED ONLY BY

WM. R. WARNER & CO.

PHILADELPHIA AND NEW YORK.

Paris



1889

Special and Private Recipes.

We solicit orders for your Special Recipe, and beg to say that our facilities for the manufacture of

SOLUBLE SUGAR AND GELATIN COATED PILLS,

aided by extensive and improved machinery, enable us to furnish them at moderate prices. We are prepared to fill orders for millions of pills, but we cannot make less quantities than **3,000**, it being impracticable to sugar-coat a smaller number.

With a view to their proper manipulation, it is desirable to know the composition. We will therefore supply the ingredients and give the lowest estimate for same. None but the best and purest drugs are used in their manufacture. Our long experience and the favor with which our products are received, attest the excellence of our work.

Soliciting your orders, we are,

Very respectfully,

WM. R. WARNER & CO.

1228 Market St., Philadelphia.

Pills sent by mail, postage paid,
on receipt of price.