


NATIONAL LIBRARY OF MEDICINE
Washington



Founded 1836

U. S. Department of Health, Education, and Welfare
Public Health Service

m. h. h.
Henry Bronson, S.

OBSERVATIONS

1832.

ON THE DISEASE CALLED

THE PLAGUE,
ON THE DYSENTERY,
THE OPHTHALMY OF EGYPT,

AND ON

THE MEANS OF PREVENTION.

WITH SOME REMARKS ON THE

YELLOW FEVER OF CADIZ,

AND THE

DESCRIPTION AND PLAN OF AN HOSPITAL

FOR THE RECEPTION OF PATIENTS AFFECTED WITH
EPIDEMIC AND CONTAGIOUS DISEASES.

BY P. ASSALINI, M. D.

One of the Chief Surgeons of the Consular Guards, &c. &c.

TRANSLATED FROM THE FRENCH

BY ADAM NEALE,

Of the University of Edinburgh, Member of the Royal College
of Surgeons of that City, and late Surgeon of the
Shropshire Regiment of Militia.

TO WHICH IS ADDED,

A LETTER CONCERNING

THE SEASONING, OR YELLOW FEVER


OF THE WEST-INDIES.

BY GEORGE PINCKARD, M. D. &c.

NEW-YORK:

Printed and sold by T. & J. SWORDS, Printers to the Faculty
of Physic of Columbia College.

1806.



1832

Thomson

1832

Plague

THE PLAGUE
OR THE DYSENTERY
TRAVELLING IN THE EAST

THE MEANS OF PREVENTION
WITH A HISTORY OF THE
YELLOW FEVER OF CADIX
AGAINST THE RISK OF ACUTE DYSENTERY
which have at different times appeared
in the East, and imperiously called
for the energy of governments, and
the solicitude and exertions of indivi-
duals, the plague has long maintained a
fatal ascendancy. After passing for
several centuries, the most countries of
Europe, Asia, and Africa, it seems at
length to have attained a happy down-
fall. THE HISTORY OF YELLOW FEVER
OR THE DYSENTERY
trough the coast of the Gambia, and
the whole country of the Foutas
where, among heavy the whole, little
and misery of the Foutas, the
distance to the port of in the

265827

TRANSLATOR'S PREFACE.

AMIDST the variety of acute diseases which have at different times depopulated the earth, and imperiously called forth the energies of governments, and the solicitude and exertions of individuals, the plague has long maintained a fatal pre-eminence. After ravaging, for several centuries, the finest countries of Europe, Asia, and Africa, it seems at length to have usurped a lasting dominion over the imperial city of Constantinople, the coast of the Levant, and the whole country of the Ptolomies, where, conjoined with the sloth, filth, and misery of the inhabitants, it bids defiance to the power of medicine.

Happily for this country, we have long been strangers to its attacks. A period, indeed, of more than a century has elapsed since it has been observed in this metropolis. But although thus fortunately estranged from its destructive influence, we must still continue to feel a lively interest in the progress of this disease, and more particularly since the occurrence of the late campaign in Egypt. That country may again become the theatre of war, and it is therefore doubly incumbent on us to procure every possible information on the subject of its diseases, in order that we may the better be enabled to preserve the valuable lives of our brave troops.

It is to be sincerely regretted, that none of our own countrymen who belonged to the army of Egypt have, as yet, come forward with the information which they must have collected on this disease; and we are therefore constrained,

for the present, to have recourse to the writings of the medical officers of the French army, who, it may here be remarked, possessed more extensive means of acquiring an accurate knowledge of the subject than our medical staff, owing to their longer residence in Egypt, and to their having had a larger field for practice and observation, from the superior magnitude of the French army.

But independently of the utility of the knowledge of the plague and epidemics of Egypt, in a military and political point of view, the subject possesses the most general and extensive claims to our attention. A just idea of the nature of diseases is only to be acquired by a knowledge and investigation of various facts; and that physician who, to a sound judgment, unites the most extensive acquaintance with the maladies of different countries, will cer-

tainly be, *cæteris paribus*, the best practitioner.

Such then being my views in undertaking the translation of this work, I trust that it will fulfil the object proposed; and I sincerely hope, that a knowledge of the facts therein contained may conduce to throw further light on the contagious and epidemic diseases both of this and other countries.

INTRODUCTION

BY THE

AMERICAN PUBLISHERS.

ONE of the objects of the work of Assalini is to combat a prejudice among the European nations, that the disease which they call the *Plague* is contagious. He derives his facts and arguments from the Mahometan regions which he has visited; and they come with great force from an eye-witness of so much intelligence and candour. But there is another source whence the like considerations may be deduced. We mean the narratives of the people themselves, into whose cities the contagion of plague has been pretended to have been imported from the Turkish countries. The

greater part of these relations will be found defective in their proofs; and nothing more is necessary to evince their inconclusiveness than to peruse those publications with this object in view. If it turns out, upon investigation, that this disorder is really not contagious, and that a great noise has been made about it without sufficient cause, and for no good purpose, then a great error in society will be corrected, and many of the evils consequent upon it will be removed. This inquiry is the more important, because the importers of plague from the Levant argue in about the same manner with the importers of yellow fever from the West-Indies.

The misrepresentations and mistakes which have prevailed in America on the subject of yellow fever, have been pretty fully detected and exposed. It has, however, been a work of time and labour; but in a country, and among

a people where the utmost freedom of inquiry is allowed, and where the whole body of citizens have a deep interest, as well as curiosity, to examine thoroughly the alleged contagiousness of their autumnal fevers, there has been collected a great mass of evidence against that opinion within the last ten years. And the result of this minute and patient discussion, that there is no morbid venom or poison *sui generis* produced by any secretory action of the vessels during a *yellow fever*, whereby that disease can be communicated from one person to another, has led many gentlemen to doubt the contagiousness of the distemper, which, in a small region of Europe, bordering on the Mediterranean sea, between the Adriatic and Atlantic, has been denominated the *Plague*. The connection between the United States and the North African powers has strengthened these doubts, by affording us strong

evidence against the opinions prevailing among the Christian nations, through Dr. Cowdrey, an American prisoner at Tripoli, and Dr. Davis, Consul at Tunis, in Barbary. And the expeditions to Egypt have had this good effect, that they have enabled several cautious observers to see for themselves that malady, the very name of which, like that of an apparition among weak and credulous people, fills the inhabitants of Christian Europe with terror; and have induced them to bear witness against its contagious nature.

Contemplating the alarming stories about the importation of the plague into Christendom, and the expensive establishments that have been made for the purpose of keeping it out; it appears extremely probable all this dread of contagion, and the rigour of quarantines and lazarettoes to guard against it, have, in reality, no better foundation than the

equally positive, though delusive tales propagated about our domestic yellow fever. With this view, Bertrand's *Relation Historique de la Peste de Marseille, en 1720*, is worthy of being read. As this is the great authority whence the contagionists derive their arguments, a copy was sought, and fortunately procured from the very place whose calamities are therein related. This book is the more worthy of perusal, because, by establishing the belief of contagion in plague, it gave rise to the famous code of regulations which were published in 1780, under the title of *Reglemens du Bureau de Santé*. And these rules and orders of Marseilles, predicated upon the existence of a most subtil and virulent pestilential contagion, have had a credit given to them almost as extensive and obligatory as the maritime laws of Rhodes and Oleron.

The narrative of Bertrand is the ground-

work of a mighty superstructure. His historical relation serves the same purpose to prove the contagiousness of the plague, and its introduction from Syria into France, as Chisholm's Essay answers to show that the Malignant Pestilential Fever was carried from Guinea to the West-Indies and the United States. The improbable and unfounded nature of the latter account is now generally understood, and candid members of the profession excuse, while they lament such a capital mistake in so sensible and respectable a writer. This discovery naturally prompted an inquiry into the weight and pertinency of the evidence which Bertrand's volume contains. For, if it should be found to be weak or irrelevant, then the vision about contagion vanishes, and all the apparatus to keep it away becomes vain or useless.

“ The facts, (says Dr. MITCHILL, in his letter to the Board of Health in New-

York, September 10, 1806), on the occurrence of the memorable mortality at Marseilles in 1720, as I collect them from Bertrand's book, warrant no such conclusion as he has drawn from them, and may be summarily stated thus: That city had suffered, at different times, nineteen visitations of plague that were important enough to be remembered; this was the twentieth. This year, corn and other necessaries were dearer than common, not so much, says the author, from actual scarcity, as from the remarkable want of money; but which, to all poor people, amounted to the same thing.

“ The season is described as not being remarkably different from common years. In the course of June, the inhabitants became sickly. The disease began among sailors and indigent people near the harbour, and gradually extended the circle of its action. The people and their magistrates grew uneasy, and expressed

different opinions about it, and, on referring it to the members of the medical profession, they, as usual, also differed in opinion. One class of them expressed their solemn conviction, that it neither proceeded from a vitiated atmosphere nor a scantiness of food, but was derived from contagion imported from Sidon, in Syria, on board a ship which sailed thence January 31, and arrived on the 25th of May, with a clean bill of health, and a sickly crew, at Marseilles. Mr. Bertrand, who is the chief of this sect, says, the vessel also touched at Tripoli and Cyprus, and brought certificates of health from both those places. The Captain, during the voyage, had put into Leghorn, on account of the wretched and dying condition of his crew, and had received a certificate from a physician and surgeon there, purporting that they died of a malignant pestilential fever. Several other vessels arrived from the same ports about

the last of May and in the beginning of June, bringing foul bills, there being suspicions and appearances of plague; but none of their crews are stated to have been unhealthy. On the other hand, there was a numerous and intelligent body that contended in favour of its local origin at home. These ascribed the endemic to atmospheric distemperature, vile and scanty food, and to fear and the depressing passions. This side of the question was maintained strenuously in numerous publications, by Mr. Deidier, Professor Maille of Capors, Dr. Boyer of Toulon, and Professors Chicoyneau and Verny of Montpellier. All those were men of high character, and, except one, were eye witnesses of the distemper; beheld it in its worst forms, and deliberately spoke and printed their conviction, that it was an ordinary malignant disease, and by no means contagious.

“The points of importation and domestic origin were as fiercely disputed at that time, as they have ever been since. Mr. Bertrand, Mr. Pons, Mr. Peyssonnel, brother Victorin, and the other persons who were contagionists, ascribed all the mischief to the arrival of the vessels from the Levant, and satisfied themselves of the landing of the contagion at the lazaretto; whence, after having multiplied and recruited itself, it slipped insensibly into the neighbouring part of the town, crept insidiously from house to house, and from street to street, until it gained possession of the whole; and, finally, glided by the same secret and silent advances into the adjoining country. Their opponents considered all this to be prejudice, mistake, and delusion. There was no proof, they said, that contagion existed in the Syrian and Cyprian ports when the accused ship left them. If contagion had existed, there was no

evidence of its having been taken on board. In a voyage of nearly three months' duration, nothing was more common than the existence of sickness among a crew. There was no necessity of charging such a sickness to the ports whence they sailed; for it was much more probable that it arose on ship-board, and was of strictly local origin there. The occurrence of fevers, and of death during the passage, had nothing to do with the places whence they took their last departure. Persons at sea had no more security against sickness and mortality than when on shore, and therefore might, in the nature of things, become infirm, and even end their days, from causes arising within the vessel itself. So, if a ship had arrived in a sickly and unclean condition at any city, it did not follow that her unhealthiness and filth must be spread far and wide among the inhabitants. Independent of all these

considerations, on examining the facts it was found, that this dangerous disease had been progressing, by regular steps, among the lower class of people; that it resembled the home-bred malignant distemper of 1709 and 1710; that it was connected with the wretchedness and famished condition of the poorer inhabitants, who compose the great body of society; and, in short, that the populace, starving upon meagre and damaged food, became sickly of course from the common necessity of the case. The most decisive proof was adduced, that before the arrival of the suspected ship, to wit, early in May, and in April, and even during part of the preceding year, 1719, diseases, accompanied with buboes, parotids, and carbuncles, had appeared. The sudden deaths of the porters were not owing to a blast of pestilential contagion, inhaled from the bales of goods they were landing, but to debility and

impoverishment consequent upon bad living, and to the sudden and total failure of their strength when applied to carry a load. The attacks were in situations so remote from each other, and the patients so utterly free from all communication, either with one another or with the ship and her contents, that the distemper was truly endemic in its origin, uncontagious in its nature, and as much a domestic malady as any other that ever afflicted the inhabitants.

“ If Mr. Malthus, said Dr. Mitchell, had thought of this case, he could not have given a better example than it affords, of the increase of human beings beyond the amount of subsistence; and of the occurrence of a pestilence, to rid society of its superfluous members, and reduce the number of mouths to the quantity of aliment provided to feed them.

“ While this severe, though necessary work was going on, of trimming off the

luxuriance and overgrowth of their population, the Marseillians bore it with the patience with which mankind generally endure misfortunes. Matters went on from bad to worse, until near the end of July, when an opinion was propagated that the disorder among them was the true Asiatic plague. This was at first violently opposed by the multitude. The authors of it were reviled and insulted. A more wilful and pernicious falsehood, they declared, had never been propagated to the injury of the Burghers. But although these were incredulous, there were, at length, persons enough to give full credit to the story. The rumour that the plague had been brought from the Turkish dominions, was propagated far and wide. It gained believers almost in every place to which it extended; and in a very short time this unhappy city was put under an interdict, and cut off from the intercourse of society, lest the plague,

by which it was desolated, should overwhelm the adjacent settlements, villages and towns by its contagion.

“ As soon as the disease was declared to be the *plague*, a series of new proceedings and sorrows began, infinitely more tragical than all that had happened before. The surrounding places refused to bring supplies to market. The parliament indeed forbade the intercourse under severe penalties. Barricades were ordered for the purpose of keeping them in. They were prohibited going into the country for safety, or even to buy provisions. The immediate consequence was an extreme and general failure of food. The bakers were destitute of corn and meal. As early as the third of August the bread fell short, and the multitude marched from one street to another, insulting the bakers at their houses. They were agitated by rage and tumult. At length, to prevent im-

mediate famine, two markets were established on the great avenues, six miles from the city, and another on the seaside. These were fortified by double barriers, officers and guards, to allow sales, but to prevent communications. Thus were these ill-fated people surrounded, and, in great numbers, literally starved to death.

“ For, though these supplies relieved the scarcity in some measure, there were multitudes who received no benefit from them. They were two leagues from the city. The poor, the sick, and the helpless could not travel so far. Many of them indeed were unable to buy, had the market been held at its accustomed place, or at their own doors. The price of every thing immediately rose. Labour became dearer than ever was known. The stores of wine, so necessary an article of diet to the French, were nearly exhausted. Butcher’s meat

was very difficult to procure upon any terms. In short, famine became more formidable than the plague itself. The original scarcity, bad as it was, did not bear a comparison with the hunger, sufferings, and mortality that resulted from these ill-judged regulations. The calamity of 1720 ought to be denominated the famine, rather than the plague of Marseilles: for clearly more appear to have been starved than to have died in any other way.

“ The labouring classes, and those who do the work of society for hire, perished first; and the greater part of them having died, and there being none to replace them, it was impossible to get work done, even for money. A large proportion of male and female servants, waiters, and laqueys also famished at an early period; and it was oftentimes quite out of the power of the most wealthy persons to procure domestics to

perform the ordinary services of life, by the highest wages. The survivors were obliged to perform their own labour and attendance. In the progress of the season, many of the butchers, bakers, and fishermen yielded their lives to the pressure of the common calamity. The distress of this was sorely felt by all the individuals yet alive. Of these, the remaining poor were starving for want of their accustomed employment; and the rich, because they could not exchange their money for common necessaries. The houses, throughout all their apartments and recesses, were strewed with the dying and the dead. All the streets were covered with carcasses. The gravediggers had disappeared. Undertakers and sextons were not to be found. About a thousand corpses were daily thrown into the streets to putrify, until, at length, a passenger could scarcely walk without treading on them. In some places he

was obliged to tread on them. In the public walks, and before the Church doors, they were piled up in large heaps, men, women, and children. Persons of all ages and conditions were undergoing the process of corruption, as they overspread the pavements, and filling the atmosphere with their noxious exhalations. And this domestic source of pestilential effluvia was itself enough, without other agents, to have depopulated the city. To augment their distresses, an opinion was started, that the contagion was carried from one person and place to another by dogs. Instantly a war of extermination was declared against these poor animals, and the land and the water stank with the septic fluids proceeding from thousands of them that were killed. This shocking condition of things continued until toward the end of September. And, considering these concurring causes of mis-

chief, one is apt to wonder that the mortality was limited to fifty thousand. It might be reasonably expected, that under such circumstances, in a population of eighty thousand, a much larger proportion would have been destroyed.

“ Finally, the surviving confessors, physicians and surgeons, exhausted and discouraged by all they had suffered, and by all that they feared, ceased at once, to administer their services, and abandoned the wretches to their fate. When these men withdrew their attendance, and sought their own safety by flight, the misfortunes of the miserable inhabitants were wrought up to the highest pitch. They had long endured the depressing operation of fear. In many the apprehension of danger had been changed into ghastly terror. But now the small remains of fortitude forsook them, and they sunk under the pressure of dejection and despair. Their

minds and bodies became the prey of a debility which ended in languor and death, or which predisposed them to receive morbid impressions that they might otherwise have repelled. The dread of the plague, when augmented by the horror of desertion by all who could administer help or comfort, was a fatal aggravation of their woes.

“ These woes, however, had some alleviation toward the termination of the calamity. For, during the season of Lent, the good Bishop, the celebrated Castelmoron, who, by an ordinance of 24th February, dispensed with the rule of rigid abstinence, and permitted the use of meat four times a week, substituted, instead of fasting, the recital of certain particular prayers. On the 4th of March, solemn application was made in the Jesuits’ Chapel, to St. Francis Xavier, for his intercession with Heaven to arrest the mischief; and on the 21st

a similar service was performed to the sacred heart of Jesus, in the Capuchin's Church, for the same purpose, and continued in both for nine or ten days. Altars were erected in various public places, and mass celebrated there. Even the ancient custom of carrying the viaticum to the sick in every parish was permitted during the fortnight of Easter. In like manner a procession had been formed on the 31st of December, by the Bishop carrying the holy sacraments, attended by the surviving clergy, around the ramparts. He pronounced the benediction at the gates of the town, and in the ditches where the dead had been deposited, to implore the mercy of the Lord upon those unhappy defuncts whom the calamity had deprived of ecclesiastical sepulture. And, on the 15th of the preceding November, the same pious prelate had walked bare-footed, with a torch in his hand, to an altar

which had been erected in the park, and after having celebrated mass, and given the consolation of his advice and exhortation to the people, he ascended to the top of the steeple in the parish Church of Accoules, and pronounced a blessing upon the whole city at once, while the ringing of bells, and the firing of cannon notified the inhabitants to join their prayers to those of their Bishop. It was seriously agitated between two of the great churches, whether the relics of the saints ought not to be brought forth to view; but, owing to a difficulty in settling certain points of ceremony and etiquette, these sacred treasures were not exhibited.

“ This accident, therefore, partook much more of a famine than a pestilence, since the true causes were; 1. Scantiness and badness of food; 2. An unhealthy season among the poor and labouring orders; 3. The consternation on their

distemper being proclaimed the true Turkish plague; 4. The starving condition to which the inhabitants were further reduced by the regulations of the police; 5. The envenomed quality of the atmosphere, from the rotten bodies of unburied men and dogs; 6. The prostration and annihilation of animal power by grief, despondency, and the most depressing passions. And still, notwithstanding all these circumstances and occurrences, enough in all sober consideration to desolate a city, it has been the fashion, ever since Bertrand's book was published, to quote it as the highest authority in favour of an imported contagion that stirred up such complicated and unspeakable mischief; mischief which derived infinitely more of its fatality from bad management, than its own inherent malignity. This author has written an elaborate and sensible account of the sickness and its accompaniments. He

is as impartial as can be expected in a person who is a strong and zealous advocate for contagion and importation. On the occurrence of a more than common sickness at Marseilles, it became a subject of rational inquiry to discover its cause. Mr. Bertrand adopted the belief of its introduction from a foreign port, and patched up a story about contagion brought from Sidon and Tripoli. I say, patched up a story, because the existence of such contagion has never been proved by the evidence of one of the senses. The contagion is a mere conceit of the mind; and all reasoning upon such a visionary and fancied agent can be but hypothesis, and have no better claim to our assent than the fluid of magnetism and the ether of gravitation. Upon such a conjecture, all the public proceedings were founded; an assumption not near so worthy of our assent, as if it had been said that the invisibie angel

of destruction had literally and bodily descended, sword in hand, to execute a heavy judgment of his Lord.

“ On reading this famous book, and comparing and weighing the evidence it contains, I am entirely convinced that the importing party have failed to support their assertions by, I will not say logical or legal proof, but even by that evidence which is fit to convince a plain understanding here in North-America, after a lapse of more than fourscore years.

“ Are we then to give credit to the phantom, which deceived the people of France to the destruction of the Marseillians, and misled their intelligent historian himself? By no means. Let us rather sift the whole testimony, and, disregarding the erroneous conclusions of our predecessors, decide upon the facts for ourselves. If we do so, we shall find the plague of Marseilles, which has been

quoted and dwelt upon as the clearest case of imported contagion that ever existed, to be unsupported by the necessary evidence, even on the allegations of its warmest advocates."

Having stated thus far a summary of the contents of one of the most celebrated works on the importation of plague into France, we shall next insert the account of its pretended importation into Sicily, in 1743. This is taken from Dr. Mitchill's letter to Dr. Rodgers, the Health Officer of the port of New-York.

“ ANALYSIS of TURRIANO'S TREATISE on the PLAGUE of MESSINA, in SICILY, 1743; and an Account of the Use of the Rack and Torture to prove the Distemper contagious.

“ The city of Messina, in Sicily, suffered a dreadful visitation of sickness in 1743. An account of it was written by

HORACE TURRIANO, and published at Naples, in 1745, under the title of *Memoria Istorica del Contagio della Citta di Messina del Anno 1743*. Turriano's book contains several particulars well worthy of notice. He says that the spring of the year which preceded the pestilence was rough and cold. Southerly winds prevailed, which were stormy and cloudy. The cold at the time of the equinox was scarcely less than that of the preceding winter. But the winds continued to blow from the same quarter, and an epidemical catarrh began to prevail among the people. Soon after an alteration was perceived in the type of the ordinary diseases of the place. This new form of the usual distempers manifested itself in coughing, hoarseness, pain in the breast, swellings of the throat and glands of the neck, with other symptoms of the true and spurious angina. In some there were swellings of

the glands in the groins and near the ears, and fevers wore a malignant aspect.

“ Some of their prophets had foretold a sickly season, and now they began to apprehend a mortal epidemic, similar to those which, at different times, had afflicted Genoa, Alexandria, Milan, Naples, Rome, and other places.

“ In this state of things they made a discovery, which satisfied all their minds what the true cause of this sickness was. It was established to their satisfaction, that a Genoese tartan, under Neapolitan colours, had arrived at Messina, after a passage of thirty days, from Missolongo, in the mouth of the gulf of Lepanto, opposite to Cephalonia. She brought wool, wheat, and some fine manufactures of the Levant. She had a clean bill of health, but had lost one of her crew on the voyage. The survivors were well. She had had no communication with any other vessel or port since she

sailed. And the Captain declared that the man had died of an ordinary disease, caused by fatigue on a disastrous and tempestuous voyage. She was admitted to quarantine; and while the wool was unloading, the Captain, exposed to the sickly atmosphere on shore, fell sick with an erysipelas of his face, and died on the third day. Two days after, another man, who had been ashore, also became sick on his return to the tartan, and died with a swelling in the arm-pit, and petechiæ all over his body.

“ A consultation was held by the magistrates and physicians on the alarm occasioned by these accidents, and the tartan, and all her contents, except the men, ordered to be carried to a remote place and burned. All the other people continued well.

“ The full quarantine of forty days being performed, and *Te Deum* sung,

an alarm was given that, in another part of the city, a disease prevailed, accompanied with buboes and other pestilential symptoms. The physicians sent to examine the sick reported, that the distemper was nothing more than the epidemic which had prevailed since February. They grounded their opinion upon the fact, that it was not contagious, and did not spread from person to person. Therefore it could not be the *plague*, whose essential character, they said, it was to be in the highest degree contagious. Physicians, surgeons, confessors and barbers escaped it, though they attended the sick in hospitals. And the like immunity had happened in the malignant sickness at Bronte and Modica some time before. The distemper, however, went on to increase with so much violence and mortality, that on the 4th of June it was allowed by all parties to be the *true plague*.

“The story of its introduction by the before-mentioned tartan, was not now deemed sufficient, in the judgment of the magistrates of Messina, to prove the introduction of the plague. They therefore apprehended two sailors, belonging to another vessel, a suspected pink. By threats of torture, and the sight of the rack, a confession was extorted from them of the arrival of the pink at the port of Messina, after a coasting voyage to Modon, Patras, Missolongu, and other places. The contagion was brought on board in some rolls of tobacco, or bags of biscuit; and after having destroyed several persons belonging to the pink, was landed among the unfortunate Messinians. Being completely satisfied with this *forced* story, which was modified by the engine of terror so as to answer every purpose they wished, they renounced the first one as erroneous and unnecessary.

“ The plague continued with but little abatement of its fury, notwithstanding the relics of St. Lucia and St. Bernard were sent to Messina from Syracuse to stop it, until the 2d of July, when the people took down from the great altar the ancient image of their tutelary saint, the Holy Mary, the mother of God, and carried it in procession through the streets. From that day the plague began to decline, after numerous other processions had failed, and other saints been applied to in vain.

“ As soon as the sickness was declared to be the *plague*, the inhabitants were panic-struck. There were no bakers to prepare bread. There were no labourers to dig graves. There were no nurses to attend the sick. And as the distemper was deemed contagious, every person was afraid to touch another, and even to approach him. The people of the surrounding country refused to bring fuel

or provisions to market, and guarded the roads leading out of town with so much strictness as to prevent the flight of the unhappy citizens into the country. The putrefying carcasses of the dead lay scattered through the houses, heaped up in the streets, and piled in larger collections at the church doors. These were so dangerous and shocking, that, at length, the furniture and wooden work of houses were carried into the streets for making fires to burn them. From these funeral piles fire was several times communicated to the neighbouring buildings. And by those direful consequences of the opinion entertained by the Franks, of the contagiousness and importation of the *plague*, the Messinians, instead of losing a few hundred persons, as they might have done by proper regulations, managed matters so badly as to destroy above forty thousand lives that season. The Turks judge more like rational

creatures about this disease, and do not frighten, starve and poison themselves to death on account of it.

“ After the abatement of this calamity, so great a part of which was brought upon themselves by their own imprudence, they concluded that a general purification was necessary to restore to health their city, contaminated by contagion. To superintend this grand operation, the famous Dr. Polacco was sent for from Venice. And under his eye they went from house to house, and, after various washings, ventilations, and other processes, concluded by fumigating with mixtures of pitch, brimstone, sal ammoniac, frankincense, storax, hartshorn shavings, raspings of pine, juniperberries, dried rosemary, old leather, long pepper, camphor, gun-powder, orpiment, and antimony. And this ceremony being over, the surviving inhabitants returned to their homes, as fully convinced

that the perfumery had destroyed the latent contagion, as that the image of the Virgin had stayed its active malignity.

“ Professor THOMAS FASANO judged better on this subject. He published a book at Naples on the epidemic fever which desolated that city in 1764. It is entitled, *Della Febbre Epidemica sofferta in Napoli l'Anno 1764. Libra iii. Di Tomasso Fasano.* He is so wholly convinced of local and domestic origin, that he does not even mention any thing about a ship. And this, in a sea-port, is a very remarkable circumstance. Fasano, with great good sense, lays it down as a principle, that *an epidemic is a slight plague, and that the plague is a powerful and furious epidemic,* (che l'epidemia fosse un leggiera peste, e la peste un' epidemia gagliarda e furiosa.) And, in like manner, MICHAEL SARCONI, who wrote an history, in two volumes, of the distempers which prevailed at Naples in

1764, under the title of *Istoria Raggiolata de' Mali osservati in Napoli nell' intero corso dell' Anno 1764*, does not pretend that this epidemic was any thing else than a pestilence consequent upon the extreme scarcity and famine of the preceding year.

CONTENTS.

	Page.
INTRODUCTION	1
Meteorological observations, temperature, weight of the atmosphere, direction of the winds, and state of the sky during the year 7 (1798-9) at Cairo - - - - -	11
Observations on the diseases which attacked the army of the East in Egypt and in Syria, during the years 6 and 7 (1798-9) of the French Republic, contain- ing an investigation of its identity with the plague	13
Whether this disease be really contagious -	16
Of the symptoms accompanying this disease -	26
Of the causes which could have produced this disease in Egypt and Syria - - - - -	35
Indications of cure - - - - -	42
Treatment - - - - -	ib.
Of buboes and gangrenes, known under the name of carbuncles or anthraxes - - - - -	51
Of the means to be used for preventing the attacks of this disease - - - - -	56
Of the means which might be employed in Egypt to destroy the epidemic fevers - - - - -	68

	Page.
Of the seclusion of the Franks during the time of the plague - - - - -	73
Of lazarettoes and quarantines - - - - -	76
Reflections on the epidemic fever observed in the Ligurian Republic, and in the hospitals of the army of Italy, in the year 8 (1799, 1800) - - -	89
Reflections on the yellow fever which appeared at Cadiz in the year 1800 - - - - -	93
Symptoms - - - - -	94
Causes - - - - -	95
Method of cure - - - - -	97
Means of prevention - - - - -	100
Queries respecting the yellow fever which appeared at Cadiz in the year 1800 - - - - -	101
On the dysentery - - - - -	104
Treatment, and means of preventing this disorder	108
On the ophthalmy of Egypt - - - - -	116
Description of the ball of the eye - - - - -	117
Description of the ophthalmy - - - - -	123
Causes - - - - -	125
Indications - - - - -	132
General treatment of the ophthalmy - - - - -	133
Treatment of the simple ophthalmy - - - - -	136
Treatment of the complicated ophthalmy - - - - -	139
The treatment used by the Egyptians for the cure of the ophthalmy - - - - -	145
Powders, ointments, and collyriums used in Egypt in the treatment of the ophthalmy - - - - -	148
On the means of preventing the ophthalmy - - - - -	150
Description and plan of an hospital for soldiers attacked in Egypt with the disease called the plague, &c. - - - - -	155

	Page.
Report made to the Society of the School of Medicine at Paris - - - - -	176
Report made to the Consuls of the French Republic, by the Minister of War, the 15 Germinal, year 9 (4th April, 1801) - - - - -	196
Additional Notes - - - - -	199
Appendix. Concerning the Seasoning, or Yellow Fever of the West-indies - - - - -	211

INTRODUCTION.

HAVING been appointed to attend the grand park of artillery during the expedition to Syria, in the rank of medical officer, I arrived at Jaffa on the 15th Ventose, in the year 7 (the 6th March, 1799), and on the 18th (9th), I took the charge of the hospitals in that city.

Forty days afterwards I received orders to follow into Egypt General Damas, and several other soldiers, who had been severely wounded; the unhealthiness of the country and other circumstances requiring that measure. On our return to Damietta the citizens who composed the board of health there considering us to be affected with the plague, put us under strict quarantine. To beguile the *ennui* of my prison, I resolved to commit to writing (although

in a foreign language) the observations which I had made on the disease which was the cause of our seclusion. I employed myself successively in this way during the different quarantines which I afterwards underwent at Cairo, at Malta, and in the lazaretto of Marseilles. These opportunities of observation led me to entertain doubts respecting the cause of the plague, and to form conclusions that have not been generally adopted; which scepticism, conjoined with the peculiar circumstances in which I found myself placed during my residence in the Levant, have furnished me with evidences and facts which will contribute, in my opinion, to discover the real causes of the disease of Egypt, called the plague. This object will be the more easily attained in proportion to the attention paid by the respectable general officers, the well educated medical staff, the natural philosophers, geologists, and other philosophical men attached to the colony of Egypt.

I have also added some particulars respecting lazarettoes, the *seclusion* of the

Franks in their own houses during the plague, the dysentery, and the ophthalmy.

Before we treat of these diseases, it will not be improper to give some idea of the circumstances which contributed to impair the health of our soldiers on their arrival in Egypt.

On the 16th Messidor of the year 6 (5th of July, 1798), after a voyage of forty-five days, the army of the East landed at Alexandria, in the best possible state of health, notwithstanding the inevitable inconveniences resulting to land troops from a sea voyage. On our arrival at Alexandria, we were encamped upon a dry, barren, and scorched soil: the thermometer stood at mid-day at 26° (82° Fahrenheit), the nights were cool; but the immense quantity of gnats or mosquitoes prevented sleep by their punctures, which threw the skin into a state of inflammation resembling the measles. It would be difficult to express the painful sensation which these insects produced at the moment when they thrust their stings into the substance of the skin.

The army, not finding a sufficient quantity of fresh provisions in Alexandria, was obliged to continue to draw its supply from the fleet. This food was far from being of the best quality; the water likewise in the cisterns of Alexandria was scanty, muddy, and of a taste by no means pleasant to people just arrived from Europe. At this time also the nights were not only cool but damp; the ground was moist at day-break, as if there had been a fall of rain; winds from the south-west quarter prevailed: the vapours of the sea, and the exhalations of the lake Mareotis, which was not yet dried up, contributed to render a residence at Alexandria very unhealthy, particularly at this season. In short, Alexandria had just been visited with the plague, and the Franks lived still shut up in their houses.

By the 18 Messidor (7th July), the whole army was on its march for Cairo. As we had not been accustomed in Europe to trouble ourselves with live stock, nor to carry a supply of water with us, we neg-

lected these precautions; but what sufferings did we not endure during our march from Alexandria to Rhamanieh, across a country become a perfect desert, since, through the negligence of the ancient government, it is not now reached by the waters of the inundation? Having at length arrived at the Nile, we had the means of quenching the burning thirst which great fatigue had rendered the more insupportable. Continuing our march along the banks of this river, we frequently met with fields of *pasteques*, or water melons; and during the remainder of our march to Cairo, these delicious fruits continued to furnish the most delightful and agreeable repasts, and produced a surprising effect on the health of our soldiers.

The army, after having gained the famous battle of the Pyramids, arrived on the 2d Thermidor (21st July), at Giseh, and on the 4th (23d), at Cairo; where we found plenty of bread, meat of every kind, milk, eggs, fish, greens, and excellent grapes, at a moderate price: wine was

scarce, but brandy and coffee supplied its place. The heat at Cairo was greater by three degrees than at Alexandria, the thermometer standing at 29° (86°); and towards the end of Thermidor (middle of August), it got up to 31° (89° Fahrenheit).

The Nile continued sensibly to overflow; and on the 1st Fructidor (19th of August), the dikes of the Calich were cut to allow the waters to enter into the squares and gardens of Cairo: on the whole, the inundation was considerable.

At the beginning of Vendemiaire, in the year 7 (the latter end of September, 1798), the thermometer was at 23° (75°) at mid-day, and during the night at 17° (64° Fahrenheit), although but a few days before it had been at 31° (89° Fahrenheit) at noon, and during the night at 22° (74° Fahrenh.) This change of temperature of course subjected our soldiers to diseases, because they were not yet accustomed to the climate, and unacquainted with the necessary precautions. The soldiers of the divisions on actual service always passed the night in

the open air, or, if on the Nile, slept in open barks, whilst those in garrison, in order to profit by the coolness of the night, slept constantly out of their quarters, or close to large windows thrown open, where they were exposed to the north wind: the perspiration was thereby checked, and gave rise not only to rheumatic affections, which are very common in Egypt, but likewise to the dysentery and ophthalmy. If to these positive causes be added the miasmata exhaled by the numerous marshes in Lower Egypt, we shall possibly discover the real source of the epidemic fevers which are known by the name of the plague, those of Jaffa having been of the same nature. Before we treat of these, it may not be amiss to describe the medical topography of that city, and to point out the particular circumstances which contributed to develop a disease that proved more destructive there than in any other place.

Jaffa, or Joppa, the small sea-port town of the ancient Palestine, upon the Mediter-

anean, is situated on an eminence, and built in the form of an amphitheatre, in northern latitude $32^{\circ} 20'$, and in $52^{\circ} 55'$ of longitude from the meridian of Paris. The sea washes its walls on the north and the west: several very extensive woods, composed of an innumerable quantity of bushes, orange, citron, and other fruit trees, cover this city on the south and the east sides. The chain of mountains which stretch from north to south, oppose a barrier to the clouds brought by the winds from the west and north, and give rise to the formation of thick mists and heavy rains, which take place in this part of Syria during the winter and spring. The nature of the soil, and the want of ditches and canals to drain the ground, occasion several ponds or marshes, which can only be carried off by evaporation. The French army, on its arrival at Jaffa, encamped close to three of these ponds, the waters of which supplied their wants till their departure for Acre.

On the taking of Jaffa by assault, the number of Turks killed and half buried;

the bodies of those whom the sea threw back, and left on the shores; the miasmata arising from the putrefaction of the carcases of the horses and camels left dead upon the ground, or dragged scarcely beyond the walls; the want of fresh provisions; the filthiness of the inhabitants; the hordes of Bedouin Arabs who blockaded the city; these circumstances conjoined, in a few days overwhelmed us with all the miseries of war, famine, and pestilence.

The resemblance between several of the diseases observed in Europe, and the epidemic fevers of Egypt, has induced me to say a few words on that which showed itself in the Ligurian Republic in the year 8 (1799—1800), and upon the yellow fever which broke out at Cadiz in the year 9 (1800, 1801).

Some epidemic diseases are rendered contagious, by merely bringing together a certain number of individuals into the same place, and particularly in badly ventilated hospitals. In order to avoid this inconvenience, I have conceived the design of an

hospital for the garrisons of each principal city on the coast of Egypt. It appeared to me to unite several advantages, and I have had the plan engraved. I have also added some details relative to service, and the oily frictions, as practised in different cities in the Levant, but particularly at Smyrna, in the treatment of the plague. I submit the whole to the judgment of my fellow practitioners, that they may extract from it information towards attaining a knowledge of the mode of treating the disease, preserving the health of the medical officers and those employed in the hospitals; and to prove that the epidemic disease of the coast of Egypt is not always the plague.

Sat mihi, si prosim, scribendi magna voluptas.

OBSERVATIONS

ON

THE DISEASES

Which attacked the Army of the East in Egypt and in Syria, during the Years 6 and 7 (1798, 1799) of the French Republic.

I AM at a loss what name to give to a disease which attacks several individuals at the same time, and the chief symptoms of which are fever, buboes, partial gangrenes, or carbuncles, prostration of strength, head-ach and delirium, and which generally carries off the patient on the third or fifth day.

This disease, which every year shows itself more or less along the coast of the Mediterranean and Archipelago, from Alex-

andria to Constantinople, has been named the Plague. The Europeans, who have been long settled in the Levant, as well as those who practise medicine in Egypt and Syria, have called it the plague; and, relatively to the number of its victims, they style it, *the mild plague*, or *the malignant plague*. Prosper Alpinus informs us, that the plague is brought into this country along with the merchandise coming out of Greece, Syria, or Barbary. He asserts, that the plague which comes from Greece or from Syria to Cairo, is mild, and of short duration; whilst that which comes from Barbary is fatal, and lasts a longer time; that this disease shows itself at the commencement of September, and constantly ceases in June, whatever may be its violence. The Europeans and the inhabitants of the Levant, settled in Egypt and in Syria, look upon the eve of St. John as the last day of the plague for that season. Those who are persuaded that this malady can only be contracted by contagion, not being able to impute the cause of the pesti-

lential disease which appeared amongst our troops to the arrival of any vessel from abroad, on account of the blockade by the English squadron, have pretended to attribute it to goods which, since the year before, had been left infected in the magazines of Alexandria and Damietta. As it is an opinion commonly received, that the pestilential virus adhering to some stuffs remains inactive during the heats of summer, but that in winter it recovers its former activity, and causes the plague to burst forth anew; others have thought that this malady had existed during the whole year at Alexandria, although it did not show itself in several individuals at the same time till the winter season. Those who have employed themselves in investigating the nature of this disease, agree in saying, that the poison of the plague is an unknown, invisible vapour, which comes from distant countries, and is communicated by actual contact from one body to another, exerting its destructive powers on persons of every age and temperament. As to myself, I avow,

that I cannot form any idea of this vapour. The medical officers of the army of the east, not meeting with all the characteristic symptoms of the plague in this disease, called it *the fever with buboes*. Savaresi, the physician in ordinary to the army, distinguished it into the *synochus, simplex, lymphaticus, lymphaticus pestilentialis*, and *typhus gravior*. A great number called it the *prevailing* disease; but I preferred calling it the epidemic fever, that I might not make use of the denomination of the plague, a name full of terror, and often more mortal than the disease itself.

Whether this disease be really contagious?

Contagion has been distinguished by authors into volatile contagion and fixed contagion. The plague, which is certainly of all diseases the most severe and most fatal, has been supposed to arise from fixed contagion; and, according to the established principles of lazarettos, it has been judged sufficient to avoid immediate contact to es-

cape the plague, and that hindering all communication will arrest its progress: without this precaution, they pretend that the disease is communicated, and propagates itself from one country to another.

I have seen a great number of persons who have been attacked by the epidemic, after having had communication with others who were already sick; and I would have adopted the conclusion, that it was to the contagion they ought to attribute their disease, if I had not also seen a much greater number who continued to enjoy good health, in spite of the most decided communication. I have even seen several individuals contract the disease, and die, although they had been living shut up, according to the manner of the Franks. I should have thought it right to conclude, that the disease of which we are now speaking was contagious, had I seen the Egyptians and Syrians fall under its influence as well as our soldiers, with whom they had constant intercourse. As soon as any one of our men was attacked, two Turks led or carried

him to the hospital. There is no doubt that several of them shared the clothes of infected persons, without contracting the disease. If it had been contagious, as is pretended, it would not have been possible to have arrested its progress in Lower Egypt, nor to have hindered its spreading to Cairo. The lazaretto established near Boulac was at that time of very little use towards effecting so important an object. It is well known, that the fear of quarantine only caused the inhabitants to devise schemes to elude the vigilance of the guards of health, and custom-house officers. Several Frenchmen and superior officers coming from Alexandria and Damietta by the Nile to Cairo, to avoid being detained for five days in quarantine, landed, with their horses, about a league from Boulac, and entered Cairo without performing it. How many packets and letters coming from Alexandria and Damietta, where the disease was raging, entered Cairo without producing any bad effect! What I have just said of the soldiers coming from Lower Egypt will

apply to those who came from Syria, where the same disease had broken out.*

In the month of Floreal (April, May) three soldiers coming from Bekaire-Tel-Agy, a fort situated three leagues from Cairo, where this disease had shown itself, were conducted to the hospital of Ibrahim Bey: they died two days afterwards. These men had intercourse with more than sixty persons. The committee of health gave

* On his return from Acre, I attended the General of division Lasnes, whilst he was still under quarantine in the isle of Roda. I extracted a musket ball, which had struck him in the temple, below the left eye, and which, passing along the temporal bone, had buried itself behind the ear. A little instrument which I had invented for making counter openings, was of great use to me in this operation, as it helped me to discover the ball, which was supposed to have come out at the ear, where there was an opening which poured out a good deal of blood at the time of the wound. This instrument directed me to the ball, without making useless probings or incisions. Soon after the arrival of this General at Roda, on being called in consultation, I extracted this ball, which had been so difficult to discover, that it had remained in that position during thirty-seven days.

It was in the breach at Acre that this brave officer received this dangerous wound: he immediately fell senseless; and his soldiers, believing him dead, brought him off from the battle, by dragging him by the feet for upwards of two hundred paces, that his body might not be left in the hands of the Turks. Twenty days after my operation, he chose, in opposition to my advice, to follow General Bonaparte to Aboukir, where he contributed greatly to the memorable defeat of the whole army of Mustapha Pacha. At this time he is commander in chief of the consular guards at Paris.

it as their opinion that they died of the plague, and ordered this hospital to be put under a strict quarantine; during the course of which not a symptom of the plague occurred, nor even a single death; although just before there had died more than two every fortnight.

After the death of several medical officers at Jaffa, General Grézieu, commanding this province, recommended to the commissary of war, a native, who had the reputation of being an excellent physician for the plague: it was agreed that he should prescribe under the inspection of a French surgeon. This man opened the buboes indiscriminately, his knowledge in medicine not being extensive. For several years he had attended such inhabitants of Jaffa as were attacked by the plague, and he used no precaution whatever to preserve himself from this complaint; nor to avoid contact. I have seen him get up with his bare feet on the bed of General Grézieu, covered with sweat, and take him by the arms to change his posture, although he was then

attacked with a carbuncle, of which he died an hour afterwards. When he had opened the buboes with his bistoury, he took a bit of lint, or a little charpee, to wipe it, after which he placed it between his forehead and his turban: he went in this way from one patient to another, not only in the hospital, but even throughout the city, and did not put it back into his case until his visits were over. Citizens Desgenette and Larray, the one physician, the other surgeon in chief to the army of the east, as well as several others of my colleagues, exposed themselves as much to the contagion without suffering any inconvenience. It would be tedious to mention here all the particulars. Citizen Larray, besides the operations practised in this disease, opened several of the dead bodies, and examined with great attention all the parts, but particularly the buboes, and the state of the lymphatic glands, all of which were in general found more or less enlarged. Citizen Desgenette pointed out to me two punctures, which he had made on himself,

while in Syria, with a lancet dipt in the pus of a bubo: he made this inoculation, persuaded that the disease was not contagious, and both of these learned and zealous staff officers have continued to enjoy good health. The Commander in Chief, Bonaparte, great in every emergency, braved, on several occasions, the dangers of the contagion. I have seen him in the hospitals at Jaffa, inspecting the wards, and talking familiarly with the soldiers attacked by the epidemic fever and buboes: a conduct which produced the best effect, not only on the spirits of the sick, but of the whole army. This heroic example encouraged at the same time the hospital attendants, whom the progress of the disease, and the fear of contagion had alarmed considerably. I know that the advocates for contagion cite examples of persons and very large families who have died, because they had touched the sick, or the effects belonging to them, which, in their opinion, contained the germ of the disease: but they do not foresee, that it would result from this reasoning, that what

they say of this disease may be said of the ophthalmy of Egypt, the fevers of Mantua, and, in fine, of all epidemics.

During the 2d year of the Republic (1794), ten thousand men perished in the space of four months in the army of the Pyrenees, comprising almost all the medical officers, and hospital attendants. In the year 3 (1795), and in 7 and 8 (1799, 1800,) the same calamity befel the army of Italy in the bay of Genoa, and in the environs of Nice. Luckily, not discovering buboes, they did not pronounce it the plague, nor contagious, although the mortality was such, that a great many soldiers, and some entire families, fell victims to the same disease. (See the *Journal de Médecine*, an. 9, page 373). The campagna of Rome, the environs of Perpignan, the departments of l'Ain in France, Hungary, Guinea, Bengal, and other countries, both in Europe and elsewhere, present spots where fevers show themselves, which make considerable ravages, and which are acknowledged to be epidemic, without being

contagious, and mortal without being considered the plague. Lind, in speaking of Bengal, says, that in the rainy seasons malignant fevers are contracted, which prove immediately fatal; the body becomes covered with livid spots, and the corpse black in a few hours. If these diseases be neither contagious, nor the plague, why give this terrible name to the epidemic observed in Egypt and Syria, and assert it to be contagious? One may contract, in my opinion, this disease, when the causes which produce it shall by degrees have impaired the health, and predisposed the body to take on diseased action: I will then admit, that if a person be exposed to breathe the infected air in the chamber of a patient, or should he stay too long in the same atmosphere, he will run a great risk of contracting the prevailing malady. I have been careful never to stay longer by the sick than the time requisite to perform the necessary operations; after which I always went out to respire a better air. In this way I have been preserved from a disease which, in forty days, carried

off one third of the garrison of Jaffa, including the commandant of the province, the governor of the place, and nine medical officers. I experienced a real satisfaction, when I approached the sick and felt their pulse, whether to learn their situation, or to encourage them by assuring them that they had not the plague. How often have I seen them resume their courage and recover, after this assurance, and some advice, which acted more on the mind than on the body! Among our operations in these cases, bleeding required, more than all others, our close approach to the patient and his bed, because it is impossible to perform it at a distance. For my own part, I followed the common method, without taking any precaution, except that of avoiding the patient's breath. In opening the bubo of an officer, the pus and corrupted blood spouted out on the back of my hand. I have slept in sheets which, without my knowledge, had been washed by a female patient who died the day after: She was the daughter of the consul of Ramlè. A

young German, the wife of one of our soldiers, came to consult me at the hospital, during my absence: she laid herself on my bed a quarter of an hour: I went to visit her on the following day at her own house, and found her expiring. I confess, that these and other similar accidents did not contribute to render me more tranquil; but I had made up my mind: besides, I was at my post.

I will leave to those who believe this disease contagious, the trouble of explaining all these facts, and many more, well known to the army of Syria. The conservators of health, and those employed in lazarettoes, will be pleased to observe, that I speak of the disease which showed itself during the years 6 and 7 (1798, 1799), in Egypt and Syria, and not of the plague.

Of the symptoms accompanying this disease.

An universal debility, accompanied by a great weight in the head, is a constant precursory symptom. The countenance has a

particularly stupid look, difficult to be described. If the patient be of a sanguine temperament, and of a fine skin, his appearance becomes bloated, and his colour of a redish purple; the minute vessels of the tunica conjunctiva become turgid with blood, as at the commencement of a slight ophthalmy: the patient in this state does not leave his usual occupations, but endeavours to keep on his trembling legs, although obliged often to have recourse to some object for support: he yawns frequently, rubs his face, and at last retires to lay himself in some solitary place, where he covers his head, and gives himself up to sleep. If in this state he be left without assistance, his pulse becomes more quick and frequent, the heat of his skin more intense, and the universal debility greater. If interrogated, he stammers out a reply; his ideas become confused, and on the third or fifth day he dies delirious. Amongst the symptoms which were observed to precede this disease, there was a general affection of the nervous system, loss of appetite,

slight inclinations to vomit; the tongue rarely showed any marks of derangement in the stomach; the stools became altered and liquid; the urine resembled distilled water; the glands of the groins and armpits, rarely those of the neck, became painful and swelled, and gave rise to buboes. In general, the whole lymphatic system appeared affected. Often small black spots showed themselves on the skin, which became perfect gangrenes. The dead bodies did not in general present any external change worthy of remark; sometimes there were found ecchimoses, or livid spots, on the parts of generation, and on those parts on which the body rested. Nothing very extraordinary showed itself in the internal parts; the lymphatic glands alone were particularly affected. This malady was very mortal in Egypt, and especially in Syria: one third of those attacked died in the early stage of the disease, the majority with buboes. Sweats were favourable, and carried off the fever; speedily after which the buboes disappeared; sometimes they

came to suppuration, which rendered the disease and the convalescence very lingering. Carbuncles and gangrenes were bad symptoms.

Of the inhabitants of Jaffa who perished by the plague, a great number were infants, very few women, some men, almost all strangers. In general, the temperament and constitution of body, state of the fluids, age and sex of the patient, the season, the air, the winds, situation, the fear of death, and all the affections of the mind, modified this disease more or less. Persons of a full habit, infants with a fine skin and flaxen hair, young people of a sanguine temperament and irritable fibre, were more liable to the disease than those advanced in age, or of a dry and bilious temperament. Such is my own habit of body; and I have no doubt that it was the cause of my enjoying health in the midst of so many dangers. After seeing a certian number of sick, I could not only distinguish at a glance their disease, but I was very rarely mistaken in my prognosis. I advised individu-

als, in other respects well and robust, to leave Jaffa, on account of their temperament. I encouraged, on the contrary, many others, because they were, in my opinion, of a constitution and temperament which rendered them fit to resist the influence of the disease. The following particulars will perhaps appear minute; but on the subject of so remarkable a disease, I think that trifling remarks, supported by facts, may be of some utility.

Immediately after the plague had manifested itself in Jaffa, Citizen Engelfret, and his partner, two French merchants, established and known for several years in Egypt and Syria, shut themselves up alone in their own house; the one was of a full moist temperament, the other meagre, and of a dry fibre: they were persuaded that seclusion and perfumes would preserve them from this malady, which they believed to be the plague. After some days I perceived that the latter began to contract the colour and appearance of a person about to fall sick. I communicated my suspicions

to Engelfret, and advised him to quit their damp abode. Two days after, that very man was attacked with a violent head-ach, accompanied with fever and buboes, and died on the third day in the arms of his friend. I encouraged the affrighted Engelfret, who, in consequence of the contagion, thought himself gone: he confided very much on the knowledge I had of his temperament, which appeared to me a complete protection from the disease. The same thing happened a little time after to Citizens Malus and Bringuer; the one chief of a battalion, and the other captain of engineers: both were attacked with the same disease. The first, who was of a bilious temperament and delicate constitution, recovered; but the second, who was sanguine, robust, and of a strong constitution, could not survive it.

Being sent for to the tent of General Boyer, and of Citizen Amelin, encamped without the walls of Jaffa, to avoid all communication with the city, I saw Citizen St. Simon, knight of Malta, and mem-

ber of the institute of Egypt, severely attacked with the disease: I immediately despaired of his life: he died two days afterwards. I assured, at the same time, Citizen Amelin, that his interpreter would recover, although he had, besides the head-ach, pain and swelling of the glands of his groins. Having had an attack of the plague the preceding year, he was very much alarmed at having it again. I caused him to be put into my servant's room, and I had some excellent warm punch prepared for him: I recommended him to cover himself well to bring on sweating. Two days after he was able to return, in company with his master, to Cairo.

The keeper of the store-house at Jaffa, a man of full habit and moist temperament, was one of those who was the longest in falling ill. He assumed an air of pleasantry when one spoke to him about precautions. One day, seeing him yawning, rubbing his face, and looking sorrowful, I did not hesitate to foretel to Citizen Villers, commissary of war, with whom I was then

walking, that it was all over with the store-keeper. I was called the same day to go to see him: I found him so completely reduced, that I announced to his comrades his approaching death, which very soon happened.

I should tire out the patience of my readers, if I were to mention all the facts which prove the facility with which a prognosis may be formed in this disease.

I have observed that those attacked became almost immediately indifferent and insensible to their situation; so much so, as to refuse making use of means to obtain a cure. I in vain recommended to my friend Auriol, physician to the army, to employ remedies, of which he himself had proved the efficacy on several occasions: he preferred covering his head and going to sleep: he died in a few days. How often have I not entreated individuals to get up and show me their buboes! but they were in so complete an apathy, that they preferred lying abed and sleeping, which was a certain symptom of their approach-

ing death, at least unless profuse sweats put an end to the disease. An infirmary-major, of a delicate constitution and bilious temperament, attacked with a bubo in his right groin, with fever and drowsiness, heard, on the second night of his disease, several persons knocking at his door; he made no answer: the people believed that he was dead, or just dying: in this belief they forced the lock, entered his chamber, and seized on his effects, which were in a trunk, and even his sash, which was under his pillow. The disease had reduced him to such a state of apathy, that, although he perceived they were plundering him, he preferred lying in his bed and sleeping, rather than opposing their taking away his property. He continued to sleep; but, fortunately for him, profuse sweats came on, which carried off the disease, and put him in a state, on the following day, of reclaiming his effects, by detailing the circumstances of the preceding night.

*Of the causes which could have produced
this disease in Egypt and Syria.*

This disease showed itself in the year 7 (1799), at Alexandria and Damietta, in the months of Vendemiaire (September, October) and Brumaire (October, November), afterwards at Rosetta, and two months thereafter in the army of Syria. On the 19 Ventose (11th March), I saw, for the first time, under the walls of Jaffa, about twenty soldiers attacked with the disease, who, not being able to keep on their feet, had lain down around my tent. I had them carried to the field hospital,* (*ambulance*) where the majority of them ended their days.

* Being entrusted with the charge of the field hospital, as well as the head quarters, I recollect to have amputated the thigh of a soldier, whose leg had been carried off close to the knee by a ball, with fractures of the condyles of the femur: on the day after the operation he was in a pretty tolerable state, although he was placed between two unfortunate men who had died the same night with buboes. This patient, after the storming of Jaffa, was removed to the hospital, where he recovered perfectly. Citizen Zink, surgeon of the second class, and Citizen Miot, commissary of war, who had charge of the head quarters, and assisted at this operation, were witnesses to this fact.

In the supposition of contagion it is still a question to be answered, whether the disease was brought into Syria by the soldiers coming from Damietta, or whether the Turks taken prisoners at El-Arich and Jaffa communicated the infection to the French army?

It has never been clearly proved that the soldiers of Diezzar at El-Arich and at Jaffa were attacked with the disease. I saw, close to our camp, about four thousand of these prisoners driven together like flocks of sheep, and closely guarded for three days and three nights, without a single one falling sick. If the disease had been amongst these people, it would certainly have discovered itself in some of them, which did not happen. This fact, known to the whole army, sufficiently proves, that neither the plague nor any other disease existed among the troops of the Pacha of Acre. The case was the same with regard to the Turkish troops who were in El-Arich; since the Mograbins, who fought in this fort, and who were retained in the rear of our army,

forming a corps of auxiliaries, enjoyed, to a man, perfect health.

Let us next inquire, whether the troops of the division Kleber, coming from Damietta, could have brought the disease to the army which came direct from Cairo. It is a certain fact, that, after its departure from Damietta, the division Kleber had no more sick, and, upon the arrival of the army of Egypt in Syria, it marched to Jaffa, and afterwards towards the Jordan, without having any intercourse with the troops which came from Cairo.

If the army coming from Egypt, on its arrival in Syria, was attacked by an epidemic disease, which, from the havock it caused, was called the plague, it ought not to be attributed to contagion, but to the fatigues we underwent in crossing the deserts which separate Egypt from Syria. In order to have a just idea of this, it will be useful here to trace back the march of the troops.

The army appointed to march into Syria, left Cairo about the middle of the month

Pluviöse, of the year 7 (the beginning of February, 1799); and although then winter, the days were very hot, and the nights clear and temperate. The army, which enjoyed perfect health, crossed the desert with heroic courage. Having, in a few days, consumed the water which we carried in our rear, we were often forced, by want, to make use of brackish water, or mud mixed with water, which, instead of diminishing, only increased our thirst. To this privation was added the want of live stock; and having no other resources, we killed the horses and camels, now become useless to us, and fed on their flesh, which we were obliged to eat without bread. After a march of one-and-twenty days, we arrived in Syria, and halted the 5th Ventose (24th February), close to Gaza; the 11th (2d March), near Ramla; and on the 13th (4th March), under the walls of Jaffa.

The soil of Syria presented neither the barren plains, nor the burning sands of the desert which we had just crossed. At this period the westerly winds, loaded with va-

pours from the sea, prevailed: these vapours, condensing in a colder temperature, produced very heavy rains, accompanied with dreadful storms, which rendered the roads more fatiguing. The flats became filled with water, so that the waters of the rivulets, which we were often obliged to ford, came up to our sashes at the first step.

How often were not our soldiers drenched with the rains, not only during the day, but also during the night! They had all slept on the damp soil of Ramla, had all breathed the thick fogs of its environs, covered with an immense number of olive-trees; all had not equal opportunities of drying their wet clothes, of covering themselves during the night in order to perspire, nor of procuring a little brandy to warm themselves. Having arrived at Jaffa, the division Bon was encamped on the right, the division Lannes on the left: the head quarters of the General and the park of artillery were on an eminence to the south of the city: the division Bon was placed close to the sea, immediately on the banks of a

lake full of stagnant water, and the direction of the winds was such that the exhalations of these marshes were carried into the camp of this division. The disease first began to show itself amongst these troops, although they had come direct from Cairo. Citizen St. Ourse, surgeon of the first class, made a circumstantial report to the medical officers in chief of the army, apprising them, that the division Bon, and the 32d demi-brigade especially, were affected with a suspicious disease, accompanied with buboes, from which the other divisions were not exempt. It is well known that the air of Jaffa, and of the whole coast of Syria, is damp, heavy, and infected by the exhalations of marshes, and that the action of the sun's rays through this thick atmosphere is very pernicious. Our soldiers, after a residence of eight months in Egypt, were neither accustomed to cold nor rain, and could not become habituated to the great varieties of the temperature of Syria with impunity. The fine climate of Cairo, and the air which they there breathed, gave to

the body a state of remarkable health, which of course became impaired in a damp and unhealthy situation. It is well known that an atmosphere loaded with exhalations, whether vegetable or animal, contains less of oxygen than a pure air; and since oxygen is the principle which furnishes caloric, it follows, that in a vitiated atmosphere, the health must become weakened for want of caloric. Hence, spirituous liquors, and a strengthening and aromatic diet, would have been very useful, because they excite the principle which gives life to the circulation of the blood and fluids in general. We had nothing at Jaffa but rice and bad bread; animal food, wine and brandy were wholly wanting.

I constantly observed that whenever the winds from the south and south-west prevailed, the number of sick and of deaths was always increased. The contrary happened in fine weather, and when the wind came from the north.

Damietta, Rosetta, and Alexandria, during the autumn and winter, became in the

same state, as we shall observe hereafter. Alpinus has remarked, that every year very malignant epidemics break out in these cities. *Autumno grassantur febres pestilentiales multæ quæ subdole invadunt, et sæpe medicum et ægrum decipiunt.* (Alpinus de *Medicina Egyptiorum.*)

Indications of cure.

The indications in the treatment of this disease were,

1. To diminish the superabundant quantity of fluids, when such a state existed.
2. To empty the primæ viæ, when they were loaded.
3. To excite perspiration and sweating.

Treatment.

When at the commencement of the disease I met with persons of a good constitution, who had decided symptoms of true inflammation, I saw the necessity of making use of bleeding, in proportion to their

strength; and I found this happen oftener than I should have imagined. I never had occasion to repeat it; but when it was indicated, this first operation succeeded very well: the head-ach, as well as drowsiness, diminished; the pulse became soft, and the skin relaxed, which facilitated perspiration and sweating. This artificial state of relaxation at the same time disposed the solids the better to support the action of sedatives and sudorifics. When I met with symptoms which convinced me that the primæ viæ were loaded, and when the patient had been already sick, I preferred making him drink a glass of tepid water, with two ounces of olive oil, in order to evacuate the stomach, without irritating or enfeebling it by an emetic. I administered with advantage tartar emetic in the dose of two or three grains dissolved in four or six pints of water, as a sudorific, but never as an emetic or purgative, since these remedies always proved hurtful. I gave a decoction of tamarinds, or of herbs, as a drink, to carry off the bilious stools, in those

cases where this evacuation appeared useful. Having thus prepared the patient, I proceeded to calm the nervous irritation, and to excite perspiration and sweating; for which purpose I prescribed, three or four times a day, a little almond emulsion, with fifteen or twenty drops of the liquid laudanum of Sydenham. At the same time I advised the patient to keep himself tranquil, and well covered, in order to hasten the perspiration necessary for his cure.

While we were still under the walls of Jaffa, not having any other medicines, I made several of the soldiers take a cup of coffee, with the juice of a citron, instead of sugar, and this repeated five or six times a day. On our entering Jaffa, I found a little Peruvian bark. I then had the following mixture prepared for the sick:

Peruvian bark in powder, coffee in powder, each one drachm, boiled in eight ounces of water for a quarter of an hour, so as to form a strong decoction, towards the end adding the yellow rind of a citron.

I gave this mixture to several patients

dreadfully ill, every six hours, for three days together, and with great success. I likewise found it very useful as a preservative, and I had a cupful given every morning to the wounded, to support their strength; and these men often complained that they had not received a full cup of the *bitter coffee*, for so they called the decoction. From the use of this draught, and of warm lemonade made spirituous when we could find a little brandy to add to it, I have seen a great number of individuals attacked with the disease, recover; and more than two hundred wounded preserved, in spite of their constant communication with those who were infected.

To diminish the head-ach of our sick, many of our physicians have recommended the application of blisters to the nape of the neck, the arms, and legs. If we had had any cantharides, or blistering plaster, at Jaffa, I should have preferred applying one over the scalp, as is recommended in apoplexies, affections of the brain, &c. having often seen this practice adopted by the cele-

brated Desault, when I attended his course at the Hospital of Charity, and the Hôtel Dieu at Paris.

It has been observed, that those people who manufacture or carry oil, are never attacked with the plague. Hence, it has been maintained, that frictions of tepid oil prevent or cure this disease. The result of the observations made by Father Louis of Padua, director of the hospital for the plague at Smyrna, is the most favourable. He asserts, that during the twenty-seven years which he has been in this situation, he has seen no means employed against this disease more useful than frictions of oil; and to this day, in Smyrna, and several other lazarettoes in the Levant, frictions of tepid oil are generally adopted as the best remedy. As soon as a patient, attacked with the plague, is received into the hospital at Smyrna, he is taken into a close chamber, where they light a large pan of coals, in which they throw sugar and juniper berries, or other perfumes; they then strip off all his clothes, and rub his whole body with

warm oil, until profuse sweats break out. The patient is then put into bed; and whenever the sweating ceases, they repeat the frictions in the same manner, and so on successively during several days, until the disease has spent its violence in consequence of the sweating. One pint of oil is sufficient for each friction, taking care not to commence the second before the sweating occasioned by the first has ceased. Those who rub the patient take no other precaution than that of avoiding his breath; and in this way none of them have ever caught the disease.

In the space of five years, two hundred and fifty persons infected with plague have been received into the hospital at Smyrna, and I am assured that all those who were thus treated have recovered, and that the number of persons preserved from the plague by frictions of oil is immense.

In whatever way oily frictions act on the human body, one thing is certain, that in the mode practised at Smyrna, they are useful. In my opinion, the tepid oil sof-

tens and relaxes the skin, opens and sets free all the pores or extremities of the exhaling vessels, whilst it produces quite a contrary effect on the terminations of the lymphatic absorbents, which it closes up and obstructs.

During the fever, the skin is commonly dry and shrivelled, the extremities of the exhaling vessels, or pores of the skin, are closed, and present too great a resistance to the more liquid part of the blood, which is retained in the mass of fluids. This does not happen when the texture of the skin is relaxed, and the pores open. Besides, the oil contributes to cleanse the skin more than any other fluid, and absorbs, at the same time, a part of the caloric accumulated on the surface of the body; hence, perspiration and profuse sweats follow, which alone cure these diseases.

To prolong the sweating, or to excite it when slow in breaking out, it is necessary to have recourse to other means at the same time. Opium in substance, and all its different preparations and combinations, the

theriaca, dioscordium, and James's powder, are the sudorifics most employed. Camphor, valerian, sal ammoniac, and pure ammonia, spirit of hartshorn, the decoction of the sudorific woods, of elder flowers, of the leaves of sage, and especially punch, are of great use in this disease. These not only excite sweating, but also give tone to the fibre, re-establish and strengthen all the bodily and mental functions, and bring back a healthy state of action.*

To whatever it may have been owing, it is at least certain, that our medical officers in chief, Citizens Desgenette and Larray, in Syria; Citizen Dieche, near Acre; Citizen Savaresi, at Damietta; Sottira, at Rosetta; Ghislemi, Balbes, at Alexandria; and several other physicians and surgeons,

* The directing commissary, Michaud, being at Alexandria, shut up in his own house, which he dreaded quitting on account of the mortality from the plague, which had broken out there, perceiving one evening that he was about to be attacked with the disease, which had just carried off eleven persons in the same house, resolved to prepare a large bowl full of warm punch, the whole of which he drank off before he went to bed. During the night he had such violent sweats, that on the morning he found himself quite drenched, as if several buckets full of water had been poured over his body and bed. The symptoms of the malady disappeared, and he recovered perfectly. He is now in France.

constantly cured two thirds of the sick under their care, the major part with buboes. The activity, zeal and constancy which these medical officers displayed under such circumstances, merit the highest eulogium; and what trophies have they not earned in the numerous victims whom they rescued from the grave! The cure of so great a number of patients of this description proves how inhuman and barbarous it is to abandon to their fate the unfortunate, under the pretext that, having the plague, they may communicate their disease in a thousand fanciful ways. It follows, from this desertion, that they are shut up, fled from, proscribed, and crowded together, the most part of the time in infected places so ill suited to their cure, that they would, on the contrary, have contracted the disease, if they had not had it already. There they no longer find the beneficent hand to afford them succour, or diminish their sufferings. The overseers of the hospitals, whom fear and terror have rendered deaf to their wants, fly from them, or refuse

them those things of which they stand most in need; so that they are forced to end their days in a manner the most melancholy and afflicting in the eyes of him who, through choice, prefers and exercises the practice of physic.

Of buboes and gangrenes, known under the name of carbuncles, or althraxes.

In my medical essay on the lymphatic system, I have shown the situation and immense number of glands belonging to these vessels. Wherever there are superficial lymphatic glands, there buboes may arise: in fact, it is not uncommon to see this disease in different parts of the body at the same time. When these glands become inflamed, they either remain scirrhus for some time, or go off by resolution; but most frequently they suppurate.

When the buboes are accompanied with a low fever, drowsiness, and loss of strength, the patient dies before any signs of suppuration appear in the parts.

To facilitate the suppuration of these glands, or buboes, some applied cataplasms of different kinds, but without any advantage, and they always attributed the loss of their patient to the buboes which did not suppurate. Afterwards, contrary to all the principles of the art, they opened these glands with the bistoury, before they showed any symptom of suppuration. They soon perceived that this practice was not more successful than the first; and it was then determined to make use of actual cautery, from a persuasion that the fire would hasten the suppuration of the buboes, and put an end to the disease. I myself was of this way of thinking, and I made two cauteries with a hot iron, by means of which I penetrated down to the very glands: the inflammation which followed produced no advantage. Citizens Auriol and St. Ourse, who employed this practice after me, not being more successful, gave it up. I at last recommended the repeated use of frictions of tepid olive oil upon the diseased glands, to soften the skin, and facilitate

suppuration; and whenever there were certain symptoms of a collection of matter in the bubo, I opened it with a bistoury, and healed the sore.

I was sent for, within a few days after my arrival at Jaffa, by Don Joacina Cenda, grandee of Spain, father *procureur*, or agent, of the fathers of the holy land, a man very robust, of a full habit and sanguine temperament, aged about fifty-five. He had been attacked the evening before with fever, preceded by slight shivering, accompanied by such violent symptoms of inflammation, that I thought it proper to take away some blood. As he complained very much of a fixed pain in his loins, I requested to examine the part: what was my surprise on seeing between the last dorsal and first lumbar vertebræ, a little round black spot, surrounded with a purple erisipelas, very extensive, and covered with small vesicles, or phlyctenæ, filled with a transparent fluid. I then understood that the real nature of his case was a carbuncle, or rather a gangrenous affection, which, in

three days, became seventeen inches in circumference, and three lines in thickness at its edges; at its centre it had the consistence and colour of black leather. This patient took, in three days, five ounces of Peruvian bark, made use of weak lemonade for drink, and for nourishment took some rice boiled in a very little water, without salt, and seasoned with canella, and orange flour water. He also took every day a large cup of Spanish chocolate, and sometimes some Moka coffee, and recovered completely. I heard of him afterwards when in Egypt, and particularly a year after, when at Alexandria. He had resided for twenty years in ancient Palestine, during which lapse of time he had seen the plague fifteen times epidemic. He had never contracted the disease, notwithstanding his duties as a clergyman were exposing him constantly to the contagion.

I have seen these black spots like petechiæ, degenerate into true gangrenous eschars, although at first they appeared of very little moment.

This disease, although local, had for its cause the bad state of health of the patient; hence it was necessary to attack the cause first, in order to hasten the separation of the diseased from the sound parts. The use of bark and of opium, recommended by the most celebrated physicians in gangrenes, antiseptics, corroborants, and stimulants, were of the greatest use, after having subdued the first symptoms of inflammation. The oily frictions, and the cerate of Galen, as simple emollients, may contribute to the spontaneous separation of the gangrenous part: an operation more of nature than of art.

I have seen in Jaffa some soldiers with pimples or ulcers on their face, of a particular description: although it was at Jaffa, I believe that this might have been the same as the disease called the pimple of Aleppo. The description which travellers give of this disease in their works authorises me to think so. (See Volney and others.)

I may be permitted to call in question

the opinion that this disease arises from the quality of the waters which are drank in this country. We observe several diseases indigenous in many places, without being able to determine their causes; and there appears to me as little foundation for attributing the pimple of Aleppo to the waters of its environs, the lepra arabum to the bread of Cairo, the elephantiasis to the salt fish of Damietta, the hydrocele to the brandy of dates, the ophthalmy to rice; as for attributing the plague to an unknown vapour, brought almost every year from distant countries into Egypt.

Of the means to be used for preventing this disease.

During my stay at Jaffa, I made use of no extraordinary means to avoid it. I was convinced that the disease was epidemic, and that, if my health became impaired by a concurrence of any causes whatever, I could not escape it, even by the most strict seclusion, no, not even if I had been

surrounded by the whole guard of health (*garde sanitaire*). As I was persuaded that obstructed perspiration, damp and infected air, the exhalations of marshes, and bad food, were the principal causes of this disease, I endeavoured to avoid unhealthy places, damp and cold air, and made use of the best food I could procure; and as I knew the influence of the affections of the mind in predisposing to disease, I avoided all melancholy ideas, by being always employed.

When I went to the hospital, I always endeavoured to arrive there without being in a perspiration; and before entering the wards, I took, in the apothecary's shop, a large cup of the *bitter coffee*. During my visit, I held in my hand a citron stuck full of cloves, without attributing to it any great importance. After paying my visit, I took a walk, or got on horseback; and although not of a constitution to perspire easily, I never returned without being in a sweat. Before going to bed, I took a glass of punch, or spirituous lemonade,

made very hot; after which I lay down, covering myself well up. During the night I never failed to perspire considerably. These were the only precautions which I took to preserve myself from the disease of Jaffa.

During all the epidemic fevers, and even the most dreadful plagues, there have been in those cities and provinces, where these diseases were raging, some healthy spots. The citadel of Cairo presents one example. It has been observed, that the inhabitants of this fort and its environs have always escaped from the plague, even from that of the year 1791. If the inhabitants of this fort, in spite of their daily intercourse with those of the city, were preserved from this disease, it must be because the damp and infected air which had destroyed the health of the inhabitants of Lower Cairo, had not sufficient elevation to reach to the highest part of the citadel and its environs, and consequently could not impair the health of those who lived there.

At the time when I was doing duty in

the military hospital of this fort, I have often seen, at the rising and setting of the sun, the whole city enveloped in a mist so thick, that it was impossible to distinguish even one of the innumerable minarets of this immense metropolis, although the fort was then enlightened by the rays of the sun, and the air which we there breathed was elastic, pure, and light.

In 1764, an epidemic fever showed itself in the kingdom of Naples, and, conjoined with famine, made such immense havock, that two hundred thousand persons perished. Negligence and terror had withdrawn from the sick, scattered here and there over the city, all kind of assistance; a circumstance which became the principal cause of the progress of this disease. Experience having shown that the sick removed to the sea shore recovered, a number of hospitals and lazarettoes were established there. It was observed that the nurses, and those employed in the hospitals, did not contract the disease, in spite of the contagion. The principal remedies which

were employed at this epoch were iced water, the bark, musk, and the vegetable and mineral acids in large doses.

I can recommend nothing more useful and efficacious in such cases, than to remove from those places where these epidemics prevail, and to choose a place where the air is more healthy. With respect to soldiers, every time that a disease threatens to spread itself amongst them, a circumstance very common in Lower Egypt during the unhealthy season, it is very important to remove the camp to a healthier situation, and to have the garrisons relieved by troops coming from healthy quarters, and then send the former to places where the disease has not been. There they lose the predisposition which they had to contract the disease, while the troops which shall have relieved the garrisons will not contract it so easily, because they will not have that predisposition; and every time that the health of these new troops shall become impaired, they ought, without delaying on any pretext, to be relieved in their turn,

even if it should be by those who were there before. In order to prevent all suspicion, and avoid all danger of carrying the disease where it has not been before, they should take nothing with them but their necessaries; they should avoid as much as possible halting in villages; and each time when they happen to encamp, they should expose their baggage and clothes to the air, which would not fail of dispersing every principle of contagion, and setting at ease the minds of those who are timorous. By thus changing successively the garrisons, we should preserve in good health a whole army, even in places the most infected. When the rains shall have ceased, the heats of summer returned, and the marshes have dried up; in a word, when the season shall have changed, and every place become equally healthy, we may then leave off these useful yet troublesome marches and countermarches.

During the expedition to Syria, the general of division Dugas, commandant of Cairo and Lower Egypt, being informed

that the plague existed amongst the garrison of Fort Birketalagi, immediately stopt its progress, by sending the garrison to Cuba; there the soldiers, respiring a pure and wholesome air, recovered their health in a few days, and the troops just arrived at Birketalagi, preserved themselves in good health, the more easily, by paying a proper attention to cleanliness. This prudent General had before observed, at Damietta, the advantages resulting from this measure, as the following letters, which he wrote to General Bonaparte, the 17th and 24th Nivose, 8th year (8th and 15th March, 1800), bear testimony.

“ *Damietta, 17 Nivose (8th March).*

“ The second demi-brigade of light infantry is affected with the prevailing malady, more particularly than the others: this same regiment was also severely attacked at Menzaleh with another fever, which obliged more than two hundred men to enter the hospital. A battalion of the 65th

went to relieve them; they have inhabited the same barracks, and occupied the same posts, during twenty-five days, and have not had a single sick man. Only one officer has had the prevailing fever, and he has recovered. I am convinced that this disease takes its origin from the bitter coldness of the nights, and that it is the consequence of checked perspiration, a cause which, acting on several individuals at the same time, gives to the disease a contagious appearance, which vanishes on a closer examination."

In his letter of the 24th (15th March), he proposes to send to Mansoura the companies of the second demi-brigade for change of air, the quarters which they occupied at Damietta being unwholesome, and their spirits dejected by a prepossession which it was necessary to do away.

As soon as the second demi-brigade was on its march for Syria, forming part of the division Kleber, it became perfectly healthy; whereas at Damietta, it had furnished five sixths of the sick in the hospital.

I have also remarked, that it is even useful for the troops to march from one place to another, although both quarters happen to be equally infected. How often have I not seen soldiers who, on seeing their comrades dying, fled from Gaza, although they themselves had the fever and buboes! These patients, at the time of their leaving the hospital, were scarcely able to hold themselves upright; but, after having got some leagues into the desert, their strength returned, and they arrived at Jaffa in better health.

After having rested themselves some days, I advised them to continue their route towards Acre, in order to give rise to a greater change in their physical and moral constitution. It was thus that Citizen Marillac, officer of artillery, recovered, who was not able to get well in Jaffa: he was become so feeble, so meagre, and so much disfigured, that his friends could hardly recognise him. In this state of debility he endeavoured to travel to the camp at Acre. Having arrived there, he received orders to return to

Jaffa, with some troops appointed to take charge of a convoy of ammunition, and pieces of artillery. In a little time he regained his good plight and former colour. Change of place and air, in diseases of debility, and particularly in epidemics, has been found useful at all times; and, I will even add, however severe the symptoms, however advanced the disease, or weak the patient may have been. This is so true, that I have actually seen men recover, who had not, to all appearance, two hours to live. Of this fact, those who assisted at the evacuation of the hospitals in Syria were witnesses. It would be impossible to conceive the importance, or appreciate the advantages resulting from this measure, if one had not had the means of judging of it by experience. Whilst the disease was making the greatest progress at Alexandria and Rosetta, the soldiers of the naval legion escorted, for a long while, the caravans which went by land. They all enjoyed the best health during this active service; but scarcely had they become stationary at

Rosetta, when more than two thirds fell sick. This fact is well known, and particularly by General Martinet, who then commanded that legion. I am persuaded, that if those men had, instead of remaining at Rosetta, crossed the desert to go to Cairo, or elsewhere, they would all have been preserved from the disease. The Bedouin Arabs, wandering in the deserts, are never attacked, notwithstanding their communication with the infected cities, during the time of their most dreadful plagues.

How many individuals, on the return of the army of Syria to Egypt, recovered their health in the desert, even at the distance of a few leagues from Acre, from Kaiffa, from Jaffa, and from Gaza! If they had remained a few days longer in these cities, they would, in all probability, have fallen victims to the disease.*

* General Damas, severely wounded in the mountains of Mont Tabor, by a ball which had broken the humerus near its articulation with the fore arm, was removed to Jaffa, and lodged in the house of the fathers of the Holy Land. The accidents following upon this wound were very severe, and several times endangered the loss not only of the arm, but the life of the patient. This General, during the times of dress-

It is a fact, that some of our sick soldiers in Syria, on seeing the departure of the army for Egypt, endeavoured to follow it on foot; and although from their debility, they fell several times on the ground, they got up again, and contrived to follow the columns until their arrival in Egypt, where they recovered their health.

Citizen Mechaud, chief of a battalion of engineers, communicated to me the following fact, which happened whilst he commanded at Katie. Some soldiers, on their return from Gaza with a convoy, discovered at a distance a French soldier wandering

ing his wound, was supported by his valet de chambre, who, without any bad design, kept concealed a pestilential bubo, which he then had, and continued in that state for two days to wait upon his master. There was at the same time in the house four persons attacked with the plague, two of whom died, which made General Damas determine to dismiss his servant, and change his lodging. I had him removed to the most elevated part of the castle of Jaffa, in order to avoid the damp air as much as possible. In spite of this, his wounds, which had before showed every appearance of healing, shortly took on a bad aspect, and I observed him from day to day contracting the predisposition to the disease. The fear of seeing him die of the plague determined me to advise him to quit Jaffa. From the second day of his being at sea, all the symptoms of the plague disappeared, and his arm healed: he can now make use of it as well as formerly. He has since been nominated general of division, and chief of the *etat major general*, and performed the glorious campaigns of the year 8 against the army of the Grand Vizier.

amongst the sands, about two leagues from the fort; they went up to him, and found him with a bundle of sorrel under his arm: this man had been attacked with the epidemic disease, and during his delirium, had run off from the hospital. During the fifteen days which followed, he had taken no other nourishment but sorrel, and he recovered perfectly. I have seen this plant in several places in the desert, its leaves scarcely raised above the sand: on pulling it up by the roots, it presents a weak means of diminishing the burning thirst of the traveller.

Of the means which might be employed in Egypt to destroy the epidemic fevers.

Before speaking of the means which might contribute to render Lower Egypt as healthy as the finest countries of Europe, it will not be useless to premise some topographic medical notions of Alexandria, Rosetta, and Damietta; in which cities every year epidemic fevers break out.

Alexandria is a city celebrated in ancient history, situated at $31^{\circ} 13' 5''$ northern latitude, and at $27^{\circ} 35'$ of longitude from the meridian of Paris. It is washed by the sea on the west and the north, and on the east and south are situated the lakes Mareotis and Madiez. Rosetta is situated at $28^{\circ} 8' 30''$ of longitude from the meridian of Paris, and at $31^{\circ} 25' 20''$ of northern latitude. It lies about two leagues from the sea, upon the left bank of the Nile: to the eastward, on the other side of the Nile, there are a great number of flat grounds, which, after the inundation of the river, form very numerous and extensive marshes.

Damietta, the third celebrated city on the coast of Egypt, on the eastern bank of the phatnitic branch of the Nile, lying in $29^{\circ} 29' 15''$ of longitude from the meridian of Paris, and $31^{\circ} 25' 43''$ of northern latitude, has the sea and the lake Menzaleh to the north, and is divided by the Nile. The fields of rice which surround this city contribute to infect the air; besides, there are several lakes, pools, and marshes in its

environs, which render it very unhealthy. Senanieh, among others, is a village remarkable for its insalubrity.

The heavy rains which fall during the winter at Damietta, at Rosetta, and Alexandria, contribute greatly to produce diseases, which the south winds, the fogs, and exhalations of the marshes render more dangerous. It is asserted, that these diseases are more frequent when the inundations of the Nile are high, and of long duration. The inundation of the year 6 (1798) was one of the most considerable; notwithstanding which the disease did not show itself but in those cities on the coast of the Mediterranean.

The other cities of the Delta, Boulac, Cairo, Gizèh, and the whole of Upper Egypt, were preserved from it. In the fort of Birket-El-Agi alone, a few deaths happened from a suspicious disease, which, in my opinion, without having recourse to contagion, were occasioned by the evaporation of the stagnant waters of the *Lake of the Pilgrims*, so called on account of the

meeting together, at this spot, of the grand caravan, which every year sets off from Cairo for Mecca. The putrefaction of the aquatic plants, and of the immense quantities of fish in this lake, contribute to its development.

In the ancient histories of Egypt, there is no mention made of the plague. The former inhabitants of this celebrated country either did not distinguish this disease from others, or were unacquainted with it.

It is certain that Alexandria, Rosetta, and Damietta, as well as the whole surface of Lower Egypt, are so much changed, that formerly these places might have been the most healthy parts of Africa. The ruins of entire cities, destroyed and overwhelmed; the majestic remains of ancient monuments, preserved in spite of the overthrowing action of time, which at this day are in part submerged and surrounded by water, are sufficient to prove the revolutions which this part of the globe has undergone. The profound and interesting researches made by General Andreossi, and by the respect-

able body of philosophical men and members of the French Institute in Egypt, are worthy of examination: they are preserved in the Egyptian decade.

At this day the lakes, the marshes, and the filthiness which one finds in the cities of Lower Egypt, are the principal causes of the frequent diseases to which they are subject, and which can never be eradicated until we have found means to purify the atmosphere of their environs. This important advantage may be obtained by draining off the waters of the lakes, and filling them up; by keeping the cities clean, paving them, and giving a free exit to the rain water, which, stagnating in different parts of the cities, becomes corrupted, and, conjoined with filths, infects the atmosphere. By similar operations, several cities and provinces in Europe, America, and the Indies, have been rendered healthy. I have no doubt that the salubrity which we at this day enjoy in France and Italy, is the result of the amelioration of agriculture, and the perfection of the arts.

*Of the Seclusion of the Franks during the
time of the Plague.*

When the Franks residing in Egypt are assured that the plague has broken out in the place where they live, they retire into their houses, shutting all their doors, and having no intercourse with any one until the 23d of June, the eve of St. John. Not only are their doors closely shut, but they block up with care even the smallest holes, in order to prevent any animal entering their dwelling; and if by chance a cat should creep in, they immediately pursue and kill it. For this purpose they have loaded muskets always in readiness, and springs set in the suspected parts of the house. The cats of the family are shut up in cages, like fowls; and if, unfortunately for them, they chance to leave their prison, and make their escape, on their return they are killed without mercy, according to the *sanitary laws*; in case they should, during their absence, have contracted the poison of the plague,

and brought it home attached to their tail, or hair of their skin. In the lower court, or near to the gate of the house, they place three large earthen vases filled with water, a bason with vinegar, a furnace with coal, some odoriferous herbs, antipestilential powder and pastes, iron pincers, a large knife or stiletto, and some other utensils used for destroying the poison of the plague. Each family has a Turkish domestic, who is not comprised in the *shutting up*, and who is employed to transact all commissions: this man comes every morning to his master's house with the necessary provisions, which he has bought at market. The porter, who is generally the steadiest person in the family, and the most strict observer of the *sanitary laws*, after having reconnoitred the domestic, descends with the key in his hand, opens the door, and retires to the top of the staircase, in order to avoid all risk of contagion from the servant, who, entering into the court, puts the provisions, such as meat, fish, herbs, and fruit, into the vases full of water. If he has money, he puts that into

the vinegar; if papers of importance, such as bills of exchange, invoices, &c. he puts these near the furnace; and after he has heard from a distance the porter give him his orders for the following day, he withdraws. The porter follows, and shuts the gate of the house: then, after having taken in his hand a kind of magic ring, he stirs about in the water the meat, the fish, and the herbs, in order to drown and destroy the pestilential poison. He then takes the money out of the bason of vinegar, and, having lighted the coals, he throws on them some powders and perfumes: afterwards, with the pincers, he takes the papers, and places them over the furnace, where they remain at least for two hours in the smoke: by this method, in their opinion, they are freed from all poison, and may then be touched without communicating the plague. They likewise purify sealed letters, and other papers, by piercing them with the stiletto in two or three places, and dipping them in the vinegar. The linen and other clothes washed out of the house may be admitted

without any risk, provided they be still wet. The bread prepared in the house, and sent to the oven to be baked, may be received without any precaution, provided it has never been touched as long as it was hot. Tobacco, pulse, sugar, coffee, and every thing which, in the lazarettoes, is called a *substance not contaminating* (substance non contumace), may be admitted without precaution into the *insulated* houses. The contaminated substances are absolutely banished the house till the 23d of June, the day when all danger of the plague ceases, whatever may have been its violence. The inhabitants of the Levant have a general belief that the eve of St. John puts a limit to the plague; and at this epoch they leave their cloisters, embracing and congratulating each other on having escaped the scourge.

Of Lazarettoes and Quarantines.

Lazarettoes are large buildings situated commonly on the sea beach, at a little distance from the harbours, consisting of lodg-

ings, hospitals, magazines, and very extensive enclosures, and including a portion of the roadstead, or harbour, capable of containing a certain number of vessels.

These lazarettoes are destined to receive and retain, for a limited time, passengers and ships' crews, merchandise and vessels coming from places where the plague is raging, so that they may have no intercourse with any one whatever, till the termination of the quarantine.

Quarantines are divided into quarantines of rigour, and those of observation. Quarantines of observation never exceed fifteen days, and are never less than five: quarantines of rigour consist of thirty-nine days, or forty, computing from the day of commencing.

Such vessels as come either from the coast of Africa, in the Mediterranean, or from any sea-port town in the Levant, are put under quarantine; that is to say, they sail into that part of the roadstead, or harbour, which is appropriated to the lazaretto; after which the captain of the vessel presents

to the board of health (*bureau sanitaire*) his certificate of health, in which are specified his destination, the day of his departure, the names of himself and his vessel, the cargo, the number of his crew and passengers, and whether, in the place from whence he came, there were any instances of the plague. This certificate is taken through a grating by means of a pair of long pincers, and is not read until it has been thoroughly perfumed and dipped in vinegar. If the certificate gives notice of the plague, the vessel is considered foul (*brute*); if on the contrary, it states that, for some time past, there has not been an instance of the plague in the place from whence she sailed, she is considered clean (*nette*); if it was only a short time since the plague had ceased, she is considered suspected (*suspecte*). In the first case, the passengers and ship's crew are strictly reviewed at a distance; and although every one of them should enjoy perfect health, they are all placed under a quarantine of rigour. When the certificate is *clean*, the quarantine lasts

a shorter time; and in the third and last case, it is a quarantine of observation, which lasts a longer or shorter time, according to the decision of the conservators of health.

If any vessel, before entering the harbour, has been visited by a vessel from the coast of Africa, or from a sea-port in the Levant, or belonging to an enemy, she is placed under strict quarantine, even if she had come from the nearest port; as, according to the sanitary laws, her certificate is considered foul (*brute*).

When merchandise is put under quarantine, it is deposited within the enclosure, or in the magazines appropriated for that purpose. The establishment for this end, at Marseilles, is very beautiful, of prodigious extent, and shows the importance of the commerce which France carries on with the Levant. The passengers are put on shore, and sent into the enclosure with one or more guards of the committee of health (*comité sanitaire*), while the ship's crew remain on board, with some others. The porters, and those persons employed to purify

the merchandise, in order to ascertain whether or not the bales of wool and cotton contain the vapour of the plague, open them in the middle, and thrust in their bare arms, believing that, if they contained the plague, the disease would without fail show itself on them. They break open the chests and trunks, and expose to the air the bales of flax and of silk, the cloths, sails, stuffs, and, in short, every article on board. They pretend in this way to facilitate the evaporation of the pestilential fumes, which perchance might have been brought in along with the merchandise. At length, after having exposed every thing day and night to the air for the space of thirty-nine days (*sérène*); after having, in the course of the quarantine, perfumed the passengers, the ship's crew, and the vessel, three times, they permit them to enter the harbour.

If, during the time of the quarantine, any one falls sick and dies, should the cause of his death be suspected, the quarantine is prolonged, and sometimes it recommences, and this every time such an accident happens.

When the death of several persons on board puts out of doubt the existence of the plague, and that it is making progress instead of diminishing, the laws of health condemn the vessel, without any reserve, to the flames. Those who compose the crew, after being stripped of all their clothes, and having their whole bodies shaved and washed in sea-water, are admitted into the lazaretto, in order to undergo there a rigorous quarantine. The vessel, with its merchandise, is towed out to sea, where it is either sunk or committed to the flames. If the porters employed to purify the merchandise are attacked with the plague during the quarantine, or some days after that operation, the committee of health pronounce the goods infected, and, without delay, cause them to be burnt or sunk.

It has often been said, that in breaking open a letter, or in opening a bale of cotton containing the germ of the plague, men have been struck down and killed by the pestilential vapour. I have never been able to meet with a single eye-witness of this

fact, notwithstanding the inquiries which I have made in the lazarettoes of Marseilles, of Toulon, of Genoa, Spezia, Leghorn, Malta, and in the Levant. All agree in repeating, that they have heard of such an occurrence, but that they have never seen it happen. Among those whom I have interrogated about this fact, I may name Citizen Martin, captain of the lazaretto of Marseilles, who, for thirty years past, has held that situation: this brave and respectable man told me, that during that time he had seen opened and emptied some millions of bales of cotton, silk, furs, feathers, and other goods, coming from several places where the plague raged, without having ever seen a single accident of the kind.

Observation, necessity, and experience have taught that all substances which are necessary to life, are not equally susceptible of imbibing the pestilential poison; that there are even some which are not susceptible of contracting it, and which consequently cannot communicate the plague.

The substances liable to communicate

the plague are called *contaminating*, while those which cannot imbibe this poison, are called *non-contaminating*.

I think we may distinguish three classes of *contaminating substances*. For example, wool, cotton, silk, hemp, stuffs, hides, all kinds of hairy skins and furs, are contaminating substances of the first class. These substances do not lose their infectious qualities until after forty days exposure to the air (*sérène*).

There are goods which, in order to purify from the poison of the plague, it is sufficient to put in vinegar, or in perfumes: such are papers, as well as samples of stuffs, &c. which I rank in the second class.

Gold, silver, and all the other metals, porcelain, delft-ware, and glass, although they are non-contaminating substances, may contain some foreign body, charged with pestilential poison, if they have been handled by infected persons; and they ought to be put in water, as well as fresh fish, meat, herbs, fruits, and all kinds of animals having hairy skins. I consider these substances

as contaminating of the third class; fresh, or sea-water being perfectly sufficient to destroy any of their contagious properties.

Wax-cloth and stuffs, when they are wet, do not communicate the plague. Every kind of wood, straw, hay, flowers, osiers, mats, provided no hempen nor cotton threads enter into their texture, wax lights and candles, provided the wick be burnt to the level of the wax or tallow, ivory, mother of pearl, wheat, seeds, tobacco, coffee, sugar, pepper, and aromatics, salt, oil, and liquors, are not liable to imbibe nor to communicate the plague.

These principles being established, the officers of health prolong, abridge, or modify the quarantine, delivering or detaining for a longer or shorter time the persons and goods in the lazarettoes.

It follows from these principles, acknowledged by the officers of health, that you may inhabit the same house, the same vessel, the same chamber, walk together, sleep upon the same beds, or the same mats, and keep company with persons under qua-

rantine, even whilst they are attacked with the plague, provided you do not touch them neither directly nor indirectly. You may take snuff offered by a person having the plague, provided the box be of wood or of shell. There is no danger even in breaking bread with them, provided the bread be cold; for if it were warm, it might communicate the plague. How then is the reason of all this to be explained? Those who wish to have the fullest details upon lazarettoes, quarantines, the manner of purifying contaminating substances, and to acquire the fullest ideas on the subject of the plague, should consult the codes of health at Marseilles, at Toulon, and at Venice. They will also find, in a work of J. P. Papon, *ci-devant* historiographer of Provence, printed at Paris in 1800, the memorable epochs of the plague, from 1491 before the birth of Christ, till that of Marseilles in 1721 of the Christian æra. They will there learn the means which are proposed for preventing this disease, upon the frontiers of a country which it is ravag-

ing, as well as the precautions to be adopted in cities having the plague. There is also a good deal said of the purification of goods, of houses, of preservatives, of lazarettoes, of the police of sea-ports, &c. Had I not predetermined to state nothing but the observations made by myself in Egypt and Syria, I should have added a few reflections on the work of this author. I, however, reserve them till a future occasion, when I mean to analyse this disease more at length.

On an unprejudiced examination of the works of writers on the plague, we find nothing but frightful recitals of what happened in the epidemics which they have described. They all insist on the necessity of quarantines, and forbid the inhabitants, under pain of death, to quit their houses, whenever there has happened any death by the plague; believing that this means will suffice in stopping its progress. It is not difficult to conceive that the shutting up together of several people in good health, and some sick, and obliging them to breathe the same air, which every day becomes more

and more infected, must augment the disease of those who are already sick, and expose the others to contract it. Experience has proved that these seclusions, or shuttings up (*renfermemens*), have never succeeded in arresting the progress of the plague. This disease always commences by attacking the poor in the most unwholesome quarters of the city; after which the health of the inhabitants in good circumstances becomes impaired, and at length death levels indiscriminately the poor and the rich. Then, all becomes confusion in the city: the magistrates are no longer able to maintain their authority, the shuttings up cease by little and little, the season changes, the atmosphere becomes purified, those who have escaped recover strength and courage, and all at once the epidemic ceases. This is what has been observed in all plagues, but particularly in that of Marseilles, in 1721. The history of these epidemics strikes one with horror; and, after comparing them with the most malignant plagues of the Levant, where the shuttings up are only in use amongst a very small number of individuals,

I have no hesitation in declaring, that in Europe the mortality has been the greatest. It is generally thought that the principles of fatalism of the Turks contribute greatly to increase the propagation of this disease amongst them, because they will not make use of any precautions. This much however is certain, that the Mussulmen, during the plague, attend on their sick with particular care even to the last moment of their lives; whilst, on the contrary, our sick are separated from the rest of the family, and abandoned to their unfortunate lot, the mother even refusing to carry assistance to her own son during the agonies of death, and the husband not daring to approach the dearest object of his affections, who requests from him a drop of water in a voice the most tender and supplicating. A like inhumanity has place neither in Asia nor in Africa; and if I were doomed to be attacked by the plague, I should by far prefer being in the hands of the Turks, than in those of the Europeans.

*Si quid novisti rectius istis,
Candidus imperti; si non his utere mecum.*

REFLECTIONS

ON

THE EPIDEMIC FEVER

Observed in the Ligurian Republic, and in the Hospitals of the Army of Italy, in the Year 8 (1799-1800).

THE analogy and affinity which all epidemic fevers bear to each other; the facility with which an alarm is propagated as soon as one of these dreadful diseases discovers itself in any city or province, has induced me to state here my opinions upon a peculiar epidemic fever, which alarmed the inhabitants of the environs of Montpellier, during the first months of the year 8 (1799-1800). See the *Journal de Medecin*, page 373.

An epidemic disease spread its ravages in the hospitals of the army of Italy, and carried off daily its numerous victims. Flying report, which always magnifies every

danger, and attenuates every good, spoke of nothing but the number of deaths: already even the name of the pestilential disease spread dismay far and wide. In this alarming situation, the public authority thought proper to consult the school of medicine of Montpellier, which hastened to calm their inquietude, and reanimate their spirits, by proving that this fever, falsely regarded as pestilential, was not at all different from the fever of hospitals, the *typhus carcerum* of Pringle, or the fever of camps and armies, *febris castrensis*: and, as a mode of preservation, they recommended a generous strengthening regimen, great cleanliness, pure and frequently renovated air, and a state of mind exempt from fear and inquietude.

On my return from Egypt to France, I arrived in the gulf of Jouan the 25th Prairial of the year 8 (14th June, 1800), and I collected the particulars of the epidemic which had just carried off a great number of the inhabitants, and of the soldiers in the environs. It was the same as that which

we have just been describing; and it was observed during this epidemic, that the inhabitants residing near the sea were more exposed than those who were at some distance; and that there were several villages situated on the heights, which had not even a single sick person.

With regard to this disease, the majority attributed it to the rains and the fogs. A citizen of the environs of Antibes assured me, that if this disease had taken place some months before, it would, without fail, have been attributed to the vessels just arrived from Egypt, and which had put ashore at Frejus without performing quarantine. A similar epidemic, probably the same, showed itself in the hospitals of Genoa some months after; and it was stated in the public papers, that a physician of that city had refused to go and take charge of the sick of the hospital, for fear of the contagion. I am led to think that this citizen was reading at the time the work of M. Papon, in which are related the particulars of the plague of Marseilles. If I were to give

advice to medical officers employed in treating epidemic diseases, it would be to banish melancholy and fear, to live well, and avoid all excess; and if they are fond of reading, to choose amusing books in preference to those which treat of the plague.

REFLECTIONS

ON

THE YELLOW FEVER OF CADIZ

In the Year 1800.

IN treating of the disease of Egypt, known by the name of the plague, and of the epidemic fever, observed during the year 8 (1800), in the bay of Genoa, at Nice, and at Montpellier, we have seen with what facility we are deceived with regard to the nature and causes of these diseases. When a dreadful epidemic breaks out in any city or province, we, without fail, have recourse to some peculiar poison, imported from distant countries. Hence, some have made the yellow fever come from Palestine, and others from the West-Indies.

Amongst the authors who have written on this disease, some say that it spreads itself by contagion ; others, that this happens

but rarely. (See Hillary's Description of the Yellow Fever which prevailed at Barbadoes.) There are even some physicians who maintain that it is no wise contagious. In the Journal de Medecin, of Paris, in the year 9 (1801), Citizen Hallé, professor of the school of medicine, has given us the history of the yellow fever of Cadiz. As we have been treating of an epidemic which may have some affinity with other diseases of this nature, I may just be permitted to mention here its principal features, and to add some reflections and queries, which may perhaps tend to procure us some more distinct ideas of this disease.

Symptoms.

From the 10th to the 15th of August, in the year 1800, there broke out in the quarter of St. Mary, at Cadiz, a fever, which, in the end, ravaged this city in a short time: it had the character of a slow nervous fever. In the supplement of the Gazette of Madrid, we read, that some corsairs and

sailors, consisting both of strangers and natives, brought this disease into a single family in this populous part of the town, and that from thence it communicated itself to all those who had any intercourse with them, and afterwards spread itself to all the other quarters, attacking indiscriminately all classes of the inhabitants of this city.

Causes.

With regard to the cause of this disease, the author of the *Journal de Medecin* thinks that it certainly was not caused by the importation of any contagion. He thinks, with reason, that fear and terror, and the long-continued heats of a burning summer, preceded by heavy rains, and followed by a very warm easterly wind, which lasted forty days, and which made the thermometer of Fahrenheit mount to 85 degrees, might, in the end, have facilitated and rendered more rapid the course of this disease, called the *yellow fever* on account of the yellowness which supervened. It began

by shiverings, accompanied by general uneasiness, and a bilious vomiting of a yellow or green colour, stools of the same nature, loss of strength, quick pulse, burning skin, heavy pains in the head, temples and orbits, pains in the loins, the bones, and superior orifice of the stomach. If these symptoms continued increasing until the fourth or fifth day, the patient was in jeopardy: the yellowness supervened, accompanied by subsultus tendinum, petechiæ, and hiccough; the vomitings and stools became bloody, blackish, and fœtid; the extremities cold; and all the symptoms of putridity appeared. If, on the contrary, the sick felt some relief on the first days of the disease, there was then reason to look for their recovery: the yellowness, hæmorrhages from the nose or the fundament, were not bad symptoms, provided vomiting or hiccough did not supervene. Some patients were observed to have phlyctenæ, and swellings of the parotids; and others had phlegmonous tumours, which were terminated by gangrene.

The dissections of several dead bodies showed bilious collections in the liver, the gall bladder distended, the gall ducts obstructed, and in general an erysipelatous inflammation of the abdominal viscera, and very frequently gangrene of the intestines and stomach.

Method of cure.

Several patients, who were slightly attacked, were cured by a little of the acidulous tartrite of pot-ash, some decoction of bark, slight sudorifics, lemonade, and nitrous drinks, not omitting glysters, and some gentle laxatives. In the more severe attacks, vomits on the first day of the disease were employed;* the second day bark was administered, in order to prevent the exacerbation on the third; whey, with a little syrup of borax, or nitrous æther, was

* Citizen Hallé has with reason remarked, that almost all those who have seen the yellow fever in the West-Indies, have dreaded emetics, as augmenting the irritation in the stomach, exciting vomitings which could not be stopt, and hastening the gangrene of this viscus. (See Roupp, Bruce, Lind, Hillary, &c.)

added to the tisans, and advantage was derived from glysters of decoction of tamarinds, or decoction of bark. In order to moderate the vomiting, and calm the hiccough, they gave camphor emulsion in large doses: emulsion, with lemon juice in particular, was most successful in stopping the hiccough. In the hæmorrhages they made use of the sulphuric acid, sufficiently diluted, but in repeated doses. Blisters produced the best effects during the comatose state.*

In those cases where, with the yellowness, a bilious diarrhœa came on, they administered a laxative tisan made from tamarinds. If the evacuations were accompanied with fainting fits, they gave the patient a few spoonfuls of a cordial mixture, with some vitriolic æther mixed with water of linden tree flowers; the burning heat in the intestines was moderated by emollient, oily, and anodyne glysters. In the worst cases they employed the decoction of bark

* Hillary says, that blisters, so far from being useful, augmented the comatose affection, the trembling, subsultus tendinum, coldness of the extremities, and hæmorrhage.

with vitriolic æther, opium, the liquor anodynus, &c. Sometimes a violent fever showed itself, followed by fits of intermission; and although the bark prevented the attack on the following day, the patient was destroyed in a very short time. This circumstance recals to my mind a case nearly of the same kind, which occurred to me whilst I was physician and surgeon in chief of the Duke of Modena's body guards. M. Volpi, a young man belonging to the corps, of a very robust habit, not being able to void his water, endeavoured to introduce into the urethra some thick violin string, which irritated the prostate and passage to such a degree, that a considerable swelling of the yard followed, accompanied with inflammation. The case was so severe, that I called in consultation one of the physicians of the city, who considered the patient to be attacked with an intermitent fever, and persuaded him to take bark in large doses, in order to stop the double tertian, which was merely symptomatic, arising from the inflammation of the uri-

nary passages, and followed exactly the course of a true fever of suppuration. The physician gave himself credit on seeing the patient free from fever, but the gangrene made such a rapid progress that death followed when we believed him out of danger. It is clearly to be perceived, that bark was not the most appropriate remedy in such a case, and that its tonic action only augmented the disorder, particularly as it was administered at a period of the disease when the irritation and state of the patient required emollients and refrigerants.

It appears evident to me, that the yellow fever of Cadiz, in spite of its resemblance to the slow nervous fever, had at times the inflammatory character; and it is not surprising that the bark then hastened the gangrene, by augmenting the inflammation.

Means of prevention.

At the breaking out of the disease at Cadiz, the common sewers were ordered to be cleansed, and the dead bodies buried with-

out the city. An hospital also was provided for the soldiers and sailors, at some distance. These means could not fail of being very proper, and much more useful than watering the doors of the houses, than the smoke of the branches of green pine burnt in the public squares and streets, the fumigating and sprinkling the houses with aromatic vinegar, and the firing off of gun-powder in different quarters; means truly of small avail in purifying the atmosphere of a city such as Cadiz.

Queries respecting the Yellow Fever which appeared at Cadiz in the year 1800.

1. Is it quite certain that this disease was the yellow fever?
2. Is it sufficiently proved that it was contagious?
3. Is it a certain fact that the corsairs and sailors brought this disease into Cadiz?
4. What are the circumstantial details which prove these assertions?
5. The heavy rains of the spring, the ex-

cessive heats of the summer, the hot and constant easterly winds, the hardships which the inhabitants had experienced, and were still suffering—were these not sufficient causes to give rise to a disease dreadfully epidemic, contagious, and mortal?

6. What were the means employed for arresting its progress?

7. How were the means of curing and destroying it discovered?

8. If it was contagious, how came its progress to be stopt amongst that class of people who possessed neither the means nor the possibility of avoiding the contagion?

9. If it was evidently contagious, how came it not to be communicated at other times, when there were received into Cadiz without precaution, persons recently convalescent, and perhaps attacked with the yellow fever, coming from Carolina and Philadelphia? If a predisposition be requisite to produce it, the disease then cannot be eminently contagious.

10. The influences of seasons, times and situations, are equally fatal to all, and not

more so to the poor than to the rich. The effects of contagion, on the contrary, may be prevented by persons possessing the means of preserving themselves from it. As to the poor, it is impossible for them to avoid it, particularly if they have any sick amongst them.

11. Was the number of deaths known?

12. Was it as considerable as is reported?

Sapè fama crescit eundo.

ON THE DYSENTERY.

THE dysenteric flux attacked a great number of our soldiers in Egypt, at the beginning of autumn, in the year 6 (1798), that is to say, when the coolness of this season began to moderate the excessive heats of summer.

Obstructed perspiration was the chief cause of this disease. It is well known that when the pores of the skin are closed up, the fluids are carried to the intestines, and give rise to diarrhœa. *Cutis stricta, alvus laxa est.*

Sanctorius has proved to us, that of the eight pounds of nourishment which a man takes during the twenty-four hours, he loses five by perspiration. If this perspiration happens to be stopped by any cause whatever, derangements in the animal functions must necessarily follow. Experience has shown us that it is to the intestines the fluids are carried, and produce diarrhœa.

This disease showed itself on the majority of our soldiers a very short time after their arrival in Egypt. We have said, in the Introduction, that the nights were cold and damp, and that the men took no precaution to guard against their bad effects. Hence, amongst other inconveniences which necessarily followed, our troops were first attacked with diarrhœa. The *pastèques*, or water-melons, the milk, and the water of the Nile, which our soldiers drank in too great a quantity, contributed to keep up this excessive evacuation. In several individuals, the diarrhœa degenerated into the white dysentery; and it was not unusual to hear the patient say, "My stomach does not now digest my food, for it passes in the same state as when I take it." They did not suffer any cholic pains, and very few made use of any remedies for its cure. The frequency of the stools did not fail to irritate and heat the extremity of the rectum. This excoriation was nothing but the effect of the quantity, and not the quality of the stools, as the slight inflammation which attacks the

nostrils in coryza is owing to the quantity of lymph which flows over the parts, and not to its acrimonious quality, as some suppose.

Besides the fluids of perspiration, which are carried to the intestines, the bile flows in a greater quantity into this canal, the stomach loses its strength, and the gastric juice becomes less powerful, or when scarcely secreted, flows into the intestinal tube; on account of the over-increase of the peristaltic motion. This derangement of the stomach must of course produce bad digestion; and the half-digested food must give rise to the disengagement of a quantity of air. It is to this particular gas that I attribute the first choleric pains which the sick experience. In this period of the disorder there supervenes, in my opinion, on the irritated parts, some slight inflammations upon different spots in the intestines, and segments of the internal coat are in some points detached, whence there follows the mucous or glary dejections, which many persons call the grease of the intestines.

When the diarrhœa has arrived at this second stage, it is then become dangerous, and requires to be treated in the manner we shall now point out.

If we neglect to use the means proper for checking the progress of this disease, it very soon becomes a true bilious fever, accompanied with very frequent stools, requiring very considerable efforts to void a quantity of glary and often bloody matter. Several of the sick in this state, weary of following the advice of physicians, tried to arrest the course of their disorder by eating hard boiled eggs, sprouting beans, and other remedies, considered as specific. A great weight at the stomach, burning thirst, bilious vomitings, stools of a blackish colour, putrid, and of an insufferable stench, were soon the consequence of this bad practice. But still, hoping to be cured in twenty-four hours, they preferred going on taking a load of medicines, directly contrary to each other, which were given them by quacks; and in this manner completely dissipated the little strength they had left.

After this statement, it is easy to be perceived that I distinguish three stages in the dysentery of Egypt. The first stage is the simple flux, or diarrhœa; the second is when it is accompanied by cholick pains, and mucous evacuations; and the third, when fever shows itself, and the evacuations become bilious, putrid, and bloody.

Treatment, and means of preventing this Disorder.

The indications which present themselves in the treatment of the dysentery, vary according to the different stages of the disease. In general, in the simple flux it is necessary to facilitate the evacuation of the putrid or vitiated matter contained in the stomach and intestines; to diminish the great sensibility of these parts, and to re-establish the obstructed perspiration. In order to facilitate the evacuation of the putrid and vitiated matter in the stomach and intestines, I constantly prescribed an emetic in the morning. I preferred ipecacuanha to

the tartarised antimony; and in the evening I gave the sick an anodyne draught, with twenty drops of the liquid laudanum of Sydenham: I recommended to them at the same time to keep themselves well covered, and I afterwards made them take some boluses of diascordium, the white decoction for ordinary drink, some rice and sheep's trotters for food. The oranges and pomegranates, fruits in great abundance in this country during the season when this disorder prevails, were very useful in quenching the thirst and refreshing the mouth, without relaxing the stomach and intestines, as watery drinks are apt to do. Afterwards, the conserve of orange peel, preserved with sugar and not honey, coffee, and a little Cyprus wine, contributed greatly to strengthen the functions of the stomach.

When the evacuations had recovered their proper consistence, the patient was considered as cured: but if a too great constipation followed, glysters were preferable to purgatives, since the slightest laxatives exposed the patient to a relapse. When the

flux was accompanied with colic pains, and the patient's stools were mucous and glary, I had recourse to injections of decoction of lintseed, poppy heads, of milk, of broth made from tripe and sheep's trotters, &c. &c. For a long time, and under different circumstances, I made use of a number of remedies, cried up in that country as specifics in the cure of the dysenteric flux; but I have never been able to collect a sufficient number of facts to convince myself of their good effects.

I am persuaded, that in order to treat this disease in the second and third stages, we must pay attention to the constitution and strength of the patients, in order not to irritate too much with tonics and astringents on the one hand, nor to relax them by laxatives and refrigerants on the other. I have seen individuals, to whom bleeding was of great utility: I have also seen others, to whom it proved quite the contrary. Opiates have, in the course of twenty-four hours, cured some who had been long ill, without any inconvenience

accruing afterwards; but I have seen the same class of remedies augment considerably the fever and colic pains in persons of a meagre, delicate, and bilious habit. In this case lemonade, with the acidulous tartrate of pot-ash, or the tisan made from tamarinds for drink, rice for food, and glysters of milk, produced the best effects. I am, however, persuaded, that the food of which the sick made choice, and the excesses which they committed, were frequently the chief causes which prevented their recovery.

When the dysentery, accompanied with fever, has arrived at its third stage, the fever ought to be treated as putrid, and the bilious evacuations accompanying it should not be stopt; but as soon as we can flatter ourselves with having evacuated all the bile and other corrupted matter, by a moderate use of gentle laxatives, sometimes giving a weak decoction of rhubarb, at another small doses of ipecacuanha, we ought then to have recourse to anodynes and opiates.

Citizens Desgenettes and Larray, chief officers on the medical staff of the army of the East, and all my colleagues, have acknowledged, in the treatment of this disease, the sovereign powers of opium, which, administered at a proper period, produces constantly the best effects.

I have not had occasion to make use of blisters, as I do not believe them to be of much utility. In order to quiet the pains in the abdomen, I have always preferred, in every kind of colic, to have recourse to anodyne fomentations and tepid baths, when the strength of the patient admitted of it, according to the practice of Pringle, Lind, and other celebrated authors. These great practitioners, in order to dispel the pains, likewise made use of a blistering plaster applied over the abdomen; and Citizen Barbes, physician in ordinary to the army of Egypt, used to apply large blisters over the abdomen of several patients attacked with dysentery, of whose safety he despaired, and in a few days they recovered. (See the Egyptian Decade.)

Several persons stopt the dysenteric flux by giving small draughts of decoction of the peel of pomegranate, three times a day, or still oftener. In Upper Egypt they make use of quinces seasoned with pepper, to stop the diarrhœa and dysentery. In Italy they boil this same fruit in a small quantity of water till it becomes reduced to a jelly, which they give with advantage by spoonfuls to the sick. In France it is given in the form of a conserve.

Amongst the remedies which the physicians of Cairo recommend for curing the dysentery, is a fruit, from Sennaar, called *hao-bab*, or the monkey's bread. The rind of this fruit powdered and taken in small doses, frequently repeated, as well as the substance adhering to the seeds, which has a sourish-sweet agreeable taste, is extolled as a specific in the dysentery of Egypt. I myself made use of it at Cairo in several cases with advantage; and I found in the sweet powder of the *hao-bab*, an antiseptic as well as an astringent quality.

The means to be employed for preserv-

ing oneself from the dysenteric flux, consists in avoiding the suppression of perspiration, by sleeping in a well-closed apartment, and by covering oneself thoroughly when forced to pass the night in the open air. It is very useful in Egypt, in order to prevent too great a relaxation of the fibres of the stomach, to mix with the Nile water, which serves for ordinary drink, a little brandy, in preference to vinegar. This precaution becomes the more necessary, if much use be made of lemonade. The want of wine is of great consequence to those who are habituated to that liquor. In Egypt they who substituted brandy and coffee in place of wine, enjoyed good health: those, on the contrary, who drank nothing but the Nile water in great quantities, and took a good deal of milk, greens, and watery fruits; who, in the evening and night, to enjoy the cool air, undressed themselves, or slept upon the damp ground, were attacked with dysentery; and when these individuals persevered in following this regimen, they were soon under the necessity of applying for

medical assistance. Doctors Bruant, Barbes, Savaresi, and Renati, physicians in ordinary to the army of the East, paid particular attention to this disease. (See their Memoirs in the Egyptian Decade.)

ON THE
OPHTHALMY OF EGYPT.

THE ophthalmy of Egypt is a true defluxion of humours which deposits itself either upon one eye only, or upon both at the same time. This disease is endemial, sporadic, and epidemic; and takes place principally on the approach of autumn. *Autumno lippitudines & oculorum fluxiones fiunt.* (Hippocrates.)

The ophthalmy of Egypt showed itself among the soldiers of the army of the East at the commencement of the year 6 (1798), and continued till the month of Frimaire (middle of November) in the year 7 (1799). More than two-thirds of the army were attacked almost at the same time, which made the duty of the garrisons very severe. This disease harassed not only our soldiers, but also the inhabitants of Lower and Up-

per Egypt. The common duration of the ophthalmy was from seven to eight days. I have seen a great many recover in less time, and I have seen others continue to suffer under it for several months.

Many individuals, after having been cured of ophthalmy once, were attacked again. I had a little Maltese servant, who had this disease every time that he slept in the open air.

Those who took care to manage themselves as they were ordered, recovered perfectly in a short time; others had a great deal of difficulty in getting rid of this disorder; and some who unfortunately were at a distance from all medical assistance, contracted very complicated organic affections, which often terminated in the total loss of the organ of sight.

Description of the Ball of the Eye.

The wish which several very respectable persons have expressed of having first some ideas of the organization of the ball of the

eye, has induced me to give the following short description :

The eye is composed of three coats, which are, the cornea, the choroid, and the retina; and of three humours, namely, the vitreous, crystalline, and aqueous.

The cornea is divided into the transparent and opaque cornea.

The opaque cornea is the most external coat, or what is commonly called the white of the eye; its texture is very compact, and like that of the cornea: it extends from the bottom of the eye forwards to the anterior part, where it meets the transparent cornea:

The transparent cornea is the most elevated part, commonly called the black of the eye, and may be compared to the glass of a watch set in its case.

The transparent cornea is composed of a great many very minute diaphanous laminae, placed the one over the other, and has a serosity which exudes through the pores of these laminae.

The choroid is a coat like the skin of a

black grape; it is spread all over the opaque cornea, from the bottom of the eye to its junction with the transparent cornea.

The retina is a coat formed by the expansion of the optic nerve: it is very minute, soft, of a whitish colour, and spread over the bottom of the eye.

The optic nerve is a round white cord, which extends from the brain into the cavity of the eye, where it is expanded, and forms the retina.

The cavity of the eye is divided into two chambers, the one called the anterior, and the other the posterior chamber: the first is very small; the second forms almost the whole cavity of the eye.

The diaphragm, or membranous circle, which divides the cavity of the eye, is called the iris. This very delicate and minute membrane is contiguous to the termination of the transparent cornea, at the place where it is united with the opaque cornea, and has in its middle a small hole called the pupil, which contracts itself in a strong light, and dilates itself in a weak light. The

colour of the iris varies, and according to its varieties, the eyes are black in some persons, and blue in others.

The posterior chamber of the eye is filled by the vitreous and crystalline humours, and the anterior by the aqueous humour.

The vitreous humour is so named from its resemblance to melted glass: it is formed by an extremely fine coat, which includes in its cells a kind of gummy water.

The crystalline is a little transparent body, like a diamond, of a lenticular form, convex on its two sides: it is placed on the anterior part of the vitreous humour, immediately behind the pupil, where it is retained by a very minute coat, called the crystalline.

The anterior chamber comprehends the space which remains between the crystalline lens and transparent cornea, where we find the aqueous humour, so called from its resemblance to water.

The rays of light which convey to the eyes the images of bodies, undergo a refraction in passing through the transparent cornea

and aqueous humour: after having passed through the pupil, the crystalline lens causes them to undergo one still greater, which is lessened by the vitreous humour, and the image is stopt by the retina, the seat of sight.

The ball of the eye is covered by two eyelids, the one the superior, the other the inferior; and we distinguish here two angles, the one the large, or internal, the other the small, or external. The eyelids, or palpebræ, are formed by strong minute ligaments, which support two small curved cartilages, running lengthwise on their edges, which are called tarsi: these tarsi, towards the great angles, have two holes, called lachrymal points; they are fringed with hairs, known under the name of cilia. The palpebræ are covered by the common integuments, and are lined internally by a soft flaccid membrane, known by the name of conjunctiva, which is stretched over the surface of the eye as far as the transparent cornea. The inner surface of the palpebræ is furnished with a number of follicles,

called the glands of Meibomius, which secrete from the blood a peculiar fluid for the purpose of keeping the eye moist, and lessening the effects of friction, which results from the continual winking of the palpebræ.

A small gland, situated under the smaller angle of the orbit, furnishes the tears, and is called the lachrymal gland.

At the great angle of each eye we observe a little reddish tubercle, which secretes a mucilaginous fluid, that contributes to retain in the great angle, the dust and other foreign matter which are casually blown into this part. I saw, in Egypt, several individuals who had hairs in this tubercle.

The fluids secreted by the lachrymal glands, the serosity which exudes through the pores of the transparent cornea, the fluids of the glands of Meibomius, and of the tubercles, after having moistened the ball of the eye, are absorbed by the lachrymal points, and carried into the lachrymal sac, and from that by the nasal canal into the

nostrils. All these parts have, in their organization, arteries, veins, nerves, and lymphatic vessels, which it would be too tedious to detail.

Description of the Ophthalmy.

The ophthalmy of Egypt first showed itself by a slight head-ach: sometimes it was preceded by a few shooting pains in the ball of the eye, followed by a flow of tears, which, for the moment, assuaged the pain: often the patient fancied that he had a particle of sand in his eye, which distressed him. We generally remarked, that those in the best health were attacked all at once with ophthalmy, accompanied with an uneasiness and considerable weight in the eyes, followed by an excessive flow of *scalding tears*, to make use of the expression of the sick. On examining the eyes in this state, the vessels of the conjunctiva appeared red and distended; often the conjunctiva was elevated to such a degree, that the transparent cornea appeared quite bu-

ried in it, and of very small diameter. Then the palpebræ became œdematose, the patient could no longer endure the light, the flow of tears increased, and generally became changed into a thick, and sometimes yellow matter.*

I think we may call the ophthalmy, arrived at this stage, although very severe, *the simple ophthalmy*; and the ophthalmy *complicated*, when the gorging of the conjunctiva, the swelling of the palpebræ, and the pain of the eyes became so considerable, that fever showed itself, and some injury or organic lesion was perceived in the ball of the eye, as specks, staphylomas, hypopius, and other diseases peculiar to this organ.

* This matter was nothing more than the fluid of the glands, or follicles of Meibomius, which the inflammation had rendered thick. We see this change happen to the skin in slight burns, and after the action of cantharides; for the first day there is nothing poured out from the affected parts but lymph, the day after, thicker matter, which finally becomes changed into true pus. The inflammation of the conjunctiva, in the ophthalmy of Egypt, and that of the membrane of the urethra, afford discharges, of which the appearance is exactly similar.

Causes.

With regard to the cause of the ophthalmy of Egypt, some say that it is the sands of the desert which bring it on; others, that it is ammoniac mixed with the dust; and others that it is nitre. Savaresi says, that the nitrate of pot-ash, which has been improperly called nitrous dust, does not at all injure the eyes, but that it is the clay which has alumine for its base, and the chalk, which is a combination of the carbonic acid with lime, earthy substances widely scattered over the whole soil of Egypt, which cause the ophthalmy. (See the Egyptian Decade, vol. ii. page 161.)

Amongst the causes, I consider the intense light of the sun as the principal, and that what contributed most to cause a determination to the delicate parts of the ball of the eye, was a considerable degree of irritation, followed by an indirect debility, to make use of the Brownonian expression. It is not in Egypt only that we find com-

plicated diseases of the eyes, but in many other places. At Bologna in Italy, for example, when a stranger arrives there, he is not long in remarking a considerable number of blind people, who, during the day, sing and play on different instruments in the squares of this great city: one also observes there a great many individuals, who have the eye-ball projecting, and more bulky than in its natural state, and staphylomas, specks, and other defects of that kind. It is well known that these affections are the consequence of different inflammations caused by the light of the sun reflected from the walls of the houses, which are white-washed with lime. This light, during the summer, becomes so intense, that it fatigues and injures the organ of sight, particularly in those persons who, from their sphere in life, or property, cannot avoid it. (See the *Memoires de la Institut de Sciences de Bologne.*)

At Malta, in the year 7 (1799), one half of the garrison was attacked with the *meralopie*. This disease was attributed to the too great irritation caused by the rays of the

sun reflected by the surface of the walls, and from the ground, which is composed of very white calcareous earth.*

In Egypt the view of immense barren plains, the reverberation of the rays of the sun, reflected from the ground, intersected with streets and squares, and from the water and sandy banks of the Nile, the heat and blaze of which are so great at mid-day, that the eye can scarcely see the spot where one wishes to place one's foot, must necessarily enfeeble, fatigue, and dispose the organ of sight to particular affections. The masons of Egypt being more exposed to this glare of light than others, have almost all diseased eyes. Savaresi asserts that this arises from the lime which they are constantly handling, and from the atmosphere in which they live, being loaded with chalky, argillaceous, and calcareous particles. The fol-

* Citizen Rober, physician to the army of the East, at the head of the hospital staff of the island of Malta, has made some very interesting remarks upon this disorder, on the topography of the island, and the physical and medical constitutions of the years 6, 7, and 8 (1798, 1799, and 1800). It is to be wished, for the benefit of the profession, that he may commit this work to the press.

lowing fact appears to me to prove completely, that the calcareous particles diffused in the atmosphere do not produce the mischief which is apprehended. In the hospital at Giseh, at the time of its first establishment, the wards were white-washed, or rather laid over with a very thick stratum of lime, applied to the walls by means of a miserable broom of osiers, according to the manner of the country. The walls exhaled, for several days, a very strong smell peculiar to lime, which certainly arose from minute calcareous particles, which, having become very dry, diffused themselves in the atmosphere of the wards. This hospital was appointed to receive the soldiers attacked with the ophthalmy, who were to come to it from the hospitals at Cairo, and who actually arrived to the number of about one hundred, towards the end of Frimaire, in the year 7 (middle of December, 1799), the walls being scarcely dry. Having the care of these men, who had been for a long time suffering under the disease of the eyes, I was very uneasy lest I should see them lose

their sight entirely; but I was agreeably surprised on finding them all a great deal better on the following day. Citizens Chateau-Neuf, Dumay, Cerresoli, medical officers, and all the persons attached to this hospital, can attest the truth of this amelioration, which was attributed to the situation being less damp than the wards from which they had come, and to the leaving off the emollient and aqueous collyria, of which they had before been making abuse; and perhaps to the stimulant action of the calcareous exhalations.

But this much, however, is certain, that if the dust or the sand of the soil of Egypt were the cause of the ophthalmy, this malady would not cease attacking the inhabitants during the whole course of the year, with the same violence, since there is hardly a day passes without one's being obliged to walk in a kind of thick mist, or in whirlwinds of dust, elevated by the winds, by men on foot and on horseback, and by the camels and asses. To prove this fact, I appeal to those persons who have frequented

the highways of Bulac and Old Cairo. If this dust, blown into the eyes, were the sole cause of the ophthalmy, when there was no dust we ought to have been exempt from it. We, notwithstanding, experienced the contrary in the Delta, and particularly on the cultivated banks of the Nile, during the time of its inundation. Whenever we were there exposed to currents of air during the night, we were immediately attacked with this disorder, without being able to attribute it either to the sand or dust, which were then under water. It was more particularly, I repeat, during the inundation of the Nile, that a great number of our soldiers were attacked with the ophthalmy. (See the Egyptian Decade.) How came the French of the division Dessaix, to return from Upper Egypt to Cairo attacked with ophthalmy, although they had been constantly embarked upon the Nile? I observed that the sappers appointed to manage the flying bridge established on the Nile, between Giseh and the isle of Raoudah, were all attacked with this disorder; and I

have seen a number of persons who had contracted this disease, although they had never stirred out of their houses, which were perfectly secured from any dust.

Having the charge at Cairo of the surgical duty of the military hospital No. 1, I remarked that several wounded men contracted the ophthalmy, from merely having been placed near to a window not properly closed, or in a wretched ward, which had been roofed over with mats laid at such a distance from each other, that in several places one might have observed the course of the stars in the meridian. The ophthalmy supervening upon these unfortunates in the hospital, has been often more difficult to cure than the wounds which brought them there. It cannot be said that it was the dust blown through the windows which was the cause of the malady, since at that time the squares of Cairo were still inundated, and particularly that of Beker-Tell-Fild, which that very hospital overlooked. This was in Brumaire of the year 7 (October, November, 1799:)

Nevertheless, I do not pretend to say that the dust of the soil of Egypt may not be hurtful to the eyes, but I think that alone it is not sufficient to excite ophthalmy; and it appears to me more probable, as I have already said, that this disease arose from the suppression of perspiration, which takes place very often in Egypt, particularly at night, and which throws itself on the weakest part, choosing sometimes the intestines, and oftener the eyes, fatigued by too vivid light of the sun. Such is, in my opinion, the real cause of the ophthalmy of Egypt.

Indications.

In the general treatment of ophthalmy, it is proper, first, to draw off into other channels the blood and fluids, which are carried to the eyes in too great quantity. Secondly, to restore their tone to the coats and the other parts of the eye, which are too much relaxed.

General Treatment of the Ophthalmy.

Atony, relaxation, and asthenia, were constantly combined in the ophthalmy of Egypt, denominated with propriety the lymphatic inflammation (*lippitudo*) of the ancients. I had many opportunities of seeing and treating this disease in several hospitals, and particularly at Giseh, a place situated about half a league distant from Cairo, on the left bank of the Nile, surrounded by walls on the south and the west, and washed by the river on the east and north sides. During the time of the overflowing of the Nile, several fields and gardens situated within the precincts of the walls of Giseh, were inundated. The great workshops of the park of artillery lay quite close to these waters; the northerly winds prevailed constantly; the quarters of our workmen and soldiers were not at all secured from the cold air and the damp, which penetrated into their chambers with as much facility during the night as the heat

and excessive light entered them during the day. These inconveniences were the principal causes which occasioned the ophthalmy to show itself more at Giseh than elsewhere. To these common causes may be added those which are peculiar to blacksmiths, founders, tinmen, locksmiths, armourers, farriers, bakers, &c. who, from their employments, are exposed to the heat and light of burning coals: in spite of which, during the six months that I had the chief charge of this service, I had the satisfaction of seeing all those affected recover, and in a very short time. Of two thousand attacked with the ophthalmy, whom I attended in Egypt, not one lost his sight, excepting the Abbé Elias, interpreter, a man sixty years of age, and who at last contracted a speck, which prevented him from seeing with the left eye.

In the treatment of this disorder, I recommended them not to make use of any cataplasm, to banish milk, washes, and emollient collyria. I followed the custom of the people of the country, who look upon

water as most injurious to the eyes. In truth, the abuse which was made of it could not fail to weaken and obstruct still more the parts already too much relaxed. We all know the inconveniences resulting from wetting the eyes day and night, or keeping wet linen rags on the palpebræ. Water too frequently applied to the external surface of the palpebræ and forehead, the neglect of the means acknowledged to be useful, and the abuse of remedies administered by quacks, were the sole causes which produced the bad cases of this disease. At Belbes, a soldier attacked with the ophthalmy experienced such violent pains in his eyes, that, being almost frantic, he rushed out of his lodging, and without seeing where he went, began to run backward and forward. This unfortunate man fell over a heap of pines and palm-trees, and by his fall wounded himself in different places, particularly on the palpebræ, from which there followed a good deal of blood: the pains were relieved, and he recovered in a few days.

It was after this accident that bleeding

came into vogue, and there was not a single patient who did not desire to be bled either in the arm, foot, jugulars, or temples; but we very soon discovered that it was blood very unprofitably lost. We then substituted successively the use of leeches, scarifications, blisters, and finally setons. These means were found, in general, more appropriate, and we should have derived from them much greater advantage, if the sick would have desisted from wetting their eyes so often.

Treatment of the simple Ophthalmy.

Citizen Bonaud, commissary of war, charged with the service of the park of artillery, a man very well known by his talents and zeal, had seconded me in establishing a little pharmacy, and consulting room, where such sick as were able to walk came to me every morning.

I immediately administered to them the remedies which I thought necessary. I gave, at the same time, to those with the

ophthalmy, a weak solution of verdigrise, prepared according to the method of Janin,* oculist at Lyons, more or less strong according to the degree of turgidity of the vessels of the conjunctiva. When there existed too great a degree of sensibility in the parts, I added to the collyrium a small quantity of the acetite of lead, and I showed them the manner of using it, which consisted in opening the eyelids widely, and letting fall directly on the ball of the eye one or two drops, or more, which diffused themselves all over the surface of the conjunctiva.

This fluid produced at the moment a slight pricking, followed by some tears, which served to wash the edges of the eyelids. I desired this operation to be repeated at least four times a day, recommending to

* Mr. Janin's formula is as follows:

R. Aq. Rosæ.

—Plantaginis. an \mathfrak{z} vj.

Zinc. Vitriolat gr. xxiv.

Pulv. Rad. Iridis. Florent. gr. xxxvi.

Pulv. *Æruginis.* gr. xij. M. bene in mortario ut fit collyrium.—He observes, that it is an excellent remedy in the early stage of ophthalmy, as it prevents the constant flow of tears; and that it also improves the sight of aged and short-sighted persons. See Janin Mem. et Observat. &c. sur l'Œil, Paris, 1772. T.

the patients to wipe their eyes frequently with a bit of rag kept for the purpose, but not to wash them. I at the same time made them sensible of the necessity of keeping themselves well covered during the night, and protecting their eyes during the day from the excessive light, by making a kind of shade with their handkerchief, without bandaging their eyes as they had before done.

The facility with which the simple ophthalmia got well, according to this method, confirmed me in my opinion, that it was a true defluxion of humours, which might be compared to a coryza.

I was obliged sometimes to make use of small blisters applied to the temples, or behind the ears: I preferred, for this purpose, a blistering plaster, which I allowed to remain applied during the whole of the attendance, without changing it, or making use of any bandage. I have employed, with advantage, small plasters of this paste, immediately over the teguments of the palpebræ, in order to remove their swelling

and atony. In proportion as the symptoms of ophthalmy diminished, I made my collyrium more tonic, not only to assure myself of the cure, but also to prevent a relapse; without which precaution this accident happened very frequently, and then the disorder became more obstinate, and frequently complicated.

When those attacked with ophthalmy were of a plethoric and sanguine temperament, I had recourse to blood-letting; when their bowels were constipated, I prescribed purgatives; and I followed exactly the advice of Hippocrates, who has told us, *Oculorum fluxiones, alvi fluxu curantur*. This practice became still more necessary, when the ophthalmy had succeeded to diarrhœa, which happened very frequently in Egypt.

Treatment of the complicated Ophthalmy.

The complex ophthalmy varied according to the nature of the organic lesion of the affected parts, the degree of the disease, and other accidental circumstances.

It constantly happens that, in all obstinate ophthalmies, all the functions become deranged, and particularly that of the stomach: hence, affections of this viscus were very frequently complicated with the ophthalmia, which then yielded to the repeated use of emetics and purgatives.

Often the most severe symptoms accompanying ophthalmia arise from a state of extreme sensibility in the patient, and we then find symptoms decidedly nervous. One of my colleagues (Citizen Cerresoli), during his attack, was in a such state of agitation, that he often found himself forced involuntarily to shed scalding tears.

In the complicated ophthalmies, along with a great sensibility of the nervous system, there came on the most violent pains in the head, the pulse became high, the patients could obtain neither ease nor sleep, and as they were deprived of sight, the fear of remaining in that situation augmented the uneasiness of the sufferer, to whom it became necessary to give soporifics and anodynes, to which was added blood-letting,

when the strength and constitution permitted.

When the ophthalmy approached its termination, the patient began to distinguish objects, which appeared to him surrounded with a thick mist; this mist disappeared by little and little: the conjunctiva recovered its natural colour instead of the purple hue which it had before; the excessive sensibility of the retina diminished; and, at length, after a good deal of time, trouble, and suffering, the patient found himself quite recovered. But when the ophthalmy became complicated with organic lesion, the consequences were much more troublesome; the treatment varied according to the seat and nature of the affection; sometimes the conjunctiva was so very turgid, that it projected quite beyond the palpebræ, which then could not entirely cover it. In this case, besides the common remedies, we recommended and practised scarifications, and even horizontal incisions, thereby removing whole portions of the conjunctiva; but I observed that this prac-

tice was seldom productive of any good effects: therefore I prefer the application of leeches, which bring away a greater quantity of blood. The use of the citron ointment, No. 14, was of some use, and gradually removed the turgidity of the vessels of the conjunctiva.

At other times the portion of the conjunctiva lining the palpebræ, became so voluminous, that these were reverted, producing the most hideous effect: we then made use of the same remedies as in the turgidity of the conjunctiva. A bandage indeed was suggested, to compress and retain in its position the superior eyelid, after having carefully replaced it; but it very soon became reverted anew.

The majority of those individuals who were attacked with this particular affection, had, at the same time, some other defect in the ball of the eye: in some the whole of the transparent cornea was become either opaque, or projecting, or ulcerated. In this last case, the transparent cornea being no longer able to resist the pressure of the

humours contained within the eye, gave way, and the patient at this moment experienced a shock which he compared to the shot of a pistol, the aqueous humour escaped as at the moment of the incision of the cornea in the operation for extracting the cataract, and the iris coming into contact with the cornea, adhesion of these parts took place, and cut off every hope of restoring sight to these unfortunate sufferers. When specks arose from pus collected between the laminæ of the transparent cornea, they disappeared on giving the matter vent; and when produced by the inflammation of the cornea, they vanished and re-appeared, in proportion as the inflammation diminished or increased.

In several soldiers whom I accompanied from Egypt to France, I observed that the specks which they had at their departure from Alexandria, were diminished after some days sail; and on their arrival in France they clearly distinguished objects, not only sideways, as before, but when placed directly before them. I know some of these

Individuals, who had been reported as invalids in Egypt, and who are at this time in the Consular Guards. Whenever the specks on the transparent cornea do not arise from the disorganization of its laminae, there is always reason to hope that the lymphatic vessels will absorb the extravasated and thickened fluids forming these specks; but whenever the organization is so much changed, that the transparent cornea is become opaque in its centre, then there remains no other method of restoring vision, but performing the operation for the artificial pupil.*

The staphylomas, hypopions, cataracts, and other similar consecutive diseases require particular treatment, and the most delicate operations, which it was not always

* I had made at Reggio, in 1788, a small pair of forceps for separating a portion of the iris from the opaque cornea, and making in this manner an artificial lateral pupil, in the form of a crescent. In the year 5 (1797), Citizen Demours, a celebrated oculist in Paris, succeeded in making an artificial pupil, by cutting off a small shred quite close to the opaque cornea, where there did not remain above a fifth of the transparent cornea in a natural state, and separated from the iris. This operation has been followed with the greatest success, and proves the daily progress of surgery in France.

prudent to undertake in Egypt. Citizen Larray performed at Cairo some operations of this kind with various success. This ingenious and zealous practitioner was one of the foremost in applying himself to inquiries into the nature of the ophthalmy, and presented to the Institute of Cairo a very full account of this disease. Citizens Bruant and Savaresi have also inserted some reflections on this subject in the Egyptian Decade.

The Treatment used by the Egyptians for the Cure of the Ophthalmy.

When the natives of Egypt are attacked with the ophthalmy, they cover their eyes with several muslin handkerchiefs, and are very careful not to touch or apply any thing to them during the first seven days. At night they cover, with great care, their head and body, by which means the perspiration is restored, which greatly contributes to their recovery in a short time. Often severe symptoms show themselves; and then they make use of various powders, and astringent and

tonic collyriums. (See the table, p. 148.) Several have their heads shaved, and scarifications made on their temples and foreheads; they apply leeches to the angles of their eyes, and cupping-glasses to the nape of the neck,* blisters behind the ears, where they also sometimes apply cauterly; they, at the same time, make use of different ointments, and coloured and thick collyriums; for if the collyriums were liquid and transparent, they would, in their opinion, be hurtful and injurious to the eyes.

At Giseh, and other places, I have seen them paint their eyebrows and all the edge of the orbit, with a pencil dipt in a mixture, either white or yellow, or sometimes black. It was difficult to keep oneself from laughing at seeing these poor sick people almost blind, with the contour of their eyes besmeared with these different colours.

* The Egyptians, for performing this operation, make use of a small cow's horn, open at its base, the other extremity also open, and provided with a kind of parchment valve: they place the base of this horn upon the skin, at the spot where they wish to perform their cupping; they then exhaust the air by means of suction, and after having in this way formed the necessary vacuum, they close the valve, which prevents the entrance of the external air into the cavity of the horn.

They were expressly forbid to touch, wash, or cover their eyes, and were not to use any other remedy for three days, if they wished to get well.

The astonishing number of persons of both sexes, blind in one or both eyes, whom one meets with in Egypt, proves that their treatment is not at all efficacious. Indeed, in the complicated ophthalmies, what can we expect from such remedies, but loss of eyesight, as some of our soldiers experienced who were thus treated.

I agree with the inhabitants of Egypt, that emollients, cataplasms, and water, are hurtful in the cure of this disorder; but I assert likewise, that to neglect every kind of remedy is to confide too much to nature, and too little to the resources of art. Their principle of fatalism, *God decrees, God has decreed*, makes them neglect many things which might be of utility to their health.*

* Amongst the great number of blind people whom I examined at Cairo, I saw very few individuals who had true cataracts capable of being operated upon with success. The majority had either staphylomas, or the cornea totally opaque, or the eyes almost entirely evacuated. When I proposed to cure those having cataracts by means of a small incision, they re-

*Powders, Ointments, and Collyriums, used
in Egypt in the Treatment of the Oph-
thalmy.*

No. 1. Nut galls and pulverized anti-
mony, each equal parts; mix and make into
a powder.

No. 2. This powder, mixed with vine-
gar, forming a kind of ink.

plied to me with the greatest coolness, *I shall be cured without
any incision if God decrees it*: and it was not possible for me to
persuade any of these fatalists to allow the operation to be per-
formed.

Citizen Berti, of Venice, surgeon oculist, only performed
at Cairo, during eighteen months, two operations for the ca-
taract, on two beys, with whom he was very much displeas-
ed, because, after having completely cured them, they said that
they could not see so well as formerly, and that the operation
had been badly performed, because he had not evacuated the
humours of their eyes with his lancet. This instance of the folly
of the Turks made me determine to abandon the operation for
the cataract, to which I had paid a good deal of attention when
in France and Italy, where I had practised it with success, both
according to the method of Demours, and with an instrument
of my own invention, which bears some resemblance to that of
Guerin. I had this instrument made at Paris in 1786: it was
presented to the Academy of Sciences by Citizen Sebatier, who
wished much to read to them my sentiments upon that instru-
ment, and likewise upon that of Citizen Guerin, of Bourdeaux,
which had then appeared at Paris.

Citizen Malacarne, professor of surgery at Padua, had these
same reflections, and the case in which I had made use of my
instrument with success, inserted some time afterwards in the
Journal of Citizen Bragnatelli, entitled, *Bibliotheca Physico
Medica.*

No. 3. Sugar-candy, sulphate of alumine, nitrate of pot-ash, equal parts; mix and make into a powder, for destroying specks on the cornea.

No. 4. Chichm* in powder, sugar-candy, alum or sulphate of alumine, equal parts; mix the whole with vinegar.

No. 5. Infusion of saffron, and some drops of the tincture of opium as a resolute anodyne collyrium.

No. 6. The soap collyrium, a solution of soap in alcohol.

No. 7. The tonic collyrium, a solution of the sulphate of zinc in water, mixed with

* The-chichm is a black seed very common at Cairo: it is brought by the caravans from Darfour and Senaar. Citizen Delille, member of the Institute of Cairo, sowed this seed in Egypt: it gave the cassia, *absus*; Linnæus, *cassia hispida*; of which he communicated to the Institute of Egypt, and that of France, the following description:—The cassia, *absus*, is a small hairy plant, whose stalk is slender and herbaceous, its leaves alternate, pinnate, composed of two pairs of leaflets, occupying only the upper part of the plant. The flowers are of a deep yellow, and disposed in little loose clusters; they produced hairy, narrow, compressed pods, about five centimetres in length (one inch), enclosing black roundish-oval shining seeds.

Citizen Fontaine, professor at the Jardin des Plantes, told me, that about three years ago Citizen Olivier, member of the Institute, had brought this seed from Persia, under the name of cassia, *absus*; that these seeds had been sown in the Jardin des Plantes; and that they also had produced the cassia hispida.

vinegar and brandy ; useful in affections of the palpebræ and tarsi.

No. 8. Muriate of soda, dissolved in water, mixed with vinegar; useful in the simple ophthalmy.

No. 9. Solution of verdigrise.

No. 10. Solution of acetite of lead.

No. 11. Cerusse mixed with water, used to paint the contour of the eyes white.

No. 12. Saffron bruised and mixed with cerusse, and a little vinegar, for painting in yellow.

No. 13. Ink of antimony, for painting in black. (See No. 1.)

No. 14. The desiccative ointment, made by adding some oxyde of mercury, formed by the nitric acid to any ointment.

No. 15. The vegeto-mineral water.

On the Means of preventing the Ophthalmy.

We have already said that it was not at all difficult to preserve oneself from the ophthalmy, provided we keep ourselves protected from the currents of cold and damp

air, it being well known that this precaution alone is sufficient. At Cairo, the Monks and Franks, and also those inhabitants who adopt proper precautions, are not at all subject to this disease.

The soldiers on guard, or upon night piquet, should, during the night, cover up well both their head and feet, and particularly if they are obliged to make a voyage on the Nile; and in cold and damp places, they should avoid, as much as possible, the smallest currents of air. Several persons have been attacked with the ophthalmy after having slept near a window which had not been properly closed. It was in this way that Citizen Fevre, engineer of bridges and causeways, and member of the commission of arts, was attacked with the ophthalmy in one eye, the first night after his arrival at Cairo from Syria, although he had slept the preceding nights in the open air, in a bark on the Nile, without experiencing the smallest inconvenience, because he had taken care to keep himself well covered. He had a great deal of difficulty in getting rid

of his ophthalmy; and if he neglected for a single day to make use of the collyrium (No. 9), he was attacked without fail on the day following. We have remarked, that this collyrium prevented or stopt the progress of the ophthalmy; and I have no doubt that it might also be useful as a preservative. This slight styptic must necessarily act upon the vessels of the conjunctiva, the lachrymal ducts, the glands of Meibomius, the lachrymal caruncle, the pores of the cornea, and preserve these parts from that state of relaxation which is the principal cause of the ophthalmy of Egypt, and of a great many of those of Europe.

The general of division, Beillard, was severely attacked with the ophthalmy at Giseh, while he commanded that province. He attributed his cure to that same collyrium; and sometime afterwards, having gone into Upper Egypt, I sent to him, as a preservative, a mixture of verdigrise and acetite of lead in powder, which he dissolved in rose-water. When he happened to be short of the collyrium, I recommended to

him the use of a mixture of brandy and pure water. The ointments, besides other inconveniences, were very apt to turn rancid.

In order to diminish the impression of the light, green spectacles have been recommended. This method is very good, but one must use spectacles a little better made than those which the Turks sold to us. They consisted of a half-mask of Morocco leather, furnished with two miserable pieces of coloured glass, pasted between two bits of leather: they lay too close upon the eyes, and heated them very much. Indeed, all those who used them, laid them aside in a short time, after having experienced not only their inutility, but also their inconvenience. As to myself, I never made use either of spectacles, of collyriums, nor of any preservative to protect me from the burning sand, the nitric, ammoniacal, or calcarious dust, nor even to protect myself from the excessive light: but at no time either the refreshing coolness of the evenings, or the beauty of the nights, could induce me to leave my windows open, or to sleep in the

open air; and when I was obliged on duty to do so, my boat-cloak served me for a tent, and became my ægis.

Note. I have no doubt that the catarrhal ophthalmia which prevailed at Vienna, in Germany, in 1799, was of the nature of the Egyptian ophthalmia. (See the Bibliothek. Germaniq. tom. iv. page 132.)

THE
DESCRIPTION AND PLAN
OF
AN HOSPITAL FOR SOLDIERS,
Attacked in Egypt with the Disease
called the Plague.

IN speaking of the disease epidemic in Egypt and Syria, called the *Plague*, we pointed out the means to be used for self-preservation; but it must be confessed that it is not always in our power to avoid the causes which produce it; and the soldiers composing the garrisons of Alexandria, Rosetta, and Damietta, may be attacked with it, particularly during the rainy and unhealthy seasons. It is well known, that in order to cure any epidemic disease whatsoever, there is nothing more useful than to place the sick in healthy, dry, and well aired places.

During the twenty years that I have studied and practised physic, I have seen a great many hospitals in Italy, Switzerland, France, England, and Egypt, and met with many very beautiful; but very few indeed which united the advantages necessary for the object proposed: that of Reggio is, in my opinion, the most healthy, and best conducted of all those which I have examined in detail. As surgeon in chief of this hospital for nine years together, I had every opportunity of convincing myself of this truth. The large hospitals are seldom kept clean, and are always unhealthy on account of the number of sick brought together into the same place. The hospitals which I have seen in Lower Egypt, and particularly that at Alexandria, called the Hospital for Plague Patients, was more adapted for producing than for curing the fever. I am also well convinced, that it is by no means easy to convert churches and mosques into good hospitals, notwithstanding the good will and talents of the engineers; and if we consider the enormous expense which the repairs of

such a place require, before it is converted into an hospital, I am certain that one might have constructed the whole quite new.

It is for the purpose of procuring, if possible, for these establishments all the advantages of which they are susceptible, that I have conceived the plan of an hospital for the garrisons of the principal cities on the coast of Egypt. I take for granted, that we follow the advice which I gave for preventing the epidemic fevers of this country at the same time; and then an hospital capable of holding about one hundred fever patients will be sufficient for any garrison whatever, either at Alexandria, Rosetta, or Damietta; and if experience should prove that such an hospital as the one proposed will not be sufficient for the number of sick, we may construct, at a certain distance, another like the first; but we ought to avoid bringing together into the same place too great a number of fever patients. The crowding together a number of sick in the same hospital, has been, and always will

be, contrary to the true principles of the practice of physic, whatsoever may be the disease; *a fortiori*, in the treating an epidemic, whose symptoms are such as to have procured it the title of the plague. The hospital of which I submit the plan, will not contain more than one hundred beds: it will consist of three wards; a large one for the sick soldiers, a smaller for officers, and a third for convalescents. It will also have a sudatory, or dry bagnio, for oily frictions, the whole on the first floor. The ground floor will contain the necessary offices. This building will be very simple, and easily erected, particularly in Egypt.

Particulars.

There ought to be in each room for the reception of patients, a fire-place, a large bason, a cistern with a bath, some stone seats and presses.

There should be in the room for warm oily frictions, a stove chimney, or a fire-place *à la Desarnold*, and some presses.

In the great ward there should be two tiers of windows, one over the other; the latter should be open down to the floor of the wards, the better to renew the air, the carbonic acid of which always occupies the lower parts of the wards. They should have gratings formed of perpendicular bars for at least half their height, in order to prevent all accidents which might happen to patients in a state of delirium.

Each of these windows, or balconies, should be closed by two shutters, which should open into the wards; their upper halves should be glazed, and have ventilators to facilitate the passage of light and air into the wards. The shutters of the windows should be made to fit well to each other, so that they may close accurately.

The pavement of the wards should have some degree of slope inwards, so as to prevent, in case of any accident, or after washing the floor, any moisture remaining under the beds, which is a circumstance very essential to the healthiness of an hospital, and generally too much neglected.

The necessaries in that part of the galleries which we have pointed out, would unite the advantages of being without the wards, and, at the same time, within the reach of the convalescents and those patients able to walk. They should be placed in excavations in the pillars, in the form of niches, and should be paved and lined with marble. The water from the roofs should flow off by leaden pipes into the necessaries, as well as that from the cisterns; and the troughs for the tisans, that from the pharmacy, the kitchen, the baths, and wash-house, should be carried off into the sea, or the Nile, by the same common sewer.

Such sick as are unable to go as far as the necessaries, should be placed, by the assistance of the attendants, on a copper vessel, tinned over on both sides, and the edges rounded off, to prevent its hurting the thighs of the sick: it should also be pretty strong and wide at its base, so as to sustain the whole weight of a body without any danger of upsetting: it should likewise have a cover to fit its opening exactly. Hence,

when thus closed, it will not spread any disagreeable smell, which is an inestimable advantage, particularly to the attendants. The earthen utensils commonly used should be banished from this hospital, since, if they are not quite new, they become infectious. If, during some of the days in winter, the cold be considerable, which is not uncommon, particularly at Damietta, it will be useful to light pans of coals in the wards, which will also help to change the air.

Among other advantages attending this hospital would be that of having its own wash-house and burying-ground distinct, and, at the same time, quite near. We have all observed with what facility an alarm spreads itself in any city which is suspected of having the plague, while the sight of the dead bodies justifies the dread, and spreads dismay. I confess that I never saw any thing so hideous and shocking as the ferry-boat into which the dead bodies proceeding from the hospitals at Jaffa were thrown, for the purpose of being taken out of the city to be buried. In the hospital which I

propose, whenever a death happens, the body would be immediately removed into the dead-room, and afterwards consigned, along with some quick-lime and sand, to a deep grave in the burying-ground.

The *rose de vents* (wind dial), in the interior of the tower, would point out to the officer on guard, whether or not it would be preferable to have the windows of the south or north sides opened, and whether or not the sick should be advised to remain in their wards, or to walk on the great terrace.

By the aid of the necessary instruments with which modern philosophy has made us acquainted, it would be easy to learn not only the degree of heat, but all the other qualities or properties of the atmosphere. These meteorological observations, the medical topography of the environs of the hospital, as well as remarks respecting the succession of diseases, and their causes, should be preserved in a journal kept for this purpose, which would become valuable towards improving the practice of physic.

Citizen Desgenettes, in Thermidor of the year 6 (July 1798), addressed a very interesting circular letter to the physicians of the army of the East, recommending a plan for collecting the physical and medical topography of Egypt. The majority of his fellow practitioners complied with the wishes of the physician general; but among their reports, I do not find the topographical, meteorological, and medical observations brought together into one journal, or table, as in that which I propose, and which would be very easily kept, whenever the medical officers were furnished with the necessary instruments. Subjoined is the form of a table, which would pretty nearly fulfil and present at one view the object proposed.

METEOROLOGICAL

Made in the Military

Commencing — day

At sun-rise. Two hours after mid-day. At sun-set.	State of the sky.	Direc- tion of the winds.	Thermometer placed.	
			In the ward.	In the open air.
Monday. { Sun-rise 2 o'clock. Sun-set.				
Tuesday. { Sun-rise. 2 o'clock. Sun-set.				
Wednesday { Sun-rise. 2 o'clock. Sun-set.				
Thursday. { Sun-rise. 2 o'clock. Sun-set.				
Friday. { Sun-rise. 2 o'clock. Sun-set.				
Saturday. { Sun-rise. 2 o'clock. Sun-set.				
Sunday. { Sun-rise. 2 o'clock. Sun-set.				

MILITARY HOSPITAL AT

MEDICAL TOPOGRAPHY.

PROGRESS OF THE SICK.

THE SPECIES OF DISEASES.

OBSERVATIONS AND REMARKS.

*Practice to be followed on the Reception of
the Sick into the Hospital.*

Whenever a patient arrives at the hospital, the porter should show him into the small room adjoining the admitting board. There he must be examined by the surgeon on guard, who, after having made himself acquainted with the nature of his disease, should give him a billet, with which he should immediately pass to the room for receiving patients, where the store-keeper must make him undo his knapsack, and, after taking an accurate account of all his property, ought to throw his foul linen into a bason full of water, burn his useless effects, and then place the rest in the magazine for the knapsacks, and his musket and sabre in the room for depositing arms: every article should have a ticket affixed. The patient, after being stript, should be washed with tepid water, and rubbed well with soap from head to foot, after the manner of the Turks. After this

operation, they should throw over him a shirt, a great coat and cap, and give him a pair of wooden sandals: he should then be conducted to the room for frictions. On being brought into this sudatory, he ought to be placed on a bed, and one or two hospital-attendants should begin rubbing him rather briskly from head to foot with a sponge dipt in warm olive oil. These frictions must be performed quickly, and should not last longer than three or four minutes at farthest: the freshest and purest oil should be made use of. If he has buboes, it will be sufficient merely to anoint them. The patient should be well covered, and will then soon begin to sweat; to encourage which he should take some tea, or other diaphoretic drink. When the sweating begins to subside, the patient should be again dressed in his shirt and great coat, and removed, well covered, to a bed in the large ward, or into the officers' ward. These frictions should be repeated every day till the patient is out of danger; and when the physician thinks fit, he should be removed

into the convalescents' ward. It is useless to add, that the necessary medicines should be administered at the same time, to facilitate the patient's recovery.

As to regimen, that should be regulated by the attending physician. To those attacked with the plague at Smyrna, they give, during the first five or six days, some vermicelli, well boiled in water without salt; afterwards a little rice, some spoonfuls of sweetmeats, a cup of strong Moka coffee, and one or two biscuits. When the patient begins to get better, they give him some soup made with herbs, a little fine white bread, a few raisins, and a very ripe orange or pear. It is not till after the thirtieth day that they give him soup made from meat; and about the end of forty days they permit him to take a little boiled or roasted veal, with a moderate quantity of wine.

With respect to the duty and employment of those attached to this hospital, the regulations should be nearly the same as those of the other military hospitals of the Republic.

As it is of importance, in order to preserve oneself from this disease, not to remain too long in the same place, the medical officers, and all the attendants, should be relieved every two months, or sooner, if their health requires it.

All the persons attached to the hospital ought to be lodged out of doors. The surgeon and the apothecary on guard should be changed every twenty-four hours, and they ought to be at least three days off duty. The hospital orderlies, the servants, and others attached to the ward for receiving patients, to the room for frictions, to the wash-house, stores, &c. should do duty alternately; and when they are not employed, they should be prohibited from entering the hospital. This measure is of more importance than may be imagined, since often the allurements of a few indirect gains, causes them to forget the dangers which they run by remaining too long close to the sick. I have seen these fellows lavish their attentions on some poor wretch, because he happened to possess a little money, and they foresaw

that his death was at hand ; but no sooner had his purse or his girdle disappeared, than their assiduities diminished, and the more rapidly if some fresh object for plundering happened to be presented to these demons of avarice.

It was in this way that several individuals contracted the disease, and finished their days without enjoying either the spoils or compensations which they had scraped together.

The salaries of the orderly men, as well as their rations of wine, brandy, and coffee, ought to be augmented, which would contribute to preserve them from the epidemic, and would induce them to pay attention to their duty.

Before concluding, it will be of some utility to mention here some facts which have been published by Father Louis, of Padua, director of the hospital for plague-patients at Smyrna. In 1793 twenty-two Venetian sailors inhabited, during twenty-five days, a damp chamber on the ground floor, along with three persons affected with

the plague, who died: the inunction with oil saved all the others. In the same year three families of Armenians, one thirteen, the second eleven, the third nine in number, preserved themselves by the same means, and attended on their relations who had the plague, without contracting the contagion, although they slept on the same beds, and supported almost constantly these poor creatures in their arms. In 1794 one poor woman remained shut up in the same apartment, along with thirteen persons having the plague: she nursed them all, and preserved herself from the contagion, by using frictions with oil. One Ragusan family had that year two of its number attacked with the plague: they dipt themselves (if I may be allowed the expression) in oil, and, in consequence, entirely escaped. At this day the use of oily frictions is very generally adopted in the Levant.

Citizen Peron, of Toulon, surgeon of the first class in the navy, who has resided at Smyrna for several years as a physician, communicated to me several particulars

respecting the plague and oily frictions, all which have confirmed me in the opinions which I have delivered in the course of this work. It is to be wished, that Father Louis, of Padua, and all those who adopt this practice, would publish their observations; since, in my opinion, the frictions with oil are not only useful in curing, but in preventing the plague. I therefore felt anxious to propose the adoption, and to detail the particulars to be observed in the use of this remedy; and I will add also, that I think the use of oily frictions in a sudatory (*frictions d'huile à étuve*), may be made of much more extensive application. A great deal might be said on the *modus agendi* of this remedy; but I disclaim all system, and we have not as yet a sufficient number of observations on which to ground a theory: let us be contented, for the present, with consulting experience, and following its indications.

If it should so happen, that, from the draining of the marshes, the plague, and other diseases of that nature, should dis-

appear, and the coast of Egypt, along the Mediterranean, should become as healthy as the rest of that fine country, this hospital may then be appropriated to the reception and cure of patients having the itch and venereal disease, as the chamber of reception would serve for a bath, and in that set apart for warm oily frictions might be performed the frictions proper in these diseases.

After what I have set forth in this work, there could be nothing to be dreaded on the score of the contagion, which might be communicated to these fresh tenants; besides an exposure to the air (*une serène*) of all effects for forty days, if judged requisite, would remove every danger and objection.

Patients with dysentery, ophthalmy, and even those with wounds, might be also cured there, as they would be in no danger of hospital fever, or gangrene: the surgeons might perform their operations in the room set aside for frictions. After an engagement, either by sea or land, or in case of a debarkation of troops, if more space should

be requisite, the great terrace which is above might be very soon converted into a ward, which would double the number of beds, and by placing those in the other wards a little closer, room might be made for three hundred provisional beds: and the same number of offices would be sufficient for this service.

During the time of an epidemic, the bringing together so great a number of sick would be perfectly inadmissible, and the hospital should then be put into its former state.

REPORT

MADE TO

THE SOCIETY

OF THE

SCHOOL OF MEDICINE AT PARIS,

Upon a Work written by M. Assalini, entitled, *Observations upon the Disease called the Plague, &c.* Extracted from the Registers of the Society of the School of Medicine of Paris: the Sitting of the 14th Ventose, Year 9 (6th March, 1801).

THE work which M. Assalini presents to the Society, under the title of *Observations on the Disease called the Plague, &c.* contains some remarks made by the author on the diseases which prevailed epidemically in the army of the East, both in Egypt and in Syria; upon some other diseases reputed contagious; the dysentery and the ophthalmy of Egypt; and the plan of an hospital proper for the treatment of the diseases which are epidemic in this colony.

The intention of the author is to make known the facts to which he was witness. He has drawn a conclusion differing widely in many respects from the common opinion, particularly on the fact of contagion, as well as on the supposed cause of the disease known under the name of the plague.

We shall just give a summary idea of the observations contained in this work.

In the Introduction, M. Assalini mentions the circumstances which might possibly affect the health of the soldiers, after the epoch of their landing at Alexandria. The heat of the days, the cold damps of the nights, the exhalations of the marshy lakes, the quality of the food, the scarcity and want of water during their march across the desert plains, from Alexandria to Cairo, in the year 6, the imprudence of sleeping out of quarters, or in the currents of air from open windows, comprise the whole of the causes to which the author attributes the greater part of the ophthalmies and dysenteries. He gives afterwards a short description of Jaffa (the ancient Joppa),

of the lakes which surround it, and the miseries which the war brought together in that city, in the course of the year 7 (1799).

In the meteorological table of the year 7 (1799), at Cairo, we perceive the climate of Egypt characterized by a remarkable serenity of sky, interrupted only in the month of Nivose (December, January) by some rains; and the whole year divided into six uninterrupted months of a clear serene sky, and into six other months of a sky covered with some clouds, among which are two months of mists; namely, the months of Brumaire and Frimaire (October, November, December).

After these preliminary remarks, the author treats of the diseases which afflicted the army of Egypt during the years 6 and 7 (1798 and 1799).

The principal is a disease which attacks several individuals at the same time; the chief symptoms of which are, fever, buboes, carbuncles, loss of strength, head-ach, and delirium; which most frequently carries off the patient about the third or fifth day, and

which every year shows, itself more or less, along the coasts of the Mediterranean and the Archipelago, from Alexandria to Constantinople. It has been called the *Plague*; a dreadful name, because it conveys to the mind the combined ideas of an inevitable contagion, and almost certain death. Hence, to avoid the fatal influence of a word to which so dreadful an appendage has been linked, the author calls the fevers which desolated the French army by the name of epidemic fevers. By others it has been called the fever with buboes.

Among the characteristic symptoms of these fevers, the author especially remarked an uncommon apathy, in consequence of which the patient seeks out some solitary spot, where, covering his head, and giving himself up to sleep, he becomes totally indifferent to the most powerful calls of interest; in which state he remains till seized with delirium: he dies on the third or fifth day after the attack.

Here M. Assalini puts the query, whether or not this disease be really contagious?

The following are the facts on which he grounds his reply.

Although a great many persons were attacked with the fever with buboes, after having had communication with the sick, there was a still greater number on whom this intercourse produced no such effect; and, on the other hand, many, in spite of the most complete shutting up, fell under its influence.

The Egyptians, Syrians, and Turks, who communicated without any precaution with the sick, and shared the effects of those who died, did not contract the disease.

The neglect with which the regulations of lazarettoes and the laws of quarantines, on the roads from Alexandria and Damietta to Cairo, were observed, did not occasion the disease to spread itself to the latter city.

Into the hospital of Ibrahim Bey three patients were received, who died two days after of the disease; yet, of sixty persons who were then in that hospital, not one caught the contagion.

The physicians of the country, and Citi-

zens Desgenettes and Larray, braved the contagion throughout: the first inoculated himself in the arms and groins, yet none of them were attacked with the disease.

The author received on his hands the pus of buboes which he was laying open: he slept in sheets washed by a woman who died the next day of the disease; a sick woman reposed herself on his bed, and died in like manner the day after: yet he had no attack of the malady.

In his inquiry into the causes which gave rise to the developing of this disease in the army of Syria, M. Assalini makes the following reflections.

The Turks made prisoners at El-Arish, and at Jaffa, could not have communicated the contagion, because they themselves were not affected with the disease.

The division Kleber, at its departure from Damietta, was in very good health, in which state it continued while crossing the desert: the army then arrived free from contagion; it could not, according to the author, meet with the germs of the disease, but in the fa-

tigue, want of water, and scarcity of live stock in the desert, in the winds, the rains, and the inconstant weather, and difference of the climate of Syria from that of Egypt, in the topographical disposition of the encampments around Jaffa, in the marshy waters of a lake in the neighbourhood of which was encamped that division of the army which was the first attacked, although it came direct from Cairo.

Rosetta, Damietta, and Alexandria, surrounded by marshes, and of course exposed to the like influences, are subject to the same diseases.

In Egypt the places elevated above the damp and infected vapours which fall down upon the plains, were constantly exempt from contagion. These vapours envelope the habitations of the lower country in a mist, which is very visible either at the rising or setting of the sun. Of the places which, on account of situation, are protected from this scourge, the citadel of Cairo is quoted as one instance. Its inhabitants, during the plague of 1791, were

exempt from the disease, which laid waste the lower town, with which, nevertheless, they continued to hold constant intercourse. The author mentions other examples, presenting similar results.

It is a known fact, that in the unhealthy latitudes of Africa and America, one method not only of preserving from, but likewise of curing those affected with the diseases endemic in those places, even when threatened with approaching death, is the removing them to another situation. Often the wished-for effect is produced by the mere change of place, although perhaps the spot to which the journey is made does not afford superior advantages in point of healthiness.*

M. Assalini observed the same fact in the Egyptian fevers with buboes. He cites a great many instances, from which he concludes, that no distinction ought to be drawn between the causes and phenomena of the production of fevers with buboes,

* In America, however, it is in the removing from the coast to the interior of the country, that these fortunate changes are most remarked.

and of those which desolate other countries, and which have never been suspected to be of a contagious type. Lastly, the author mentions an observation which he thinks important.

During all the time that the English prevented the arrival of any vessel in Egypt, the disease raged in the army of the East. On the contrary, when the blockade was abandoned, and Tripolitan, Algerine, and other vessels were permitted to come in, the disease did not take place during that period.

From all these observations, as might be expected, M. Assalini concludes, that the disease which attacked the army of the East in Egypt and Syria, and which, considered in its individual symptoms, bore a good deal the character of the disease known by the name of the plague, considered collectively, was evidently epidemic, and not truly contagious; and that it was occasioned by local causes, and not by a germ brought from abroad.

After these reflections, M. Assalini proceeds to the consideration of the treat-

ment. He reduces it to three indications : to diminish plethora when it exists, to empty the primæ viæ when they are loaded, and to excite perspiration and sweating. As the two first indications are only conditional, it is evident that the third is that which he considers as essential and fundamental.

We shall not follow him through the details, but will only remark, that one of the means of which he speaks most favourably, either as a preservative, or as useful in the treatment, is the use of coffee without sugar, mixed with citron juice, and given by cupsfuls five or six times a day. He treats pretty fully on oily frictions, which have been for some time celebrated, and appears to place a good deal of confidence in them. In general, the tonic and sudorific treatment followed by Citizens Desgenettes and Larray in Syria, Dieche near Acre, Savaresi at Damietta, Sotira at Rosetta, Ghisleni and Balbes at Alexandria, constantly saved, he says, two thirds of the sick, the greater part affected with buboes.

As to the particular treatment of the carbuncles and buboes, M. Assalini condemns the practice of opening or burning them with the actual cautery, before they come to maturity. He recommends the use of cinchona internally, externally anointing the tumours with oil; and he thinks that they should be opened whenever symptoms of suppuration have appeared.

The particular precautions which M. Assalini made use of for his own preservation, consisted merely in avoiding as much as possible remaining in the unhealthy places, making use of the best food he could procure, and keeping himself constantly employed, in order to avoid low spirits. He took care to arrive at the hospital without being in a sweat; before going his round, he drank a large cupful of bitter coffee; on leaving the hospital, he rode out on horseback, till he brought on sweating; and, before going to bed, he took a cupful of punch quite hot, which made him perspire profusely during the night. As to the rest, he took no precautions against the contact

of the infected, except avoiding the direct impression of their breath.

With regard to general precautions, one of the principal which he recommends, to support which he quotes a number of facts, and on which he relies with most confidence, is the moving the troops, and successively changing the garrisons from one quarter to another. Lastly, measures of police for keeping the streets clean, and in good order, the necessity of paving them, and of draining the morasses by canals, and filling them up to prevent the stagnation of the waters, are precautions, the importance of which appears to him evident, on considering the present state of the environs of Damietta, Rosetta, Alexandria, and the fort of Birket-El-Hadji, and which, conjointly with the restoring and bringing to perfection the art of agriculture, appear to him necessary, in order to place Egypt in that state of salubrity which it undoubtedly enjoyed in the time of its ancient prosperity. May his wishes be accomplished: may the beginning of this century witness the

complete extermination of two of the most dreadful scourges of humanity, the small-pox and the plague!

After these different observations, the author gives an account of the customs followed by the Franks or the Europeans in the Levant, the precautions used in lazarettoes, and the laws of quarantines. The particulars of this department of the public police are sufficiently known. But possibly some concern may be felt on seeing in what an unfavourable light the author views these establishments, from his comparing together the deplorable effects resulting from terror and *shuttings up* during the European plagues, and the less fatal effects, as he says, of the unconcern of the Musulmen; an indifference which at least prevents them from being deaf to the calls of their friends and relations, who, on their death-bed, implore their assistance. However true the author's reflections may be, his intention can never be to authorize the national gratitude to be withheld from the patriotism of those citizens who have esta-

blished and supported, to the present time, the lazaretto of Marseilles, and who, during twenty-four years, have been the sentinels of France, for the purpose of preserving the public health.

M. Assalini next says a few words on the disease which, in the year 8 (1799-1800), attacked the army of Italy in the Ligurian Republic. It was of the nature of the jail fever, and was not at all contagious. He adds some reflections on the yellow fever of Cadiz. The several questions which he puts on this point, the doubts which he starts on the degree of mortality caused by that disease, and on its spreading by contagion, can only be resolved and removed by an exact knowledge of the facts.

The dysentery, to which he was witness in Egypt, appears to him uniformly to arise from the suppression of perspiration, owing to the imprudence with which the soldiers exposed themselves, by sleeping in the cold and damp night air. He distinguishes it into three degrees: the first consisting of

simple dysentery, without colic; the second accompanied by colic and mucous evacuations; and the third accompanied by fever, bilious, putrid, and bloody evacuations. In the treatment, varied according to the indications and circumstances, the author mentions the advantages obtained by means of opium, the utility, in certain cases, of blisters applied to the abdomen, and of the fruit called *baobab*, or monkey's bread (*Adansonia baobab*), much recommended by the native physicians. He recommends the practice of adding a little coffee, or brandy, to the Nile water, as a preservative against this disease.

Lastly, the ophthalmy, divided by the author into the simple and the complicated, that is to say, with swelling of the conjunctiva and palpebræ, violent pains and fever, and various organic lesions of the ball of the eye—the ophthalmy appeared to M. Assalini constantly produced by the influence of the cold night air, joined to the fatiguing effect of the burning heat and excessive light of the sun on the organ

of sight. The sands driven by the winds, and the saline substances with which they are impregnated, appeared to him to be only accessory influences, which may possibly aggravate the effects, but which are subordinate to the principal cause: in short, that this disease, and the dysentery, in his opinion, only differ from each other in the part affected, and are especially determined in proportion as the one or the other becomes most irritated or enfeebled.

The treatment of the ophthalmia presents nothing new. He reduces it to the employing of means to produce revulsion, and of tonic and astringent collyriums, not forgetting to follow the indications presented by the several consecutive organic lesions. The remedies of the country are of little value, and the precautions for preventing the attack consist in being careful not to sleep in the open air, but particularly in the current of air from open windows; and when on duty in the field, to keep the head covered, and protected with a cloak.

M. Assalini concludes his work with the

plan of an hospital adapted to the country. It consists of a large building, the fronts look to the east and west, and the windows extend from the ceiling to the floor. The ends looking to the south and north are easily shut against these winds, so dangerous in that country. There are likewise rooms adapted for stoves, oily frictions, for the reception of convalescents, and for other purposes. A wind-dial (*rose de vents*), communicating with a weather-cock, is placed in the ward, in order that the physician may regulate the opening and shutting the windows, and ventilating the wards according to the weather. The building is terminated at top by an open terrace, adapted for a promenade during the time of the epidemic. There are likewise several other arrangements, well adapted to the necessary purposes of such a building.

Such is the concise idea which we have thought fit to give here of M. Assalini's work. It remains for experience to decide the queries therein discussed on the subject of contagion; queries on which immediately

depends the theory of the preservative means, and of those proposed for the destroying the source of the pestilence. However strong his reasoning may appear, before pronouncing judgment it behoves us to wait until the united observations of all those physicians who have observed the same phenomena as himself upon the same theatre, and at the same time, shall begin to dissipate our doubts, and to teach us whether or not the ancient opinions, consecrated by time, and the authority of the greatest names, ought to be ranked amongst those prejudices which time destroys so slowly, but which the lights of philosophy and science ought at length to overturn.

In supposing the decision perfectly conformable to the observations of M. Assalini, and to the conclusions which he draws from them, there will still remain on the phenomenon of contagion, a great number of other questions to be resolved: and when we not only consider the diversity of opinion amongst the observers, but when we compare the facts with each other, and,

at the same time, consider the phenomena of contagion in those diseases in which this property exists beyond a doubt, it may be asked, whether it may not be possible to imagine that the same disease may not be more or less contagious, or even not at all so, according to circumstances, such as the violence of the epidemic, the state of the intervals of the contagion, and the particular predispositions of those individuals who are attacked with it; predispositions which may have something both of an epidemic and also endemic tendency; so that a disease exactly the same in its characteristic symptoms, shall perhaps have been remarked at different times, and in different places, to be contagious or non-contagious, by observers of equal accuracy and information? This is not a question of simple theory, or of pure curiosity.

In pursuing this inquiry, the physician ought, without doubt, to be cool, and unbiassed by prejudice, or any foreign consideration; but he should also be persuaded of this very important truth, that if it be

useful in such cases to inspire individuals with confidence, it is no less important not to lull into a false security the solicitude of governments.

Nevertheless, the work of M. Assalini appears to us to be important in its object; valuable from the collection of facts which it presents us, useful and judicious from the manner in which they are compared and discussed; and, without prejudging its ultimate consequences, we think that it may contribute to diffuse information on a subject become more interesting than ever, and which is thus submitted to the meditations of observers, and the attention of governments.

(Signed) THOURET and HALLE,
Commissioners.

A true Copy, in the name of the Committee of Administration of the School of Medicine, the 24th Ventose, in the year 9.

(Signed) THOURET, *Director.*

REPORT

*Made to the Consuls of the French Republic,
by the Minister of War, the 15 Germinal,
Year 9 (4th April, 1801.)*

THE Minister of War has received such important details on the state of the hospitals of the army of the East, that he thinks it proper to submit the result to the inspection of the Consuls.

In Europe, during the war, the number of sick was to that of effective men as one to twelve; and before the revolution, during peace, the proportion was the same. In Egypt it has been, during the month of Brumaire (October and November), as one to twenty-eight; and during Frimaire (November, December), as one to thirty

In Europe, in the military hospitals, the number of deaths is to that of sick admitted

during the month, as one to twenty-three. In Egypt, during the month of Brumaire, the proportion has commonly been as one to forty-three; and in Frimaire, as one to thirty-seven.

The increase of deaths during this last month was owing to the contagious disease which, though little spread, was beginning to show itself.

It is known that in Europe the number of sick is to the population as one to twenty, and that in a month the mortality is to the number of sick as one to nineteen; so that the best established facts prove, that the climate of Egypt is already become to Frenchmen more healthy than their native country, or than any other country in Europe: what then will it be when the sciences and arts shall have diffused all their advantages, and shall have banished from it its contagious diseases, and instructed us in the means of preventing the ophthalmy?

By making for those two months the number of daily reports of the sick in the hospitals of the army of the East equal to

unity, we find that the daily reports have been,

For febrile diseases	- -	0.393
Wounded	- -	0.187
Venereal	- -	0.369
Contagious disease	- -	0.007
The ophthalmy	- -	0.044
		<hr/>
		1.000

You perceive, Citizen Consuls, the remarkable salubrity of this fine country, formerly the cradle of the arts and sciences, which was the granary of Rome, which ought to be the emporium of commerce between India and Europe, and which is one of the theatres on which have been most signally displayed the spirit and bravery of Frenchmen.

(Signed)

ALEX. BERTHIER.

ADDITIONAL NOTES.

—

Page 71, line 11.

CITIZEN CERRESOLI, physician of the army of the East, in his journey from Cairo to Siout, speaking of the plague, says, that he never has been able to collect the information he wished for respecting this disease; but, after a great many accounts, he concludes, that the word plague, or *koubéh* in Arabic, is a generic denomination applied to acute and malignant diseases.

Page 72, line the last:

It is commonly asserted that the heat in Egypt puts a stop to the progress of the plague, whilst it makes it burst out at Constantinople. How is this fact to be accounted for? The explanation is, in my opinion, very simple. At Constantinople the exhalations from various bodies in a state of putrefaction are very copious during summer: the cold of winter prevents their formation, and the disease

ceases. In Egypt, on the contrary, the action of the sun is very powerful, even during winter, and gives rise to noxious exhalations, as we have proved elsewhere. When the low grounds have become dry, which happens about the month of Messidor (in June, at the festival of St. John), then the coast of Lower Egypt becomes as healthy as the rest of that fine country.

The environs of Modena were formerly subject to a class of diseases, which Torti has with justice denominated *malignant fevers*, because they frequently carried off the patient during the third paroxysm, and even when considered out of danger. Debility, drowsiness, and excruciating head-ach, were the principal symptoms of these fevers; between which and those of Egypt there exists a strong resemblance. At this day the malignant fevers of Torti have either disappeared altogether, or are become very rare. This change has been attributed to the filling up of the ditches and morasses which surround the city and citadel of Modena, the corrupting waters of which occasioned exhalations which infected the air. The celebrated Torti has taught us the mode of curing this disease as if by enchantment, by means of Peruvian bark, given in large doses, frequently repeated.

I had an opportunity of seeing and treating this disease near Mantua: its course is so rapid, and its symptoms so violent, that in order to stop its progress I was always obliged to give three ounces of

bark, mixed with wine or water, in the course of twenty-four hours, between one paroxysm and another; and when the patient was weak, I did not omit adding more or less of liquid laudanum, according to their state of constitution.

Those physicians who, from a dread that this practice will overheat, or cause obstruction, prefer the use of refrigerants, or purgatives, in order to evacuate the bile, have constantly the mortification of seeing their patients carried off as if apoplectic, and in a very short time; and if they escape, after suffering from fever for several months, they at length become dropsical, which they never fail to attribute to the bark, which they were too late in prescribing. Practitioners of experience, who treat this disease successfully, according to Torti's method, agree, that these diseases may be cured with bark of a good quality, but not with powdered oak-bark, such a was furnished at one time to the military hospitals of the army of Italy; which was the real cause of the loss of many brave men, and of the disease frequently terminating in obstinate obstructions. The physicians and apothecaries who did duty in the different hospitals for febrile diseases at Milan can attest the truth of this fact.

Page 109, line the last.

Change of place and air was often useful in the most obstinate cases of dysentery.

Citizens Livron, Pagliano, and Corancé, attacked with a diarrhœa which would not give way to all the remedies which Citizen Desgenettes and myself had prescribed them, very soon recovered by removing from Cairo to Alexandria. A great many persons who had the dysentery very severely at Alexandria, got well by removing to Cairo. I remember General Bessiere, who now commands the cavalry of the Consular Guards at Paris, so ill and pulled down at Cairo, that his life was thought in danger: he recovered in a very short time at Giseh.

Page 113, line 24.

The *hab-hab* is the fruit of the *baobab*, or *bahobab*, a tree of a monstrous size, which grows in Ethiopia and Senegal: by the natives of this island it is called *goui*, and its fruit *boui*; by the French *callebassier*, or *gourd-tree*, and its fruit *pain de singe*, or the *monkey-bread*. Adanson, after returning from Senegal, communicated, in the year 1761, some very curious and interesting particulars respecting this tree, and its medical properties, to the Royal Academy of Sciences at Paris. As these are a good deal connected with the subject I have been just treating, it may not be amiss to give here the following particulars.

The *baobab*, on a near view, looks more like a forest than a single tree. Its trunk is seldom more than ten or twelve feet high, but its circumference is generally from seventy-five to seventy-six feet and

a half. This immense trunk is crowned by a great number of branches, remarkable on account of their size, but still more on account of their length, which varies from fifty to sixty feet. That branch which springs from its centre rises vertically, but those from its sides have generally a horizontal direction. These trees commonly have a great many roots, almost as large and numerous as their branches, but of a still greater length. Adanson saw one which measured one hundred and sixty feet long: it belonged to a tree of the middling size.

The leaves of the bao-bab are elliptical, pointed at the extremities, about five inches long, and one or two inches broad, of a moderate thickness, glossy, entire, having no serrated edges, the upper surface of a bright green, the under surface of a pale green colour, crossed obliquely by alternate nerves, rounded off, little elevated, and attached from three to seven together, upon a common foot stalk like a fan, precisely like the horse-chesnut.

The flowers of this tree, when in bud, form a globe of almost three inches in diameter; and on blowing become four inches in length, and one in breadth: two or three spring out from every branch, each suspended by a cylindrical peduncle, a foot long, and five lines thick. The calix of each of these flowers is of a single piece, in the shape of a saucer, the edges of which are divided into five equal triangular portions: it is entirely covered with hairs of a whitish colour, and shining on the upper

surface, and green on the under surface; it falls off as soon as the fruit is set. The petals are five in number, within which arises a hollow cylinder, crowned with about seven hundred stamens, in the form of a ring, the filaments of which have on their summit small anthers, which, on bursting, throw out a whitish pollen. From the centre of the calix arises the pistil, the length of which a little exceeds that of the petals; it is composed of three parts, namely, an ovary, a style, and several stigmas. The ovary is egg-shaped, ending in a point, and entirely covered by thick shining hairs; its summit supports a very long cylindrical style, a little bent, hollow internally, and crowned by ten or fourteen prismatic triangular bodies, pretty large and shaggy, called stigmas. The ovary of the flower of the bao-bab, on ripening, becomes a considerable fruit, of an egg-like shape, pointed at both ends, about a foot or a foot and a half long, and from four to six inches thick, suspended by a cylindrical peduncle, about two feet long, and more than one inch in diameter; its rind is woody, very hard, two or three lines thick, and covered externally with a down composed of green hairs, which give it that colour. On rubbing off this down, it appears blackish, and strongly marked by ten or fourteen furrows, which run along its whole length like so many rays: when we cut this fruit through, we discover in it ten or fourteen membranous partitions, of a reddish colour, and stringy texture, which divide it longitudinally from

top to bottom into as many cells, which are completely filled with seeds : these partitions are attached to the inner walls of the woody rind, and are joined together at the centre of the fruit, as round a common axis, as long as it preserves its first moisture ; but, on becoming dry, they separate widely apart, leaving a hollow at the centre. In this dry state they resemble a good deal, both in substance and shape, that part of the dura mater called the falx. The seeds, on opening the fruit, do not appear distinct ; nothing is at first seen but a spongy substance, which is whitish in the sound fruits, and reddish in those which are ill formed, or very old. When the fruit is first ripe, this substance forms but one mass, on account of the moisture which it still possesses ; but on drying it becomes friable, and separates either of itself, or on the smallest shake, into a great many irregular polygons, each of which contains a blackish brown seed, glossy, kidney-shaped, about five lines long, and three lines thick, from the sinuosity of which arises a cord, or reddish filament, very long, which is attached horizontally, as to a placenta, into the inner edge of the partitions at the centre of the fruit.

This tree sheds its leaves in the month of November, and puts them forth anew in June, flowers in July, and in the months of October and November its fruits are quite ripe.

With regard to the medical virtues of this tree, Adanson says, that the natives of Senegal dry the

leaves in the shade, and then reduce them to powder, which powder they call *lalo*: they put two or three pinches of this into their food, in order to moderate the excessive heat of their blood, and keep up a plentiful perspiration, which preserves them in good health.

Adanson asserts, that he himself was preserved from the fevers which he calls ardent, and which spread epidemically, attacking the natives of Senegal, and especially the Europeans, whom they carry off in great numbers, during the months of September and October; that is to say, on the sudden ceasing of the rains, when the sun begins to dry up the pools of water which are left on the ground. At this dangerous season Adanson made a weak tisan from the leaves of the *baobab*: this tisan is tasteless: when it is made very strong, it discovers a faint taste, which is easily corrected by adding a little sugar, or a little liquorice root. Every year, during these two months only, he took half a pint of this decoction in the morning, and the same quantity in the evening after the great heat. He likewise took it towards the middle of the day; but that was only when he felt some degree of head-ach, indicating the attack of fever. By this means he prevented, during a residence of five years in Senegal, the diarrhœas and ardent fevers, which are almost the only diseases to be dreaded in that country. To display more strikingly the good effects of this tisan, taken during the critical season, he relates the following fact:

“In the month of September, 1751, when the ardent fevers were raging more than had been remembered for several years past in Senegal, I continued,” says Adanson, “my fatiguing excursions a hunting and botanising, with as much eagerness as I could have done at home; and one of my friends who followed my example in using the tisan, was the only one besides myself who pursued his usual occupations, whilst all the other French officers were confined to bed, a circumstance which surprised them much, particularly as to my friend, whose very delicate constitution appeared more susceptible of the impressions of bad air, which was believed to be the chief cause of the epidemic diseases of this season. A remedy so innocent, so simple, and from which I experienced such good effects, ought to be employed during this season, to prevent not only these burning fevers, but also the *ardor urinæ*, which is very common during the sickly season; that is to say, from the month of July till the month of November. Experience has convinced me, that this tisan alone is sufficient, provided wine is abstained from.”

The fruit of the bao-bab is of no less use than the leaves we have just mentioned; they eat the fungous pulp surrounding the seeds; it has a sourish taste, rather pleasant, particularly in the fruits of that year, which are still in some degree fresh. In time this fruit loses considerably in its good qualities; nevertheless, it is exported from Senegal to the neigh-

bearing nations in the kingdom of Morœco, and in Egypt.

Prosper Alpinus says, that this fruit is brought to Cairo in so dry a state, that its pulp can be reduced into a powder, which is there called *earth of Lemnos*. It is generally used in pestilential fevers, in spittings of blood, the lientery, dysentery, and hepatirrhœa: it is likewise used to moderate the menstrual discharge. The dose of this powder passed through a fine sieve, is one drachm: the physicians prescribe it for the sick above-mentioned, and make them take it either in solution in the plantain water, or in infusion or decoction in common water. Prosper Alpinus is the first botanist who has mentioned this tree, and he has given the following description of its fruit:

“ Bao-bab est fructus magnitudine mali citri, cucurbitæ similis, intus semina nigra, dura, extremis in unum seminarium quasi inclinantibus, et substantiam cucurbitarum similem habent, quæ in recentibus est humida, rubra, sapore acido non ingrato fructus recenter ab arbore excissus, gustui admodum gratus est: valentes extinguit multumque refrigerat, febresque omnes putridas, præcipueque pestilentes sanat. Cauri habitatores fructum in pulverem reddunt, quæ terra Lemnos appellatur; estque apud multos familiarissimus illius ce terræ usus ad pestiferas febres, tum ad sputum sanguinis, ad lienterias, dysenteriam, cruentumque hepaticum fluorem,

necnon ad uteri menses firmandos. Alii hujusce terræ in subtilissimum pulverem redactæ drachmam cum aqua plantaginis dissolutam exhibent, alii decocto, alii infuso utentis." See *Alpinus Des Plantis Egypti*.

In the Jardin des Plantes at Paris there are several specimens of the fruit of the bao-bab, in very good preservation. The celebrated Jussieu pointed out to me a covering on the outside of the green down, which I had never observed in Egypt: the taste of the pulp of this fruit was not at all different from that of the powder of Lemnos, which I had tasted at Cairo, and used in the cure of the dysentery.

Citizen Frank, physician of the army of the East, a person well known in the republic of letters, was busily engaged while I was at Cairo, in a work on the *Materia Medica* of the Egyptians, in which he proposes giving some interesting particulars on the use of the fruit of the bao-bab, and of several other plants brought into Egypt from the interior of Africa. It is to be wished that travellers in foreign countries would imitate the inhabitants of Africa, who are in the habit of carrying constantly with them the seeds of fruits, of pulse, and of those trees of which they make constant use; and it is from this circumstance that several plants from Africa have been transported to America, where, at this time, they have become so multiplied, that they appear natural to these different colonies.

Page 131, line the last.

Citizen Lazowski, chief of a brigade of engineers, who has lately returned to France, assured me, that he had been attacked with ophthalmia in Egypt four different times, and always during the height of the inundations of the Nile, and in those places where there was neither sand nor dust. He went one evening to sail in a boat on the place Lisbekir, in order to assist at an artificial fire-work on the water; he was immediately attacked with the most violent and obstinate ophthalmia. This distinguished officer also told me, that he had travelled across the desert four times, and had remained during a month at El-Arish, encamped amongst the sands, which were often blown by whirlwinds into the camp, without his having ever experienced an attack of ophthalmia.

The troops in garrison at Kene, and those on the ports on the Nile, in Upper Egypt, had almost all the disorder in their eyes during the time of the inundation, and got well on going to relieve the garrison of Cocyra, a port on the Red Sea, although they had to travel across twenty-four leagues of desert. They attributed their cure to the waters of *Biranba*, a fountain which they met with on their route. This water is whitish, and of a strong cathartic quality.

APPENDIX.

The following Article is taken from "Notes on the West-Indies; written during the Expedition under the Command of the late General Sir Ralph Abercromby, &c. By George Pinckard, M. D. of the Royal College of Physicians," &c. In three Volumes, published in London in 1806.

CONCERNING THE SEASONING, OR
YELLOW FEVER.

AS you express a strong interest regarding the malady which has committed such afflicting ravages in our army, and desire to have a letter devoted exclusively to the subject, I now proceed to lay before you a summary, which, although it may not afford you any additional information, may serve as a recapitulation of what has been already transmitted to you, from time to time, in my frequent communications. I shall confine myself principally to what concerns the nature of the disease, feeling that a minute detail of the symptoms, and mode of treatment, would not only be less interesting, but perhaps very tedious to you.

After all that I have been able to observe, with respect to this dread complaint, I think that, regarding it as a malady of the West-India colonies, it may, correctly, be said to be the effect of climate operating upon exotic bodies. It is the fever of the country—an endemial malady, which attacks those most severely whose general vigour, and whose firmness, or density of fibre, offer the strongest resistance. To look for it in ships and vessels, or to strain the eye across the ocean, in order to fix its birth-place upon the opposite coast of the Atlantic, or to trace its descent from the shores of the Indian seas, were to overlook the reality in search of a phantom.—It needs no foreign parent: the prolific earth is its mother—its father the bright God who governs the day.

When Europeans first take up their residence in the West-Indies, it is usual for them, sooner or later after their arrival, to undergo an attack of fever, which, in times of peace and tranquillity, when, as they are called, the “*new comers*” are but few, is termed a “*seasoning-fever*”—but, in times of war, when, from great multitudes arriving at the same period, its destructive effects are more striking, is baptized with the terrific name of—“*yellow fever*:—but, whether denominated *seasoning*, *yellow*, *Bulam*, or *Siam*, or marked by any other appellation, it is only the common bilious fever of hot climates: and it appears under an intermittent, a remittent, or a continued form, according to the soil

and situation of the place ; or the habit of the body, and other circumstances of the person attacked. In negroes and creoles it is frequently an ague—in those who are in a degree acclimated a remittent—and in *new-comers* a *continued*, or, as it is commonly termed, a *yellow fever*—preserving, in each case, a distinct type throughout its course ; while, in other instances of its attack upon Europeans, it shifts its form, and runs its progress with the most uncertain irregularity : in proof of which I may remark that it has happened to myself to receive newly-arrived soldiers into the hospital, at one and the same time, with this seasoning malady, under all the varieties of its intermitting, remittent, and continued form ; and, although each has been differently attacked, all of them have died, in the course of only a few days, with every symptom of the most malignant *yellow fever*.

Nature, in her all-preserving care, hath endowed the human frame with the power of accommodating itself to all the various climates upon the habitable regions of our globe ; yet hath she more expressly adapted our organs to the particular climate in which she hath stationed us : so constituting the nice and delicate movements of the animal machine, that we cannot, without peril, expose ourselves to sudden or violent transitions.

To the inhabitants of different regions is given a something of constitutional difference, which it were difficult precisely to define : but it belongs to a cer-

tain original conformation, creating a difference of fibre or stamina, which more particularly befits the body for the specific region in which it is designed to move. Yet, while much is attributed to our parent nature, it ought not to be forgotten that habit is our foster-mother, and that she follows nature very closely in her influence upon the human frame; and hence it is that by long residence, and similarity of pursuit, so near an approach to this specific and original structure may be acquired, as to promote healthy action in a being removed to a foreign, and even to an ungenial climate: still, this is only the yielding of a body originally different; for the assimilation is never so complete as to be in all respects the same. The constitution of a negro from Africa, or the West-Indies, never becomes entirely British, although he reside in England the greater part of his days: and however much an European, by long residence in the West-Indies, be brought to resemble a creole, he can never acquire, precisely, the constitution of a native: some marks of original conformation will still remain, and a something even in his general appearance, to distinguish him.

Nor is this difference of organization confined to the human subject: other animal bodies, and also vegetables, differ in their structure and external appearance, in different climates. The wool of sheep, removed from a northern region to the West-Indies, becomes hair: and the almost tasteless potatoe of

Europe assumes a strong saccharine flavour from tropical culture.

The influence of the atmosphere, not only in different climates, but under its various changes in the same climate, is, at all moments, and in all countries, far greater than common opinion supposes: nor has the attention of medical men been sufficiently directed to this circumstance, although it is of great magnitude. Hypochondriacs, persons subject to rheumatism, or asthma, and those afflicted with painful thickenings of the cuticle (usually termed corns), become exquisitely sensible of the slightest variations in the state of the atmosphere; and from hence it may be concluded, that it cannot but operate, at all moments, with a powerful effect upon the tender fibres of our delicately organized vessels; and if in our native region the influence be so considerable, how infinitely important must it be when the body is exposed to the stronger impressions of an unnatural climate

“, where the sun, with downward torrid ray,
Kills with the barb'rous glories of the day.”

Without entering more minutely into the subject, which might swell my letter into a volume, suffice it to remark, that there appears to be a certain gradation in the tone, or firmness of the animal fibre, as we proceed from the hotter through the more temperate regions; not following in exact mathe-

matical proportion, but sufficiently manifest to form some standard for general observation; and, perhaps, sufficient to sanction the assumption that the density or laxity of the human fibre bears an intimate alliance with the temperature of the climate, with respect to heat or cold, although it may be influenced, likewise, in no inconsiderable degree, by other circumstances; such as the dryness or moisture of the atmosphere, the state of the soil, the manner of clothing, and the habits pursued. In the colder regions towards the poles, the fibre is firmer, the circulation of the fluids slower, and the secretions more languid; while in the warmer regions, near the equator, the fibre is lax, respiration quicker, the circulation more rapid, and the secretions more copious, and more speedily performed. In order, therefore, to fit the constitution of a polar inhabitant for a tropical climate, or to accommodate the system of a tropical inhabitant to a polar atmosphere, it is needful that the change should be gradual, that the necessary density or laxity be induced, with as little risk as possible of disorganization, and consequent dissolution.* It not only

* It is probable that our troops might be rendered nearly as effective for service in the West-Indies as in Europe, were it possible, in all cases, to prepare them for the climate by slow and gradual approaches; as for instance, by first letting them serve, for a time, at Gibraltar, and afterwards employing them, for a year or two, in the more windward islands, such as Barbadoes or Antigua, before they were sent upon duty to the other colonies.

happens that the inhabitants of cold climates suffer, on being transferred to the tropical regions—the negroes can as ill support the change to a northern atmosphere, and accordingly they are frequently the victims of being brought to Europe; for, amidst the cold of our winter, all their energies seem to be destroyed, and their faculties benumbed. They seldom live to old age, but, commonly, sink into marasmus, or are cut off by early consumption.

Fever, excessive heat, violent passion, or any other cause which greatly, and suddenly hurries the circulation of the fluids, diminishes the tone and energy of the living animal fibre, and deprives it of that degree of firmness which is necessary to health; but, by gradually habituating the body to the change, a high degree of increased circulation, or a considerable diminution of the original density of fibre may be supported, without any consequent derangement of structure—the increased action of the vessels, the augmented velocity of the fluids, and the subsequent laxity of fibre, induced by great heat, or high fever, may be borne, provided they are not so sudden, nor long continued, as to cause disorganization.

We have many familiar examples which testify the effect of original conformation, and the powerful influence of habit upon the animal body, with respect to its state of health or disease. If a person accustomed to live in the gloom of London should expose his face, for only a short time, to

the full rays of a Brighton sun, the skin would be separated as if by the application of a blister; but if a hardy shepherd of the downs were to lie upon the hills, with his face open to the broad sun throughout the whole day, not the smallest part of the cuticle would be disturbed.

A negro, to whom the climate is congenial, can run over the hills in the West-Indies, for many hours together, without suffering the slightest inconvenience; but if an European of more unyielding fibre, and but lately arrived within the tropics, were to follow him in such a course, it would be more than probable—it would be almost certain, that, within a few succeeding hours, a fever would complete the disorganization, and send him to the grave.

So, the fluids of a racer may be hurried violently through his vessels, without any injury to the natural organization: but if an unpractised horse, of a different original conformation, were to be taken from the cart, and made to gallop, with all possible speed, over a course of four or six miles, it is probable that from the increased impulse, and the resistance of his unaccommodating fibre, fever, disorganization, and death would speedily ensue.

In cold or temperate climates, bulls are baited, and hares hunted, in order that the sound texture of their fibres may be broken down, and the muscles made tender, by their dying in the fever of increased and violent circulation.—This is a fact so

well known to all sportsmen, that a hunted hare is always preferred to one that has been shot, or taken by other means.

Epicures let their meat hang after it is killed until the atmosphere has effected the same purpose, by a different process, and it be made tender by a decomposition, or partial putrefaction. But in the West-Indies it is common to see the animal alive in the market, and to have its joints smoking upon table the same day at dinner: it is slaughtered, dressed, and eaten, without the flesh growing cold; and yet there is no complaint of the meat being hard or tough.

These remarks will serve to lead your attention more particularly to the subject of climate, and to the effects of habit and original conformation; therefore, without attempting to enter more particularly into all the various changes which the febrile action produces in destroying life, or the specific mode in which these changes are effected, I may proceed to state a few other general circumstances, which will show the application of what has been already said to the subject in question, viz. the continued or *yellow fever*.

Creoles and negroes are not subject to the fever in its continued or most malignant form; but when it does invade them, it more commonly assumes a remittent or intermittent type.—In these classes, the original conformation, aided by a constant exposure to the heat and atmosphere of these regions,

has established a due state of fibre, and given to the body a certain congeniality which empowers it to continue its healthy action, amidst all the circumstances of climate and situation.

Europeans who have resided during a period of several years in the West-Indies, are seldom attacked with the fever in its continued form; but when it seizes them, it commonly assumes the type of a remittent.—In persons of this class, the body, from long exposure to the climate, has become creolisé or acclimaté, approaching to the conformation of the natives, by having the original firmness of fibre reduced to the appropriate standard for continuing the healthy action, under exposure to preternatural heat.

The strongest men—those of the most dense or rigid fibre, are most subject to the high degrees of the continued, or *yellow fever*; and are most frequently, and most rapidly destroyed by it.

Women, children, convalescents from former malady, and those who have been reduced by the use of mercurial remedies, are less frequently the objects of its attack; and when it does sieze them, it is commonly milder, and less rapid in its progress. In these classes, the state of the animal fibre, either from original conformation, or from eventual circumstances, more nearly approaches to that of the creoles and natives.

In North-America, the inhabitants, who constantly reside in the most southern states, are seldom

attacked with the fever in its more violent, or continued form; while those of the north-east states are destroyed by it in great numbers: but, even in these states, it is remarked that the fever more readily seizes strangers from Europe, or peasants from the interior provinces, than the natives of the towns in which the disease prevails.—These facts are peculiarly striking, and they seem to admit of ready explanation. The inhabitants of the southern states, from residing in constant heat, are acclimatés, and, in constitution, approach nearly to the creoles or natives of the West-Indies: but those residing in the more northern states, although exposed to a very high degree of heat during the summer, can never become creolisés, on account of the intervening winter, which annually renews the predisposition, and creates a susceptibility of the disease—still, from residing, during part of the year, in excessive heat, and remaining, at all times, in the atmosphere of their towns, even the inhabitants of the place where the disease prevails, are, in some degree, less susceptible of the most malignant form of the fever than strangers from Europe, or peasants from the provinces, whose more dense and rigid fibre renders them in a peculiar manner predisposed.

From these remarks, it would seem that the presence of contagion is in no degree necessary to the production of this fever. Indeed, its invasion is governed by circumstances very opposite to all

the known laws of contagion : for, in proportion as the body approaches the creole structure, so is it able to support the change of temperature, and to resist the fatal effects of the seasoning malady. If the constitution, either from natural organization, or from long residence, be assimilated to the climate, *i. e.* if it be reduced to the common standard of the creoles, it has nothing to apprehend from the disease ; but if it be not, the fever will, assuredly, make its attack, without waiting for any such cause as contagion.

Moreover, if it can be ascertained that certain classes of people are most liable to be attacked, and if it can be proved that there is a certain gradation, according as they have been more or less exposed to the influence of climate, it were equally unnecessary and unphilosophical to call in the aid of a power, the application of whose laws it were impossible to reconcile with the appearances observed. No disease of known contagion is influenced by the circumstances which are daily seen to govern the progress of the yellow fever ; if, therefore, we are to regard contagion as the parent of this disease, it must be a contagion of a very uncommon and peculiar appetite ; for it is a circumstance both singular and unprecedented, that an active and wide-spreading contagion, prevailing in any particular country, should, expressly, avoid the inhabitants of that country, and only lie in wait for strangers ; and, further, that should these not chance to arrive,

even for many years, this insatiate devourer, not relishing the food of her own country, should not once require sustenance, nor stir abroad for support, but content herself to fast, throughout the whole period, and again rush forth, with undiminished vigour, the very moment that strangers appear! I think I might say, with the greatest correctness, that if no stranger, from a colder climate, should visit the West-India colonies for the space of five, ten, or any given number of years, that no instance of the yellow fever, distinct from the bilious remittent fever of the country, would be known during that period; yet, if a body of men, unaccustomed to the climate, should arrive from Europe in the month of July or August immediately succeeding, a considerable proportion of them would be seized, and probably destroyed by this disease, before they had commemorated the first return of a new year: but can it be supposed that a most subtle and active contagion would thus remain latent, for any specified term, amidst whole hosts of natives, suddenly, and as it were, impulsively, resume all its destructive powers, as soon as a body of more robust foreigners should come within its reach?

In England, the harvest men and strangers who go into the fens of Kent or Lincolnshire in the autumn, are more readily attacked with the endemic fever of these provinces than the inhabitants who constantly reside in the atmosphere which causes it; yet we do not learn that, during the pre-

valence of any contagious malady in these districts, the contagion cautiously avoids the men of Kent or Lincolnshire, to lie in wait for strangers; nor perhaps, will any physician venture to assert that the Kentish fever is produced by contagion.

It would seem more probable that the contagion of any particular country should regard the subjects of that country, in some degree, as her appropriate prey. The plica Polonica shuns not the people of Poland, nor the sibbins those of Scotland—neither have the yaws any disrelish for the creoles or the Africans. But what seems most surprising is that this lady of choice appetite, who despises such common food as the languid blacks of the West-Indies, when she takes a sail down to America, as if her appetite were sharpened by the voyage, will, occasionally, condescend to feast upon a fine stout negro of the United States.

This is a fact, which is totally irreconcilable upon the principle of the disease proceeding from contagion.—The negro of the West-Indies, from always living in a high degree of heat, has no susceptibility: but the negro of America acquires a predisposition from the recurrent cold of the winter. The fibre of the one is relaxed and yielding—of the other dense and resisting.—In the same way it is explained why the inhabitants of Louisiana, Georgia, and the Carolinas are less subject to the disease than those of Virginia, Pennsylvania, and New-York. Did the fever spread itself by contagion, we know of

no cause why it should extend its ravages to the north instead of the south—why it should seize whites in preference to blacks—why prefer a robust European to a languid creole;—nor why it should have a distaste for the sable race of the West-Indies—yet relish the negroes of North-America.

It is not a law of contagion to make its attack upon the most robust and vigorous people:—more commonly it assails those of tender fibre. Were any given number of strong healthy men, and the same number of children to be exposed, at the same time, to the influence of the contagion of small-pox, measles, or scarlatina, common observation informs us that the children would be found to be most susceptible of the impression, and attacked in the greatest number: but the very reverse of this would be the case were they to be exposed, in a similar manner, to the cause producing the yellow fever—the men would be found to be most susceptible, and a greater proportion of them would fall victims to the disease.

Not only does this fever attack Europeans, newly arrived in the West-Indies, in preference to creoles, negroes, and those who, by a long continued residence, have become acclimatés; but even among these unhappy Europeans who chance to suit her appetite, she still has her partialities; for the most healthy and robust, and in general those who are the earliest subjected to great exertions, and the high degrees of temperature, are sooner seized,

and more rapidly destroyed, than those of laxer fibre, or those who have the opportunity of becoming more gradually acclimatés.

But the "New-comers," if exposed to the yaws, the cra-cra, or any other disease of decided contagion, are not found to be more susceptible than the creoles or the negroes: although, with regard to the bites of musquitoes and other insects, the difference of effect upon the Europeans and the people of the climate is as peculiarly marked as it is with respect to the yellow fever. The small puncture made in the skin of a robust European by a musquito, or a sand-fly, frequently becomes inflamed, tumefies, breaks into a sore, spreads into a malignant ulcer, and ultimately robs the hardy son of the North of his life—while the languid creole, or the negro, quietly lets the insect bite, without apprehending any of this sad train of consequences.

Seeing that the fever can, unquestionably, be produced without contagion, some contend that, in its passage through the body, it generates a matter which is capable of producing the disease by being diffused in the atmosphere, and that it thus becomes infectious. But even in this widest sense of the term, I cannot consider it to be either a contagious or infectious malady; for it does not appear that, by an inherent process, the living human body has the power of generating the appropriate *pabulum* necessary for the production or support of this fever; or that the disease, in its progress

through the human frame, begets a poison *sui generis*, which may be conveyed from one person to produce the disorder in another.

The contagious or infectious fever which proceeds from distempered human exhalations is a distinct malady. The yellow fever has a different origin—is different in its symptoms—and requires a different mode of treatment. They both have their different degrees, and the mild typhus, and typhus gravior of England are not more alike than the continued and the remittent fever of the West-Indies. Perhaps the mild and the confluent small-pox are more unlike: yet no one denies that either is small-pox—nor doubts that both are derived from the same cause—the same specific virus.

If the medical attendants, and the (white) orderlies, who have been employed in the hospitals, have suffered from the fever; still they have only suffered in common with the officers and soldiers, who have not been quartered near the hospitals; and, as their proportion of duty and fatigue has been uncommonly great, it were not to be expected that they could escape better than their comrades.

But I have said that this fever does not attack the blacks of the West-Indies: I may, therefore, mention a remarkable fact, which, more than all others, would seem to militate against the doctrine of the yellow fever being, originally, a contagious, or becoming, in the course of its progress, an infectious malady, viz. that, of the multitudes of

black men and women whom I have had occasion to see employed constantly in the hospitals, and who have executed all the menial duties about the sick, the dying, and the dead, I never yet knew even a *single instance* of any one of them, either male or female, taking the disease. Perhaps no one will contend that this would have happened had the hospitals been equally crowded with patients in small-pox, measles, scarlet fever, the common jail fever, or any complaint decidedly infectious.*

The yellow fever prevails most commonly, and most extensively, at the decline of the wet season of the year, when the rains and the sun irregularly alternate, and cause unsettled weather; and this is also the period when the bilious remittent, and the ague appear among the creoles and negroes. In the midst, or at the very height of the wet season, and during the finer dry season, the fever, in all its

* In the year 1793, a body of emigrants from St. Domingo, amounting to upwards of 300 in number, who had made their escape from that colony, under all the circumstances of the most afflicting depression, arrived at Philadelphia, at the time when the yellow fever raged with its utmost malignity: yet, not one of them was attacked with the afflicting malady which was then desolating the town. And, as if expressly to make this fact the more striking, it likewise happened that the emigrants who arrived at the same distressing period from Ireland, the States of Germany, and other parts of Europe, were attacked by the fever, even in greater proportion than the Americans themselves.—It is not the property of any contagion to exhibit such marked partialities. The autumn temperature of Philadelphia was congenial to the emigrants from St. Domingo: they were acclimatés, and therefore not susceptible of the disease; while those from Europe, being the inhabitants of colder regions, were in a peculiar degree predisposed.

shapes, is far less common: likewise in the dry and elevated parts of the country, which are open to the breeze, it is out of all proportion less frequent than in low damp situations, in the vallies, and about the openings of the rivers. In North-America it is principally, nay almost exclusively a disease of the low and crowded towns, situated upon the borders of the rivers, and the bays of the sea; and is scarcely known in the higher, or more interior parts of the country.

The great favouring circumstances, therefore, appear to be a high degree of temperature, and a moist state of the atmosphere; to which may, perhaps, be added the ill chosen situation of the towns: but, from the particular season in which it spreads its ravages, and from all the host of concomitances, it would seem that we are to regard some miasma, or unwholesome exhalation, as the true *pabulum* of the disease.

At the high period of the wet season the ditches and canals are full, and the brooks and rivulets fluent, so that the noxious exhalations are neither so readily formed, nor so easily taken up into the atmosphere: and, in the dry season, these deadly vapours are either chased away by the breeze, or rendered effete by the intense rays of the sun—but during the intermediate period, at the decline of the wet season, every circumstance tends to favour their production, and to promote their diffusion and suspension in the surrounding air.

The fever is most readily generated in new colonies, where the land is only partially cleared of its wood, badly cultivated, and the half-drained soil left to exhale its noxious vapours into the surrounding atmosphere. In the older colonies, where the forests have been long cut down, the land brought under general cultivation, and its surface more opened to the breeze, it is found to be less prevalent. Examples of this are seen in the old islands of Barbadoes and Antigua, contrasted with those of Grenada and Trinidad. The former are well cleared, and universally tilled, and from situation, as well as culture, freely exposed to the influence of the trade wind;—in these, the disease but very seldom appears. The latter are not yet brought under general cultivation, but are partially covered with wood, and the atmosphere is damper, and less purified by the breeze:—here, the fever frequently and fatally rages.

In new settlements where the land is recently brought into cultivation, and not well cleared or drained, and particularly in the vicinity of the towns or habitations, which are commonly placed at the lowest and most insalubrious spots, for the convenience of commerce, the drainings of the higher lands, and often the filth of rivers, or of bays and inlets of the ocean, together with decayed leaves, plants, and roots, and, in short, the whole *exuvia* of the vegetable world collect, remain, and grow putrid, and, in such situations, the very

weeds and coarser plants become rank and exuberant, and, growing up only to decay, add to the fermenting mass, which, by holding the impure waters stagnant, accumulates and creates a noxious swamp; and thus is generated the hideous Python, who, though often conquered by the darting rays of Apollo, again uplifts his deadly front, and can only be subdued by the more steady and persevering industry of man.

When the effect of climate and situation shall be fully understood, and duly estimated, the yellow fever may be no longer the scourge of our merchants, or planters, and our armies: yet, after the long and fatal experience the world has had, it is equally lamentable and surprising that men should still blindly continue in error, with respect to the situations chosen for their towns and dwellings. Contrary to their better knowledge, they prefer the convenience of commerce to the more important advantages of health, and fix their habitations, as it were expressly, upon the most unhealthy points of the globe. In every nation, and almost every colony, striking examples might be selected of the strange folly and neglect with which we regard a circumstance of such serious magnitude. Armies, perishing with fever, or dysentery, have been snatched from threatened destruction, by change of situation; and countries, almost meriting the reproachful term pestilential, have been rendered salubrious by attentions to the soil; still, on the

score of health, much remains to be done, by mankind fixing their residence where the atmosphere is least exposed to noxious exhalations. But, alas! commerce, and her prostitute suite, riches, dissipation, and luxury, deafen the loud calls of the fair Hygeia, with her more virtuous train, ease, tranquillity and happiness; and while man remains ambitious, and wealth be made the public road to honours and distinctions in society, health will continue to be only a secondary object of his consideration. It is in the province of the physician to expose this fatal error—to philosophy it belongs to remove it.

I would remark that the fever of these regions seems, in many respects, to be governed by the same circumstances as the endemic fever of Kent and Lincolnshire, in England, and, indeed, when it attacks the natives of the country, it even assumes the same type and symptoms: and I much suspect that if it could happen that the temperature of these provinces should continue as high as from 80° to 90° during the summer, and heavy rains should fall in July, you would have *yellow fever* in the months of August and September: but, while the general heat of the summer shall continue below 70° , there can be no fear of yellow fever being generated in England—and still less of it being imported; for this is just as improbable as that the Kentish fever should be carried off in a Scots trading vessel, and spread among the inhabitants of

Edinburgh, whose rocks, and streams, and healthy mountains preclude its visitation.

In order to exhibit, in a more striking point of view, the similarity, or I might say the identity of the intermittent, the remittent, and the yellow fever of the West-Indies, and to show that they are only different degrees of the same disease, I may briefly enumerate the more prominent points in which the resemblance is observed.

1. They run indiscriminately into each other—a quotidian, or a remittent, sometimes becoming a malignant yellow fever; and a yellow fever sometimes degenerating into a remittent, or an intermittent.

2. They are all seen to be connected with a derangement of the biliary system; and a common sequel of each, is a chronic affection of the liver.

3. They all prevail, most extensively, at the same period of the year; viz. the decline of the wet season.

4. A bilious vomiting is common to them all.

5. They are all, occasionally, attended with a yellowness of the skin and the eyes.

6. In their relapses, and frequently in their first attack, they all bear a close alliance with the lunar periods.

7. The intermittent, the remittent, or the continued type, or in other words, the milder, the intermediate, or the more malignant form is assumed, according to the state of vigour, the period of resi-

dence in the climate, and other circumstances of the subject attacked.

8. They all, occasionally, affect the same person various times.

With respect to the alleged novelty,—the recent production or importation of the yellow fever, it appears to be an error, which may be explained away, by the circumstance mentioned above; viz. that during a period of peace and tranquillity it is less frequent, and passes under the milder name of seasoning fever; but from recurring in a time of war, it creates new alarm, and consequently issues forth with a new appellation. Its existence is, no doubt, coeval with the discovery of the colonies; for it is mentioned by some of the oldest authors who have written upon the subject of the West-Indies, and is pointedly noticed by Pere Labat, an author who himself experienced an attack of it in the year 1694. Were it fit to offer a conjecture with regard to its duration, I might suggest that, in all probability, it will continue to prevail so long as greedy lucre shall impel the inhabitants of cold climates to pay their devotions to Plutus, by a pilgrimage to tropical fields; unless these fields shall be so improved by tillage as to destroy the serpent, and deprive the fever of the aliment necessary for its support.

THE END.

MEDICAL BOOKS

FOR SALE BY

T. & J. SWORDS,

No. 160 Pearl-Street, New-York.

- Adams on Electricity,
Adams on Cancerous Breast,
Adair's Medical Cautions,
Adair's Medical Sketches,
Aikin on Lead,
Aitkin's Elements, 2 vols.
Armstrong on Children,
Astruc on Women and Children,
Austin on the Stone,
Baillie's Morbid Anatomy,
Barton's Materia Medica,
Barton's Memoir on the Goitre,
Bate's Dispensatory,
Bayley on the Yellow Fever,
Beckett's Observations,
Beddoes's Contributions,
Beddoes on Consumption,
Beddoes on Scrophula,
Beddoes's Hygeia, 3 vols.
Bell on the Hydrocele,
Bell on Wounds,
Bell's Anatomy,
Bell's Surgery, 7 vols.
Bell's Venereal,
Bell's Plates of the Arteries,
Bell's (John) Principles of Surgery, 3 vols. 4to.
Bell's Plates of the Brain,
Bell's System of Dissections,
Bergman's Elective Attractions,
Bergman's Chemistry,
Berkenhout's Pharmacopœia,
Black's Chemistry,
Black's History of Medicine,
Blanchet's Recherches,
Blane on the Diseases of Seamen,
Blumenbach's Physiology,
Boerhaave on Medicine,
Boerhaave's Lectures, 2 vols.
- Botanist's Calendar, 2 vols.
Bradley's Medical Dictionary,
Brand on Ruptures,
Bree on Respiration,
Brisson's Chemistry,
Brookes's Practice,
Bromfield's Surgery,
Brown's Elements,
Brown on the Zoonomia,
Bryant on Ulcers,
Buchan's Domestic Medicine,
Buchan's Advice to Mothers,
Burdin's Medical Studies,
Burn's Anatomy of the Gravid Uterus,
Burton on Non-naturals,
Caldwell's Memoirs,
Cavallo on Factitious Airs,
Cavallo on Electricity,
Celsus of Medicine,
Chaptal's Chemistry,
Chemical Pocket Book,
Chemical Vocabulary,
Chisholm on Yellow Fever,
Clare on Abscess,
Clarke on Fever,
Clarke's Compendium,
Clarke on the Diseases of long Voyages,
Cleghorne on the Diseases of Minorca,
Clossy's Observations,
Compendium of Physic,
Conversations on Chemistry,
Cooper's Distiller,
Couper on Impregnation,
Cowper's Anatomy of the Muscles,
Cowper's Anatomy of the Body,
Crichton on Mental Derangement,

R. & J. SWORDS'S Medical Catalogue.

- Coxe on Vaccination,
Cullen's Materia Medica,
Cullen's Nosology,
Cullen's Practice,
Cullen's Physiology,
Cullen's Synopsis,
Currie on the Effects of Water,
Currie on the Kine Pock,
Darwin's Botanic Garden,
Darwin's Zoonomia,
Darwin's Phytologia, being a Supplement to the Zoonomia,
Davidson's Observations,
Denman's Midwifery,
Desault's Surgery,
Dickson's Nomenclature,
Dionis's Chirurgical Operations,
Dobson on Airs,
Douglass on Hydrocele,
Drone's Surgery,
Duncan's Annals of Medicine,
Duncan's Medical Commentaries,
Earle on Hydrocele,
Earle on the Cure of the Curved Spine,
Edinburgh Dispensary,
Edinburgh Physical and Literary Essays, 6 vols.
Edinburgh Practice,
Elliot's Medical Philosophy,
Elliot's Medical Pocket Book,
Enchiridion Botanicum,
Essays, Physical, &c. 2 vols.
Falconer's Synopsis,
Ferguson's Electricity,
Floyer on Bathing,
Fontana on Poisons,
Foot's Observations on Hunter,
Fordyce's Practice,
Fordyce's Dissertations on Fever,
Fordyce's Elements,
Fordyce on Food,
Fothergill's Works, by Elliot,
Fourcroy's Chemistry,
Fox's Formula,
Friend and Physician,
Friend's History of Physic, 2 vols.
Friend's Works,
Fyfe's Anatomy, 2 vols.
Gardiner on the Gout,
Gibbon on Fevers,
Gibson's Anatomy,
Gilchrist on Sea Voyages,
Gooch's Surgery,
Goulard on Lead,
Gregory's Economy of Nature,
Gregory's Conspectus,
Gregory's Duties of a Physician,
Gregory's Elements of the Practice of Physic,
Gregory's Lectures,
Gren's Chemistry,
Haller's Cases,
Haller's Pathology,
Haller's Physiology,
Hamilton's Cases,
Hamilton's Midwifery,
Hamilton's Regimental Surgeon,
Hamilton on Hydrophobia,
Hamilton on Scrophula,
Hay's Surgery,
Henry's Epitome of Chemistry,
Herder's Philosophy,
Higgins on Air,
Hillary on Medical Knowledge,
Hoffman's Practice,
Home's Clinical Experiments,
Home's Medical Facts,
Home's Principia Medicinæ,
Home on Strictures,
Home on Ulcers,
Hooper's Anatomist's Vade Mecum,
Hooper's Medical Dictionary,
Hopson on the Dysentery,
Hosack's Introductory Lecture,
Howard on the Venereal,

F. & J. SWORDS's Medical Catalogue.

- Howard on Lazarettoes,
Howard on Prisons,
Hufeland on Health,
Hull's defence of the Cesarean
Operation,
Hunter on Animal Economy,
Hunter on the Venereal,
Hunter on the Blood,
Hunter's Anatomy of the Gra-
vid Uterus,
Huxham's Works,
Huxham on Fevers,
Huxham on Deare,
Ingram's Surgery,
Innes on the Muscles,
Jackson on Fever,
Jackson on Sympathy,
Jackson's Cautions to Women,
Jenner on Cow-Pock,
Jenty's Lectures, 3 vols.
Johnson's Chemistry,
Jones's Medical Inquiry,
Keil's Introduction,
Keil's Animal Secretion,
Kirwan on Manures,
Kirwan on Phlogiston,
Langrish's Practice,
Lavoisier's Chemistry,
Le Clerc's Surgery,
Le Dran's Surgery,
Lee's Botany,
Le Grange's Chemistry,
Lettsom's Memoirs,
Lobb on painful Distempers,
London Medical Review, 7 vs.
London Practice of Physic,
London Pharmacopœia,
Macbride on Fixed Air,
Maclean on Combustion,
Macquer's Chemistry,
Mandeville on Hypochondria,
Manning on Female Com-
plaints,
Manning's Improvements in
Physic,
Marryat's Art of Healing,
Martyn's Plates of Vegetables,
Maton on Consumption,
Mead's Works,
Mease on Hydrophobia,
Medical Prescriptions,
Medical and Physical Journal,
Medical Repository, 9 vols.
Medical Transactions,
Mekreen's Observations,
Memoirs of the London Me-
dical Society,
Miller on Asthma,
Mitchill's Nomenclature,
Monro on Human Bones, &c.
Monro on the Bursæ Mucosæ
of the Human Body,
Monro on the Brain, Eye, and
Ear,
Monro on Mineral Water,
Monro's Surgery,
Monro's Chemistry,
Monro on Hospitals,
Moore's Medical Sketches,
Morgagni on Diseases, 3 vols.
Moseley on Tropical Diseases,
Moss on Children,
Nayler on Ulcers,
Nisbet on Diet and Regimen,
Nisbet's Clinical Guide, 5 vols.
Nisbet's Inquiry,
Nisbet on Venereal,
Ontyd on Diseases,
Osborn's Midwifery,
Parkinson's Medical Admoni-
tions,
Parkinson's Chemical Pocket-
book,
Parkinson's Hospital Pupil,
Pearson's Nomenclature,
Pearson on Lues,
Percival's Essays, 2 vols.
Physician's Vade Mecum,
Pictet on Fire,
Pole's Instructor,
Priestley's Introduction to Elec-
tricity,
Priestley's System of Electri-
city,

T. & J. SWORDS'S Medical Catalogue:

- Priestley's Experiments and Observations on Air,
Pringle on Diseases of the Army,
Porterfield on the Eye,
Quincy's Lexicon improved,
Ranby on Wounds,
Reid on Consumptions,
Reid's Essays,
Richter on the Cataract,
Robinson on Medicine,
Robinson on Animal Economy,
Rogers's Epidemical Diseases,
Rollo on Diabetes,
Rowley on Ulcers,
Rowley on Female Complaints,
Rush's Works, 5 vols.
Rush's Introductory Lectures,
Rush's Lectures on Animal Life,
Ruspini on Teeth,
Russel on Necrosis,
Russel on Morbid Affections,
Saunders on the Liver,
Saviard's Surgery,
Schneiser's Mineralogy,
Science of Life,
Scomberg's Abridgment of Van Swieten, 4 vols.
Seaman's Midwife's Monitor,
Secrets of Modern Chemistry,
Sharpe's Surgery,
Sharpe's Inquiry,
Sheldrake on the Club Foot,
Shipmaster's Medical Assistant,
Simmons's Anatomy,
Smellie's Midwifery,
Smith's Revolutions of Chemistry,
Smith's Portable Library,
Spallanzani's Dissertations,
Spallanzani on the Blood,
Stark's Clinical and Anatomical Observations,
Struve on the Physical Education of Children, by Willich,
Stork on Hemlock,
Struve on Suspended Animation,
Swan's Sydenham,
Swediaur on the Venereal,
System of Anatomy, 3 vols.
System of Anatomy from Encyclopædia,
Temple's Practice,
Thomson's Medical Consultations,
Thompson's Family Physician,
Thornton's Medical Extracts,
Tissot on Health,
Tissot on the Small-pox,
Townsend's Philosophy of Mineralogy,
Townsend's Tracts and Observations in Natural History, &c.
Townsend's Physician's Vade Mecum,
Townsend's Elements of Therapeutics,
Transactions of the College of Physicians of Philadelphia,
Trotter on the Diseases of Seamen,
Trotter on Scurvy,
Trye on the swelling of the lower Extremities,
Turner on Syphilis,
Turner on the Skin,
Turner's Ancient Physician's Legacy,
Turton's Medical Glossary,
Turton's Translation of Linnæus,
Underwood's Diseases of Children,
Underwood's Surgical Tracts,
Van Swieten's Commentaries, 18 vols.
Walker on Nervous Diseases,
Walker's Memoirs on Medicine,
Wallis on the Gout,

T. & J. SWORDS's Medical Catalogue.

- | | |
|-------------------------------|-----------------------------|
| Wallis on Diseases, | Willch's Domestic Encyclo- |
| Wallis's Sydenham, | pædia, |
| Ware's Translation of Wen- | Willan on Diseases of Lon- |
| zel on the Cataract, | don, |
| Ware on the Eye, | Wilmer's Surgery, |
| Warner's Cases, | Wilson on Febrile Diseases, |
| Waters's Abridgment of Bell's | Wilson on Opium, |
| Surgery, | Winslow's Anatomy, |
| Watson's Chemical Essays, 5 | Wintringham on Animal |
| vols. | Structure, |
| Webster's History of Pesti- | Wiseman's Surgery, |
| lence, | Withering on Scarlet Fever |
| Whately on Home's Strictures, | and Sore-Throat, |
| White's Surgery, | Withers on Asthma, |
| White's Cases, | Withers on Abuse of Medi- |
| White on Lying-in Women, | cine, |
| White's Analysis, | Withers on Weakness, |
| Whytt on Involuntary Mo- | Young's Physical Astronomy, |
| tion, | Zimmerman's Practice, |
| Wilkinson on the Spine, | Zimmerman on Dysentery, &c. |
| Willich on Diet and Regimen, | |

They have constant'y on hand,

An extensive and well chosen Collection of BOOKS

In various Branches of Literature.

ALSO,

CLASSIC AND SCHOOL BOOKS,

And almost every Article in the

STATIONARY LINE,

Wholesale and Retail.

Med. Hist.
WZ
270
A8440E
1806
c.1

★ ★ ARMY ★ ★
MEDICAL LIBRARY

