

—GUIDE—

FOR

Humphreys' Veterinary



Trade Mark.

**H**omeopathic **S**  
—**Specifics**

LIST OF  
HUMPHREYS'

# Homeopathic Veterinary Specifics.

PRICE OF  
SINGLE BOTTLE.

- A.A.** Cures Fevers, Congestions and Inflammations, as of the Lungs or Pleuro (Pleuro-pneumonia); Inflammation of the Head or Brain, Eyes, or of the Liver or Belly; Sore Throat or quinzy; Blind or Belly Stagers, or Convulsions; Hot Skin; Quick Pulse; Chill or Panting; Milk Fever in Cows; Spinal Meningitis in Horses, .60
- B.B.** Cures Diseases of the Tendons, Ligaments, or Joints; Founder, Curb, Spavin, Strains, Stiffness, Lameness, Rheumatism, Splint, Stiff, .60
- C.C.** Cures Diseases of the Glands, Epizootic, Distemper in Horses or Sheep Nasal Gleet; Farcy and Glanders; Discharges from the Nose; Farcy Buds; swelled Glands; Scab in Sheep; Distemper in Dogs, .60
- D.D.** Cures Worm Diseases and eradicates them from the system; either Bots or Grubs, Long, Round, Pin, or tape-worm, Colic or, emaciation from Worms, .60
- E.E.** Cures Diseases of the Air Passages; Cough, Influenza, Heaves, Broken Wind or Whistles, Thick Wind, Inflamed Lungs or Pleura (Pleuro-pneumonia); with quick, panting, hard or difficult Breathing, .60
- F.F.** Cures Colic, Spasmodic Wind, or Inflammatory Colic; Bellyache, Gripes, Hoven or Wind-blown; Diarrhea, or Dysentery; Liquid or Bloody Dung, .60
- G.G.** Prevents Miscarriage, Abortion, or Casting of Foal in Mares or Cows; arrest Hemorrhages or Flooding; throws off the after-birth; Sterility or Barrenness, .60
- H.H.** Cures Diseases of the Kidneys, Bladder, or Urinary-Passages; as Inflammation, or Scanty, difficult, painful, suppressed, or bloody Urination; Kidney Colic, .60
- I.I.** Cures Cutaneous Diseases or Eruptions, Mange, Farcy, Grease, Thrush, Erysipelas, Swellings, Abscesses, Fistulas, Ulcers, Unhealthy Skin, Rough Coat, .60
- J.K.** Cures Diseases of Digestion, Loss of Appetite, and "Off his Feed;" Results of Over-Feed, Jaundice, or formerly Yellow; Ill-Condition, Staring Coat; also, Paralysis, Stomach  
**J.J.** Stagers, Brittle Hoofs, Impotency in Stallions, .60

# —GUIDE—

—FOR—

HUMPHREYS'

HOMEOPATHIC

# Veterinary Specifics.

—BY—

F. HUMPHREYS, M. D.

---

Entered according to Act of Congress in the year 1885, by the HUMPHREYS' SPECIFIC HOMEOPATHIC MED. CO., in the Office of the Librarian of Congress.

---

HUMPHREYS'  
Homeopathic Medicine Co.,

109 FULTON ST., NEW YORK.



**PRICES OF CASES AND SINGLE BOTTLES.**

SINGLE BOTTLES, containing over 50 doses, .....	.60
SINGLE BOTTLES, Medium Size, containing FOUR times as much as small bottles, 200 doses, .....	2.00
SINGLE BOTTLES, Large Size, containing EIGHT times as much as small bottles, 400 doses, .....	3.50
STABLE CASE, Black Walnut, Handle, Lock and Key, containing Manual (450 pages with chart,) Ten bottles Specifics, large bottle Witch Hazel Oil, and Medicator complete, .....	7.00
STABLE CASE, Black Walnut, Handle, Lock and Key, containing Manual (450 pages with chart,) Ten medium size bottles Specifics, large bottle Witch Hazel Oil, and Medicator complete, .....	20.00
STABLE CASE, Black Walnut, Handle, Lock and Key, containing Manual (450 pages with chart,) Ten large size bottles Specifics, large bottle Witch Hazel Oil, and Medicator complete, .....	35.00
HUMPHREYS' VETERINARY MANUAL, .....	.50
MEDICATOR, (for administering Specifics,) .....	.25

☞ SENT FREE TO ANY ADDRESS ON RECEIPT OF THE PRICE.

## Directions for Using the Specifics;

—AND—

### DISEASES AND CONDITIONS WHICH THEY CURE.

**Nursing and Care of Sick Animals.**—Separate the seriously sick from the well ones. Give each a dry, warm, well-littered box or stall, free from cold or damp, or foul smells. Have sick cows laid on the side with their legs under them, in a natural position. With horses, blanket the body and neck, and in pneumonia, flannel bandage the legs, and, if needful, sling them up. Give **no grain, corn-meal, or hearty food** to sick cattle or horses, only bran mashes, hay tea, chopped roots, steamed grain, or mill feed in small quantities.

**No other Medicine or Dose** should be given or applied when using the **HOMEOPATHIC SPECIFICS**, as it will injure or destroy the effect.

**DOSES—How Much.**—Ten to Fifteen Drops for Horses; Fifteen to Twenty-five Drops for Cattle or Hogs; Five to Ten Drops for Sheep or Dogs; proportionately less for small or young animals.

**How Often.**—From one-half to three hours in acute, and morning and night in old or chronic cases.

**How to Give.**—Simply apply the dose to the animals tongue, which you may do upon a lump of sugar, apple or potato, or in water, and given with a spoon—or with the *Medicator*. If many doses are to be given, put the proper number of drops into a clean bottle, adding for each *dose* a spoonful of pure water. Then shake well, and the spoonful is the dose. By giving "IN ALTERNATION" is meant, giving first *one Specific*, then waiting the prescribed time, give the *other*, and so on, in turn.

# INDEX.

	PAGE.		PAGE.
Appetite, loss of, Indigestion	16	Joints, dryness of.....	21
Bowels, Inflamed.....	15	Kidneys, inflamed.....	18
Bots and Worms.....	16	Lampas.....	14
Brain, Inflammation of. ....	11	Mange.....	23
Bronchitis, or Common Cold	12	Nursing and Care.....	3
Chill... ..	7	Over-reach and Tread.....	20
Congestion of the head.....	10	Para- /sis.....	11
Convulsions, Fits, Staggers..	10	Pin- Eye.....	8
Colic, Belly-Ache .....	15	Pneumonia, Inflamed Lungs,	
Crib Biting... ..	16	or Pleuro.....	13
Doses, how much and often	3	Poultry, diseases of.....	44
"    " to prepare and give	3	Prick in the foot.....	23
Diarrhea or Purging. ....	17	Quarter or Sand Crack... ..	22
Distemper or Strangles.....	9	Quittor.....	22
Dogs, diseases of.....	29-43	Range of Action of Specifics	5-6
Dropsy, Swelled Legs, Belly,		Rheumatism.....	18
or Face.....	18	Ring Bone.....	20
Drum Belly, Tympanites....	16	Scarlet Fever.....	9
Dysentery, or Bloody Flux..	17	Sheep, diseases of.....	23-28
Epizootic.....	8	Slavering of mouth.....	14
Epilepsy.....	11	Sore Throat, or Quinzy.....	13
Eyes, inflamed or sore.....	14	Spavin and String Halt.....	19-20
Farcy and Glanders.....	12	Splint.....	20
Feed of Sick animals.....	3	Spinal Meningitis.....	9
Founder, Laminitis, Inflamed		Stifle.....	21
Feet.....	21	Strains.....	19
Fright or Fear, effects of....	7	Swine, diseases of.....	28-30
Grease, Grapes, Scratches...	23	Tetanus, Lock jaw.....	11
Heaves, Broken Wind.....	14	Thrush and Canker.....	21
Horned Cattle, diseases of..	24-32	Urinary Diseases.....	17-18
Hock, Knee, or Pastern, dis-		Wind Pipe, inflamed .....	12
eases of. ....	21	Wrist Calls, Enlarged Bursa.	21
Influenza.....	7		

## Range of Action of Humphreys' Veterinary Specifics.

**A.A.** } **FEVERS, CONGESTIONS,**  
**CURES** } **INFLAMMATIONS, Etc.**

This Specific is curative for all **Congestions, Inflammations, Fevers,** and febrile conditions; and hence for all conditions attended with *quick, full and strong pulse, heat or excitement* of the system; and for the coldness, shaking or panting, which precede inflammation.

**B.B.** } **STRAINS, LAMENESS, INJURIES,**  
**CURES** } **RHEUMATISM.**

This Specific is especially curative for all diseases or affections of the **Muscles, Sinews, Tendons and Joints.**

**C.C.** } **SORE THROAT, QUINZY, FARCY,**  
**CURES** } **NASAL GLEET, INFLUENZA, Etc.**

This Specific is especially curative for all diseases of the **Mucous Membrane and Glands.**

**D.D.** } **BOTS, GRUBS, WORMS.**  
**CURES** }

This Specific is curative for all diseases arising from the various kinds of **Bots, Grubs, or Worms** in animals, as well as the morbid cause which produces them.

**E.E.** } **Coughs, Bronchitis, Broken Wind,**  
**CURES** } **Inflamed Lungs, Pleuro-Pneumonia.**

This Specific is curative for all diseased conditions of the **Air Passages and Lungs,** especially after the more acute symptoms have been removed by the Specific **A.A.**

**F.F. } COLIC, BELLY-ACHE, WIND-BLOWN,  
CURES } DIARRHEA. DYSENTERY.**

This Specific is especially curative for the various forms of Colic or Enteralgia, and derangements arising from improper food, deranged digestion, or over-feeding.

---

**G.G. } HEMORRHAGE, MISCARRIAGE,  
CURES } IMPERFECT CLEANSING, Etc.**

This Specific is more especially curative for all diseases of the reproductive system. Hence prevents Miscarriage or Abortion and Sterility.

---

**H.H. } URINARY AND KIDNEY DISEASES,  
CURES } AND DROPSY.**

Especially curative for all diseases of the urinary apparatus, the Kidneys, Bladder, and Appendages.

---

**I.I. } Eruptions, Ulcers, Mange, Grease, Farcy,  
CURES } Abscesses, Fistulas, Unhealthy Skin.**

This Specific is especially curative for all diseases of the Skin and Underlying Tissues, and for all Abscesses and Ulcerations, and the diseased condition preceding or attending them.

---

**J.K. } Bad Condition, Indigestion, Costiveness,  
CURES } Stomach Staggers, Paralysis.**

This Specific is especially curative for all morbid conditions or Derangements of the Digestive System, or diseased conditions of the cerebro-spinal system connected therewith.—Impotency.

## HORSES.

**Effects of Fear, Fright, or Excitement, or being Over-heated, or exposed to long and severe cold.** Give **A.A.**, one or more doses, to prevent evil effects.

**Chill.**—*Comes on* after exposure, cold draughts, too much cold drink, riding in a cold stream while perspiring, standing in damp and cold while hot.

**KNOWN BY**—Dullness, hanging the head, standing still, dull eyes, grinding the teeth, quick breathing—in some cases *panting*, prickly coat, trembling and shaking, followed by heat, fever and quickened pulse, or some inflammation.

**GIVE**—Specific **A.A.** every half-hour at first, then every hour, until all danger has passed away. May develop fever, pneumonia, bronchitis, rheumatism, or other severe disease. Curing the chill you prevent these.

**Influenza.**—*Comes on* as an epidemic, or from exposure to cold, damp air, when heated—suppressed perspiration.

**KNOWN BY**—Dullness, eats little or no food, coughs and sneezes, watery discharge from the nostrils and eyes, which are red and swelled. Sometimes there is a chill, fever, quick breathing, sore throat, frequent cough, bound bowels, red eyes and hot nose.

**GIVE**—Specific **A.A.** every hour, and, after six doses, once in two hours; then if the cough is frequent, or difficult quick breathing, alternate the Specific **E.E.** with the **A.A.** one dose every two hours, gradually winding up with the **E.E.** three times per day.

**Epizootic or Canadian Horse Disease.**—An intensified form of influenza, depending upon atmospheric influences.

**KNOWN BY**—At first dullness, hanging head, easy fatigue, sweats on exercise, staring coat, *watery discharge from the nose*, followed by hacking cough, or the cough may come at first. Then, pulse quick, mouth hot, nasal membrane red, pinkish or lead color, ears and legs cold; discharge from the nose increased, yellowish green, throat sore, glands swelled, swallowing difficult; in some cases glands suppurate and discharge, or the wind-pipe and lungs may become involved.

**GIVE**—**A.A.** at first every hour, which continue until the fever abates; or after twelve hours, alternate **Specific C.C.** with the **A.A.** at intervals of three hours. But if the cough or difficult breathing is severe, give the **E.E.** every two hours in alternation with **A.A.**, or if there is decided fever. Complete the cure with **E.E.** in alternation with the **C.C.**, a dose every three hours.

**Pink Eye.**—*Comes* in green horses brought from the country; lately appears as an epizootic, affecting large numbers.

**KNOWN BY**—Dumppish, dull, sick appearance; moves clumsily; eyelids swelled—puffed; vessels, inner lid, and corners of the *eyes* are puffed, unnaturally red; he shrinks from the light, tears trickle over the lid, and lumps of matter gum up the corners. He hangs his head; first one leg then the other swells from the fetlock up and along under the belly; rough hair; ears, nose and limbs are cold or wet; appetite poor, throat sore, tongue foul, saliva runs freely, or the mouth may be hot and dry; urine and dung scanty, sometimes the glands of the neck or jaw are swelled,

or matter may even form, not unfrequently a cough. After a few days a discharge from the nose sets in, which is favorable.

**Give**—Specific **A.A.** a dose every two or three hours for one or two days. If the glands under the throat are swelled and tender, alternate the **A.A.** with the **C.C.** When the legs begin to swell, give the **H.H.** in alternation with the **A.A.**, a dose every three hours. If the lungs become involved with cough and difficult breathing, give the **E.E.** in alternation with the **A.A.** Feed bran mashes, light hay—no grain, and don't torture him with exercise.

**Scarlet Fever.**—With fever, increased pulse, hot skin, reddish swelled eyes, sore throat, difficult swallowing—swelled glands, red patches in mouth and in the skin, followed by dropsy—give first **A.A.** every two hours, for say two days. Then **A.A.** and **C.C.** at longer (four hours) intervals. Treatment is the same as for "Pink Eye." **A.A.** for Fever, **C.C.** for Sore Throat, and **H.H.** for Dropsy.

**Distemper or Strangles.**—Occurs in young horses.

**KNOWN BY**—Pulse quick; mouth hot, dry, then frothy. Glands under the jaw swelled; hot, and sometimes breathing very difficult. Swelling under the jaws becomes larger, and may burst, and matter flows.

**Give**—Specific **A.A.** four times per day. Later **C.C.**

**Spinal Meningitis.**—Is often of an epizootic character, prevailing in certain cities and localities.

**KNOWN BY**—At first dullness, head hangs low, indisposition to move, or moving with stiffness and pain, especially on turning; tenderness and shrinking on pressure on some portion of the spine; want of firmness in standing, and

swaying or tottering in walking; easily pushed over. Then back gives out; unable to rise; no strength in hind legs; heat, fever, injected or reddish eyes; suffering look, scanty urine, dry dung.

**GIVE**—From the first and principally Specific **A.A.** at first every hour, and after eight hours, once in two hours. If the urine is very scanty, passed with difficulty and straining, or suppressed, alternate the **H.H.** with the **A.A.** at the same intervals until that difficulty is relieved. Later, after the heat and fever have mostly gone, and there remains some weakness or partial paralysis of the hind legs, give the Specific **J.K.** either alone or in alternation with the **A.A.** four times per day, until entire recovery.

**Congestion of the Head.**—Often induced by over-feeding, undue fullness of the stomach, or over-excitement.

**KNOWN BY**—At first heat of the head, red injected eyes or eyes half shut, dullness, dejection, inattention, sleepy or stupid, unsteady gait, heavy and slow, raises the feet high, is awkward in turning, and can scarcely go back at all. Later, more dull and insensible; chews the food slowly or drops it; and in drinking plunges the head into the water. Yet later, there are violent movements, running blind against things, pulse slow, respiration sighing, tongue foul, mouth dry and clammy.

**GIVE**—Specific **A.A.**, and repeat every one or two hours. Later give **J.K.** for the stomach, with light, soft feed. To prevent such attacks, give the **A.A.** each morning and the **J.K.** at night.

**Fits, Convulsions or Staggers.**—Are often simply the result of the *congestion* mentioned above.

**GIVE**—Specific **A.A.** at first, and repeat two or three times at intervals, of an hour, or two hours, or until better.

Then alternate the Specific **A.A.** morning and **J.K.** at night to prevent further attacks.

**Inflammation of the Brain.**—Mostly met with in entire horses, in high condition, or it may arise from blows or injuries to the head.

**KNOWN BY**—At first the horse is dull, stupid and sleepy, succeeded by a state of frenzy. Pulse and breath quick, nose and eyes red and wild; nostrils wide, feet stamp, rearing, plunging with great violence. Then convulsions, foaming, struggling, panting, sweating.

**GIVE**—Specific **A.A.**, every two or three hours, and afterwards the alternation of **A.A.** and the **J.K.** four times a day.

**Epilepsy.**—When horses are subject to **FITS** or **PARTIAL FITS**, or **STAGGERS**, coming on from time to time, give the Specific **A.A.** one morning, and the **J.K.** the next, and so on.

**Paralysis.**—Caused by loss of nervous power; consequence of injuries, severe cold, or some internal cause.

**KNOWN BY**—Loss of power over the muscles involved. If in the face, the lips hang down and seem swelled, food is picked up with difficulty, drops from the mouth, and chewing is imperfect. When the hind parts are paralyzed, the horse cannot stand, sits on the haunches like a dog, constipation and suppressed urine are apt to be present.

**GIVE**—At first specific **A.A.** once in four hours; then alternate the **A.A.** and **J.K.** every four hours. Old cases, the **J.K.** three times per day.

**Tetanus or Lock-Jaw.**—Mostly the result of injury, but may come on from cold or damp, or arrest of discharges, or worms, or bad stomach.

**KNOWN BY**—Stiff, rigid condition of all the muscles; jaws set, eyes staring, head lowered, neck stretched out; legs fixed and spread out; bowels bound, urine passed with difficulty.

**TREATMENT.**—Relieve the injury if present, from irritation as far as possible, by mild relaxing applications, and

**GIVE**—Specific **A.A.** a dose every three hours. If not better in twenty-four hours alternate the **J.K.** with the **A.A.**, a dose once in four hours so long as help is required. See also "VETERINARY MANUAL" for further treatment.

**Glanders and Farcy.**—**GIVE**—Specific **C.C.** in all such cases four times per day. In old cases Specific **I.I.** may be given alternately with the **C.C.**

**HANDLE THE ANIMAL WITH GREAT CARE.** See that no glandered matter comes in contact with a sore or cut. A badly glandered animal had better be killed than incur such danger.

**Inflamed Wind-pipe or Larynx.**—*Comes on* from the same causes as colds.

**KNOWN BY**—Loud whistling breathing, even to danger of suffocation, or short and difficult breathing; cough, at first short and hard, becomes more hoarse and feeble; throat on the outside hot, painful and swelled; swallowing difficult, or impossible; pulse quick, hard and full, and skin hot.

**GIVE**—Specific **A.A.** every hour until the heat, pulse and breathing are relieved. Then alternate with **E.E.** every two or three hours to complete the cure.

**Bronchitis or Common Cold.**—**KNOWN BY**—Cough, quickened breathing, sore throat, low spirits, dislike of food, slight discharge from the nose. Sometimes there is at first a chill; legs, ears and muzzle sometimes cold—at others, hot; coat rough; eyes and nose red, and rattles are

heard in the wind-pipe and at the breast. A free discharge from the nose indicates an improvement.

**GIVE**—Specific **A.A.** and **E.E.**, a dose every three hours alternate. Keep the patient housed and comfortably clothed until relieved.

**Sore Throat or Quinzy.**—Often appears in connection with cold or bronchitis, or may be isolated.

**KNOWN BY**—Difficulty of swallowing, he quids his food, partly eats and drops it; refuses to drink, musses about in the water or swallows with reluctance and pain; the throat is hot, painful; swelled on the outside; often the glands under the jaw and below the ears are swelled. In bad cases there is difficult breathing—always fever.

**GIVE**—First, Specific **A.A.**; a dose every two hours. After three doses give the **C.C.** in alternation with the **A.A.** every three hours.

**Inflammation of the Lungs or Pleura (PLEURO-PNEUMONIA).**—*Comes* from exposure to draughts and sudden changes, neglect of blankets or other comforts, long hard riding in cold, bleak or snowy weather, loitering in bleak places with insufficient covering.

**KNOWN BY**—A *hard shaking chill*, followed by a hot, dry mouth, white-coated tongue, red nose and eyes, hard quick wiry pulse. Taking the air into the lungs, is short; stops or is cut off by the pain; forcing the air *from the lungs*, is full and slow. Cough is painful, the side sensitive if pressed upon, skin of the worst side corrugated and twitches occasionally. If pressed *between the ribs* the horse grunts and tries to get away. The *legs, ears* and skin are cold at first, and afterwards become very hot, except *the legs, which remain very cold*. Later, the breathing is more difficult, with heaving of the flanks; nostrils widened; nose and neck held

out; fore legs fixed and spread apart, *legs* and ears very cold; breath quick and hot, pulse small and weak; eyes and nose lead colored, skin cold and clammy, etc. (For Auscultatory signs, see "HUMPHREYS' VETERINARY MANUAL.")

**GIVE**—Specific **A.A.** every hour at first, then every two hours, for the first twenty-four hours, day and night. Then give the **A.A.** in alternation with the **E.E.** every three hours for the next four days. After the fever is down, and cough and breathing relieved, a dose of **E.E.** four times a day with good care will complete the cure. *Give no other medicine, and make no application except to cover well and flannel bandage the legs.*

**Heaves—Whistles—Broken Wind—Thick Wind.**—Usually the result of badly cured Pneumonia or Bronchitis, or of neglected cold.

**KNOWN BY**—Whistling, roaring, hard breathing, panting and undue heaving of the flanks in exercise, travel, or work.

**GIVE**—Specific **E.E.** at noon and night, and of Specific **A.A.** each morning. Old cases, **A.A.** morning and **E.E.** at noon and night, with no chaff, straw or bloating feed. Light drink until work is over.

**Slavering or Driveling from the mouth**—Often comes from inflamed gums or bad teeth or stomach. Give **J.K.** morning and night—often cures.

**Lampas.**—Swelling of the bars or gums of the mouth. **GIVE**—Specific **J.K.** three times per day. Soon cured.

**Inflamed Eyes, Sore Eyes, Weak Sight.**—**GIVE**—Specific **A.A.** morning and night, and bathe the eye with one part of **MARVEL** to two of water.

**Colic—Belly-Ache—Spasmodic or Flatulent Colic.**—*Comes on* from flatulent, irritating food; over-feeding; sudden chill on a warm skin; tumors, worms, stones, etc.

**KNOWN BY**—Uneasiness, pawing, stamping, kicking the belly with the hind foot; looking at the flanks, groans; falls on the ground, rolls about violently or lies on his back, which gives ease for the moment. Later, throws himself about wildly, grinds his teeth, bites the manger, looks at his flanks with wild anxious expression. The pain comes in paroxysms easier for a moment, then worse, finally no free interval. Inflammation may set in, legs and ears become cold, pulse small and wiry, and the animal dies. If the **KIDNEYS** are involved there is *frequent desire, or attempt to stale with but little discharge.*

**GIVE**—Specific **F.F.**, a dose every fifteen minutes. If better, give not so often, but wait, or give at longer intervals. If after four or six doses help is not decided, give Specific **A.A.**, two doses, the same intervals, especially so if there is fever, heat or quick pulse, and so continue the use of **A.A.** and **F.F.** in alternation until quite relieved; then a dose or two of **J.K.** for indigestion will complete the cure.

If, however, the **KIDNEYS** are involved, known by straining and frequent attempts to stale, give Specific **H.H.** (instead of the **F.F.**) in alternation with the **A.A.**, a dose every half-hour or hour.

**Inflammation of the Bowels.—Red Colic, Enteritis.**—There are two forms of this disease, one attended by bound bowels, the other by purging.—*Comes on* from a sudden cold on a warm skin, cold drink when very hot, long and severe work on an over-feed; and especially a colic badly treated and drugged with all sorts of medicines.

**KNOWN BY**—Dull eyes, staring coat, restless moving, pulse and breath quick; may begin with colic or with shivering; paws, kicks, rolls about violently, strains, tries to stale, passes but a few drops; PAIN CONSTANT, worse by pressure or moving about; belly hot, tucked up, unless there is wind, when it will be swelled; bowels costive, with small dry hard dung, or purging of small frequent bloody stools; legs and ears intensely cold; pulse small and hard. Later, sweat all over, pulse smaller, weaker, imperceptible; breathing quick, irregular, sighing, weakness, trembling, failing sight, and death.

**GIVE**—From the first and all along Specific A.A., a dose every half-hour, afterwards every hour. If there is purging of bloody dung alternate the F.F. with the A.A. at the same intervals, but GIVE NOTHING FOR THE CONFINED BOWELS. After the inflammation has subsided under the A.A. and the F.F., a dose or two of Specific J.K. will bring the dung around all right.

**Drum Belly or Tympanites.**—A form of colic, known by an enormous distention of the barrel (body) by wind, violent pain, and frantic actions of the horse.

**GIVE**—Specific F.F. every fifteen minutes until relieved.

**Loss of Appetite, Indigestion, Constipation, Unthriftiness, Hide Bound.**—Each are usually the result of want of proper care and food, or may result from some internal disease. **GIVE**—Specific J.K. morning and night.

**Crab Biting.**—Take away the manger, feed from a bucket, and **GIVE**—J.K. morning and night.

**Bots and Worms.**—Bots are rarely troublesome, the fly merely using the intestinal track of the horse as a

place for the hatching of its eggs and rearing of its young. If troublesome, Give—Specific **D.D.** morning and night. For other forms of worms give Specific **D.D.** morning, and the **J.K.** at night.

**Diarrhœa, Purging, Scouring, Looseness.—**

*Comes on* from green food, new hay; worms; excess of bile; cold draughts or water; too quick work after over-feed.

**KNOWN BY**—Frequent abundant discharge of slime mixed with dung; pain in belly or colic, with stamping, rolling, anxious face and cold sweat; legs and ears cold; pulse small, weak; breath quick; rapid wasting of the body.

**GIVE**—Specific **F.F.** four times per day. (Generally cures.) In bad cases alternate the Specific **J.K.** with the **F.F.** \*

**Dysentery, Bloody Flux.—**May occur in horses in

good condition from cold and wet.

**KNOWN BY**—Frequent passages of slimy, bad smelling passages of fatty matter like grease, more or less mixed with blood, attended with much straining and effort; hot dry mouth; legs cold; no appetite; great thirst; the horse growing weak and thin. In straining the rectum (gut) may be pushed out.

**GIVE**—Specific **A.A.**, at first two or three doses, if there is fever. Follow this with Specific **F.F.** every two hours until somewhat relieved, then at longer intervals, until cured, Give boiled or steamed feed.

**Retention of Urine or Frequent Attempts at Staling,** with effort, straining and but little result.

**GIVE**—Specific **H.H.** every two hours, a dose until relieved.

**Inflammation of the Bladder.—**Usually the result of diuretics, salt water cathartics or similar drugs.

but may result from cold, exposure, or stone in the bladder.

**KNOWN BY**—Nearly the same symptoms as inflammation of the kidneys; the horse makes frequent attempts to stale, passes only a few drops at a time; the urine may be clear or much mixed with mucous, or stained with blood.

**GIVE**—Specific **H.H.** and the **A.A.** if needful for fever, the same as for inflammation of the kidneys, which see.

**Inflammation of the Kidneys.**—May come from the use of salt peter; long carrying a heavy rider or weight; leaping; being suddenly pulled back on the haunches; exposure to cold rain during exercise.

**KNOWN BY**—Fever; pulse full, hard, quick; later, small and weak; horse looks at his flanks; stands with hind legs far apart; unwilling to lie down; straddles in walking; pain in turning; back arched; shrinks if the loins are pressed upon; urine passed in *small quantities*, with *violent effort* and *straining*, and is frequently *high colored* or *bloody* or suppressed.

**GIVE**—Specific **H.H.** every two hours. If much fever, alternate Specific **A.A.** with the **H.H.**, increasing the intervals as the patient improves. The **H.H.** is usually sufficient.

**Bloody Urine.**—**GIVE**—Specific **H.H.** three times per day. If quite profuse, give a large spoonful of **THE MARVEL** on the tongue every two hours also.

**Swelled Legs, Belly or Face, Dropsy.**—**GIVE**—Specific **H.H.** three times per day.

**Rheumatism, Stiffness and Lameness.**—Quite common in old horses; in younger ones from exposure and over-work, cold and damp, or cold draughts when overheated may produce it.

**KNOWN BY**—An acute attack begins with a chill; then lame and stiff all over, or the lameness confined to one leg; the joint or leg, hot, swelled, painful; pulse quicker at one time than another; breath quick, sweat breaks out; animal weak. Called "Chest founder" when it attacks the fore legs, and "Loin bound" when it affects the loins; then the back is arched and belly tucked up. Sometimes shifts from one place to another.

**Give**—Specific **A.A.** if there is heat or fever every three hours. After the fever is better, alternate the **B.B.** with the **A.A.**, a dose every three or four hours until restored. The hot swelled limbs should also be bathed morning and night with **THE MARVEL**.

**Strain of the Shoulder.**—**KNOWN BY**—Severe suffering; cannot extend the shoulder, drags the toe; if the leg is lifted and drawn out it *causes great pain*; if the disease is long continued, sinking of the shoulder.

**Strain of the Loins.**—Horse bends or lowers the quarters in walking; backs with difficulty; trots unsteadily. If severe, cannot back; drags the hind legs, and his quarters tremble.

**Strain of the Haunch.**—Horse halts a little; spares the affected limb, can neither trot nor galop. If slight, scarcely limps in walking; if severe, even standing is painful.

**Strain of the Tendon.**—Attended with excessive lameness and inflammation of the suffering part. **GIVE**—Specific **B.B.** three or more times per day. Bathe the part morning and night with **THE MARVEL**.

**Spavin, Bone Spavin, Bog Spavin, Blood Spavin.**—**KNOWN AS**—A swelling, and later a bony deposit, or enlargement at the inner and lower side of the hock;

sometimes at first the swelling is hot and painful, later becoming a hard, bony, insensible tumor, only causing limping or exertion. In some cases the horse seems tender in one of the hind legs; is a little lame on first starting. On returning stands on the toe of that limb; limps on turning round, or beginning to walk; after moving, lameness disappears, and only returns on moving after standing. This will soon be followed by the swelling. GIVE—Specific **B.B.** three or more times per day in all such cases.

**String Halt.**—A peculiar jerking up of the hind legs unnaturally high, and putting them down with a spasmodic twitching motion (a form of spavin).—GIVE—Specific **B.B.** morning, and **J.K.** at night.

**Splint.**—From an injury a bony tumor comes on the inside of the fore leg below the knee. Lameness during the forming stage, though rarely afterwards. When coming on there may be fever and heat of the part with the lameness. GIVE—Specific **B.B.** four times per day. If fever and heat, alternate with the **A.A.**

**Ringbone.**—An enlargement and bony deposit at the crown of the hoof in consequence of a strain and inflammation. May affect one or both feet, and may be superficial or involve the deeper structures of the joint. GIVE—Specific **B.B.** three times per day and bathe with the **MARVEL.**

**Over-reach and Tread.**—A bruise on the heel of the fore foot, caused from the toe of the hind foot. Or the fore foot cork may injure the hind foot in backing. REMOVE the crushed and torn skin and horn, and the hair around the wound; bathe well with warm water and the **MARVEL.** Keep it clean and protected with a roller bandage. Apply the

marvel morning and night. If ulcerated, apply the **WITCH HAZEL OIL**. GIVE—Specific **I.I.** morning and night.

**Thrush and Canker.**—Inflammation of the sensible frog, secreting offensive matter from the cleft. Later, abundant discharge; horn thin, shrivelled, contracted; discharge very offensive (**CANKER**).

**TREATMENT.**—Keep the foot dry; free from dung and stale. Clean the foot and cleft perfectly; smear the frog and cleft with a mixture made of half ounce blue vitriol to six ounces of tar, made into a paste. Smear the paste well night and morning, pressing a smeared rag or tow well into the cleft to keep out the dirt and wet. GIVE—Also Specific **I.I.** morning and night.

**Affections of the Hock, Knee or Pastern.** Come on with heat, stiffness or lameness, which may result in **SPAVIN, SPLINT, RINGBONE**, or other similar defects. GIVE—Specific **B.B.** four times per day at first. If fever or great heat of the part, alternate the **A.A.** with the **B.B.** until the heat is cooled, then **B.B.** three times per day.

**Stifle.**—Replace the part, give the animal rest, and the Specific **B.B.** three times per day.

**Wind Galls, Puffs, Enlarged Bursa.**—Proper care and Specific **I.I.** morning and night often cleans them up wonderfully.

**Dryness of the Joints**—Crackling on moving.—RESULTS of OVER-WORK or LAMENESS, or where the ORIGIN is UNKNOWN. GIVE—Specific **B.B.** three times per day. 6

**Laminitis, Acute Founder, Inflammation of the Feet.**—Comes on from battering the feet; too long standing in snow or ice with hot feet; sudden changes.

**KNOWN BY**—Shaking chill; breath quick; pulse, quick and full; he shifts his feet frequently; hind feet are well under him to take the weight off the fore feet; moans and groans; lies down, unable to stand on the sore feet, which are *intensely hot and painful*. Remove the shoes, pare down the hoof and wrap the feet in wet cloths—renewing as they get dry. If the feet have been battered, bathe with the **MARVEL**.

**GIVE**—Specific **A.A.**, at first every hour, three or four times. Then alternate Specific **B.B.** with the **A.A.**, every three hours a dose. After a day or two omit the **A.A.** and continue the **B.B.** four times per day.

**Old Chronic Founder.**—*Comes on* with lameness and stiffness on first starting off. **GIVE**—Specific **B.B.** three times per day.

**Quarter Crack, Sand Crack.**—Dress the crack in the ordinary way, either by barbed nails or a wire driven and riveted across the cleft, which keep well cleaned and smeared with cobbler's wax to keep out dirt and wet. **GIVE**—Always Specific **J.K.** morning and night, to cause a tougher and healthier growth of hoofs. For **DRY, KNOTTY, IRREGULAR, BRITTLE, OR UNHEALTHY HOOFS**, give Specific **J.K.** morning and night. It often cures.

**Quittor.**—A deep narrow opening on the coronet, leading to an abscess in the foot; caused by an injury, tread, corn, or prick of a nail.

**KNOWN BY**—Lameness, heat and pain, and discharge from the opening. Dress as for an over-reach or tread; inject into the pipe-like opening the **MARVEL**, full strength, morning and night. **GIVE**—Specific **I.L.** as often.

**Prick in the Foot.**—KNOWN BY—Heat, pain, and lameness. Remove the offending substance. Bathe the injured part with the MARVEL. GIVE—Specific B.B. four or more times per day.

**Grease, Grapes, Scratches.**—KNOWN BY—Heat, swelling and secretion of grease or oil, with deep clefts or cracks in the heels. In bad cases the deep clefts are filled and surface covered with unhealthy growths (GRAPES). Keep the parts clean and dry as possible. Apply the WITCH HAZEL OIL morning and night. GIVE—The Specific I.I. as often.

**Mange.**—May be dry, with small red pimples, or moist-secreting. KNOWN BY—The itching, causing uneasiness and rubbing—most in the mane and root of the tail. GIVE—Specific I.I. morning and night, and apply WITCH HAZEL OIL or the *arsenical lotion*, for which send to the Company.

---

Fourth Revised and Enlarged Edition—Just Published.

## HUMPHREYS' SPECIFIC VETERINARY MANUAL,

For the Treatment of the Diseases of

### HORSES, CATTLE, SHEEP, HOGS, DOGS, AND POULTRY,

REVISED and ENLARGED to 430 Pages, containing a Copy of HUMPHREYS' VETERINARY STABLE CHART, Printed on Parchment Paper.

~~It~~ No STABLEMAN, STOCKOWNER or BREEDER—or indeed any one engaged in breeding or handling stock CAN AFFORD to be without this work. On almost every page he will find hints or directions which will more than repay its cost.

Price, 50c. Sent by Mail, postpaid, on Receipt of Price.

## HORNED CATTLE.

---

**Quarter Evil—Joint Murain.**—Neck extended; eyes protruded; muzzle dry; breath hot; root of horns hot; mouth partly open; tongue swelled; pulse full—hard; breathing quickened—labored; flanks heave; and low moaning. Stands, will hardly move; lame in one or both quarters; falls, cannot rise; *extreme tenderness of loins and back*; swellings on shoulders, back or loins. Black patches in the skin; ulcers about the belly, quarters, teats and skin—and later, everywhere; bloody discharges from nose and mouth; bloody urine and dung.

Give—Specific A.A. first day, then alternate A.A. and I.I. A dose every four hours.

**Vesicular Epizootic.**—Blisters about the mouth, hoofs and teats; eyes dim, watery, congested; muzzle, ears and horns alternately hot and cold; milk diminished, yellow and thick; bag swelled, tender, hot; back arched; pulse and heat increased. Blisters burst after eighteen hours, leaving shallow ulcers, which become deep. Animal suffers intense pain; is lame, often unable to stand; the hoofs swell and may even fall off. In bad cases, fever is high; strings of bloody mucons run from mouth and nose; face swelled; breath foul; diarrhoea and death. The bag and teats in milch cows is painful, scabbed and sore; she holds back, prevents stripping and so may die of inflammation.

**Give**—Specific **C.C.** every three hours. After first day alternate **I.I.** with the **C.C.**, a dose each four hours.

Cattle are usually cured, but calves die from taking the bad milk.

**Rheumatism.**—From cold, wet or over-work. **Known by**—Painful stiff joints and back in moving; no appetite; back painful if pressed upon; lays down, can move only with pain and difficulty; joints may become swelled, hot and tender—sometimes heat and fever.

**Give**—Specific **B.B.** every four hours. If fever, alternate with **A.A.**

**Lumbago.**—Where the rheumatism locates in the muscles of the back. Treat as for Rheumatism.

**Inflamed or Sore Eyes.**—Bathe with the **MARVEL**, part water, and give **A.A.** morning and night.

**Fits, Convulsions or Staggers.**—**Give**—**A.A.** after the fit, then **A.A.** morning and night (occasionally).

**Foot Rot.**—“**FOUL IN THE FOOT**”.—Clean and keep clean the foot, apply tar and tallow—or better **WITCH HAZEL OIL**, and give **I.I.** each night to promote the cure.

**Mange.**—Cleanse the skin with a brush, (which burn after using), apply **WITCH HAZEL OIL**, and give **I.I.** morning and night. ☉

**Hide Bound—Bad Condition.**—**Give** **J.K.** daily.

**Splenic Fever.**—Comes from contagion, and is contagious. Progress very rapid, animal sometimes drops as from a blow and dies in convulsions. Usually,—declines food, shudders or trembles; has twitches in the muscles of the back; becomes weak and cold; mucous surface purple; thirst; milk

dried up; breathing difficult; pulse very quick, temperature 106° to 107°—sometimes remissions. Then violent spasms; less of motive power; twitching of the eyes; coldness and bloody discharges from the mouth, nose and anus. Is generally fatal—seventy per cent. die.

Give—Specific A.A. every hour. Later, alternate I.I. with the A.A., a dose every two or three hours. For convalescence, J.K. morning, and I.I. at night.

**Typhus Fever.**—From want of water, bad fodder, foul stables, etc. SYMPTOMS.—Dull, stupid; stops eating and chewing; hangs the head; often moans; eyes fixed, watery, not red; horns, ears and nose hot, then cold; bloody mucous from mouth and nose; urine and dung suppressed or passes in lumps, or very fetid; hidebound, in some cases carbuncles; *Cows give little or no milk.* Disease runs its course in from one to four days—sometimes kills in a night.

TREATMENT the same as for SPLENIC FEVER, the A.A. and I.I.

**Rinder Pest.**—Requires the same treatment.

**Cold in the head.**—With discharges from the nose, first thin, then thick—fretting the surface.

Give—Specific C.C. If fever, alternate with A.A.

**Hoose, Catarrh, or Common Cold.**—Dry nose; cough; discharges from the nostrils; stiff limbs; purging; cold, then hot skin; failing milk; quick pulse and breath.

Give—Specific A.A. four times per day. Sometimes follow with E.E.

**Cough.**—The same treatment.

**Sore Throat.**—With difficult swallowing; food partly chewed and dropped, or fluid returns through the nostrils; throat and glands of neck swelled, hot and painful.

**GIVE**—Specific **A.A.** once in four hours, then **A.A.** and **C.C.** alternately.

**Bronchitis.**—Mouth dry and painful; breath hot and quick; hearing obstructed; coat stares; skin dry.

**GIVE**—Specific **A.A.**, then **A.A.** and **E.E.** alternately, four hours apart.

**Pleurisy, Pneumonia, and Pleuro-Pneumonia.** (though different diseases, are treated in this system by the same Specifics, and so may be described together). **KNOWN BY**—Dullness; hanging head; dry mouth and nose; horns, ears and feet are hot at one time, and cold another; pulse full and quick; appetite gone and rumination suspended; quick breath and heaving flanks, attended with a grunt; cough with pain, as if cut short; sides tender if pressed upon; thirst great; bowels bound; dung dark; spine is tender; head extended; eyes staring, tears form; nose discharges first water, then reddish with blood. Later, breath more difficult, labored; cough comes on in fits; nostrils widened and flap; body sweats; pulse weaker and more frequent until the last.

**GIVE**—Specific **A.A.** every two hours in bad cases at first. After twenty-four hours, alternate **A.A.** with **E.E.**, a dose every three hours. In very bad cases after three days, may try the **I.I.** in alternation with **E.E.**

**Loss of the Cud.**—Generally Indigestion.—Give Specific **J.K.** If there is fever **A.A.**

**Constipation.**—If (as is more common) from indigestion, give **J.K.** If from inflammation, give **A.A.**

**Colic.**—From sudden changes of food; bad food; musty corn; drinking cold water when hot. Animal paws; strikes the belly with hind legs; lies down, rises; grinds the teeth;

moans; falls down suddenly or squats like a dog, or lies on its back or acts as if frantic; thirst; constipation; horns, ears and feet are alternately hot and cold.

GIVE—Specific F.F. every half hour. If hot or feverish, alternate with A.A.

**Hoven, Wind Blown, Tympanitis, Drum-Belly.**—KNOWN BY—*Immense drum-like distention*, especially the left side, with gas; swelling yields to the finger, and gives a hollow drum-like sound when struck; sour, offensive belchings of wind; does not move; neither eats or chews; breath quick, short, puffing. (If the distention is from over-eating grain, the flank feels solid on pressure and gives no hollow sound when struck). GIVE—Specific F.F., a dose every quarter or half hour until relieved; afterwards J.K.

**For Distention from over-eating grain.**—Give alternately J.K. and F.F. every hour.

**Indigestion.**—Loss of appetite; hard, scanty dung or diarrhea, give J.K.

**Diarrhea.**—Mostly in old cattle. GIVE—Specific F.F. Extreme cases, try I.I. FOR DIARRHEA IN YOUNG CALVES—GIVE—Specific F.F., five drops every three hours; feed with milk porridge well cooked and prepared as per recipe in VETERINARY MANUAL, pp. 249.

**Dysentery or Bloody Flux.**—With purging, pain and straining—often forcing out the anus; dung watery, with white shreds or dark colored blood; horrible smell—or simply purging and wasting away.

GIVE—Specific F.F. every three to six hours. Old wasting cases, alternate I.I. with the F.F.

**Aphæ—Thrush.**—In sucking calves, with mouth full of small ulcers or white blisters, frothy, stringy slime runs from the mouth.

**GIVE**—Specific **C.C.** morning, and **I.I.** at night—or even each, twice per day.

**Clue, Fardel Bound, Dry Murain.**—Usually caused by coarse food or sudden change of diet, with excitement or dullness. **KNOWN BY**—Dry muzzle; protruded tongue; full, red eyes; quick, hard pulse; dry, scanty dung; scanty and bad milk; followed by trembling, bleeding and death.

**GIVE**—Specific **A.A.** at first every three hours, then alternate **A.A.** and **J.K.**

**Jaundice or Yellows.**—With eyes, skin and urine yellowish; scaly skin; dry dung at first, then purging.

**GIVE**—In torpid cases, Specific **J.K.** morning and night. Acute cases, with fever and hot mouth, **A.A.** and **J.K.**, alternate four times per day.

**Inflammation of the Liver.**—Animal lays down, cannot walk or stand without pain; eats little or nothing; eyes, mouth, nose and teats and urine become yellow; scanty, clay like dung; yellow bitter milk, soon becoming cheesy.

**GIVE**—Specific **A.A.**, then alternate with **J.K.**, a dose of each twice a day.

**Black Tongue—Gloss Anthrax.**—A fearfully fatal disease; with swelled, blistered, ulcerated and finally black tongue; swelled head and neck; low putrid fever. Specific **C.C.** and **I.I.** are the indicated remedies.

**Inflamed Stomach—Gastritis.**—With dry muzzle; ears, horns and feet cold; belly swelled; uneasiness;

scanty, thin, yellowish stringy milk; spasms and colic—sometimes intense; tongue contracted, red at the point and edges.

GIVE—Specific **A.A.** every hour at first; after improvement, **I.I.** and **J.K.** to complete the cure.

**Inflamed Bowels—Enteritis.**—With violent and constant pain (in colic, it intermits); small, hard pulse; quick breath; hot mouth; red, protruded eyes; pawing and kicking; frequent efforts, but little or no urine; hair rough; loins tender; swelled on left side; dung hard, or some liquid is forced out.

GIVE—Specific **A.A.** every half hour at first; later, every one, or three hours. If much bloated, give **F.F.** once or twice, also apply hot water through wet cloths to the surface.

**Inflammation of the Peritoneum, OR COVERING OF THE BOWELS.**—Comes on from injuries after castration; sudden cold, or after calving, with high fever; abdomen very sensitive, even when touched; and hot, swelled belly; back bent downward; ears and hoofs cold; pulse rapid, short, wiry.

GIVE—Specific **A.A.** every hour; or later, every two or three hours.

**Flukes or Rottenness.**—Caused from fluke worms in the liver and bile ducts—with depression; no appetite; watery and yellowish purulent eyes; yellow tints of all parts not covered with hair; fetid smell of nose and mouth; white, fetid watery dung.

GIVE—Specific **A.A.** the first day or two, then alternate with **C.C.**, a dose four times per day.

**Fall of Rectum.**—GIVE—Specific **J.K.** every morning and night.

**Rupture.**—GIVE—Specific A.A., then J.K. (See Veterinary Manual pp. 286).

**Suppressed, Painful or Scanty Urination.**—GIVE—Specific H.H. three times per day.

**Inflamed Bladder or Kidneys.**—With straining to pass water; back arched or bent down; dung scanty and passed with pain; gait stiff; no appetite; intense thirst; water scant—at first limpid, then thick and deep red.

GIVE—Specific H.H. every two, three or four hours.

**Red Water—Black Water.**—First, dullness; unthrifty, poor appetite; tender loins; then reddish, DARK—EVEN BLACK WATER; no appetite; quick, full pulse; white of eyes, and even skin yellowish brown; dung loose, watery, dysenteric or obstinately bound.

GIVE—Specific A.A. four times per day, then alternate with H.H.—same intervals. (See Veterinary Manual).

**Cleansing after Calving.**—GIVE—Specific G.G. every four hours.

**Flooding after Calving.**—GIVE—Specific G.G. every hour.

**Sore Teats.**—GIVE—Specific I.I., and apply the WITCH HAZEL OIL,

**Inflamed Udder, Garget.**—Keep bag well drained. GIVE—Specific A.A. four times per day.

**Milk Fever—Dropping after Calving—Puerperal Fever.**—Comes on one or two days after calving. First,—depressed; dull appetite; hot horns, nose dry and hot; urine scanty; dung hard, lumpy; pulse full; breath quick, with heaving flanks. Later,—Milk reduced or stopped; eyes bright, staring or red, streaked and protruded;

legs weak—separated; standing uneasy, shifting from one leg to the other; falls or lays down; bag hard; tossing the head; moans; bellows; great pain; breathing difficult, labored; skin covered with clammy sweat; paunch swelled from gas.

**GIVE**—Specific **A.A.**, every two or three hours, with good nursing and care. (See Veterinary Manual).

**Abortion or Slinking.**—To prevent:—Give Specific **G.G.** twice per week, about the time when it is feared. For the warning symptoms.—Hollow flanks; enlarged lower belly and bag; yellowish discharge from the bearing; dullness and feverish. **GIVE**—Specific **G.G.**, every six hours. (See Veterinary Manual).

**Chaps, — Cracks — Eruptions and Fungus.**  
—**GIVE**—Specific **I.I.** daily, and apply the **WITCH HAZEL OIL**.

**Burns or Scalds.**—Apply **WITCH HAZEL OIL**, and give  
—Specific **A.A.** For Ulcerations, give **I.I.**

**Sprains, Strains, Lameness.**—**GIVE**—Specific **B.B.** morning and night, and bathe with the **MARVEL**.

**Choking.**—A pinch of coarse gunpowder put under the tongue often causes the animal to throw up the mass. Try pouring down sweet oil or soft grease and then pressing it back with the fingers; or drive it down with a probang made of  $\frac{3}{4}$  inch rope wound near the end and used as a ram-rod; then give—Specific **A.A.**

**Wounds, Fractures, Poisonous Plants and Diseases of the Bones.** (See Veterinary Manual.)

## Diseases of Sheep.

---

WHEN A NUMBER OF SHEEP, or a flock, are to receive medicine, the best and most economical method, is as follows: Procure a new or perfectly clean pint bottle and cork, fill it two-thirds full of pure water, to which add a *large spoonful*, or *sixty drops*, of the proper specific, SHAKE IT THOROUGHLY, so as perfectly to medicate the whole mass. Of this, a desert spoonful is a dose for a sheep. Paste a proper label on the bottle and use it only for that specific, so as to prevent mistake or confusion.

**Anthrax Fever, Black Leg, Quarter Evil.**—Mostly in young thrifty sheep—wet seasons, luxurious food; rare on dry hills and gravelly soils. Wool comes off; body swollen; black patches on the quarters; air under the skin; carcass decomposed, full of black blood, lame or limping; eyes red; mouth and tongue blistered; dung bloody.

GIVE—First, Specific **F.F.**, then alternate **F.F.** and **I.I.** every three hours in bad cases, in others, two or three times daily.

**Apthæ—Foot and Mouth Disease.**—KNOWN BY —*Watery blisters* upon the lips and tongue and between and around the hoofs—the sores causing the animal to walk with difficulty, shake the feet, kick or lie down—hoofs even come off, and ewes in lamb abort. In violent Epizootics it is better to slaughter and bury deep, or give Specific **I.I.** three times per day. Wash the feet in soap and water, and bathe them in coperas water, one ounce to a bucket of water, then dress with **WITCH HAZEL OIL**, bound up to keep out dirt.

**Apthæ or Thrush.**—Frothy stringy saliva runs from the mouth, which is full of small blisters.—Give—Specific C.C. morning and night.

**Red Water.**—Results from exposure, unwholesome food. Sheep is dull, stupid; head on one side; eyes staring or blind; bowels very costive. Give—Specific A.A. three or four times per day.

**Braxy.**—From over-eating, rich fattening food. Sheep is weak, staggers, trembles,—often unable to rise, seems paralyzed in hind quarters; eyes blood-shot, watery or full of mucous; yellowish flux from the nose; mouth red and hot; breathing difficult; urine scanty, bloody; dung dry and hard; pustules on the skin.

Give—Specific A.A. every one, two or three hours; then A.A. and I.I., alternate four doses per day—taken early. Violent exercise is of benefit.

**Rot or Fluke Disease.**—Low, boggy or marshy soils, and wet seasons; rare on dry soils, hill-sides or ill drained lands. First,—Slow walk, shaking head, hanging ears. Later,—eyelids swollen; flanks hollow; back rigid; eyes, muzzle and tongue yellow; breath offensive; livid patches in the loose flabby skin; belly enlarged; soft indolent tumors on the upper neck and lower jaw; breath short, quick; weak, trembling, wasted.

Remove to dry quarters. Feed good hay, oat or corn meal and rock salt. Give—Specific I.I. morning and night. (See the Veterinary Manual).

**Fever and Dullness.**—Keeps alone; pulse and breath quick; eyes red; mouth dry.—Give—Specific A.A. twice per day.

**Inflammation of the Brain**—Does not eat; hanging ears and head; gait staggering; eyes bright red, protruded; hot, short breath; heaving flanks. Give—Specific A.A., from one to three hours.

**Water in the Head.**—Lambs may be born with it. Head large, bones soft—or it may come on gradually. Give—Specific I.I. daily.

**Apoplexy.**—From plethora or over-eating. The sheep staggers, falls; is confused, after having been dull, sleepy, half blind, etc. Give—Specific A.A., one or more doses.

**Palsy.**—(See under Horse or Cow). Give—Specific I.I. morning and night.

**Louping Ill—Hydro-Rachitis**—Comes from coarse feed and water. Appetite depraved; eats unnatural things; falls down, struggles—no control over limbs; staggering or palsy of the hind legs.

Give—Specific A.A. first, then alternate with J.K. Worse cases J.K. with I.I.

**Tetanus.**—(See under Horses, or the Vet. Manual). Give—Specific J.K.

**Epilepsy—Fits.**—The sheep stares, staggers, falls convulsed. Give—Specific A.A., then J.K.

**Rabies—Hydrophobia.**—Give—Specific A.A. to all affected or suspected sheep.

**Dizziness, Staggers, Turnsick, Gid.**—Most common among lambs, and in wet, marshy places. Comes from worms or hydatids in the brain; with dullness; careless stagger when walking; runs as if frightened; head carried unnaturally; turning to one side, or round and round. Give—Specific A.A. at night at first, then not so often—or A.A. and C.C. alternately. Slaughter the worst cases.

**Coryza, or Cold in the Head.**—GIVE—Specific C.C. morning and night, or A.A. if fever.

**Catarrh**—Common Cold.—The same treatment.

**Cough, Laryngitis, Bronchitis and Strangles.**—The same treatment.

**Black Muzzle.**—Black scabby eruptions about the muzzle, eyes and ears. GIVE—Specific I.I. daily, and apply the WITCH HAZEL OIL.

**Pneumonia—Inflamed Lungs.**—From exposure to severe weather; with loss of cud; hanging ears; head held up; mouth open; breath quick, labored, with heaving flanks; inside nose and whites of eyes reddened; discharges from nose; frequent cough and rattling in throat. GIVE—Specific A.A. every two hours. After a day alternate E.E. with A.A. every three or four hours.

**Consumption.**—(See on cattle). GIVE—Specific E.E. morning and night.

**Hooven—Blown.**—Whole body *swelled*,—*drum-like*. Comes from eating clover. GIVE—Specific F.F. every half hour, until relieved.

**Colic—Gripes.**—Lambs sometimes have it. GIVE—Specific F.F.—soon relieved.

**Diarrhea and Dysentery.**—With profuse frequent dung or purging; with sticky, slimy flow; pain or straining; black, offensive, bloody and watery. GIVE—Specific F.F. two or three times per day, cleansing the part with soap and water.

**Inflamed Liver.**—With fever, hanging head, heaving flanks, bound bowels, *yellow skin, eyes and corners of eyes*,

right fore leg lame. (See diseases on horse or cow). GIVE—Specific A.A. three times per day.

**Splenitis.**—(See same disease in the Cow).

**Dropsy—Water in the Belly.**—KNOWN BY—Putting the hand against one side, and tapping the opposite with the other, when the fluctuation of the water, if present, will be noticed. GIVE—Specific H.H. morning and night.

**Founder.**—Walks slow, poor appetite, great thirst; then very stiff, hot feet; will not walk from pain; raging thirst; short breath; heaving flanks. GIVE—Specific B.B. three times per day, or alternate with A.A. if there is high fever.

**Worms.**—GIVE—Specific D.D.

**Miscarriage.**—To prevent, give—Specific G.G. (See Vet. Manual).

**Milk Fever.**—(See on cattle). Same Specific.

**Inflamed Bearing.**—Cleanse with water, and apply the WITCH HAZEL OIL.

**Inflamed Udder.**—GIVE—Specific A.A. morning and night.

**Rheumatism—Lameness.**—Moving stiffly or lame. GIVE—Specific B.B. morning and night.

**Swelled Joints—Leg Evil.**—In young lambs. Comes from cold with heat, swelling, stiffness and painful joints. GIVE—Specific A.A., then L.I.—with proper shelter and care.

**Foot Rot.**—Common in low marshy places. From dirt or stuff in the cleft, lameness, swelling, matter and ulcers form and proud flesh. Wash foot carefully, apply WITCH HAZEL OIL or equal parts of tar and tallow. Bind up to keep out dirt, and give—Specific L.I., then J.K.

**Pock.**—(See Vet. Manual pp. 328). Inoculate the entire flock. Grvz—During fever, Specific A.A., afterwards I.I. daily.

**Mange or Itch.**—First small pimples, then blisters with thick, sticky fluid; ulcers; wool comes off, leaving raw scabby patches. If slight, give—Specific I.I. daily. If prevailing, give the whole flock a bath of lime and sulphur, 25 pounds of sulphur to 100 of lime. (See disease in Vet. Manual pp. 329).

**Gad Fly, Louse, Tick Fly.**—(See Vet. Manual).

## Diseases of Swine.

**Hog Cholera.**—(See Vet. Manual). For the advanced or fever stage, Specific A.A. For rapid sinking, or paralysis or erysipelas, I.I. For bad breathing, heaving of flanks, E.E. For bloating bowels, arched back or bloody offensive dung F.F. For paralysis of hind parts J.K. Given two to four times per day.

**Brain Fever.**—With dullness, then white of the eye redened, breath quick, strength reduced, runs about blind and unconscious. Grvz—Specific A.A. every three hours.

**Strangles—Quinzy.**—Comes suddenly; swelled under the throat; swallowing painful, obstructed; breath difficult, heaving; eyes red; tongue hangs out, red, swelled, and slime flows from it. Grvz—Specific A.A. intervals of four hours.

**Common Cold—Coryza.**—Discharges from the nose of thin watery or bloody fluid, followed by cough and weakness. Grvz—Specific C.C., if fever A.A., every four hours.

**Inflamed Lungs.**—Chill; red eyes; hot breath, quick and panting; head stretched forward; frequent cough; flow of phlegm; tongue thrust out and sweat. Give—Specific A.A.; later, alternate A.A. and E.E. four times daily.

**Colic.**—Restless, rolling in pain. Give—Specific F.F.

**Inflamed Bowels.**—Same symptoms, but continuous; worse on pressure, rubbing or moving. Give—Specific A.A., alternate with F.F. every two hours.

**Diarrhea or Purging.**—Give—Specific F.F.

**Measles.**—First, hot dry skin; dry nose; swelled or red eyes and nose; dry cough; then risings on the skin, more between the legs, (often sloughing) leaving sores behind. Give—Specific A.A. at first, then I.I. two or four times per day.

**Mange.**—Give—Specific I.I., and apply Mange Lotion or Arsenical Lotion.

---

## Diseases of Dogs.

---

**Distemper.**—At first, dullness, no appetite, often purging or vomiting. Later, cough; red sensitive eyes, with discharge of thick matter; nostrils covered with glossy yellowish fluid, frequent cough, with discharge of yellow frothy fluid from the stomach; hot skin. Yet later, wasting; eyes and nose filled with thick matter; breath fetid; lips ulcerated; often St. Vitus dance, or palsy.

Give—First, Specific A.A.; later, C.C.—and finally J.K.; if twitching or palsy, two to four doses per day.

**Fever.**—Increased heat; quick strong pulse; dislikes to move; then very restless; thirst; quick breath; red swelled

eyes; dry parched nose; hot mouth—sometimes unconscious. Grvz—Specific A.A. every two to four hours.

**Putrid Fever.**—Above Symptoms intensified, and quick weak pulse; scanty, high colored urine; disgusting odor of perspiration and flux; heaving; groaning; starts, as if frightened. Grvz—Specific A.A. at first every three hours; later, alternate A.A. with I.I. four hours between.

**Small Pox.**—(See Vet. Manual). Is strictly contagious. First, dull—then fever; skin becomes red; pustules appear, which grow, fill with matter, harden and scale off. Keep the dog cool. Grvz—Specific A.A.; after second day, I.I. four times per day.

**Rheumatism—Kennel Lameness.**—Stiff fore legs and shoulders; chest tender, when pressed; swelled, hot and tender knees; quickened breathing; hot dry nose; limps; trails one paw or holds it up. Grvz—Specific A.A. if hot or feverish. Later, B.B. in alternation with A.A., two doses of each per day.

**Dropsy.**—(See Dropsy in Sheep). Same treatment.

**Apoplexy.**—Sudden, partial or complete loss of consciousness or motion. Grvz—Specific A.A., and apply cold water to the head with a sponge.

**Palsy—Paralysis.**—Partial or complete loss of motion, most frequent in hind legs; staggers, falls or drags his hind legs after him. Grvz—Specific J.K. three times per day.

**Epilepsy or Fits.**—He staggers or falls down; then violently convulsed, stiff legs; distorted face; rolling eyes; and tongue thrust out. Grvz—Specific A.A.; later, J.K.

**Chorea, St. Vitus.**—Often sequel of distemper; with twitches, jerks of leg, shoulder, face, neck or eyelids; he

wastes, eats and sleeps badly, or may become palsied. GIVE—Specific A.A. morning, and J.K. at night.

**Rabies or Madness.**—(See Vet. Manual).

**Ophthalmia—Inflammation of the Eye.**—Bathe with the MARVEL, diluted one-half with water, and GIVE—Specific A.A. morning and night. Old cases, alternate with I.I.

**Amarausis, Cataract, and for Eruption on the Eyelids.**—The same treatment.

**Canker in the Ear.**—The internal ear is inflamed. Comes from injury, over-feed, want of exercise; it looks red, is painful, may ulcerate and discharge. GIVE—Specific A.A. and I.I. as above, and apply WITCH HAZEL OIL.

**Swelled Ears and Scurfy Ears.**—Apply WITCH HAZEL OIL daily, and GIVE—Specific I.I. morning and night.

**Catarrh, Common Cold, Ozaena.**—Discharge from the nose.—Comes from a cold; at first, thin, watery—then thick. In old cases (Ozaena), offensive. GIVE—Specific C.C. three or more times per day, feed only milk and keep him in.

**Sore Throat.**—With hoarse cough; noisy breathing; swelled glands and part of the neck; difficult swallowing; difficult breathing, even to suffocation. GIVE—Specific A.A. every hour, and apply hot wet cloths to the throat in bad cases.

**Bronchitis.**—In old dogs. Comes from sudden changes; cold draughts, with short hard cough; fever; quick pulse, and breathing; loss of appetite—often wheezing and mucous rattle. GIVE—Specific A.A. and E.E. alternately. Feed bread and milk; keep the patient in an even temperature.

**Asthma.**—Resembles broken wind in horses; affects fat, petted middle aged dogs. For a fit of asthma, give Specific A.A. every hour. For a cure, E.E. morning and night—or try I.I.

**Inflammation of the Chest.**—Result of cold; with chill, then heat and thirst, sides painful; he sits upon his haunches; breath hot; cough short, painful; tongue out; pulse quick—full. Give—Specific A.A. every two hours first day, then alternate E.E. with A.A.

**Cough.**—Give—Specific (usually) E.E.; if fever A.A.; if from over-feed, J.K.; and if from having been wet, I.I.

**Salivation.**—From mercury, sore swelled gums; loose teeth; dribbling of saliva. Give—Specific A.A. morning and night.

**Canker in the Mouth.**—Common and troublesome—Swelled gums; bloody, offensive discharges; difficult eating; emaciation. Give—Specific J.K. morning and night, and wash the mouth daily with the MARVEL.

**Indigestion.**—Give—Specific J.K. two or four times per day.

**Vomiting.**—May be excessive, and require Specific J.K.

**Inflammation of Stomach.**—Great pain; he kicks, rolls; constant retching; dry, hot nose; cold extremities; quick breath. Give—Specific A.A. every hour, and only cold water.

**Diarrhea and Dysentery.**—Frequent loose discharges—sometimes with straining, mucous and blood; loss

of strength; wasting. GIVE—Specific **F.F.** every two to six hours, and only boiled milk.

**Inflammation of the Bowels.**—Constant, extreme pain; belly tender and hot; thirst, constipation or bloody passages. GIVE—Specific **A.A.** every hour. Hot fomentations are beneficial.

**Colic.**—Sudden pain, comes in paroxysms. GIVE—Specific **F.F.** every half hour.

**Constipation.**—GIVE—Specific **J.K.** morning and night.

**Worms.**—GIVE—Specific **D.D.** two or three times per day.

**Jaundice.**—With yellow skin and eyes; dull, sleepy. GIVE—Specific **A.A.** and **J.K.**, alternate, morning and night.

**Inflamed Kidneys or Bladder.**—With tender loins; stiff gait; frequent effort to urinate, which is scant, thick or bloody. GIVE—Specific **A.A.** and **H.H.** hourly, alternate.

**Eczema, Mange, Surfeit.**—From insufficient exercise, too close kennel, gross or bad food; with itching, bare or red places, hair and scabs or scales fall off. Regulate feed and exercise. GIVE—Specific **I.I.** morning and night, and apply **WITCH HAZEL OIL**, or **Mange Lotion**.

**Louse, Tick, Flea.**—Wash thoroughly with Sulphur soap, well rubbed in.

**Sore Feet.**—Bathe with the **MARVEL** and give—Specific **A. A.** morning and night.

## Diseases of Fowls.

For *Cold, or Cankered Mouth*,—give first **A.A.** to be followed by **C.C.** For *Apoplexy, or Paralysis*,—give **A.A.** For the *Black Rot*,—give **C.C.** For *Bronchitis*,—give **A.A.** For *Bumble Foot*,—give **J.K.** or if it be inflamed, give **A.A.** For *Canker*,—give **C.C.** For *Cholera*,—give **F.F.** For *Catarrh*,—give **A.A.** For *Consumption*,—give **E.E.** For *Cramp*, if from cold, give **A.A.** if obstinate, give **J.K.** For *Crop Bound*,—give **J.K.** For *Debility, or Drooping*, give **A.A.** or **J.K.** For *Diarrhea, or Scouring*,—give **F.F.** For *Eruptive or Scaly Legs*,—give **I.I.** For *Gapes, or Throat Worms*,—give **D.D.** For *Gout, or Rheumatism*,—give **B.B.** For *Leg Weakness*,—give **J.K.** For *Giddiness*,—give **A.A.** For *Indigestion and Liver Disease*,—give **J.K.** For *Debility in Moulting*,—give **J.K.** For *Pip or Chirp*,—give **A.A.** For *Roup*,—give **A.A.** during the inflammatory stage, and **C.C.** for the catarrhal stage. For *Rump Ail*,—give **J.K.**

### Doses, and Methods of Preparing the Specifics for Use.

One drop of any Specific, put into a teaspoonful of water, or milk, and this put into a teacup, so as to be thoroughly mixed, is a sufficient dose for five Fowls of full size, or ten chickens.

Where a flock is to be treated, drop ten drops of the proper Specific into a cup, to which add ten teaspoonful of water, milk, or curdled milk, and after stirring it thoroughly with a clean spoon, mix this with the meal, grain or bread, or whatever food is given them. This will be enough for fifty fowls.

Bread soaked in milk or water, cooked cracked wheat, or curdled milk, is in general the best food for sick or ailing fowls.

For more full and complete directions, see **HUMPHREYS' VETERINARY MANUAL.**

# Humphreys'

Homeopathic



Veterinary

## Specifics

FOR THE CURE OF

**Horses, Cattle, Sheep, Dogs, Hogs & Poultry.**

—:O:—

That the diseases of domestic animals—HORSES, CATTLE, SHEEP, DOGS, HOGS, and POULTRY—are cured by **Humphreys' Homeopathic Veterinary Specifics**, is as true as that people ride on railroads, send messages by telegraph, or sew with sewing machines. It is as irrational to bottle, ball, and bleed animals in order to cure them, as it is to take passage in a sloop from New York to Albany, or to send your letter in a stage coach from Buffalo to Boston.

FOR TWENTY YEARS **Humphreys' Homeopathic Veterinary Specifics** have been used by *Farmers, Stockbreeders, Livery Stable and Turfmen, Horse Railroads, Manufacturers, Coal Mine Companies, Traveling Hippodromes, Menageries*, and others handling stock, with *perfect success*.

These people, thousands in number, find from repeated experience, that **all diseases of domestic animals are cured by Humphreys' Homeopathic Veterinary Specifics in half the time and at half the expense** of any other system or treatment.

That prejudice should exist among those not informed against the use of **Humphreys' Specifics** for domestic animals is natural. Animals have so long been dosed with enormous quantities of poisonous drugs that it requires some boldness to adopt a system at once so **natural** and yet so efficient.

While Homeopathic treatment is safe and reliable for men, women and children, it is even more so for horses and cattle. This is the testimony of more than *twenty years'* successful treatment with **Humphreys' Veterinary Specifics** in every form of disease and by every class of persons.

The Specifics are a vast improvement over the ordinary form of Homeopathic medicines, or tinctures, being much more **simple, safe, reliable, and efficient**. **HUNDREDS OF ANIMALS ARE DESTROYED every year by giving crude Homeopathic medicines in the old school doses.**

**Humphreys' Veterinary Specifics** are prepared *as they should be used*,—doses strong enough to cure, and not strong enough to injure. Homeopathic tinctures may seem at first sight to be cheaper, yet they are really more expensive, as a larger number of medicines has to be purchased, while in buying the **Specifics you get just what you want.**

A case of **Humphreys' Homeopathic Veterinary Specifics** consists of neat BLACK WALNUT CHEST, 8 by 6 inches, and 4 1-2 in depth, with lock; and key; the MANUAL, or BOOK OF DIRECTIONS; the MEDICATOR, and TEN ONE-OUNCE FLAT VIALS OF MEDICINE; each holding *fifty doses*, lettered and labelled to correspond with the book, and bottle of WITCH HAZEL OIL, all as described below.

(See picture on 2nd page)

The MANUAL or BOOK, gives a full account of ALL DISEASES OF HORSES, CATTLE, SHEEP, DOGS, HOGS, AND POULTRY, each in their appropriate chapters. **Every disease** is given in full, with its symptoms and stages, and the treatment is SIMPLE, DIRECT, AND EASILY UNDERSTOOD, so that any person of ordinary intelligence can give the medicines correctly. Indeed, MR. GEO. E. WARING, the highest authority on this subject, says: "I consider **Dr. Humphreys' Veterinary Manual** THE ONLY BOOK sufficiently *simple* and *direct* for farmers' use."

The MEDICATOR is a small *bent glass tube*, invented by DR. HUMPHREYS, with a funnel end and rubber cap, by means of which the proper dose of medicine for any animal is at once taken from the bottle, and by simply pressing on the rubber cap, the dose is given to a HORSE, COW, SHEEP, DOG, or even HOG, in a moment, without trouble, delay, or danger.

A case of **Humphreys' Homeopathic Veterinary Medicines**, with Book, Medicator, and **Ten Bottles of Specifics**, all complete, is sold for **Eight Dollars**, and is sent free to any address, by express, on the receipt of price.

*The advantages of Humphreys' Homeopathic Veterinary Specifics over every other medicine or system are these :*

**I.**—You have a Specific Remedy for the particular disease or complaint you wish to cure. If the disease is Colic, or Cough, or Founder, or Heaves, or Pneumonia, or Indigestion, or Lameness, or from the Kidneys, you have at once the Specific to cure it. You know just what to do, and how to do it.

**II.**—You give the medicine at once. Not an hour or a moment need be lost. You need not prepare or mix it. **IT IS READY JUST AS YOU WANT IT.**

**III.**—You give the medicine without trouble—no tying, bottling, choking, or harsh treatment, irritating the animal and endangering the owner. A horse need not even be taken from his traces, or a cow from her stall. A herd of cattle or a flock of sheep may be medicated with but little difficulty.

**IV.**—You are in no danger of poisoning or drugging the animal to death, as is very often done under other modes of treatment. And is constantly being done by using the usual Homeopathic Tinctures.

**V.**—The cure is much more rapid. The medicine takes effect at once. You cure in one-half or one-fourth the time required by other methods.

**VI.**—The animal gets up quicker and better, because it has not to recover from the results of drugging, poisoning, or bleeding, by which so many animals are ruined.

**VII.—The treatment costs less than the usual drugs or mixtures, or even the simple Homeopathic Medicines. One bottle of Specifics answers in place of several bottles of simples. One of our \$8 CASES, with BOOK, lasts many years.**

**VIII.—You will save many animals by this treatment, which you will lose under any other method.**

---

## WHO USE THEM.

HUMPHREYS' HOMEOPATHIC VETERINARY SPECIFICS are used by those engaged in the breeding, handling or sale of Domestic Animals of any kind, especially by—

**Farmers and Dairymen.** The annual breeding of stock, and production of milk, constantly occasion more or less accident or sickness, which must be met and cured, or loss results. In a herd of fifty cattle, an annual loss of one or two cows from Milk Fever, Puerperal Fever, Dropping after Calving, etc., to say nothing of Pleuro-Pneumonia, or other more destructive diseases is common. Nine-tenths of these losses may be avoided by the use of these very simple and efficient Specifics.

**Livery Stable Men, Professional Horse Dealers, and Horse Fanciers.**—such men cannot afford to do without these Specifics. The cure is so much quicker, the medicine is given with so much LESS TROUBLE, and the result is so much MORE SATISFACTORY that these Specifics are almost a NECESSITY.—See what MESSRS. I. & SOL. MEHRBACH, of 24th St., and others say.

**Importers and Breeders of Blooded Stock.**—Where the loss of a single animal involves hundreds or even thousands of dollars,—these men know the value of different systems of treatment and means of cure, and their certificates show how they value the VETERINARY SPECIFICS.

**Horse Railroad Men,** in cities and large towns, have fully tried all systems of treatment and forms of remedies, and for SIMPLICITY, ECONOMY and CERTAINTY OF CURE, give these the preference.

Out of thousands of commendations we select the following new and additional

## Testimonials.

ST. PAUL, MINN., September 13th, 1886.

MIDWAY PARK, N. W. KITTSON, Proprietor.

D. W. WOODMANSEE, Traveling Manager.

B. D. WOODMANSEE, Superintendent.

I have used HUMPHREYS' HOMEOPATHIC VETERINARY SPECIFICS for the past four years in the stables of Commodore Kittson, and the results have been entirely satisfactory. We use the medicines exclusively for COUGHS, COLDS, FEVERS, ERUPTIONS, STIFFNESS—and in short any ailment that our horses may have. Previous to using this medicine, our losses by death were large; *since using the Specifics exclusively, we have not met with a single loss, except one mare who ran a nail in her foot, and died three weeks afterwards with Paralysis.* This medicine should be used in all stables, as it can be given with more intelligence by the average man, than any other kind of medicine.

D. W. WOODMANSEE, Manager.

SOME OF THE HORSES AND THEIR RECORDS IN THE ABOVE STABLES.

JOHNSON, 2.06¼. LITTLE BROWN JUG, 2.11¼. GEM, 2.13.

MINNIE R. RUNNING, MATE, 2.08¼. FANNY WITHERSPOON, 2.18¼.

BLACKWOOD, JR., 2.23¼. ASTORIA, Sister of DEXTER,

AND NUMBERS OF OTHERS NEARLY AS GOOD.

BALTIMORE, MD., February 14, 1882.

This may Certify, That I have used HUMPHREYS' HOMEOPATHIC VETERINARY SPECIFICS two years, and find that they do all that is claimed for them. I had thirty horses sick with "PINK EYE," and did not lose a horse. I find for COLIC, either *spasmodic*, *stultent*, or *renal*, the Specifics, given according to the directions in the book, will relieve every time, quicker than any other medicine I have ever used. I use them in every case of any kind, and nothing else.

ANDREW JACKSON, Supt., Monumental Livery Stables,  
35 and 36 North Street, Baltimore, Md.

---

CHICAGO, January 24, 1884.

HUMPHREYS' S. H. M. CO.:

GENTLEMEN—Since having had charge of the horse department of the North Chicago City Railway, I have treated with your VETERINARY SPECIFICS the various diseases incident to horses, and have had some very severe ones, but have been almost always successful. I had one very bad case of COLIC, so severe that I feared your Specifics were not powerful enough, and used Allopathic medicines. The horse died, and I am now convinced I could have saved him by your treatment. Since that time I have used no other medicines and have cured many bad cases of PINK EYE, DISTEMPER, INDIGESTION, COLIC and COLDS. I shall use no other medicines so long as I can get yours, for they are the best in the world. Yours truly,

N. ATKINS, Supt.,  
North Chicago City Railway.

---

HUMPHREYS' S. H. M. CO., NEW YORK:

MR. WM. B. SALISBY, Foreman of Adams' Express Stables, states that, "I have been in this barn for several years and always used Allopathic medicines until your agent called upon me, some two or three years since, and induced me to try a case of your VETERINARY SPECIFICS. They have proved so SUCCESSFUL in EVERY INSTANCE, that I think there are no such efficacious medicines as yours. They are all you claim for them, and I will say that as long as I have anything to do with horses I shall use no other, and will recommend them to all persons having care of horses."

---

HUMPHREYS' H. S. M. CO., NEW YORK:

MR. HINSER, the Foreman of the American Express Co.'s Stables, states that he has treated horses for various diseases, such as PNEUMONIA, PINK EYE, DYSENTERY, COLDS, COUGHS, COLICS, etc., with entire success. He had a mare that had frequent attacks of Colic and was unfit for work for a week after an attack. Since treating her with your VETERINARY SPECIFICS she had a few, but is now permanently cured. I also cured a mule belonging in a brick yard—the

worst case I ever saw. There were several hundred people who witnessed this. The mule was left for dead, and men wanted to bet he was dead, but I gave him the medicine every five minutes. He lay in a kind of stupor, as if dead, for half an hour, and then got up, well! I am satisfied yours is the best medicine in the world for COLIC, as well as other diseases.

---

HUMPHREYS' H. M. CO., NEW YORK:

This is my testimonial that I bought a case of your VETERINARY SPECIFICS from your agent, and have used them with such good result that we have since invested in them in a larger way. They have GIVEN ENTIRE SATISFACTION. We have used them for a great many troubles, and the result was ALWAYS GOOD, and we can recommend them to all whom it may concern.

Yours respectfully, F. S. HANSON,  
New England Mills, 145 and 147 West Lake St., Chicago, Ill.

---

CHICAGO, ILL., January 24, 1894.

HUMPHREYS' H. M. CO.:

GENTLEMEN—This is to Certify, That we have been using your VETERINARY SPECIFICS for several years with abundant success. We have used it for SOAB in sheep, and for a great many diseases in horses, and have always found it as represented, EASILY ADMINISTERED, QUICK IN ITS EFFECTS, AND A SURE CURE. I shall use them in preference to any other. Yours, etc.,

R. W. RATHBURN, 189 Washington St., Chicago.

---

HUMPHREYS' S. H. M. CO., NEW YORK:

This is to Certify, That I have used your VETERINARY SPECIFICS for over TEN YEARS in almost all such cases as horses are subject to. I will now enumerate a few of the cases. We have had exceedingly good luck with PINK EYE, CONGESTION of the LUNGS, and we have had quite a number of hard cases of COLIC, PNEUMONIA and DISTEMPER, etc. I must confess I never saw any medicine of its kind that will relieve the diseases of horses as quickly as your medicines, and as long as I keep medicines for horses it shall be HUMPHREYS' SPECIFICS and no other. Yours respectfully,

THOS. FITZGERALS, 35 Newberry Ave., Chicago, Ill.

---

CHICAGO, ILL., April 4, 1894.

HUMPHREYS' S. H. M. CO.:

GENTLEMEN—With pleasure we give you the result of our experience in the use of your VETERINARY SPECIFICS, having used them in very many different cases, and ALWAYS WITH SUCCESS. We have cured COLIC, PINK EYE, PNEUMONIA, COUGH, SPINAL AFFEC-

TIONS, and for HEAVES we simply say it is MAGNIFICENT. The medicines are all that they are represented, and as proof, would state that we had two very bad cases of INFLAMMATION OF THE LUNGS. One of these we treated with your medicines, as directed in your Veterinary Treatment; the other we gave to an Allopathic Veterinary. The horse he treated died; our patient got well, Yours truly,

S. H. WEST & CO.

CHICAGO, ILL., May 9, 1884.

HUMPHREYS' S. H. M. CO.:

GENTLEMEN—The result of a trial of your VETERINARY SPECIFICS, notwithstanding my prejudices, has been most satisfactory. I have used them in every case of sickness among my stock, and found them successful. One case in particular: A horse which was subject to the COLIC, which has not taken me at any time but twenty to thirty minutes to effect a cure. My prejudices have been removed, and I think there are no such medicines as yours. You have my order for a supply.

Yours truly,

PATRICK BRENNAN,  
29 Arthurington St., Chicago.

CHICAGO, January 25, 1884.

HUMPHREYS' S. H. M. CO.:

GENTLEMEN—Two years since I bought a case of your VETERINARY SPECIFICS, and during this time have treated very many cases of sickness among horses and ALWAYS SUCCESSFULLY. Mr. Thomas Donegan has a horse subject to COLIC, and I have treated him three times. On one occasion he was given up for dead, but by the use of your SPECIFICS I brought him out all right. With my own horses I have met with some cases of LUNG FEVER, PINK EYE and COLIC, but had no difficulty in curing them, for they are so EASILY ADMINISTERED and effectual. It needs no particular skill to administer them, and your Veterinary Manual gives all necessary information.

Yours respectfully,

ROBERT CHAMBERS,  
317 Taylor Street.

CHICAGO, January 25, 1884.

HUMPHREYS' S. H. M. CO., NEW YORK:

GENTLEMEN—Having always used Allopathic medicines in treatment of veterinary cases I was much prejudiced against your Homeopathic preparations, but one of your agents induced me to try them. I did so and found them to act like a charm in cases of PINK EYE, COLDS and PNEUMONIA; in short they have given PERFECT SATISFACTION. They are a great improvement on the old method, so EASY, QUICK and SURE. I shall continue to use them whilst I have care of horses.

Yours truly,

FRANK YOUNG, Foreman Brink's Express,

130 Washington Street.

PITTSBURGH, April 9, 1885.

TO WHOM IT MAY CONCERN:

**This is to Certify,** That our company has used HUMPHREYS' VETERINARY SPECIFICS for nearly two years. I had but the slightest faith in them when we commenced to use them; now I cannot say too much for them. PINK EYE, COLICS, COUGHS, COLDS and FOUNDERS have been successfully treated; I never saw any medicine half as good. Outside our stables, I have cured numerous COLICS for my neighbors, and for FOUNDERS I cannot say too much for them. We have 170 horses, and under no circumstances would we be without them. We use nothing else, and want no other medicines. Cannot say too much in their favor.

JOHN DELOURY, Supt.

Pittsburgh & Birmingham Passenger Railway Co.

PITTSBURGH, PA., April 4, 1885.

TO WHOM IT MAY CONCERN:

**This is to Certify,** That I have used HUMPHREYS' VETERINARY SPECIFICS for the past two years at our stables, and am pleased with them. I know they are by far the BEST REMEDIES I ever used for COLICS, COUGHS, COLDS, CHILLS, ERUPTIONS, FEVERS, and for STIFFNESS. I know they are just as represented, and think I have treated some as sick horses as ever I saw, and live. Before I got them, time and again I was called from bed nights to attend a sick horse, not daring to trust anyone else in the use of the old school medicines. Now our night-watchman can give and use the Specifics, as anyone can, and I have no fear for the results. EASY TO ADMINISTER, and for value as a curative medicine they, in my judgment, EXCELL ALL OTHERS. They have saved us MUCH TIME and TROUBLE, and HUNDREDS OF DOLLARS. Every stable with horses should have them, and any one giving them a fair trial, using them as directed, will agree with me in what I say here, and that in a very short time, too.

Yours respectfully,

C. SUMMERIL,

Supt. of Stock Oakland Street Railway Co.

PITTSBURGH, PA., March 30, 1885.

TO WHOM IT MAY CONCERN:

**This is to Certify,** That I have used HUMPHREYS' VETERINARY SPECIFICS for about two years; that I have used it in cases of INFLUENZA, COUGHS and COLDS. We had one horse that was subject to COLIC; with the use of J.K., for INDIGESTION, he does not have the colic any more. With horses "OFF THEIR FEED" it has acted like a charm, and I do say they are the best medicines I ever used, and anyone can certainly use them correctly with ordinary judgment. I think no stable should be without them 48 hours.

THOMAS FOX,

121 Wabash Avenue

TOLEDO, O., February 5, 1885.

**This is to Certify**, That we have used HUMPBREYS' VETERINARY SPECIFICS for four or five years, and CONSIDER THEM INVALUABLE, and would not be without them at any cost. On transporting our fine sale horses we always have the Specifics on the car in case they are wanted. We think no livery stableman should be without them.

Very respectfully,  
H. ARMS & CO.,  
Nos. 188, 190 and 192 St. Clair St.

TOLEDO, O., February 14, 1885.

DR. HUMPBREYS, NEW YORK:

DEAR SIR—We have used your VETERINARY SPECIFICS for the past three years, with most GRATIFYING RESULTS. For COLICS, COUGHS, COLDS, &c., they are SIMPLY INVALUABLE. Cured a bad case of NASAL GLEET in about six days. Have never yet failed to cure sickness when we used remedies as directed. They have been most invaluable to us, as any man of ordinary intelligence can use them. Our stable superintendent has always used them; we only at times look after the case.

Yours truly,  
WHITNEY & TRACY,  
Wholesale dealers in Pine Lumber, 22 Erie St.

TOLEDO, O., February 5, 1885.

TO WHOM IT MAY CONCERN:

**This is to Certify**, That we have used HUMPBREYS' VETERINARY SPECIFICS for some time past, with the best results. We have had some very sick horses in the last few months; all of them were brought out in a few days. We think NO MEDICINE LIKE THEM, and cannot say too much for them. With ordinary judgment, all can use them.

Yours,  
J. ONSSEY,  
Foreman of Toledo Transfer Co. Stables

COLUMBUS, O., March 9, 1885.

**This is to Certify**, That I have used HUMPBREYS' VETERINARY SPECIFICS for the past year, and I find them to be the very best remedies for horses that I have used. I have had several cases of COLIC, also KIDNEY COMPLAINTS and COUGHS, COLDS, &c., in which they have given perfect satisfaction. Any man with ordinary intelligence can use them.

J. K. McDONALD.

ST. OLAF, MINN., March 3, 1885.

HUMPBREYS' S. H. MED. CO.:

DEAR SIRS—Since I received your Stable Chart, I also ordered—through my druggist—one of your Veterinary Cases, which I have had ample opportunity to test during the winter. I am IMMENSELY SATISFIED with the Specifics, and only feel sorry for not having tried them before. The reason was: it sounded so heterodox for a disciple of old Dr. Jaber to bear of a

Homeopathy that consisted of nothing but Specifics. But I AM CONVERTED. Will you now please send the same \$8.00 Veterinary Case, with Medicator and Manual, C.O.D., to my friend, H. Thoreson, banker, Ashby, Minn. Send him also the stable chart by mail, to the same address, and oblige,  
Yours truly,  
S. A. NORMANN.

ALLEGHENY, PA., April 1, 1885.

**This is to Certify,** That we have used HUMPHREYS' VETERINARY SPECIFICS for nearly two years past with satisfactory results. Our horses with COLICS have been cured in every case. INFLAMMATION of the LUNGS has been cured by us; in fact, so far we have been successful in every case of sickness. We had one horse with the HEAVES; gave the Specifics A. A. and E. E., and he now is well; we have him yet. We have been successful in every case, and have not lost a horse.

Respectfully yours,  
HALLER, BECK & CO.,  
Salt Manufacturers, 40 Beaver Ave.

OLD SAYBROOK, CONN., March 7, 1885.

HON. JUDGE JAMES R. COULTER writes DR. F. HUMPHREYS:

DEAR SIR—About two months since, a valuable colt of mine was taken with a very severe COLIC, attended with a great deal of pain and swelling of the intestines, and I fully believed he would die. A friend of mine advised me to try your VETERINARY SPECIFICS, which I did, according to directions—the F.F. and the A.A.—so successfully that in two days he was quite recovered. I shall use your Specifics myself for any future ailment among my horses, and recommend them to my friends also. I write this as a testimonial, which you can use as you see fit.

Respectfully yours,  
JAS. R. COULTER.

BUFFALO, March 13, 1885.

HUMPHREYS HOMEOPATHIC CO., NEW YORK CITY:

GENTS—Please send me price-list of your VETERINARY SPECIFICS, as I am using a great deal of them; in fact, consider that we are the first to use them in this city, and find it is UTTERLY IMPOSSIBLE to get along without them.  
Yours Respectfully,  
L. A. DANIELS & SON.

SYRACUSE, N. Y., Dec. 13, 1884.

HUMPHREYS' MED. CO.:

Please send me one of your Charts of the horse for my individual use. I use your medicines with most WONDERFUL SUCCESS in my stables, and as an amateur, have many applications to examine my friends' horses. I had occasion some time since to cure a friend's horse by the use of E. E., which he thought little less than a miracle. When I told him what it was and the cost, he was very much astonished.  
Yours,  
D. BUCKSTAVER.

SUPPLY DEPARTMENT,  
**THE AMERICAN GLUCOSE CO.,**

Offices, 19, 21 & 23 WEST SWAN ST.

BUFFALO, N. Y., January 26th, 1886.

HUMPHREYS' HOMEOPATHIC MEDICINE Co.,

109 Fulton Street, N. Y.

GENTLEMEN:—

We request that you send us promptly,  
Catalogue and Price List.

Our President, Mr. C. J. Hamlin, has for some  
time past, been using your Specifics at his farm,  
and **they have proved so beneficial**, that  
we have concluded to adopt them for the barns  
and private stables of the different parties connected  
with this company. We have, including farm and  
stables, between 400 and 500 horses and mules, and  
through Mr. Hamlin's recommendations, many  
parties have adopted your remedies. We think  
we are entitled to your best terms.

Yours very truly,

**THE AMERICAN GLUCOSE CO.,**

Dictated by T. A. B.

T. A. BUDD, P. A.

DOVER PLAINS, N. Y., SEPT. 27th, 1887.

GENTLEMEN:

We have recently been using your **Specific A.A.**, for **Milk Fever in Cows**, with great success. I think if the directions in your valuable book are strictly followed, every case of Milk Fever would be cured.

We are now using the Milk Fever Specific as a preventive, and do not expect to have another case in our herd of 130 cows.

We have also used your **Specific G.G.**, for **Retention of Afterbirth in Cows**, and find it to work like a charm.

I believe every farmer would profit by having a **Case of your Specifics** on hand, ready for use, and by making himself familiar with your very valuable book. We do not mean to be without them in future.

Yours truly,

ISAAC W. WHITE.

---

## MEDICINES BY MAIL OR EXPRESS.

---

It has been a feature of DOCTOR HUMPHREYS' FAMILY SPECIFICS, VETERINARY SPECIFICS and WITCH HAZEL OIL from the first, to send them in any quantity, *from a single vial to a FULL CASE OR BOX*, to any address prepaid, on receipt of price. Thus any one may obtain them, if not at the dealers, then by post from the nearest office.

Write the order plainly, inclose Post Office Money Order, Express Money Order; or Register the letter for safety.

# NERVOUS DEBILITY

Is known by a weak, nervous, exhausted feeling; a lack of animation or energy, often with confused head, depressed mind, weak memory, or with debilitating, involuntary discharges—the consequence of excesses, indiscretion, or mental overwork. This condition finds a sovereign cure in

## Humphreys' Homeopathic Specific

### NO. TWENTY-EIGHT.

It tones up the system, dispels the mental gloom and despondency, restores vitality, arrests the drain and rejuvenates the entire system. Perfectly harmless, been in use twenty years, has restored thousands, and is the always efficient and safe remedy. Its highest praise is that it is extensively imitated. It is especially efficient for the YOUNG and INDISCREET, and the OVERWORKED, OVERTAXED, or CAREWORN in active or advanced life.

PRICE.—\$1.00 per single vial; or \$5.00 for a Package of Five Vials and a \$2.00 Vial of Powder, which is important in old, or serious cases.

Sold by ALL Druggists, and sent post or express paid, on receipt of price. Address,

Humphreys' Homeopathic Medicine Co.,

109 FULTON STREET. NEW YORK.

# HUMPHREYS' WITCH HAZEL OIL.

---

THIS Ointment is the triumph of Scientific Medicine. Nothing has ever been produced at all to equal or compare with it as a healing application. The virtues of Witch Hazel have been long known, and celebrated as a healer and pain curer. But when combined with, and applied in the form of an OIL—its curative effects are INDEED MARVELOUS.

**Piles, Fissures, Ulceration, Eruption, Itching, or Bleeding of the Rectum.** For these complaints, or any of them, this Oil is infallible. It has cured thousands of the most inveterate and desperate cases. The relief is immediate—the cure certain.

**Burns, Scalds, and Ulceration and Contraction from Burns.** The relief is instant, and the healing of the ulceration and softening of the contraction is wonderful and unequalled.

**Cancers; Malignant, Painful, or Corroding Ulcers; Carbuncles and Bolls** are at once relieved of the DARTING, EATING, or CORRODING PAINS by its application.

**Old Sores, Indolent Ulcers and Fistulas, Lacerated, Torn, or Cut Wounds, or Ulcers** resulting from them, are promptly healed and cured.

**Salt Rheum, Tettors, Scurfy Eruptions, Chapped Hands, Fever Blisters, Sore Lips, Corns and Bunions** are promptly relieved and often cured like magic.

**Scratches or Grease in Horses, Chafings, Saddle or Harness Galls, Lacerations, Cuts, Injuries, Broken Hoof or Quarter Crack,** are all cured by the WITCH HAZEL OIL in a manner approached by NO OTHER MEDICINE.

**PREPARED ONLY BY DR. F. HUMPHREYS & SONS:**

**PRICE, FIFTY CENTS PER BOTTLE.**

**SOLD BY DRUGGISTS GENERALLY,**

or sent prepaid on receipt of price.

Humphreys' Homeopathic Medicine Company,  
109 FULTON STREET, NEW YORK.

# HUMPHREYS'

(WITCH HAZEL).

## MARVEL<sup>OF</sup> HEALING.

*Prepared under the immediate supervision of DR. HUMPHREYS, from recipes used by him for Twenty Years, and from which hundreds of barrels have been made and sold.*

**INDISPENSABLE FOR FAMILIES AND STABLES.**

**For External and Internal Use—To Apply and to Take.**

It is always safe—always reliable—never injurious.

It Heals the widest variety of Injuries—Wounds, Bruises, Contusions, Sprains, or Lacerations.

It is the great Styptic or Staucher of Bleeding.

It arrests Nose Bleed, Spitting of Blood, Bleeding Lungs, Bleeding Gums, Vomiting of Blood, or Internal Hemorrhage.

It is the sure and infallible Remedy for Piles.

It is the only cure for Varicose Veins.

The Sure Remedy for Toothache, Earache, Neuralgia.

The Cure for Rheumatic Pains, Lameness, Soreness, and Stiffness.

The Cure for Gravel, Strangury, and Kidney Disease.

For Sunburns, Burns, and Scalds—Unequaled.

For Diarrhea and Chronic Diarrhea, always curative.

For Catarrh, Mucous Discharges—Invaluable.

Cures Ulcers, Sores, Boils, Corns and Felons.

For Mosquito Bites and Insect Stings—a prompt cure.

For Excoriations, Chafings, and Soreness—Invaluable.

For Stable Use, Harness or Saddle Galls, Sore Back—Invaluable.

It has been in popular use for Thirty Years.

**PRICE—6 oz. Bottles, 30 cts. Pints, 60 cts. Quarts, \$1.**

## SPECIAL PRESCRIPTIONS.

DR. HUMPHREYS has used in his extensive practice for many years, particular prescriptions which have proved so uniformly curative and are so often called for, that he has been induced to put them up in popular form with full directions for use, and to catalogue them as his "SPECIAL PRESCRIPTIONS" as follows:-

**Special No. Seven.**—For the cure of **Chronic Cough and Lung Disease**; Bronchitis, Weakness and Debility; Emaciation; Pain in the Side, or Chest; Pulmonary Weakness.

**Special No. Fourteen.**—For the cure of **Chronic Eruptions**; Eczema; Tetter; Salt Rheum; Scald Head; Itching; Inveterate Herpes; Dandruff; Pimples in the Face; Chaps; Unhealthy Skin.

**Special No. Nineteen.**—**Chronic Nasal Catarrh**; Ozaena; Profuse and even Offensive Discharge; Accumulation of Mucous in the Nose or Throat.

**Special No. Twenty-seven.**—**Diseases of the Kidneys**; Degeneration and Bright's Disease; Uramia; Enlarged Prostate; Catarrh of Bladder.

**Special No. Thirty.**—**Disease of the Bladder and Urethra**; Too Frequent Burning or Scalding, Inability to retain at night or by day; Chronic Urinal Debility, constitutional or from Infirmary.

**Special No. Thirty-three.**—For **Epilepsy**; Falling Sickness; and St. Vitus Dance.

**Special No. Thirty-six.**—For **Diseases of the Bones**; Enlarged, Inflamed or Suppurated Glands; Ear Discharges; Old Eruptions; Chapped Hands; Offensive Sweat.

These are put up in neat packages of Two Large Six DRAM VIALS each, with full directions and sent free to any address on receipt of the price, \$2.00.

---

**Special Cholera Case.**—For **Prevention and Cure**,  
THREE VIALS, in a neat case with PAMPHLET and full  
directions for use. . . . . \$2.00  
IN LARGE ONE OUNCE VIAL. . . . . 3.00

# HUMPHREYS' HOMEOPATHIC SPECIFICS

Are designed to meet the special needs of families or invalids. Something that mother, father, nurse, or invalid can take or give to meet the need of the moment; something to cure the Headache or Toothache, the Diarrhea or Colic, the Croup or Quinsy, or other ailment or disease. These constantly occur, and are at once safely and promptly cured by these *Harmless Sugar Pills*, far better than by taking Herb Teas, Drugs or Pills, or Cure-alls.

THOUSANDS OF FAMILIES have used these **Humphreys' Specifics** for the last **thirty years** with perfect success. They have cured with them all the diseases occurring in the family, and they rarely have serious sickness or occasion to send for the doctor. Not only have they better health and greater freedom from disease, but they save THOUSANDS OF DOLLARS in the expense of drugs and needless doctor bills.

With a case of **Humphreys' Specifics**, at the expense of but a few dollars, every family may have in their hands a source of relief and help in any emergency, and may not only render themselves comfortable, but in thousands of cases effect an ultimate cure.

No other system or method is so safe or efficient. No other system is so economical. A twenty-five cent vial of Specifics contains over twenty portions of medicine; a fifty cent vial, over fifty doses of medicine; while a TEN DOLLAR CASE contains nearly two thousand doses. THE SAVING IN COST OF DRUGS, LOST TIME, SICKNESS AND SUFFERING, IS INCALCULABLE.

# Humphreys' Homeopathic Specifics.

Prices of Single Vials and of Family Cases.

No.	CURES.	Small Vials.	Large Vials.
1.	Fever, Congestion, Inflammations, . . . . .	25	50
2.	Worm Fever, Worm Colic, or Disease, . . . . .	25	50
3.	Colic, Crying and Wakefulness of Infants, . . . . .	25	50
4.	Diarrhea of Children and Adults, . . . . .	25	50
5.	Dysentery, Gripings, Billous Colic, . . . . .	25	50
6.	Cholera, Cholera Morbus, Nausea, Vomiting, . . . . .	25	50
7.	Coughs, Colds, Hoarseness, Bronchitis, . . . . .	25	50
8.	Toothache, Faciesche, Neuralgia, . . . . .	25	50
9.	Headache, Sick Headache, Vertigo, . . . . .	25	50
10.	Dyspepsia, Deranged Stomach, Costiveness, . . . . .	25	50
11.	Suppressed Menses, Scanty or Delaying, . . . . .	25	50
12.	Leucorrhœa, Bearing Down, Profuse Menses . . . . .	25	50
13.	Croup, Hoarse Cough, Difficult Breathing, . . . . .	25	50
14.	Salt Rheum, Eruptions, Erysipelas, . . . . .	25	50
15.	Rheumatism, Pain in Side, Back, or Limbs, . . . . .	25	50
16.	Fever and Ague, Intermittent Fever, . . . . .	50	50
17.	Piles, Internal or External, Blind or Bleeding . . . . .	50	50
18.	Ophthalmia, Weak or Inflamed Eyes, . . . . .	50	50
19.	Catarrh, Acute or Chronic, Dry or Flowing, . . . . .	50	50
20.	Whooping-Cough, Spasmodic Cough, . . . . .	50	50
21.	Asthma, Oppressed, Difficult Breathing, . . . . .	50	50
22.	Ear Discharges, Hardness of Hearing, . . . . .	50	50
23.	Scrofula, Swellings and Ulcers, . . . . .	50	50
24.	General Debility, or Physical Weakness, . . . . .	50	50
25.	Dropsy, Fluid Accumulations, . . . . .	50	50
26.	Sea-Sickness, Nausea, Vomiting, . . . . .	50	50
27.	Kidney Disease, Gravel, Obstruction, . . . . .	50	50
28.	Nervous Debility, Seminal Weakness, Involuntary Discharges, . . . . .	1	1 00
One Package, containing Five \$1 Vials of Pellets, and a \$2 Vial of Powder, (necessary in serious cases), . . . . .		5	5 00
29.	Sore Mouth, or Canker, . . . . .	50	50
30.	Urinary Incontinence, Wetting the Bed, . . . . .	50	50
31.	Painful Menses, Pruritus, . . . . .	50	50
32.	Change of Life, Disease of the Heart, . . . . .	1	1 00
33.	Epilepsy and Spasms, St. Vitus' Dance, . . . . .	1	1 00
34.	Diphtheria, or Ulcerated Sore Throat, . . . . .	50	50
35.	Chronic Congestions, Headaches, . . . . .	50	50

Also in Ounce Vials, price \$1, (excepting Nos. 28, 32, and 33 \$2.)

## FAMILY CASES.

No. 1-353-dr. Vials, blk. walnut case and Mentor, (500 pages),	\$10
No. 2-35 " morocco " " " " "	10
No. 3-28 " " " " " " " "	8
No. 4-30 " " " " " " " "	6
No. 5-30 " wood " " " " " "	5

Pocket Cases, from \$1.75 to \$12.

For Sale by Dealers in Medicines everywhere.

☞ We send these Remedies to any part of the country on receipt of the price, by mail or express prepaid. Also, new illustrated Catalogue and Price List free. Address,

Humphreys' Homeopathic Medicine Company.

109 FULTON STREET, NEW YORK.

# "APPROVAL."

—:o:—

The Board of Cavalry Equipment of the U.S. Army, comprising experienced and able officers, applied to the HUMPHREYS' HOMEOPATHIC MEDICINE CO. for information in regard to their Veterinary Specifics, — "the relative loss of Stock, cost of treatment, &c."—

After a thorough investigation, and inquiries made at the large Stables, Horse Rail Roads, and others using the Medicines, "the Board have recommended their use in the Service." The recommendation has been approved by the Quarter Master General and General Sherman, and the Specifics are now being distributed to the different Cavalry Regiments, Army Posts, &c.

## BEWARE OF IMPOSITION.

The public are cautioned against buying medicines from IRRESPONSIBLE PARTIES, who sell their worthless imitations by claiming to have been in DR. HUMPHREYS' EMPLOY and to have learned to make his HOMEOPATHIC VETERINARY SPECIFICS, or others as good, etc. All such stories are utterly false and misleading, and unworthy of the slightest confidence. You are only safe in buying through my authorized agents HUMPHREYS' HOMEOPATHIC VETERINARY SPECIFICS properly Labeled, Lettered and with Name and Trade Mark blown in Bottle. None others are GENUINE or TRUSTWORTHY.

F. HUMPHREYS, M.D.

NEW YORK DRUG STORE,

C. VEEDER, Prop.,

ROSENDALE, N. Y.

DRUGS AND CHEMICALS,  
TOILET AND FANCY ARTICLES,  
PRESCRIPTIONS CAREFULLY COMPOUNDED  
AT ALL HOURS.

Sent by Mail or Express prepaid on receipt of price.