
CORRECTIONS AND ADDITIONS

TO THE

MEDICAL ASSISTANT, &c.

By THOMAS DANCER, M.D.

N. B. This Work is sold at his Majesty's Printing-Office, and at the Shop of Messrs. Meyer and Schutze, Kingston.



ADVERTISEMENT.

A NUMBER of Errata, in the References to the Formulæ in the MEDICAL ASSISTANT, having efcaped Notice, they are, in the following Pages, corrected; the Formulæ likewife, that were by Mistake omitted, are now printed: Some new Remedies are added, along with a few Remarks, that may render the Work a still more useful one for Families and Plantations.

ERRATA

TN

The References to the Formula, &c.

Page 71, paragraph 2, inflead of Clyfter, No. 40, read Clyfter, No. 63.
74, laft line, inflead of No. 9, read No. 17.
108, paragraph 2, "Antimonial Opiate," inflead of No. 47, read No. 17.
119, 2, "Gargles," inflead of No. 54, read No. 76.
120, 6, "Gargles, No. 54," read No. 76.
132, 1, "Aftringent Injection and Suppofitory, No. 41, 42," read No. 64, 65.
141, near the bottom, "Oil of Amber, No. 61," read No. 39.

169, dele the Numbers, and read, See Index to Country Remedies. 256, paragraph 1, dele No. 131, then read, No. 90, 91, 92. 257, laft paragraph, "Aftringent Injection, No. 132," read No. 64. Ib. laft line, read, or Clyfter, No. 33, (B.)

Other ERRATA, not corrected.

Page 112, line 13, read " haraffed by want of fleep." 114, 20, inflead of itching of the Arms, read itching of the Anus.

FORMULÆ

OMITTED.

No. 125. Lotion of Sal Armoniac, to be used in Sprains and Inflammations.

Take Vinegar and Water, equal parts, or 2 parts Water and 1 Vinegar; and add Crude Sal Armoniac, in the proportion of 1 or 2 dr. to a quart. Camphorated Spirits may be occafionally added. A fufficient quantity of this fhould be kept always ready in every Hot-Houfe.

No. 126. Collyria, or Eye-Waters.-See p. 243.

(A.) Take White Vitriol, 1 dr.—Diffolve in a quart of Boiling Water; then add a fmall quantity of Camphorated Spirits, and firain through paper or fine linen.—This, like the foregoing *Formula*, thould be kept always prepared. —A few drops of Laudanum may be occafionally added before ufe*.

(B.) COLLYRIUM.

Take Sugar of Lead, and diffolve in Rofe-Water, or in pure common Water, in the proportion of 2 or 3 gr. to the oz.— To this a fmall quantity of Camphorated Spirits, or a few drops of Laudanum, may, as directed above, (A.) be added.

(C.) COLLYRIUM.

Take Spirits of Mindererus, (fee additional Formulæ, p. 346.) and Rofe-Water, or pure common Water, equal quantities.—— To which may be added a little Camphorated Spirits, or Laudanum, as directed above, (A.) (B.)

(D.) ALUM POULTICE FOR THE EYES.

Take a piece of Alum, and the Whites of two or more Eggs.——Shake them together till a curd is formed, which feparate carefully from the Alum, and fpread on Lint.——To be applied to the clofed Eye-Lids at bed-time.——This may

* It was before remarked, p. 243, that Collyria are much more beneficial when used by means of an Eye-Cup. Eye Cups may be had of Mr. Menzies, Druggist, in Kingston.

FORMULÆ OMITTED.

may be more advantageoufly prepared, by putting the Whites of the Eggs into a leaden or pewter veffel, and rubbing with Alum; and, inftead of applying it fimply, it may be mixed with Conferve of Rofes, or bruifed Rofe-Leaves, bruifed Pomegranate-Flowers, Sc.

No. 127. Eye-Ointments.

(A.) Take Simple Cerate *, 5 parts.—Finely prepared Lapis Calaminaris, 1 part.—Mix well together, by rubbing on a China tile or plate.

(B.) Take Simple Ointment +, 6 parts.—Powdered White Vitriol, 1 part.— Mix well together, by rubbing as above, (A.)—A finall quantity of the above, or of any other of the common Eye-Ointments, is to be applied to the Edges of the Eye-Lids, by means of a Hair-Pencil or Feather, as directed, *p*. 244.

* Simple Cerate is made by melting Olive-Oil, 6 parts.—White Wax, 3 parts.— Spermaceti, 1 part.

† Simple Ointment is made by melting together Olive-Oil, 5 parts.—White Wax, 2 parts.

ADDITIONAL

REMEDIES and REMARKS.

INFLUENZA.—Since the publication of the Medical Affiftant, an Epidemic Catarrh, or Influenza, has occurred, which fpread itfelf over the whole ifland, and was particularly fatal to Negroes. It is proper to remark, that the Treatment found fuccefsful in this part of the country, was the Antiphlogiftic one, recommended in *pages* 116 and 138. When the Pulfe continued very ftrong, and the Pain did not abate after repeated Bleedings, the Tincture of Fox-Glove was in many inflances of great ufe. A Practitioner of this Town obferved, that a number of his Patients, labouring under this Catarrh, were afflicted with Strangury; for which the *Balfam Capivi* was found an effectual Remedy, whilft it alfo proved an ufeful Expectorant.

Tetanus.—Sundry new Remedies have been fuggefted againft this direful Malady, fo common and fo fatal in the Weft-Indies. One propofed by Dr. Meafe, of Philadelphia, both againft this Diforder, and the Hydrophobia *, promifes, from the trials made of it, to be of the greateft use in the former, if not in the latter. This Remedy is the Powder, or Tincture, of Cantharides, which is to be given in such Dofes + as to bring

* Obfervations on the Arguments of Dr. Ruth, in favour of the inflammatory Nature of the Difeafe, produced by the Bite of a Mad Dog; by James Meafe, M. D. *Philad.* Alfo, Medical Repository, Vol. IV. New York.

† Ten or fifteen drops of the Tincture every hour till Strangury, or confiderable heat, and pains in the bowels, be produced. On the fame principle, viz. That of exciting Strangury, or counter-irritation, Cantharides are fuccefsfully administered in Hooping Cough, and Pleurifies.

ADDITIONAL REMEDIES and REMARKS.

bring on a confiderable degree of Strangury; upon which its efficacy depends. The Gripes, Bloody Stools, &c. which may be occasioned by the Medicine, are of lefs confequence than the Spafms; these fymptoms, when the spafms are got the better of, will admit of speedy alleviation, from the use of demulcent Drinks, and emollient Clysters.

Dyfentery.—Dr. Wright; formerly of this island, and the author of feveral papers on the fubject of Weft-India Difeases and Remedies, has lately published a new edition of a Work by Dr. Grainger, of St. Kitt's, with Notes. Dr. Wright has repeated his recommendation of a remedy, formerly found very fuccessful in Dyfentery, viz. Lime-Juice and Salt*; and adds, that it is found no less beneficial in Cholera Morbus, Ho ping Cough, and in Diabetes. Another Remedy in Dyfentery has come lately into use, and is highly spoken of; this is the Zezegery, a species of Sefamum or Vanglo +. Without calling the good effects of this Remedy into question, the fame, it is prefumed, may be expected from other Demulcents, or from the Mucilage of other Plants similarly obtained. When therefore the Zezegery, as it is called, is not at hand, it may be worth while to try the Mucilage of Ochro, the wild Ochro (Malachra capitata), or any of the Malvaceous Plants \ddagger .

Dirt-Eating.—When the author fuggested the trial of Mercury in this Disease, he did not know that it had been recommended by others §, and

* Lime-Juice, 3 oz.; as much common Salt as will diffolve therein; add a pint of Water, and 2 oz. of Sugar.—Dofe, 2 table-fpoons full every 3 or 4 hours.

† See Captain Huxley's Letter to an Honourable Member of the Houfe of Affembly. The efficacy of this Medicine, as an *auxiliary* in the cure of Dyfentery, has been conformed by Dr. George Spence, of Falmouth, in Trelawny. See Conwall Chronicle.

‡ A Gentleman of the parish of St. David, Mr. Bull, has shewn me a Plant, (the *Hibiscus malvaviscus*), that gives out an abundant quantity of clear, colourless, and tasteless, Mucilage; and which no doubt will be found to answer the same purposes as that of the Vanglo.

5 See Dr. Chi/holm, in the New-York Medical Repolitory.

ADDITIONAL REMEDIES and REMARKS.

and found unfuccessful. A regard to truth obliges him now to fay, that, from the reports he has received of the cafes where it was employed, his expectations have been disappointed. It has in few inflances done any good, at the fame time it does not appear to have done much harm.

Yaws and Leprofy.—The Nitric Acid, and the Oxygenated Muriate of Potash, from the Reports of Dr. Chilholm, and some other Gentlemen in the Windward Islands, appear to have great efficacy in these Diseases *.

Ulcers.—The Nitric Acid Bath, or Nitric Acid added to Fomentations, has been found highly ferviceable in Phagedænic, Gangrenous, Sores.

Ring-Worm.—Tobacco-Afhes; Infufion of Fox-Glove; Solution of Borax in Vinegar.

Worms.—It was mentioned, page 563, that the Bark of the Melia +, Hoop-Tree, or Bead-Tree, had been given in the Eaft-Indies as a febrifuge; in North-America, the inner Bark of the Root is employed for killing Worms. "The Root of this Tree has a thin reddifh Bark, or outer Skin, which is deleterious, and must be carefully foraped off from the fecond, or inner thick white Bark: Put a handful of the shavings of this white Bark, in a quart of Water; boil over a flow fire, to a pint; when fettled, pour off, and sweeten. Dose, a wine-glass full, three mornings succeffively: After which, a Cathartic (Castor-Oil) is to be administered." Worms of every species are destroyed by this Medicine; for an account of which I am indebted to Mr. Hylton, a gentleman of great philanthropy, and most diligent inquiry \ddagger .

* See Chifholm on the Peftilential Fever of Grenada, &c. Vol. II.

+ Melia Azaderach, Linn.

* A specimen of the Root of this Tree, and the Bark proper for use, as a vermifuge, may be seen at the shop of Mr. Menzies, Druggist, in Water-Lane.

