





517/29 woother ye defratiles Carlland Paris 84-5. 32 lives a- 11 8

ingrimer à douvain en 1/80.

Gition excessivement vare, imprimée à Louvain un 1480.



amounted de Thenewich bom about 1235 pursed a great part of his life at Valeman in Tely. He to Regent spelle Esticion So at hom pellin in the Verett by France where pironth the M & of This was kept and as stated in the full paragraph The year 1480 montpellier 32 times Ay missing.

Incipit regimen lanitatis lalernitanu excellentillimu pro conferuacione lanitatis totius humani generis perutilillimu. necnon a magistro arnoldo de villa nou ua cathelono omniu medicop diuetiu gemma briliter ac secundu omniu antiquop medicop doctrina beraci ter expositu nouiter correctu ac emendatu per egregisti mos ac medicine artis peritismos doctores montipe sulani regentes anno millesimo quadrigetesimo octuagesimo predicto loco actu moram trahentes.

Percus.
Pelorum regi kriplit kola tota falerni:
Si vis incolume li vis te reddere lanu:
Curas tolle graves.iraki crede prophanu
parce mers.cenato paru.no ilt tibi vanu
Surgere pepulas.lomnu fuge meridianu

eton mictum retine nec comprime fortiter anum bec bene & ferues tu longuo tempore biues.

The est libellus editus a octoribus la lerniensibus in quo inscribunt multa et diversa pro conservațioe sanită. tis humane et editus cu iste liber ad dum regia anglie Et în tertu lecto auctor ponit octo documenta generalia pro conservațione sanitatis de quibus postea specialitet per ordine determinabitur. Pri mu ergo documentu est quomo sanus volens divere debet ab eo removere graves curas. Nam cure exsiccant corpora ex quo tristificant spi titus ditales modo spiritus tristes exsiccant osla. Se sub isto documento etiă comprehendi debet tristice que similiter corpora exsiccant et infrigidant maciem et extenuationem inducunt cor construngunt: et spiritu obtenebrăt ingeniu ebetant et ratione impediunt sudicii obscurant et memoria obtundunt. Derutame aliqui pingues et car

. 8 ii.

noti funt fpiritus a deo mobiles et calidos habetes pels interdu bonu eft triffari bt Cpiritus caloz ebetet et coipus aliqualiter maceretur . Secundu documetu elt no iralci. primo quia ira limiliter corpra erliccat.cum ipla lumme lingula membra lupercaletaciat:nimia aute calefactio lic citate inducit telte auicenna prima primi doctrina tercia capítulo primo lecudo quia ira propter feruozem cozdis omnes actus rationis cofundit. Houertendu tame elt o quioa frigidi lut et maleficiati quibus interdu iralci pro= deft in regimine Canitatis bt in eis caloz excitetur Terciū elt parce bti potu bini. nimta eni repletio bini funoletia pigricia debilitate membrozu debilitate fromachi et mul= ta alía his timilia inducir de quibus polterius magis pa tebit. Quariu eft paru cenare quia nimia nocturna reple tio woie in bentre moucit ac inquietudine incomneitate et angultia prout manifelta patet experientia et inferius magis declarabitur. Quitueft furgere polt cibu fumptu quod facit ad digeftione propterea p cibu lumptum fa= cit descedere ad fudu stomachi i quo biget birtus digesti ua. Sertum eft no dormire polt prandiu cuis nocumeta poftea tangutur in textu ibi. febris pigricies. Septimu eft non diu retinere brina. Er nimia eni brine retentione aliquando fequitur difficultas mingendi aut omino pro hibitio a mictu bt teftat auicena occimanona tercii tractatu lecundo capitulo de difficultate brine . Similiter ex nimia retentione fecali plura proueniunt nocumeta. In durant eni feces in inteffinis propter continua fuctiones benan meleraican cum in teltinis cotinuatan omne bu= miditate a fecibus luggentiu et lic remanet licce. Diffici lis exitus in teffina opilantes ad qua opilatione propter bento itatum educionis prohibitiones et aliarum fecum aceruatione leguntur nocumenta in textu pofferius poli.

#367508

ta ibl. Spalthus potops ec. Octauum elt non fortiter co primere anum.ex hoc enim lequitur tenalmon live exite longaonis. Olterius luboit autor q omnia ila debiti co = ler rans longo tempore lanus bivere poterit.

Si tibi deficiant medici.medici tibi fiant bec tria mens leta requies moderata dieta Comentum.

Autor in hoc pallu tangit tria remedia generalia p co Ceruatioe Canicacis nature humane et precipue (plozum nobiliu.primu eft o animus,hois debet elle letus i gau= dens cum leticia fine gaudium etatem floridam facit ho minem in iuuentute conferuat birtutem confortat bita. prolongat ingenium acuit, ad fingulos actus homines abiliozem reddit Et debet iftud gaudium in regimine la nitatis conueniens elle temperatum et non excelliuu qa excelliuum lincopim et mortem ioucit. Et maxime gau din copetit his qui multu curat et Colicitudinibus dellru= untur. Et poteft in iplis de nono acquiri per blum cibi et bini delectabilium et dimidione eozum que trifficia idu= cunt et Inhabitare cu (ibi dilectis et umilibus quib? birt? confortatur telte auicenna bnoecima tercii capitulo de ca Cu birtutis lubito lic dicente. Et lcias o birt? augmetat cibo et bino lubtili conuenientibus et odozibus bonis et tranquilitate et gaudio et dimittione eo sum que contri= lant et rixari faciunt et renouatione rerum amabiliu et habitatione cum dilectis. Secundum eft tranquilitas a= nimi pobiles enim propter nimis magnas & diuerlas cu rias qs habent plus leduntur ceteris paribus & qui me= diocres funt. Inquietatio vero mentis Comnum maxime impedit qui nobilibus lumme btilis eft qui communiter nature licce lut ates colerice quibus permarime Comnus

est veilis. Terciù est moderata dieta id est moderata sunt prio cibi et potus. Pocumenta vero superfiui cibi et potus postea dicemus.

Lumina mane manus lurgens gelioa fauet aqua bacillac modică pergat, modică lua membra extendat.crines pectat.dentes fricet.ila confortant cerebră confortant cetera membra Lote cale.lfa palle beli frigesce minute.

In hoc tertu auto: ponit lex documenta quibus ceres brum cofortat et fimiliter lingula corporis membra.pri= műelto pollo homo de mane lurreperit debet lauare ocu los in aqua frigida. Quindari eni debent bt ab eis remo= pearur immundicies palpebris adheretes et circa oculos eriftentes ne ab iplis oculi corrodantur. Et iftud latis in nuit Aufrenna tercia tercii tractatu prio ca. de tememo= ratione confernatiois fanitatis oculi a rememolatioe eo= rum que nocent ipa bbi dicit . Er eis aute que ablergut oculum et acuunt ipfum eft fibmergt in aqua clara et a= perire oculum in ea. Stidem bult tractatu quarto capi= fulo de cura debilitatis bilus dicens . Et ingredi aquam claram biridem et lubmergi in ea et aperire ambos oculos i ea lecuoù quatitate qua pollibile eft eft er eis que ler= uant Canitate oculi er cofortant iplu et proprie in iuuetu= te Saufa aute quare oculi magis debet lauari i aqua fri= gida pcalida equia buuquodga coleruatur luo limili be dicit Auicena quarta primi ca, primo. Et ide bult galien? tercia teani canoneillo. Calidiora calidioribus idigent ad iutoris frigioioza frigidioribus. led liceft li oculi lue frigi de nature ergo potius debent lauari aqua frigida & calis Da Secidum eft quia homo deber lauare manus quia lite

inftrumentă quibus mundantur organa per que exeunt Cuperfluifares cerebzi bt fut aures oculi nares et ergo ob hoc manus debent elle munde plus tamen &bet lauari in agaa frigida & in agua calida: quia lotio manuu in agua calida generat bermes in bentre et hoc (pecialiter dumo= do manus in aqua calida lauant polt Cumptione cibi bt Innuit auicenna decimalerta tercii tractatu quinto ca.pzi mo bbi agit de bermibus in benere genitis. Et ratio eff quia per lotione manui in aqua calida post sumptionem cibi trabiccalor naturalis quo completur digeffio in fo= macho ad extra quare imperfecta fit digeftio que potilima caula eft bermiu. Eerciu eft a pollo homo lure rerit a Comno debet paulatim incedere liue fe mouere, Quius caufa eft bt superfluitates prime et lecunde digeftionu q funt feces et brina delcedat et preparent faciliori euacua tioni. Quartu elt o pollo homo lurrererit a fomno debet ertendere manus et pedes et alia membra. Quius caufa e be trabane vitales spiritus ad mebia exteriora et per boc fubtiliant (piritus cerebri, Quintu elt & debet crincs pe= ctere. Quius caula elt br aperiant port per hoc capitis et ereant bapozes cerebzi derelicti poft Comnuet Cubtilient eius (piritus, on blus pectinis multu cofert bilui ema zime lenibus poelt. Dñ dicit auicenna tercia tercii tracta= tu quarto capítulo de cura debilitatis bifus. Hominifra= tio pectinis luper caput innacina eft et confert proprie le nibus quare oportet o administret omni die multotiens quonia attrahit bamies ad luperioza et mouet eos a par te cculi. Sertum eft o homo debet mundare et fricare de tes Quius caula eft quia immundicies dentiu eft caula fe toris anhelitus. Similiter a dentibus immudis Cpiritus immundi eleuantur ad cerebeum iplum perturbantes.

a.fiii.

Biererea comixtio limolitatis dentiu cum ipo cibo ad la machu millo est causa corrupcionis cibi in stomacho. coo dum aute colernandi Canitate dentium & bonitate obozil ron tangit auicenna leptima tercii.ca. de colernatione de tium lub his berbis. Et exeis que coleruant lanitate detium elt bt colluat os in menle bis cum bino in quo be= cocra eft radir titimalli.eft eni peruentes ad bltimu in fa ciendo bonu odoze i no aduenit facienti illud doloz denti um. Plterius auctorin bitimo berlu lubdit aliqua pcep ta generalia primu elt phomo lotus Aupha bel balneo Deber le tenere calioum quia tunc por funt aperti elic de facili frigus pollit lubintrare a magna nocumeta corpo= ri inferre. Bliud eft @ poll homo lumplerit abus debet modicu fare becibus perfecte delcendat ad fundu ftoma chi in quo copletur digeftio deinde lente ambulet et non fortiter ne ppter mo u fortem calor trabatur ab partes ex teriores. per hocipediatur cibi digeftio. Aliudeft o ho= mo frig ous debet cauere ne lubito le calefaciat co pau= latim.mutationes eni lubire natura ledut. Ofia enier tra natura molella Gunt. bt dicit Galienus in comente il lius canonis. Decundu multu et repente. 4

Sit breuis aut nullus tibi lonus meridianus. Jebris pigricies capitis dolor atgr catarrus. Hec tibi proueniunt ex lomno meridiano.

In hoc textu tangit auctor quattuor nocumeta que pueniunt ex somno facto post prandus. Duop primu est per somno meridiano solet sequi febris. Duod aliqui putát derificari de febre pueniete ex opilatione causa issus febris reddetes da tepore dici calor espose mouent ad exteriora. Lie dire digestiva in die est debilis digestio eniz

pfecta eff qa calor a fpus ad iteriora mouent: ppter quo ru motu caloz naturalis itenditur. e lictepus noctis eft te pus pfectionis digeltionis. Indigeltio eni accuditas bu= mon e ca opilatiois que opilatio e caufa febus feom aui= cenna puma gen i plurit? pallib. Scom nocumentu elt pigricies q ex eade ca bidet origi. Er matia eni indigelta grolla grolli eleuant fps gmoti ad mebia corporis gra uedine corpori inducut: queadmod fpus lubtiles et leues leuitate animi e corporis inducut. Terciu e dolor capitis getia ex eade ca puentre bidet. Ex cibo eni idigelto in lo macho eleuant grolli fpus cerebiu pturbates. g (pus lut că dicolozatiois etia faciei qu ad cute mouent. qa bbi eft materia grolfa necelle é quicdo ex tali materia dilloluit elle grollu bt inuit. Galien? i comento ille aphorilmi. Et d creicut lic ingens dequid eni de glibet re dilloluit ei bn= de di Coluit nece Ceett braffimilet Quartu nocumentus e catarrus q limiliter ex eade ca bioet oziri feilz ex reuma= te. Bruma eni dicit ois fluxus materie de mebio ad me= biu in grucy parce corporis fuerit. Led Crom o ad diuerlas partes corpous fluit diverta fortit nois que eni mouet ad pectus: une ao mebra (pualia bioel; ao pulmone dicit ca tarrus. Sed que fluit ao fauces fine ad colatoni palati di cit branc?. St gn fluit ad nares dicit coasa. or habet illif berlib. S. fluat ad pecil oicat reuma catarrus. Ao fau ces bracus ad nares dico corizam. preter th poictor nocu metor caulas narratas alie poffit allignari magis effica ces. Caula nag primi nocumeri fcils tebris q aligh eft effi mera.aligh putrida e. febris doe effimere reterio fuliginu i lomno diurno. quay resolucione bigilia facere colucue rat qbus aceruatis et fpiritibus admirtis in eis accendit calor erfraneus caulans febrem effimeram. Jebris bero putrioe putrefactio humiditatum multiplicatar ex fom

no diurno ad coreffumantiu. Scom bero nocumentu fic licet pigricia cotingit ppter huiditates per Comnu diur= nú retetas circa mulculos cordas et iúcturas quibus toz= peletit et tarde reddunt ad Colitos motus. Tercia bo no= cumentum ex limili caula ozitur. Cilicet ex humiditatib et baponbus per lomnú meridianum retentis qui moti berfus caput et cerebium ei doloiem ingerunt. Quartu bero nocumentum bidelicet catarrus quo bniversaliter ome reuma lignificatur: cotingit propterea quia bapores et fumi qui bndig per cutem hora bigilian recolui co lent in Comno diurno ad caput tendunt. bbi inspillati re cidunt interius reumatizantes. Auicenna autem tercia primi doctrina fecunda. capítulo nono, alia fuperaddit nocumenta fomni diurni.quop pumu elt generare egritudines humidas. De guttas et paralifes ex retentionib; h umiditatu: que de die magis recolui colent. Secundum eft corruptio coloz & facier propter humiditates aquofas brine limiles in langume multiplicatas ex loumo diur= no recolui Colitas tempore bigiliaz, que ad faciei cute cu fanquine expulle reddunt eam tumidam et declinantem ad citrinitatem. Tercium eft generatio Colenis.id eft Cole tice pathonis in dispositis ad cam. Cuius causa eft reten= tio huoris gro di melancolici in Iplene ex Comno diurno. ficut enim unant bigilie motum et liber transitum bu= ins groff buozis p canales triceof cu calore diei bias ape rieute fic Commus impedit maxime diurnus cum tunc in fet hora lecundum plurimu transitus melancolie per ca nales fuos et maxime per illum canaiem qui a (plene tra fit ad ozificium fromachi gratia prouocationis appetituf per quem (plenis fuperfluitas emundari folet.non enim convenit bt de nocte pronocet. led de die potius appeti= rum cibi. Quarium elt relaracio neruozu; leu remollitia

corum. Cuius causa est prohibitio resolutionis humidità tum quam facere folent bigilie diurne que interius rete= te neruos imbibunt. Quintum elt debilitatio appetitus Cums caufa eft probibitio refolutionif: que eft prima can la famis. Mia caula est repletio ftomachi exfumis vapo ribus et humidicatibus remollientibus et laturantibus ouficium Comachi. Sextum cft generatio apoltemacum Cuius caula eft quia tuperfluitates per fornnu diurnuz multiplicate colliguntur fepe in aliquo membron et ipne intumelere faciune. de birerias dicitauicenna. p due de potionbus caulis propter quas nocet fommus diurnus funt puma quidem quia cito intertupitur propterea gra lor dier trafit berfus exteriora calozem corporis et ecotra Commus ad interiora bnoe motus prouent agitatique to ideo confahrur tuncommire bolentil9 min bmbia dor= miant sin cen. biolo loco fecunda bero propterea o reo= dit natura tupidam e quan perterntam retrabentem le abea in quo erat leilicet a digeftione cibi Elttendendum tamen eit o licet lomnus diurnus generaliter bitupere= tur et nocturnus comendetur.crouveno tamen ille min? bituperatur qui amane elt bigs ad terciam feilicet ab ot= tu lolis big as tergiam post iptum.turta ilius pocratic pronofticorum lecunda vicentis. Sommus bt moris eft conveniens et naturalis benoctem non elfugiat et diein non impediatelt laud adilis. contrarius bero elt impro= bandus.minus tamen lia mane bigs ad terciam tenuerit. Quad tamen lomnus diuruus et meridianus in ta= tum a primis medicine inventoribus deteltetur. moder= no tamen tempore non omis fomnus diurnus eft bitu = perdous et ppue a ineo quigs codiciones obleruentur be bult bartrucius. Prima eft belit coluctus. Coa be no lit

illico lupra cibu tercia be no lit capite deprello. quarta be non lit longus. quinta be non fiat ab eo lubito liupida et repentina expergetactio led morola, dertus.

Quattuorer bento beniunt in bentre retento palmus porops colica bertigo quatuorifta.

In hoc textu autor ponit quattuor nocumenta proues nientia ex retentione betolitatis in corpore noftro. Quo rum primu eft lpalmus. Cuius caula eft quia bentolitas reteta lepe capit raptu ad juncturas et neruos iplos re= plentes ex quor replectione lequit iplou cotractio que bo catur (palmus. et ab auicenna lecunda tercii capitulo de (palmo:lpalmus lic diffinitur. Spalmus eft egrifudo neruola qua mouent lacerti ad principia lua et in obedis entes funt in dilatatione cop. Et ifte fpalmus eft dupler Dam quidam elt ex repletice in quo membru abreuiat et ingroffat propter rem implente ficut coria aut corigia cu eft res implens abiculaturet ingrollat i ifte ipalmus fit fubito. Alius eft ex in antione in quo contrabit longitus do ce latitudo et minozat membra Ccom longum et latali cut in pargameno cum apponitar igni fit contractio fecu dum longum et latu et itte fpalmus fit paulatine. Secti dum nocumentuelt poropilis que est morbus materialis caufatus er re frigida plurima ingrediente et inflate me bia aut loca partiu in quibus regimen i. digeftio ciborna fit thumon bt dicit bartrucius.pozopilis eni no generaf nili cu languis no generat be dicit galienus lexta particu la aphozifmor in cometo ilius Emozopæs fananti anti quas. Et eft triplex potopilis les pposarcha alcites e tom panites &t de tompanite intelligit iftud loom nocumetu Tempanite eni bt dicit bartrucius fit a mala complecti=

one frigida fromachi et epatis phibente cibum tranfmu tare in chilum et humorem benig in auc languinen qua = re couertitur in rem bentolam que du non expellitur per eructuatione autaliunde opilatione biar phibente bel birtute expullina bel lequeltratina leu perfluitatum de bili existente colligitur inter ciphac a mirach betris a cau lat poropilim. Tercium nocumentu elt colica que elt egri tudo multu dolorofa facta in intelfino dicto colon quod elt bnu de intellinis grollis queadmodu pliaca elt egritu do dolozola facta i iteltino gracili dicto plion. Et fiut dic te egritudines fepe ex bentofitate inclufa in dictis intelti nis. Quartum nocumentu elt bertigo telt egritudo cus qua bidetur homini o omia boluantur in gprum. Eui? egritudinis caula elt bentolitas ad cerebin mota que pio pter eius in cerebio motione bertig ne facit. Et illa quat tuoz nocumenta cum quibuloaz aliis pulcre comemorat Auicenna decimalerta tercii tractatu quarto capitulo de rebus que nocent colicis dicens. Et lcias o retencio ben= tolitatis multoties facit accidere colica propterea q iub= leuateam terprimitipfaita bt aggregeturies bna et @ facit accidere debilitatem in intellinis. Et quadbog perdu cit illud ad poropilim. Er quandog generat tenebeo i a tem bilus & bertiginem et epilentiag. Et gnig retinetur in iucturis a facit accidere spalmu. C

Er magna cena fromaco fit marima pena.

Comentum.
In hoc textu autor ponit bnû documentû pro conferuatione fanitatis dicens. phomo in cena debet elle lobrius le non multum ciba replete quia nimia repletio noc turna iducit ipedimētû loni torcione beneris indetudine

corporis: pultulas in facie: grauitate capitis in mane et malicia oris. Dubiu iam incidit beru major quantitas ci bi lit lumenda in prandio o cina: pro cuius descilione ad uertendüeft o from divergrate corpor major aut minor quanticas cibi lumenda eft in prandio o cena quia corpo ra aut funt in morbu decidentia aut fub latitudine fanita tis. Si in morbu deciderint aut cu humons bicio aut line humoris bicio. Si line huoris bicio licelt magis cenadu Cuius ratio eft quia natura in talibus Columeft cibon di gestioni intenta no aute superfluitatu maturationi caret enimeis. @ li cu humozis vicio patiant convenientius eft pradiu maiorare. bnde prima tercii tractatu quito ca. de cura epilentie. Ille cuius confuetudo no tollerat of le= mel reficiatur dividat cibum lui qui clt minor refectione Cua in tribus partibus et fumat duas tercias in prandio et tercia in cena post excercitio subtile. Batione sic persua detur quillo tepoze quo natura debilis inuat in digeftio ne calore Colari viuifico er recoluunt amplius Cuperfluis tates amplior Jumenous eft cibus boc aute magis fit in pradio & in cena ergo tc. preterea in die calor bicalis adelt Colaris ce lucis digettiuus cum fit bite puncipiu quare ad digestione tunc duplex operabit caliou nocte bero non. Et etta nocte natura magis eft circa Superfluor digeftio ne in talibus intenta:no elt ergo impedienda muita cibo rum exhibitioe. Quanis eni calor in plerila fortificetur in nocte ipititui retractione et comni reduccione no th m telt huiulmodi caloz duo bt alimentu et luperfluitares Digerere. Conuenititagi in his cena bieuiare. Si bero hu tulmodi corpora lub latitudine fuerint lanitatis. Aut lut luff.cienter tana robufta lupertluitatibus fenlibilibus carentia cu oes expellant fua bia bt athelete et hos expedit cena maio are . Zum quia natura con nocte folu eft

digellioni cibora intenta et non luperfluora maturatio= ni cum illis fere careant. Tum quia foluz robur corporis intendunt quod et nocte acquiritur magis cum amplio: fiat languificatio distributio et spirituum in his genera tio. Si autem corpora fuerint a dicto temperameto ero bore diftanta licut lunt plurima blog in egritudine nuc Deuenietia talia aut exercitatur exercitio forticotinuo et behementi aut non li lic bt lunt bictum manibus que= rentes melius eft eis prandiu Cuper cena maiorare. Cuiul caula eft quia ahmentum non tolum expetitur propter nutrire led propter humectare mebra ac irrozare ne areft ant ex forti motu et reliftatur relolutioni calozis propter quoo oportet plus cibi exhiberi in prandio neg propter exercitium talia corpora ceffant ab con digettione cu; ita fint confucti blus enim eft res preter naturam. Eit et ca lor behemens propter exercitium potens fuper digettio= nem in eis.propter quod bidemus eos terindie cum ap petitu comedere et bene digerere. Si aute; non btantur forti et laboziolo exercitio continue licut predicti ouplicis ter illud euenit quia aut folum quandom btuntur exer= citio forti laboriolo et non continue aut lolum brutur er ercitio Debili cum quo fat multiplicatio fuperfluitatum Si btantur exercitio plurimo forti e laboriolo propter oc cupationes necellarias in bita e ad falutem ficut ciuiles biri plures cir:a bona fortune negociantes e falute iter ou exercitio forti e la sociofo mouent bt diu egtantes bel trinerates aut aliud quodda forti9 a conieto agetes exer= citio. Et his btill e cena iup prandig aplius augere. Cu i? ro eft da fi tales pranoiu augeret cu no fint pluett abeo fort e laboriolo exercitio agitari be priores ipopia contu pet digeftio malor humor gnatina. Ite ppt motu luper Luum calor boum dillemmatione elt debilitatus cuius

quioe buctio que magis nocte fit & die poticima elt forti tudinis a digellionis caula quare in cenain fante nocte alimentu amplius potelt administrari ftem ili prius no laboriolo brebant exercitio a liccorpus con humidita tib9 plenuelt: quib9 s paruo cibo fufficieter potelt relitti relolutioni i exliccatioi factis per motu in die occurrente Si bero paucis debilib9 exercitiis i paruis occupationi= bus in bita brant percipienou eft ipis meil pradere o ce nare. Er declarat ittud licut in corporib9 núc egrotatibus apparuit. Cum eni hi füt debilis digeftionis bt plurimu inuant per calore folis eluce balde biurficos cotorratur eni inde (pus poter lui limile 3ple eni eft lux:aut effigie habet lucis Grom Aucenna Tuuant etia quia lupthuta tes tac melius expellunt pous apertis de die & de nocte Dieterea nocte no oportet eos multo cibo led pauco reple rica natura tuc intenta elt magis circa orgeltione bumo rum crudor quos fomnus haber marime digerere acad benignu reducere licet eni nocte digeltina for thicetur bit tus no tamen adeo o baleat cibu i fupfluitates digitere Aouertendu eft intuper o in exhibitione cibi maious aut minozis in pradio & cena maxime feruadus cat b.us. ga coluctudo eft res maxima in pieruatione lantratis regri tudine curada lecindo regiminis acutor quod oftendic er eo peius mutatio i marime lubita behemeter en leli= ud. Dude Damalcenus.mutare confuetudine noguum elt i moleftum i precipue fenibus. Et ideo praue cofficial dines abolende funt led no morco o natura no iuftinet repetinas mutationes. Et iic patet & butuerfalius maio randu eft prandium super cena cum plurime egritudines Cunt materiales et plurima corpota lapia. Si tamen to lum femel in die comedatur melius eft cibum in cena er= hibere nili oculi aut cerebrum patiatur, cunc eni melius

eft in pradio exhibere cum cena no parú egrotantis nocet oculis et cerebio. Diteri? circa tertu elt notanou quo lo lum repletio nocturna liue in cena nocet fomacho pm= mo omnis repletio cibi generat eni opilatioes febres pu= tredines apoltemata et lepza quia elt caula indigeltionis Da aute ois repletio nocitiua eft fomacho declarat quice na decimatercia tercii tractatu primo capi. de rebus qua= rum blu ledunt ftomachus et inteffina dicens. Et er reb? magis inimicis fromacho est repletio et propter illud non augetur corpus guloli am cibus eius no digeritur quare no crelcit ex eo corpus. Ille aute qui cibo abltinet dum ta men remanet aliquid appetitus eius augetur am floma chus eius bene digerit cibum. Et fic balde cauendu eft ne fomachus torqueat et multu grauet ex cibo ita bt anhe litus anguftietur et pullus belocitet et Cimiliter repletio naufeatina et faltioiu inducens multu eft enitanda : Cpe cialiter er malis nutrientibus . pa li faltidia fiter grolis nutrientibus proueniunt juncturaru oolozes et renum. podagra et grofficies (plenis et epatis et regulariter egri tudines fleumatice et melancolice . Et fi faltidium fit ex nutrientibus lubrilibus proueniunt febres acute imaligne et apoltemata multu acuta igitur euitada est reple tio nauleaciua no igit tim elt comedenou quin i ftomacho maneat aliquis locus bacuus nec ex toto debet delideria Copiri Ced retineri &bet alique reliquie appetitus : hoc Cpe cialiter obseruadu eft in habentib9 appetitu forte. füt eni aliqui quep appetitus naturalit multu Copitus eft et ifti forte debent plus comedere o appetunt.

Tu nung comedas ftomachum nici noueris ante purgatum. dacuum cido quem fumpferis ante Exoelidrio poteris cognolecte certo

bi

bre tua funt ligna Cubtilis in oze dieta.

In hoc textu ponuntur atiqua precepta que homo la= ne cupies biuere necellario debet obferuare ante lumptio. nem cibi. Quoz primu elt a homo no debet lumerere ci= bum nili nouerit fromachum luuelle purgan a malis bu monbus quod fie per bomitu expellendo humores putdos et malos in eo exiltentes quia fi fumereturcibus pre dictis malis humoribus in ftomacho remanetibus er co mixtione taliu bumorucucibo cib luprus corrupet Secu dum preceptu eft o homo non debet fumere cibu de nouo nili pienferit cibu preluptu in ftomacho luo fore digeftu a ab eo euacuatum quia nichil eft peterius in humano coz= wie & intromittere cibu luper alia qui non elt digeltus (3 digeriincepit. Ma fuperalluptus cibus priozis digestione inchoatam ipedir. Et digellio prioris ante coplebitur que trantiens adepar per benas meleraicas ducer fecum cibu. Cupalluptu indigeltubnde crudi bumores in corpore ml'= tiplicabuntur. Plterius i textu ponut duo ligna euacua tionis Romachi a cibo pallupto primu elt deliderin certu i. bera fames . St pitellectu ilius (ciedu e @ oupler e fa mes feillet beraet mendofa. Dera Galienus deferibit le cuoa aphonimonin cómeto illius canonis bhi dicit indi gentia non oportet laborare dicens certa fames eft cu ho cibo indiget bu imeius legtur appetitus . S; medola fa mese cibi appetitus corpore no idigente. Et icut berafa mes fiter coffrictione et coungatione benan orificii fo= machi perdentibus a luctione inebron inanitoru cibo idi gentiu ic mendola fames Colet ab his fieri que frique bt rugat ouficia ftomachi mebris cibo no egetibus bt ab ac tu frigiois dipricisant acetolis. Et iflius ligni et lecuoi p cepti predetis comemorat Auicena tercia primi doctrina

fcba ca. de eo go comedit fic inquiens. Oportet pterean alige comedat nill polt deliderfu nem i hoc tradet cu deli deriu ebulierit.i.forte fuerit nili medolu fuerit bt ebnon æliderin et bhtin fastidin am tollerare fame stomachum putriois replet humoribus. St politea code ca. dicit. Et ne B iple nem oes qui lanitate habere bolunt aliquid come dant nici delideriu fuerit certu et Comachus et Cuperioza intellina a primo nutriete euacuata fuerint. go eni in coz pore existit deterius elt nutriens super nutriens go no elt digeltum mittere. Scom lignu go lignificat luper certo deliderio line certa fame elt lubtilis dieta precedes.i par= ua administratio cibi que eni illa sequit fames significat elle certaet bera. Sciendu eft inluper oin bna et eade re= fectione pellima eft limul multos et diverlos conjungere cibos bt carnes et pilces bel pulos et porcuet pofea pro= longuare tempus in comededo quia primus cibus ia di= geri incipit cum aduenit blimus et fic partes cibi dillimi les frunt in digerendo fic o preaffumpte prius digefte fut & poltreme lumpte fue digeltionis media attigerint on de fit @ queda corrumpunt alias. Et iftud innuit auten= na tercia primi dotrina fecunda ca. de eo qo comedit dices St nichil quide deterius eft o diverla nutrimeta limulad jungere et polt hoc in comedendo tous prolongare cu eni poltremu nutriens aduenit primuiam incipit digeri nu trientis ergo partes in digerendo no fimilant . Sciendu eft tamen o prolongatio in comedendo moderate facta fe re bna hora gratiabone malficationis et transglutionis eft laudabilis et plurimu conferens ad coleruatione lanttatis da perfecta cibi malticatio cu mozola transquitioe Que ingluuie eft veluti media digeftis Ced mala maftica= tio bel digeftione cibispedit bel behemeter retardat Sea

b ii

prolongatio in comededo cum interlocutionibus et pau fis duabus del tribus horis est plurimu nociua et lequnt er ea nocumenta prenarrata.

Tertus.

perfica:poma:pira:lac:caleus:et caro falla; Et caro ceruina:lepozina:capzina:bouina hec melancolica funt infirmis inimica

Comentum. In hoc textu tangumt decem cibi fine alimenta melan colicam generatia aut infirmis inimica. Quor primuelt comeftio perficor de quibus galienus lecundo alimetor capitulo decimonono dicit pet hop fuccus et quod belut caro facile corruptibilis eft et omnino quide prauus qua re no opetet licut quedam polt aliud alimentu offerre cor rumpunt eni Cupernatatia. Weminille aute opoztet hu= ius quod eft comune in omnibus quecuq cacochima hu mioa et lubica et facile fubire potentia: propter hocopor tet ip la comedere prioza alissific eni ipla celeriter lubeunt et illis biá faciunt: bltimo aute fumpta fimul corrumput et alia. Et ita patet piftud dictu abet intelligi de perlicis comestis post cibu aliu quía ipsa sumpta ante cibu bona funt ftomaco bentre lententia atquappetitu prouocantia Jurta illud auicenne lecudo canonis capitulo de perficis dicentis. Catura funt bona fomachoet in eiseft birtus faciendi appetitu cibi. Et lubdit auicena. Et oportet qui= dem bt no comedant post aliu cibu quoni a corrumpunt polt eum led precedant ante cibu. limiliter lerapion in ag gregatore capitulo de eis auctoritate opalcoridis ait. Ca tura ex perlicis funt bona fomacho et molliunt betre:im matura beto firingunt et quando deficcant firingut for= tius et decoctio ficcop quando feilicet bibitur prohibet flu xum bumioitatum ad flomachum et benfrem et quand

trita luper locu puluerizantur bnde fluit languis ablein dunt eu. Et licet prenarrata habeant iuuamenta quia ta= men humoze generant putrefactibilem nocitiua cut ifirmis et maxime quado indebi te lumutur: Et lunt perlica frigida in primo gradu et huida in lecudo. Secudu elt pi= ra Que comeftio piroui. Et caufa eius eft quia pira e gene raliter omnis fructus r ecens no correctus replet laguine aquolitate ebulliente in corpore et lic preparat languine ad putrefactionem et p coleques nocent egris. pira fimi liter bt dicit aufcena lecudo canonis ca. De eis a prietate in ducut colica. Ipla tamen inter ceteros fructus multu; impinguat poterea porci ex iplis piris ipinguant plul o ab aliquibus aliis fructibus. Et quia pira bentolitate qe nerant et lic inducut colică blus habet o pira a alii fruct? ventolitate faciencia cu carminatiuis.i. betolitate expel lentibus comedut bel pollumus obuiare nocumeto iplo rum luperbibedo binu betus odoziferu. Et melioza pira / Cut que magis odozifera Cut et magis dulcedine participa tia. Et etiam melioza funt decocta peruda et pollint de coqui cum anilo feniculo e succaro. Tercium elt comeltio morum de quibus dicit auicenna fecundo canonis ca.p prio palliduatio comeltionis corum facit euenire dolore neruozum. Et poma etia mala habent proprietate in qe= nerando bentolitatem in lecunda digeltione quare nocet egris et etia propter limilem caulam illi que dicta elt ce pi ris. Et ilta dicta de piris et mmis maxime intelligeda lut de ipus crudis et no de iplis coctis. Et nedum ifti fructus ab infirmis funt bitaudi pmo oes fructus implentes fan quine agnolitate ebuliente be fructus recentes quor luc cus in humano corpore ebulit licut mustum et succus fru ctufiebuliunt exterius in vale et hocpropter calore Colis derelictum in eis cum maturabantur . Iti enim fructus

h iii

propter ebulitione lucci esy preparat languine ad butte factione licet pro bora qua lumuntur inuametu preftent humectationis . Et hac de caula auicenna febricitatibus prohibuit fructus maxime recentes prima quarti tracta= tu scoo ca leptimo dicens. Et oes fructus nocent febrici= tanti cu ebulitione fua et corruptioe in Romacho. Quar= tu elt comelho lactis. Cuius caula eft quia lac de leui coz= rumpitur et in fumu aut acetolitate couertitur in Roma. cho immundo licut bt plurimu elt ftomachus febricitan= tis febre putrida et ergo febricitantibus febre putrida no conceditur. Et Cimiliter malum elt habentibus dolorem capitis et liticulolis et pluribus aliis de quibus loquitur ppocras quinta particula amphozilmon: amphozilmo il lo. Lacoare caput dolentibus malum ic. beru elt tamen pin aliquibus pallionibus couenit licut in ptili et ethica. et aliquibus aliis prout dicit etia ppoc rasamphorilmo iam allegato et etia inferius aliquid dicet ibi Lec ethicis fanu ec. Et licet lacin predictis padionibus bituperet in Canis tamen laudabile eft et hoch in fomacho et epate be ne digeratur: tunc ent intestina lauat qua aquolitate et mundificat butirolitate lua humoribus benenolis repu nat membra humectat:caleitate fua bulnera pectoris iu uat et pulmonis gutturis renum quoget intellinoz et belice.molură acutor humor in inteltinis micigat quia bilceribus inuilcatur et humor probibet morlum. prete rea couenit lac corporibus temperatis quor fomachus mundus eff a colericis et fleumaticis humozibus: Inhis eni lac bene digeltum multu dat nutrimentu: laudabile; Canquine generat carne augmentat: totu corpus lauda= bilit humectat: exterioza pulchza facit bt refert plaaci di= etis bninerfalibus. Et ibi etia autoritate ruffi dicit plac.

bibentes igiunos elle oportet et bibatur calidum cum exe at bbera neg aliquid comedatur quoule digerat et late et nímius motus caucaturino elt tame quielcenoù omni no a deambulatione led de ambulandu elt luauiter quo= ulas in fromachi fundum descendille lentiat. In diftemperatis bero corporibus lac no conuenic. In calidis enim corporibus cito mutatur in fumolitatem et coleram. In frigidis bero in acetolitatem et putredinem In lto macho etiam immudo lac no couenit quia in eo corrum= pitur. Circa electione aute lactis Ccienou eft o magis eli= gendu eft lac mediocre in bia nutrimenti et no fubtilifi= mum licut lac cameli autetia alininu nem pinguillimu et groffiffimű licut lac baccap et pecudu Bligendumielt igitur laccapre no eni habent tantu aquolitatis licut lac cameli quod no elt aptum ad nutriendum ratione nimie humiditaris led bentris lubductiuum nec habet tantum pinguedinis et grofficiei leu calcitatis et buctuofitatis li cut bacarum et pecudum qued propter grofficiem et bn= ctuolitate eft benaru opilatiuu: bentolita tu generatiuu et difficiliozis digeftiois & lit necellarin i regimine Canita tis. Gligatigit laccapre no nimis ppique partui nec ni= mis diffatis a partu no piquatis nutrite i bonis palcuis et in the quo reperiunt melioza palcua. Quintu est come fio calei. St poteft intelligi de omni caleo maxime ta de beteri. Quius ratio eft quia caleus recens eft frigious et humidus et grolle lubltatie et difficilis digeltionis et opi latiuus et lapidis generatiuus et non multum competit bia cibi in regimine lanitatis. Stcaleus betus eft calidus et ficcus propter fal facit cibum digeri et difficulter bigeritur parum nutrit et male ftomacho nocet et ni= mis deliccat et minus competit & recens. Et li aliquis

16 iiii

caleus elt medius inter nouum et betere bilcolum et fra gibilem durum et mollem et paru declinans ad aliquale oul cedinem. non nimis falfus. no lacrimolus. cu incidit la poris delectabilis + bont odoris, cuius in Comacho mo ra non eft diuturna ex bono lacte couenienter factus. Cuffi cienter buctuolus, talis btiggcaleus bonus elt.et inter a lios magis elt diligeous.et policibum fumptus nó mul ta quantitate.multa bero quantitate (umptus in bia ci= bi bniuerlaliter elt malus flomachu grauans et inobedi ens digeftioni.et opilatiuus et lapidis in renibus et hu= mon groffon in corpore et bentolitatum generatiuus. Solum igitur ille caleus elt bonus quem dat auara ma nus. Sextum eft caro falfa. Caro eni falfa fine falle fine fumo exliccata cuiulcuo generis aut animalis fuerit gen nerat languinem grodum et melancolicum. et per confe quens nocet infirmis.nec eft coueniens lanis. Stiftud i= nuit auicenna. fecunda primi. doctrina fecunda, api. deci moquinto in fine. dicens. Et exemplum fpilli pauci nu= trimenti mali chimi i, mali humozis eft caro falita. Sep timu elt caro ceruina que limiliter est languine melanco licum generans telte. Balí tercio alinaloris capitulo de a umalibus filuefribus et domefticis. Octaun eft caro lepozina.que limiliter laquinis melancolici elt generatiua Dicit eni ralis de ca. loco preallegato. Ipla eni plus aliis melancolie generatiua eft. Et de ifta etia dicit plaacin die tis bniuerlalibus op no couenit in bia cibi. led folu in bia medicine. Et eft Crienou quita caro lepozina et limilit cer nina cum perucherint ad antiquitate fimpliciter luteui. tande fi tamen aliquo modo coueniant meliores fut ifte carnes cum partui funt ppinque bt ficcitas cap obtem= peretur ab etate et etiam funt euitande :nifi fint pinguel namer can pinguedine obtemperatur ficcitas, conum

ell caro caprina. Decimum eft caro bouina.quia ifte car= nes etiam lunt carnes melancolice. nam plaac in dietis bninerfalibus de eis dicit. Caro capina a bonina fut pef lima dura in digestione tarda. t digesta grocum generat Canquinem et melancolicum. Et auicenna lecundo cano nis de carne caprina dicit. Caprina bero no est bona mul tum.et eius humor fortalle eit malus balde. Et lub illis etiam intellige carnem bircinam et baccina, que peiores funt predictis carnibus. Cilicet caprinis et bouinis. nam De eis dicit auicenna. lecundo canonis.capi. de carne. Ca= to baccina et ceruon et hircon blueftrum et magnan aui um.facit euenire febres quartanas. Et decarne baccina adbuc ofcit. o caro baccina plurimi nutrimenti elt grotta melancolica generans egritudines melencolicas. Et blte rius dicit q caro baccina generat lepram St de carne hir cina dicit q elt mala abiolute Duia iam textus loquut? elt de carnibus bitandis et maxime ani maliu quadrupe dum. Didendu eft blteri? de carnib? eligedis aialiú goru= pedia. St quia circa electione carnium animalia quadrupedium controuerla bidetur inter auctores medicine.qui dam eni dicunt carnes porcinas elle meliores. Cicut galie= nus.et quida alii. Alii bero dicunt carues edinas elle me liozes.ficut raf.auicenna.et auerrops.licet auerrops quie to colliget imponat aucenne o direcit carnes porcinas el le meliozes . quod tamen non dicit auctoritate ppria. led autoritate rpianop. Etil bero bitulinas laudant pre ali = is carnibus. Secundum eft @ electio et meliozitas carnis um animaliu quadrupedum potelt multipliciter attendi primo modo ex parte maioris nutrimenti et irrelolubilio ris.et carnibus huanis limiliozis. Et ilto modo caro por cina ceteris elt melioz.pzimo ppter maxima limilitudine cum carnibus humanis. tefte galieno tercio alimentop



bbi dicit.pozcine autem carnis limilitudinem ad homi nes addicere eft ex eo o quidam comederunt humanas carnes be porcinas nullam luspicionem habentes lecun dum gultum ipaz et odorem. Et auicenna lecundo cano nis.ca.de languine ait. Sanguis hominis + languis por ci funt limiles in omni re.ita bt quidam fuerunt qui ben debant carnem bominis ac li ellet caro pozci, et occultatu fuerat illud bigguo inuenti fuerant in ea digiti homis. Stiltud idem lentit latis auerrops quinto colliget.capi= tulo de carne. Secundo quia caro poicin a balde nutriti= ua eft. nam dicit galienuf tercio alimentop. Omniu edu lion caro porcor elt marine nutritiua et huius experien tiam guidentillimam habent athlete. Et pollea eodem li bro ait. porcon carne nullum aliud amplioris nutrimen= ti habebis Cumere. Tercio quia generat alimentum Cabi le fortiter relittens recolutioni. Et illa fuit mens galieni in pallibus bbi non parum prefert porcinas carnes cete= ris carnibus Ccilicet in octano de ingenio. bbi dicit. Cete= ris carnibus pozcina eft laudabilioz. fi pozcus montana i= coluerit:poft pozcum edus Et amiliter i quinto terapenti ce. bbi dicit. quadrupedum caro laudabilioz est pozcina in caloze et humiditate temperata eiulog cibus plurimus t Canguis ab ea generatus omní melioz eft Canguine. Et i= Aud beritatem habet de carne porcop. non antiquon qa con caro indigeftibilis eft.nec juuenum fine lactantium quia caro cop humidiffima eft. fed etate mediocrium.pu = ca bnius anni bel duop.tam domefficop & filuefrin. be= rifimilius tamen eftimandum eft. o pour filueftres funt dometticis meliozes quia carnes pozcoz dometticoz lut plus debito vilcoliozes. Et de carnibus pozci filuefris fi= ue apri dicit auicenna lecundo canonis capitulo de carne Thriftiani bero dixerunt + qui eos imitantur o melio: ca

ro filueltris elt caro porci filueltris.nam cum hoc o elt le= uioz carnibus domellici pozci elt foztis nutrimenti et plu rimi. seft belocis digeftiois.et eft melior & elle poteft i pe me. Et exilto blterius lequitur o predicte carnes porcine multum laudabiles funt corporibus innenibus fanis for tibus laborantibus non dispositis ad opilationes. et his qui impinguari querunt.quia talia corpora indigent plu rimo nutrimento et difficulter relolubili. Et ergo dicitra. sis.tercio alinanson capitulo.de virtute carnium. Caro bero groffa multum lawantibus coueniens elt: Lubrilis bero his qui predictis funt contrarii convenit. Et ide bult auicenna tercia primi ca de regimine eius ad comeditur Dicens. exercitati preterea et multi lawris magis funt tol lerantes nutrientia grolla. Aliomodo potelt attendi me= liozitas et electio carnium er parte temperate complexio nis ear facilis digettionis et languinis er ip lis generati temperantiam. bt Cilicet illa caro dicatur melioz que te= perate el complexionis facilis digellionis: languinez ge nerans temperatum in calibitate et frigioitate subtilita . te + groffitie. Et ilto modo caro coulina e meliozet lauda bilioz ceteris. bt bult raf.auicenna.et auerrops. gam di= cit raf. tercio alinanforis. capitulo de animalibus cilue-Bribus et domeficis. Boulina caro eft temperata nilla; infe habens malicie admixtionem que licer temperatus ge neret languinem laborantibus tamen no congruit cui nulla alia caro preferenda eft. con eft enim adeo debilis bter ea birtus minuatur neg eius nutrimentum adeo multum eft et grodam: bt er eo proueniat repletion grof fus generetur languis Sanguis quoch qui ex ea generatur inter subtilem et grossum ac inter calioum et frigidum existit. Et ila caro non conuenit mul=

改

tum laboratibus led tunenibus temperatis exercicio me diocri btentibus quia ifta caro generat fanquiue fortierercicio bel labore faciliter refolubiles licet no exercitio me Diocri. Et licut quo ad iftam intetione caro edina iter car nes domefficas ita caro capieoli inter carnes filueftres eft melioz. Et poft iftam carne edina plurimi medicop li= cut ralis et auetrops ponut carne arietina. Et dicit auerro ps quinto colliget capítulo de carne o hec est opinio maio ris partis medicop preter galienti qui abhominat carnes arietum. Et bidet abi o caro bitulon elt melionis nutri= menti & arietina. Et fozfan galienus bicattedit melioni tate nutrimeti er eo quod elt plurimum nutrire et nutri mentu dare magis irrefolubile quod magis bidetur con uenire carnibus bitulinis @ arietinis cum arietine ma= gis humide lint Tercio modo potelt attendi meliozitas et electio carniù ex parte minozis biscolitatis et meliozis odozis ean.et fic carnes bituline fut meliozes ceteris car= nibus. Et iltud innuit auerrops quinto colliget capitulo de carne dicens. Et carnes vituloz funt bone carnes ido quia no habet illa viscolitate frigioitate et liccitate quam habent carnes bouine beteres et carnes eon funt magis odozifere aliis carnibus et quantum eft in hoc meliozes Cunt carnibus edulinis quia in carnibus edulinis ma= nifeffatur quedam mulcillago id eft bilcolitas ante o coquantur: led carnes eduline funt meliozes bientinis quia meliozes generathumozes. Sterifto patet quomo= do non eft tanta controuerlia inter autores medicine fu= per electione carnium quanta prima facie apparet. 20= tandum eft infuper of carnes animalium ficce complectio nis meliores funt circa partum & diftantes multua par= tu et ergo edi et lactantes vituli meliozes funt hircis et bobus quia lua liccitas prime etatis humiditate corrigit

Bed carnes animalia coplectionis humide fint melio = res diftantes a partu et circa partum deteriores quia fua nimia humiditas procedu etatis exticcătis Culicer inuen tutis corrigitur aut tollitur.et ab humiditate prime eta= tis crefcit. Et ideo iuuenes caftrati arietes fell; bnius an ni funt meliozes et minus biscoli lactatibus agnis e pozci bnius anni bel duoz meliores lactantibus porcellis. Et ergo bene dicit auicena tercia primi ca. de regimine eius quod comeditur. Opoztet aute bt cibus iupple Canitatis colernations at talis: quales funt carnes. t ppie carnes edop et bitulop lactantin parnop et agnop anualin. Et exilis omibus cocluditur of carnes horcon capian e arie tum et boum et pozcop antiquop et specialiter no caftra top et porcellop lactantiu et agnor lactantium non sut multum coueniètes in regimine Canitatis. Ced carnes bi tulop iuuenű et arietum ánualiű: et pozcop duop ánop bel bnius etiam caftratop fufficienter couenientes funt elurin regimme fanitatis. Et elt diligeter notandu q car nes declinates ad liccitatem debent elirari.et declinantes ad humiditatem debent affari; bteap humiditas tempe= retur et ideo carnes cuniculon lepon ceruon bitulon ica puolop debent elirari et carnes poucellop et caltratop as tietum allari.elizatio enim obtemperat liccitatem. Et ex hoc patet o in temponbus et coplexionibus humidis ma gis copetunt carnes declinates ad liccitatem et allentur. In tepoubus liccis et coplexione vetate liccis magis co= medunt carnes declinates ad humidicatem.

Qua recentía. vina rubeutia. pinguia iura.
Cum limula pura nature lunt valitura.
Comentum.

In hoc textu ponutur tria alimeta. que in modica qua

titate multum nutriut. Quop primuelt oua recetina qu funt de his que in modica quantitate multum nutriunt bt innuit aui cenna (coo canonis.ca. de ouis. St foe bult quarta pumi ca.pumo bbi dicit.nutriens bero parue o= titatis:et multi nutrimenti lunt oua et galloz telliculi. Et illud idem in multis allis locis repetit. Circa electione ouor friendu elt o oua gallinan et pardicu + faleanon iu uenuet pinguiu funt bona in Canitatis regimine + aliis ouis Cimpliciter melioza. bnoe qua paruula longa cut bo ua. bnde. Filia prelbiteri tubet pro lege teneri. @ bona ft oua candida longa noua. Amplius oua tremula.i.p de= coctionem aliqualiter inspidata bt in manu tenetis i cot tice luo bideant tremere lut melioza duris et lozbilib. + lt multi nutrimenti et facilis e bone digeltionis et generat Canguine maxime cordi pporcionalem. bnde coualeccen= tibus fenib9 et debilibus marime coueniunt, et marime bitella. Onde auicena in tractatu de biribus cordis bult p bitella ouop animaliu bone carnis licut gallinap par= dicum et faleanor licet non lint medicine cordi.multum tamen cor confortant. Et poftea fubbit @ cito in langui= nem couertueur.et polt couerfionem paucam habent lu perfluitatem.et generant languine lubtilem et clarum. ergo maxime cofortant cor generando Canquinem ei pro pozcionalem. Et bleering dicit o multu balent in dillolu tione Cubstantie (piritus et diminutione Canquinis coz= dis. Sorbilia bero oua facilis funt digeftionis. + leuiunt pulmone:et pectus:et bentrem lubricant ; minus nutri= unt o tremula. Dura bero qua per decoctione facta ad digerendum funt difficilia et nutriment i exhibent grof-Cum et tarde a ftomacho descendens + tarde penetratique Motandum eft inluper o ex diverlitate pparationis ouo rum etiam acoritur cie bonitas bel malicia. Aut eni füt

affara aut elixa aut frita aut in iure funt cocta. Affata eli ris grofficia funt et ad digerendu durioia.quia foc? lub = fantialem eon humidiratem deliccat. Ot fiunt duobus modis. Aut eni cum corticibus inter calidos cineres po= nutur aut in teltis frangutur. In teltis fracta peioza lut aliis. Tha autem que cum corticibus inter calidos cineres ponutur duobus frunt modis.aut inter cineres ponunt tota, aut luper carbones partim discooperta, Que in a= neribus ponutur tota funt peioza.quia cum caloz foci cir cuiat fumolitates retinet. Discooperta luper carbones polita fumolitatem emittunt et munda frunt. Blirain aqua meliosa funt & affata. quia aque humiditas calozi foci in humiditate deliccanda repugnar. Et fiunt duob? modis.autenicum corticibus elizatur.autintra aquam frangutur. Cu corticibus peiora funt alus quia cortices phibent dellolutione fumolitatum et grouiciei. In aqua fracta calor aque temperate penetrat et groll cie tuá fub= tiliat et aufert libi grauftatem fui odon. onde buinfmo di laudabilioza funt cereris omibus, frira ceteris peroza funt quia pedimos generant humoiesist funt in froma cho mozantia fumo itatemet corruptione inducentia et faltidium facientia. In iure cocta inter allata et in aqu i fracta funt mediocria. Et ila colligueur ex plaacin dietis bniuerlalibus, Scienduelt etiam pouus Diverlificatur fecundum eius partes componentes. Dam b tellum in caliditate temperatum erifit. Abumen bero frigioum eftet bilcolumoute digericur.et languis etiam ex eo ge= neratus non eft bonus. bt habetur er rali tercio almanfo ris.capitulo de birtutibus ouorum. Et licut oua predic= ta felicet gallin frum pardicum et faleanoum funt co= venientia in regimine fanitatis. ita ona anatum anferii.

Aruciona et limi'la votatilia minus couententia funt in regimine fanitatis bel fimpliciter euitanda. Secuncue binum rubeum pro quo leiendum q bina diuerlificant in colore, dam quebam lut alba queva rubea clara, que= Dameftrina, et queda nigra. pina eni aiba bebilioza funf ceteris minus calida et minus nutritiua beru lunt min9 ledentia caput et magis brine prouocativa et aperifiua (unt debiliona ceteris patet quia fcom galienu fuper primo canone tercie particule regiminis acutor debile bi num elt quod minus calefacit et minus replet caput, cut ergo bina alba minus calefaciunt et minus replent ca= put ceteris be parchit debiliora erunt ceteris. @ autem bina alba Cunt ceteris minus calida.patet per galienum in comento illius canonis tercie particule regimunis acu ton de vino cteni albo dicentem. No elt polibile alicui ex binis albis be calefaciat calefactione behementt. Et poft ea lubdit. binu autem album elt minoris calefactionis omibus binis. Et iftud eft berum coparando vina einto territorii adinuicem et no aliter qui bina rubea et ruffa gallicana non Cunt ita fortia necita calida Cicut Cunt mul ta bina alba que reperiut in aliis territoriis. Debet igit ficri comparatio inter bina eiulde maneriei et territoni. (autem lint cereris minus nutritiua patet per galie. nu in comento ilhus aniphonimi fecunde particule am= phoulinop. facile elt repleti potu & cibo dicentem. bing eni aquolum fubtile arm album bfualiter eque eft bicinu et illing birrutt biringe ad nutriendu bude bring proud catur.neccorpus inde nutritur. Ot fimiliter in comento ill us amphor imi erufoe particule. Gor qui nutriuntur Diett ga. binu aquolum minus dat corpon nutrimentus ruius liquor che ficur aqua fubtiliffima et color albus . @# aufe minus ledunt caput patet per auicenna tercia pil-

mi doctrina fecuda.ca.de regimine aque et bint dicente binu bere album et lubtile calefactis elt melius non eni capitis efficit dolorem led fortalle humectabit: et capitis Dolozem alleurabit. Stioe etiam bult galienus in come= to illius canonis tercie particule regimis acutoz. potus aute dulcis. Batio aut quare minus ledunt caput elt quia minus fumola : bapozola lunt ceteris. @ autez magis funt brine puocatiua et aperitiua patet per ppocrate in canone illo tercie particule regimis acutop de bino eteni albo dicentem. led transitus eius Cila vini albi in belica eft facilio: & cuinfliber alterius porus cum quo etia bim aperitiua pabere dinofci t. Eterifto lequitur pifta bina alba fubtilia plus coueniunt o alia bina calefactis liue a natura ficut colericis et fanguineis naturalibus. fiue ab accidente licut calefactis ex ira bel moza in Cole. Et Cimili ter magis coueniunt Audentibus qui debet bti bino no turbante cerebrum. Et limiliter coueniunt habentibul ce rebrum debile line naturaliter fine accidetaliter. quia ha bentes cerebium debile ex forti bino faciliter inchiantur. bt habet auicenna tercia primi.loco preallegato. Et ergo fi bti belint binis fortibus necelle eltea fortiter limphare Et limiliter couenfunt habetibus epartalioum et froma= chum calidum.et habetibus in regione calida . quia cali= Da bina in iftis facerent eftuatione. pina bero rubea da ra ficut belueua calidiora funt ceteris. bt bult galien? in comento illius cauonis lupra allegati. De bino eteni al= bo boi dicit. Deruntame cuius calefactio er binis elt behe mens:cius color eft rubeus clarus. Et ifta bina effam nu tribitiora funt ceteris. bt habet galienus in comento illi? aphonismi pallegati facile eft repleri bbi dicit grolli be= to et ruben binu nutrib lius e teteris: iplens corporacito obnoria ianitioni. Et circa iltud e itelligendu o bina ru=

LC.L.

bea dicunt nutribiliora eo o plus eop i tubitatia mebro= tu conertit. Dina ta nigra polfut dici nutribilioza ceteris. que co fanti? Dat nutrimentu: tardi? a mebris recolubile. Et illo mo dicit galien? i cometo illi? aphorifmi pallega= ti. Con e nutriunt o bina grolla trubea nutribilioza tut paquola min9 tho nigra. &t ilto moetia itelligit dictu plaac i dictis particularib? bbi bult @binunigruptonu trit & tubeu. Grifta bina rubea magis ledut caput & al= ba a min? brine fut puocaciua. Gt bic eft q ifta bina quia fortia fut habentib9 debile cerebiu no coueniut bt dictue fed ba coueniut habentib? forte cerebry. cu forte cerebrus bapores eleuatos ad imm no Culcipit. De dicit auice na tcia primi ca. vallegato. Et circa iftud e Ciend w igeniu homil fortis cerebi magis clarificat accuit li bibat binu bonu m li no biberet. bt bult anicena tercia primi ca pallegato Et ro e quer bono vino plo er quocuos alio potu genera fur imult plicant (pe fubtiles clari : puri Et ide e o theo logi coteplari Colife circa altillima bona bina diligut. Of lidm auicenna ibi. Ma bina balet boib frigide coplerio nis i fleumaticis. Zalia nămbina corigut laplu frigidi tatis coplexiois aperiut opilatioes euenire Colitas frigi dis fleumaticis. t digerut fleumata coopantia ad courti one con i languine abig runt faciliter: acito penetrat et pbent alimentu munou elps plimos. Dina bero cierina mioris calefactiois lui orubea clara. bt bult galien?i co= mento illi9 canonis pallegati. de bino eteni albo.maioris th calefactiois Cut a alba. bt ergo etia magis Cut caput le detia falba. be bult galien i.cometo illi? canonis palle gati potus aut dulcis. Et ilta bina etia mino nuctiua ft ortibea magis th o alba. Et apo quolda ilabina etiam borant alva. St hice o aliq dicut o bina alba cito calefaci ūt multu. pina bo nigra lut mioris calefactiois & citrina

23.

ergoetia min? ledut caput & citrina. Sa qu tardious De Cent? fut i bentre: min? brine puocatiua Galba magis trout caput palba. bt habet galien i cometo illi? canois pallegati. por aut dulcis. Et lutifa vina etia pi? nutris ua @ alba z citrina min? th @ rubea. bt poictue. Tercius ¿ Cozbilia facta exiurib? carniñ e marime ex brodio pullo ru. Zercia eni brodia nature huane fut amica er quo fact lime i fanguine füt mutabilia e bonu fanguine generant Et marie du fiut er limula.i.er fubtilillima parce farine que limula e maxie tritici multu nuttiua e ebonă nutrime th affert be haberi potelt er rali toio alinalozis. Et illa ta poicta ponit auicena leda primi docena leda luma prima ca.x b.i fine. bbi dícit. Ereplu lubtilis multi nut meti bo= nichimi.i.huorise ouop vitelli ebinu eag carnis. Et ex ifto cocludit o ifta ta lut de genere natura huan a maxie d Textus. cofortantium.

putrit et impinguat triticu:lac caleus infans.

Telliculi pozcina caro:cerebella:medulle.
Onlcia bina:cibus gustu iocudioz:oua.

Sozbilia:mature ficus . bueg recentes.

In hoc textu tagunt duodeci res.corp? huanu nutetes at ipiguates. Quan pria etriticu i panis rx trico.de quo dicit auicena ledo ranonis.ca. de pane q ipiguat delocit marie de frumeto nouo rae. dero dicio alinaloris de rico dicio. Triticu teperameto dicinu elicet caliditati paru at tineat. Do aut poderou? elolidi? inenit maioris e nutri meti. Did quog hoid; aliis granis pricies magis. ppriu inenit. Saguis etia ex es generat? omi laguie q ex aliis generat granis teperatiore. Et leanti ca. dicio panis qui extritico fit pluridus hominum. conenientior ell. Circa electionem autem tritici leiendum ell q electio e.? potett fumi dno modo ex parte lubliantie ipius, alio modo ex

parteipparatiois ejus. Electione auteius exparte luftan tie ipius ponit auicena (coo canois ca. de frumeto dicens (3): h' eft illud go eft mediu iter duricie traritate magnu pique reces.i.no nimis antiqui planu qo eftiter rubedi= ne et albedine frumentu bero nigru mali e nu trimeti.ra lis bero lupaddit poderolitate ei? lup electione ei?. Circa electione bero ei ex parte pparatiois ei Ciendue woia que fut ex farina tritici fixa tarde a flomacho descendunt generat grollos buozes:opilat bias epatis: augmentant iplene i generat calculu multu nutriut fi digerant. Triti cû vero elixu e cib9 grauis + idigeftibilis.led li digerat for titer nutrit + robozat birtute. S; triticu lub forma panis bene fermetati sollati i dibano moderato igne e elect? ci= bul. Et ofa ifta colligunt er galieno primo alimetor. Se cunda res elac. Et potelt ifto itelligi de lacte chutirato qu apo medicos adoc dícit apo coes balbuca. Balbuca emi tecens li comedat cu pane receti liue calido ei ipolito ma rime ipiquat. potelt etia itelligi de lacte caprino qo etia multu nutrit. de quo prius latius dictue ibi. perlica po= ma pira. Tercia res e caleus ifans liue recens de quo di=. cit auicenna lodo canonis ca de caleo pelt nutritiuus et ipinquatiuus. Et licet caleus relens nutriat et ipiquet i regimine tame fanitatis no couenit quia lequant er eo nocumeta pui? dicta.ibi. perlica poma pira. Quarta res eft tefticuli. Et iftud marime itelligenoù eft de tefticulis gallo z ipin guatoz de dbus auicenna ledo canonis. cab. de te Aiculo dicit. o füt valde boni nutrimenti et plurimi Et quarta primi ca. primo de eis dicit q in modica quati rate multu nutriunt. Et potelt iltud etiam intelligi de te ficulis porcoz multu pinguium nundu cocuntium. Cicut eni porcon caro ea que alion afalin quadrupedus melior exilit.ethoc quo ao hoc quod elt nutrimentu pbere mai?

frecolubilius et corpori humano limilius lic etia et porco ru telticuli respectu telticulor alior afaliu gom edu. Gt e bic diliget notadu o telticuli aialiu puector i db9 elt jam fermetatu lemen et generatu no funt boni nutrimeti led telticuli aiali ū iuuenū adhuc no coire wtetiū quib? adhuc no eft (perma fermentatu funt latis laudabilis nutrime ti fi ba digerat et de iftis etia intelligit dictu prius. Quin ta eft caro poz cina de cuius electione et effectu fatis ample dictueft prius ibi. perlica poma pira Berta eft come flio cerebion. pro quo lcienoù eft p cerebin eft fromacho malu nauleatiuu delectiuu appetitus et grolli humous generatiun bernelt in ou bene digerat alimetu dat cozpori notabile fed nullo mow comedi debet pot alios citos Bond aute eft o cu ozigano bel calameto bel cu aliquib9 obtemperantibus eins biscolitate et frigiditate in quib9 fit birtus incifiua et calefactiua parct. Et caueoù elt o li comedat oppimitus allet luper carbones. Et elt aduerte du q no confert illis quibus frigide Colent aduenire egri= sudines led bene habetibus coplexione calida bt but ra fis tercio alinacoris ca. de birtutibus membron animaliu St breuiter paru couenit in regimine fanitaris: & aliqua do bene couenit via medicine ficut cerebifi capilolog coue niens eft contra benena et cotra morfum benenolog et ce rebiú lepor B cotra tremore et leom quoloa cerebiú pullo= ru et caponu ao memoria et lubtilliatione ingenii coferut Circa electione tame cerebiop Criedu elt o melioza con fut cerebia bolatiliù et propite montanon et er cerebis qua= drupedu cerebin arieris deinde bituli bt bult auicenna fe cundo canonis ca. de cerebio. Septima eft medulle g mul ti funt nucrimeti li bene digerant prout dicit aucenna le cundo canonis ca de medulla. Et etia facile in fanguines connertit boc tamen malu faciunt & Deiciunt appetitus atos naulea inducut. Et ergo auicenna docet eas comede

cán

re cum piperibus. Et etia aliqui eas preparat cu citoniis et paltillis be faciut lecardi. Et pro electione can dicie aui cenna & conenientioz elt medulla bitulon et cerui deinde tauriet pollea capran deinde ouiu. Et lcom aliquos me= dulle tauron inuena et pinquiu multu couenientes funt Octana eft dultia bina de quibus pofterius dicetnr ibi. Sunt nutritiua. Mona eft cibus guffu iocundioz da talis maxime nutrit. Jurta illud ppocratis icoa particula am phorismon dicetis. para octerior cibus er potus delectabi lioz quide meliozibus magis delectabilis eft appetendus Et galienus in cometo illius ait. Omnis eni cibus lapi= dus in quo quilo delectat cu accipit a ftomacho coplexus retinet et cu magna belectatioe digerit plui quilibet ali us qui fi fit abhominabilis fugit bnde bomitus faltidiu inflatio rugitus generant . Et bincelt @ aliq melius ba= lent cũ malo cibo @ cũ bono quía maioze delectatione ha= bent in malo. Decima eft oua forbilia que in modica qua titate etia multu nutrunt de quibus etia dictu eft lupia ibi. Qua recentia. Ondecima elt ficus mature & ppter lu am dulcedine multunutriftet impinguant. Circa iftud camen Criendu elt plicet nutrimetu ficus no exiltat in ro bore-nufmeti carris et granon e th behemetious robuis onutrimentu oim fructuu bt bult aucena ledo canonis ca de ficubus. Et ibide etia dicit of ficus elt nutribilior ceteris fructibus. Stide bult auicena tercia primi ca. de regimine eius go comedie dicens minter fructus: fructus magis nutritiui et limiliozes et propinquiozes carnibus in nutriendo funt ficus et bue balde mature et dactili. Circa electione vero ean fciendu eft o fcom aufcena fcoo canois ca. de ficub? Meliozest alba qui leuioz peinde rubea line citerna e beinde nigra. Et & bebemeter matura eme lioze et proxia ad hoc bt no noceat. Ite humide et recetes ficus magis et belocius nutritiue funt o ficce et citius tra fiunt de fomacho ad epar et magis humectat epar i ma ais lenificant & licce. beru ficce lut minus inflatiue imagis fromacho couenientes & humide. Et de ficcis dicit a= uicenna loco pallegato. Sicca quide i fuis operatioib; eft laudabilis beru languis er ea generatus no est bonus et propter hoc facit pediculos beru Gut cunuce tuc eius chi mus.i.humo: fit bonus : polt nuce cu amigoala. Et polt ra dicit o administratio sicce cu icinniuu adelt est mirabi lis lunamenti in apiendo bias cibi et proprie cu nuce et a migoala cũ thei? nươm cũ nưce lit pluto cũ amigoala Ot coueniunt btreg ficus in hoc of in iplis elt inflatio i ke nificatio et erpullio superfluitatum ad cute e pronocatio Cudoris et remotio asperitatis gutturis et mundificatio e lenitio pectoris pulmonis et canne eius apertio opilatio num epatis renum et iplenis. Duodecima res eltoua re ces.i. bua bulcis et bene matura.pro quo (ciedu e q bua ē tripler. Mā quedā ē imatura zacerba et fit er ea agrelta z ista stringit bentre et colera rubea reprimit atz saquinem Et multu balet in fluru bentris colerico. Hia eft matura biridis et recens er qua fit binum. Et ifta frecialiter qua Do eft alba et fine nucleis et cortice bentrem larat eceteris fructibus plurimi et meliozis nutrimenti existit sicut e fi cus minozis tamen nutrimentielt of ficus bt habet Aui cenna lecundo canonis capítulo de bua . Derum est tamé Dentolitatem generat et inflationes et bentris doloie et li remalerit pouos dies bel tres polt collectione lulpe La conec cortex detumelcat melius nutrit et minus larat nec tatu inflat. St habetes fomacha plenu cibo et immu dum malis humoribus nullo modo comedat buas et lpe cialiter recetes et fine arillis belociter enim in Romacho immudo corrumpunturet in Comacho pleno cibis quia nimis cito digeruntur et non poterunt exire de Roma-

c iiii

cho post ear digestione ppter cibu nondu digestuz quare tūcin ftomacho corrupuntiet aliū cibu cor rupunt. Etali ter etia intelligendu e de aliis fructib laratiuis. Et fi ali de belit fumere bna biride et recente bonu e o primit? in fundatin aqua frequeti p hoza. t deinde ponatin aquam frigida:et polt lumat. Balis bero tercio alinaforis de b= ua receti + Cpecialit dulci dicit m cito corpo ipinguat + aug= mentat erectione birge. Et blteri? dicit willa bua que & Subtiliozis cozii.i.corticis citi? descedit a Stomacho. Alla be ro que è grofficis taroi? Alia è bua ficca. q paffula boca t tifta licet ponat t numeret iter equalia.paru th calibitati attinet.et bene nutrit Com rafim loco pallegato. ¿ cofoz= tat Romachu + epar Com auicenna loco pallegato. + opi= latides remouet. Et bicit p epar ipinguat exeis. a marie a madent ab arillis. Et lic text? poictus potelt itelligi de bua matura receti:t de bualicca q pallula dicitur.

Textus.
Dina probantur odore. Lapore. nitore. colore.
Si bona dina cupis hec quing phatur in illis,
fortia. formola fragrantia frigida. frisca.

Comentum.
In hoc textu ponunt qtuoz generalia qbus vina pbā tur-primū ē odoz. Dinū eni boni odozis liue redo lēs ml' tiplicatinū ē lpūum lubtiliū. Et lcòm coltantinū quinto theorice b ene nutrit ibonū languinē generat. Dinū vero fetidū abholabile est nature hūane spūs grosse i melāco licos generās, et scòm costantinū qnto theorice. malū san guinem et capitis dolozem er malo fumo caput ascendē te generat. Salienus vero tercia regimis acutop. comen to primo. loquens de diuersitate vinop er odoze dicit qo er vino est boni odozis est meliozis chimi. 1. hūozis. et secu dum illud est multitudo que implet er eo caput quod est

quia eft Cubtilius et calidius. qo aut exeis eft mali odoris Com malicia chimi generati ab eo erit paucitas lelionis el? in capite qo elt quia e frigioi? et grollius. Illud aute; cui penito no elt odoz no facit oino aliqui d accidere in ca= pite:quiaelt bebemeter groffu. Scom elt lapor. licut eni cibus tapidioz meli? nutrit et melius a Romacho aplectit bt dictu eft in lentetia precedenti :ita et binu. Girca illud th Ccienou elt o bina in Capore divertificant qued a enim cut dulcia aliis nutribilioza groffu canguine facietia e betrem humectantia ad digerendu dura et litim generatia. Alia für pontica fine fliptica ftomachu cofortantia ben= tre constipăția pectori et sue prinentie scila pulmoni et că= ne eius nociua iteltinis congrua ad digerendu du ra. Alia lut acerba que lut diuretica.i. brine prouocativa grollos huozes no generatia led dilloluetia. Alia amara min? ca= lioa. bt habet cottantin guito etheorice. Werci uelt nitoz liue relplendentia que loicat lup lubtilitate bini. et licex coleanti lup lubtilitate lpiritun ex ipo generator Quar tu eft coloz. Ex parte eni colozis bina dinerificant in nu= tritione. Dina eni rubicuoioza ceteris paribo magis nut= bilia tut albis et iseo plus coueniunt macr is o alba. Al ba tamen plus coueniunt piquibus. Et de ila diuerlica te bini er co lore dictu elt prius ibi. Qua recetia. Deinde i tereu ponutur quich (pecialia quibo probat bonitas bini Primu tangit cu dicit fortia. forticudo eni vini cogn olcit er effectu. Dinu eni forte e go calefacit corp behemeter re ples caput led m galienu. cometo prio tercie pticule regi= mis acutop. Ilud eni binu marie fpuum elt multiplica tiuu et multu nutritiuu. Caucant tamen abillo ni li lit li phatum qui lunt debilis cerebii:quia magna effu mati o ab ipo ad cerebrum ipop perueniret.eti pm lederet. Secu dum tangit cum dicitur formola binu enim formolum

2/

liue pulchru quia cu majori appetitu lumitur mehus di=. geritur et melius nutrit. Terciu tangitur cu dicitur fra= grantia. Dinu eni fragrans liuc bene redolens marie co= fortatiunelt.et fpuum lubtilin generatiun, bt dictum elt Quartu tangitur cu dicitur frigida. nam binu debetee frigioum quo'ad tactum.non aut quo ad effectum. binu eni calefactum cu fit rarius et lubtilius citius iebriat ner= uos debilitat et caput ledit nili in modica quatitate (up= tum fuerit. Quintu tangitur cu dicitur frilca. Sinu enix bonu debet elfe friscum liue leue quod spumado sonu facit et habet Chumam tenue de facili labilem. ct in medio existente. Ciue quado in co mouent athomi. binu eni no istius dispositionis pedulu dici debet et maxime a no lo= nat bel cuspoza athomalia no habeat. Del debet dici debi le bel limphatum li lpuma habeat cu magnis apulis bel ad latus cophi fpuma diu maneat. A-

Sunt nutritiua plus dulcia candida bina.

In hoc textu ponitur vnű documentű de vinis. St é q vina cádida i dulcia ceteris paribo plo nutriút reliquis vinis, et iltud voluit cóltantinus loco pallegato, et ide vult aucena tercia primi ca. de regimine aque et vini. voi dicit. vinű quog grollum quod elt dulce elt melius illi qui vult elle pinguis. Et ró elt quia vina dulcia vehementer a médris attrahútur propter eop dulcedine cui natura có gaudet. pam dícit aucenna scho canois tractatu primo ca. tercio. Opationes aut dulcis sút digestio et lenificatio et multiplicatio nutrimenti et natura diligit ipm et diretus attractina attrahit ipm. Et licet iste textus berificet de omi vino dulci. eligibue tú é vinú moderate dulce dis. 1 nó dulce in sumo sicut vinú qó vulgo muscadellum sue

muscadeta dicie quia tale corrumpit languine. Guius ra tio eft qu natura rapit auide tale binu a ftomacho ad epar priulo digerat qo in coelt btile chilificationi santem ma turet eius Cuperfluitas ppt delectatione ei? maxima i co naturalitate dulciu et lic replet languine aquolitate indi gelta er qua reddit aptus ebulitioni et putrefactioni. Et iltuo etia intelligenou elt de aliis cibis dulcibus in lumo Dio majori noticia fciendu elt o ex blu bini dulcis et alio ru nutrietiu dulciu tria timene nocumeta et maxime his qui ad ea pní funt. primu eft faltidiú propterea q dulcia luis calibitate et humidicate leniut tapplanat orificium fromachí inducentia illic dispositione cotraria in anitioni et corrugationi illius q lunt caula famis . Scom eft belo citas inflamationis con et couerlionis i colera pam res dulces couenientillime funt in generatioe colere. Et pro pter boc mel pi? omnib? rebus generat colera qmipfum eft dulcius omnib? reb9 + poft iplu binu dulce bt habet qa lienus i cometo illius canonis tercie particule regiminis acutoz. Dente leuius percutit. Et binc e o inducit firim nec quemit febricitatibo nec etia colericis be ibide dicit que lienus. Tercia eft opilatio eparis et iplenis que dulcia tra= hunt ab eis cu fece lua poter magna dectatione qua int in eis et maxime epar antem digerat que illic leuit joucut opilatioes cooperatelad hoc lubitatia groffa in a fudat la por dulcis Com auicena Coo canonis tractatu primo ca. tercio Er hincelt o vinu oulce minus e brine puocatiun o alia bina. Et cotra ilta tria nocumeta fume balet aceto fa quappetitulua acetolitate pnocat et fua frigiditate in flamatione pobet et lubtiliace lue lubffatie opilationes aperiut. Motandu inluper o licet bina dulcia et alia nutri entia dulcia opilent epar tiplene deopilat in ipiu pulmo ne Gt ratio gre no opilat pulmone licut epar et fplene eft quia a dulcibus in trautu fuo per meri nil nifi fubtile ao

iplum reludatet languis genitus er rebus dulcibus ad pulmone benit iam purificatus in epate prius + in corde fubriliatus.et iftud bult galienus in cometo illius cano= nis tercie particule regimis acutop. dulcis potus. Ite bi= na dulcia minus inebriant leóm procrate tercia particula regimis acutor canone illo. @ ente leni? prutit & reliqua fortioza bina. Expoictis cocludi poteft of bibat binu to ne nutritiois corporif reftauratiois ripinquationis licut cotingit in his qui macri fut: liue naturaliter liue acciden taliter-tuccopetunt bina dulcia et grolla lufficienter co= lozata. Zalia en i bina lut lufficieter nutritiua et deperdi= ti restaurativa:et corporu ipinquativa, bnde couenietio= ra fut ad ipinguandu corpora macra. Et per oppolitu fi i= tendamus no nutritione nec deperditor reftaurationem necimpinguatione. bt cotingit in his qui luc multu car= nofi et pingues. tunc bina fub tilia non dulcia fed Capore amicabilia odorifera ad albedine declinatia Cufficietet for tia eligenda für. Sibero detur binu ad fitis extinctionem túc binú album lubtile debile eft eligibilius.tale eni binú magis humectat et intrigioat. et per colequens meli? ex tinquit litim.et quanto litis el maioz tanto tale binu elt couenietius. Si bero binu detur ad (puum confortatio= ne et reparatione et birtutis confortatione.tunc debet da ri binum lubtile odonferu laponis delectabilis mediocris colozis fufficieris fortitudinis a tale bing debet fimi cum pauco cibo. a deba effe depuratu ab btrags Cupfluitate de= bet fumi i pauca gutate. Sibero iteban. pectoris : pul monis mudificatione i betris laxatione tuchina medio cris (be lapore dulcia funt magis eligibilia. Tertus.

Sibinu rubeum nimiu quandog bibatur. benter fipatur box limpida turbificatur.

Come ntum

In hoc pallu ponunt duo nocumentanimie potatio nis bint rubei. primu elt o nimia bibitio bini rubei colti pat bentre id eft ouros facit lecellus leu difficulter habere egeltione. Quius caula lom aliquos elt quia tale binu ru beu plus ceteris paribus elt calefactiun et magis nutriti uum . Inquatu eni plus eft calioù magis exliccat et iqua= tum magis nutritinu auldius a natura retinet. poteft tamen texcus intelligi de nimia potatione bini rubei flip tici aut pontici er qua dipticatur et conftipatur benter propter Ripticitate aut ponticitate bini. Circa ilud tamé fcienda eft of li exibeat bina ad ftomachi et bifcera coten tiue fortificatione cligemus bina grada mntica bel fipti. ca rubza bel nigra licut contingit in habetibus fluiu ben tris propter debilitate contentine fomachi: et ifud bult ppocras tercia particula regiminis acutor canoe illo pal meus quise et niger.et filt galienus i cometo ilius. Sed fi iteda mus cofortatione digeftine copetat bina fubtilia bel mediocria in lubstantia et coloze boni odor's et couenientis laporis et lufficientis bi goris et aliqualis fliptici tatis Scomelt exalperatio gutturis line raucedo qua in Ducunt aliqua bina in tenle rubedinis propter eor licci= tate et terreftreitates. Et iftud nocumentu etia cotigit er binis rupeis patrie barban tie propter con flipticitate et terceftreitate St marime ga mufta für bina poicta illud nocumetu icom cotingit. Con th primu qu multu magne rubedinis Colet inducere beneris flura propter feces Cuas terreftres cu eo mixtas que fni mordicatione mordicat in teftina er qua mordicatione flurus betris caufat. St tale binu no debet bibi multu.i. poiu fuerit turbiou et bullies quia ex quo iplum elt mordicans propter fuas feces terre fres ab co etia eleuat fumus mozoicans qui ad cerebrum beniens lui mordicitate mordicat oculos atos tubificat. Et iftud etia intelligendu eft de iftis multis patrie barbas

cie line rubeis line albis propter eop terrettreitate. Caula aute quare ilte fumus elt mordicatiuus elt qr dinu a quo distoluitur elt mordicatius. Jam de dicit Galien? prima particula amphorismop in comento illius aphorismi et qui crescut quicquid a qualibet re dissoluitur ei dindisoluitur ecelle est de assimuletur.

Textus

Allea nur ruta pira raphanus et tirlaca beclunt antidotum contra mortale benenum.

In hoc textu pontitur ler medicine balentes cotra be nenu. prima elt alleu qo marime balet contra nocumeta puenire foletia ex mala aqua et maxime balet cotra po= tum male aque de quo dicit lerapion in aggregatorio ca. de eo o quí lumitur alleu : polt bibitur aqua corrupta no nocet aqua illa potanti. St idem innuit aulcenna lecudo canonis capitulo de eo et tercia pumi ca. de colernatione iter agetis a nocumento diverlaz aquaz . Et ilto ide etia operatur lepe bt bult auicenna Coo canonis ca de co : lic potrit comprehendi lub alleo et de co ctiam dicit Auicen na tercia primi loco preallegato o cepe eft ot epriaca ma= larum aquarum et maxime cum aceto quia cepe eft lub= tillatiud inciliud abfterliud cu flipticitate et aperit fortit bt bultauicena scoo canois ca. De co. Steft caliou i tercio quare calefacie malas aquas prohibes ne lua frigioitate Chomacho noceat i Cubtiliat grollas faciens cas cito pene trare. Et acetu buic permirtu bigorat birtute eius in Cub tiliatioe + penetratioe aquaz et phibet a fiti qua induce= re folet cepe comeftu. Et cabe ratio berificat de alleo et er go etia dicit auicena tercia primi loco preallegato mallea comedenda funt lup aquas groffas et turbidas:quiubtili ant ras cito belcendere facilit et phibent ne ftomacho no ceant et inteltinis et ne benas opilent Alleu preterea co=

meltu ante iter et polt hoc ex melioribus rebus elt et coue nietioribus illis qui beniut ab aere frigio bel q badut ad eu bt innuit aufcena tercia primi ca. de regendo iter agête in frigoze et cogelatu. Et ex ilto lequit q alleu multu ba= let iter agentibus et per diuerlas terras eutibus et diuerlis potibus btetib9 Jurta illud metricu. Allea qui mane ieiuno lumplerit oze. bunc ignotaru no ledit potus aqua ra. bec diverlog mutatio facta locon. balet preterea alleu ad punctnra bermin benenolog et morlu lerpetu qui bibi tur cu bino qo auicena ledo canonis ca. De co le dicit fuille expertu. Et cofert etia morfui canis rabioli i qui fit empla Aru ex alleo et folis ficus e cimino lup mozlu mugali co fert bt ibide dicit aufcena. Cepe bero from aufcenna fcoo canonis ca. de eo: confertetia morfui canis rabioli cu linit Cuper ipiù aqua eius aut emplatrat er eo cu fale et ruta. Et cepe go comedit expellit nocumenta bentolitatis be= nenoloz. Se direrut quidă o iplu generat i fromacho bu= more humidu plurimu frangente nocumentu benenolo rus notanduelt circa iftud malicuet cepe et limiliter etia portu bia cibi no coperut temperatis corporibus nec cali= dis et specialiter cruda paru eni nutriut et male nutriut et generat languine acutuet pugitiuu grollos humoze sta men lubtiliat et bilcolos incidut et polito decocta lut per dunt pungitimitate et adhuc remanet birtus incilina et Inbeiliatina binde magis cocta copetut & crud : pouri eni Cunt calidi et licci et dat corpori alimentu illaud bile a ocu lis nocent et generat laquine nigru et melacolicu et lonia terribilia et neruos leout ratioe pugitivitatis con nocent Dentib + gingiuis et nullus colericus nec melacolicus cis btatet (pecialiter crudis. Cepe calide funt et habet humi= pitate fuperfiua terceltre cu humibitate aquola lubtili in digefta. Si comedat cruda generat i Comacho humozes malos + putrefactibiles + corruptibiles + joucut fonia ma

la et terribilia et doloie capitis. Et nimfus blus eau offponit homine ad memoria deperdenda et perturbat intel. lecen et perducit ad demeria. Sed li comedant cocte cum aqua laudabiliu carniu laudabiliter inuant digeftioneet minuunt ear nocumenta et temperat cibaria trigiba cu quibus dequoqunt feo melius eft eis no bti. Allea calida funt et aclinat ad aliquale humiditate fed minus & cepe balent contra betolitate et valent in tulli et bene lereare faciunt led nocent bilui et doloze capitis inducunt et lut tpriaca ruflicop. Et lic predicta folum coueniunt his qui fleumaticu aur grollum bilcolum humoze habueit. Co lerici bero a predictis abstineant. Secunda eft nur de qua dicit auicena (ccundo canonis ca, de ea pipla cu ficubus ! tuta eft medicina omnibus benenis et ex ea cum cepe t (a le fit emplaftrum luper morla canis rabioli. St iltud ma rime intelligitut de nuce licca ante cibum lumpta mo pre Dicto. Et circa ilto biter? leiedu e o nuces licci peiozes lut recentib et humiois da licce magis buctuole lut ratione cuius in coleram conucrtutur et inducut capitis dolorem et oculos turbat et bertigine generant et (pecialiter fum pte poft cibu et lingue paulim iducut et bomitu prouocaf et belicas in oze faciunc. Et habetis fomachu colericum maxime debet euitare nuces liccas et quato antiquiozes tanto peiozes lunt Becentes aute minus male funt quia no funt fante bucquolitatis et ideo no generant dolorem capitis aut bertigine et amilia licut licce et ratione humi diratis lubrificantis larant bentre et li aliquatulu torrea tur et comedant polt cibu copzimut cibu lumptum. St lie patet o nuces recetes Cunt magis couenietes corporibus lanis & licce. Tercia elt ruta de qua dicit anicenna ledo ca nonis ca de ea o reliftit benenis. Et poftea fubiungit Et Libat qui libi timet ne in potu lumat benenu et pungi a

benenolis de lemine eius pondus dragme bnius cum fo liis fuis cu bino et proprie li bibit cu nuce etbolo omnib? contritis et comintis. Et dicit ariftoteles i de animalibus p cu muftela bult pugnare cu ferpente liue cu bufone ip= la comedit ruta bt iterficiat eu quodor rute e iimic? bene= no vñ comettio rute cu ficub? amigoalis oulcib? i mane pleruat a beneno notadu circa ilto q dupler e cuta queda domeftica : alia Ciluettris Dometica melioz Ciluettri eft gz flueftris a maxime ficca callida et ficca eft i quarto gradu quare plurimu fumere de ea e perniciolu. Domettica be= ro humida calida et licca eft in ledo gradu:licca bero i ter cio. Stelt inliliua relolutiua carminatiua bentolitatu:et istud maxime couenit sicce. Dam dicit ferapion ca. de ea o elt de rebus magis coferentibus inflationibus.i. bentoli tatibus led in humida elt iffatio. Item tuta behementer acuit bilum et proprie luccus cius cu lucco fenicult : mel= le collirio facto er ea aut comelta bt dicit auicenna Coo ca nonis ca. de ca. Quía tá i fucco rute queda est bauracitas nocens oculo: ideo rutapotelt applicari oculo betilando ita o Colum bapor liue fumalis euaporatio eius a no lub francia rute ad lubitatia oculi pertinguat. Quarta eft pi ra de quibus dicit auicenna lcdo canonis ca. de eis o fut cura tungon mortificatiu. Et qui coqunt ifti fugi cu piris minozat nocumentuiplos. Del potelt ifte textus berifi= cari de piris aromaticis q lui aromaticitate (pus coforta= rent et fic nocumentu beneni repellerent. Quinta eft ra= phanus de quo dicit auicenna lcdo canonis ca. de co o co fert morfui bipere i cu bino morfui cornute etia. Er feme eius cofert benenis et bermibus benenolis. Etil ponat fructu eius lup lcorpioue morit et aqua eius elt experta Thoca e fortioz. St fi momorarit alique fcorpio qui rapha nu comederit no nocebit ei Et cofert etia prefocationes q fit a fugis mortiferis. Del potelt dici & raphan balet co

di

tra benenu quia prouocatiuus elt bomitus et licper bo= mitu fromachus purgat a malis humo ibus li qui in co lint. Et circa illud Ccienduelt de raphano ceradice glunt propinqua in coplexione o nocet corporibus colericis ge nerant ini languine acutu et pungitiuu ct raphanus ell malus Comacho faciens eructuare et generat humozem groffum et li digefliua lit debilis generat humore crudil habet tamen birtute lubeiliatiua et inciliua. Quioa aut comedunt radice et raphanu polt alios cibos ad cofortan du digestione de quo admirat. Galienus. Onde beruell quod experiencia cocet et dicunt Capietes medici Q Ci come dant polt aliu cibu inuat ad digeltione et delsen urtus et bentre larant fed ficomed ant ante aliucibu ipellut cibu ad Superioza et bomi winducunt. Bonueft aute o come Dant cu aceto et fale pod alios cibos et in pauca quantita te bein ein poculis nocetet capiti. Balis bero teicio ali= nalozis dicit o raphanus longa faciceo mora in toma= cho incidit fleuma cuius folia cibu digerut et appetiuam adiunat qui paru fumit decis. Serta ell tpriaca q a toto genere balet corra benenn et ideo balet tam rationabili= bus p brutis contra benenu ta frigioù & caliou. Et lub tp riaca pot cuprehendi metridatu qo umile opat . De tpriacha eni dicit auicena ferta quart tractatu tercio ca.pilmo Scias o canon marimus in curatioe beneni el coforta tio calous innati ef excitatio iplius ad expellendulicut fa e ftpriaca. De tpriaca bero et metridato fimul dicit auice na terta quarti tractatu primo ca. & medicinis comuniba ad benena. Sunt medicine & cotrarie funt beneno quare non permittut iplum peruenire ad coret lunt licut tries ca et metridatum . Tertus, de Her lit mundus habitabilis ac luminolus Dec lit infectus necolens fetore clouce.

Comentum.

In hoc textu notant quatuozcirca ellectione aeris ha= bitabilis quop primu el q homo debet eligere aere mun du.i.no infectu bapubus quaerimuous alterat cor Com coplectione illius go libi comileet licut innuit ba'p tercia teant in comento illius canonis. Dia beceni to bcom elt p homo debet eligere aere luminofu: aer ei turbidus idu cit i corpore trifficia et pigricie quaer turbat9 comifcet hu= mores et turbidus ad cor peruenit gre ex ipto thumorib? groff turbidi generant fpus aia; triffificates & prigricie inducetes. Michil eft ergo go magis iocundu facit boiem ato minus graue o in claro aere ambulare bel mane fur gere. Teiciu e o ho bebet vitare acre ifectu cuiulmodi elt aeri quo fint frages coiter eni i locis in qbus pcellit ma rima homină iterfectio legult peltis et i locis bicinis. Her eni infectus qui inspirat inficit spus i nto corpore. Quat theft o homo debet vitare fetore cloace. St per hoc innu unt ifectioes particulares aeris cuiulmodi e ifectio aeris latrinar bel fouear coquine bel locor i quit proiciunt cadauera mortua et olia mortuon et aeris bicini aque in qua putreleit linu bel canapis. Her eni taliter infectus ifi cit lous noltri corporis et maxime cerebro nocet. St hinc e o dicit auicena leda pumi otrina leda ca. Ledo Et aer doe Dum eft teperatus et clarus neg lubftatia extranea cople rioni (pus cotraria ei admifcet elt fanitate efficies et ipfa coleruas et cu mutat cotrariu fue operatiois operat. Et pro maiori decleratioe poictor Criendu elt q aer necellari= us eft in regimine Canitatis dupliciter primo quide pro= pter refrigeratione corais. Coo propter expullione fumo= tap luperfluitatu tribulatiu (piritu et caloze innatu licut eni in exteriozibus nos bidemus o ignis line euentatioe aeris luffocatur et extinguitur. licetiam pmaginari debe mus o spiritus et caloz innatus indigent acre ipsum nu

26

19 11

triente conleruante et obtemperante. Obtemperatio igit caloris innati fit per acris attractione et eius depuratio fit per aeris expullione wimu quide fit per mothattra= ctionis et ledm per motu expullionis a tgitur aer attra= ctus fit ferious et impurus corrupit calor et fpus innat? Aer faftur debet elle bone lubstantie cui no admilcet ali= quid er baporibus nec fumolitate extranea. non eni de bet elle aer turbidus nec nebulolus nec malis vaporibus admirtushic eni aer humozes coturbat et aiam cotriftat bt dictueft. Et debet elle dilcoopertus celo et no inter pa rietes et tecta coffrictus et bt fit ad bnum dicere maxime euitandus eft aer inclufus et no euentatus . berd eft ta= men o tepoze eppoimie in quo accioit aeris patrefactio comunis eligenous eft aer inclulus bnoe temporibus il lis bonuelt manere in domibus et tenere feneftras clau= las ne aer putrefactus ingrediat: led alias aer dilcooper= tus melioz existit. Guitanous est preterea in regimine Ca= nitatis aer cui milcent bapores lacun et profunditatum aqua putrida cotinentiù et oleru taliu qualia funt caules et eruca et fimilia et arbon bilcolan malan quales funt fi cus et nuces. Amplius eligendus elt aer in quo Cufflant benti er terra alta bel equali. Et multu etia follicitari de bemus o aer no excedat in aliqua qualitatu priman Cili cet calibitate frigiditate humiditate et liccitate quod li for Can contigerit obtemperetur per arte quatu polibile eft. Stilta colligutur ab auicena leda primi dectrina lecuda capitulo diuerfis. Zertus.

Sietibi lerotina noceat potatio bina boza matutina rebibas eterit medicina.

In hoc textu ponit bhu documetu et est of i quis male valuerit ex sumptione vini de nocte sine tépore serotino talis in crastino debet iterato sumere vinu. Onde pota

tio bini nocturna wtelt inducere chnetate liue litim ma tutina bel potelt inducere fupercalefactione corporis. Si bero inducat supercalefactione corporis tuc maximus er ro: elt de mane iteru fumere binu quelt addere igne igni. Si bero homo incurrat ebrietate cu aliquali naulea tunc de mane bonu ell lumere binu quer lumptione vini defa cili tunc puocat bomitus ex quo lequit mudificatio fto= machi.qua mundificatione facta de facili cellat nocumen tu ebnetatis et naulea. Et ppterea colulit ppocras lemel in menle inebriari bt ex ebnetate puocet bomitus qui elt maxime preferuatiuus ab egritudinibus cronicie.i.lon= gis et malis. Si etia ex potatioe bini nocturna ledat ali quis ethoc propter incoluctudine potadi binu:tuc de ma= ne pt cocedi binu bt alluelcattet lic ming levit a luptioe bi ni. Acolueto eni minor fit lelio bt bult ppocias leda apho rilmonibi. Ermito tpe colueta ad Si bero ex potatioe bini necturna lequat litis matutina illaeft me oola geu ratur potatioe bini magis th Coat potatioe aque. Et qu iam dictuelt de lelione ex lumptione bini. Sciendu elt o homo debilis cerebil et etia cuiulcung alterius coditiois fummopere cauere debet a frequenti ebrietate. frequens eni ebrietas from auicenna tercia primi ca. de regimie aq et bini inducit fex incomoda i corpore bumano, quor pri muelt corruptio coplexionis epatis qu'binu luperflue bi= butad epar beniens bel supertlue resoluit calore iplius bnde amittit birtute languifica et loco laguinis generat aquolitates efficietes pozopilim bel incedit eparet humo res eius th generat lepra bel mania. Scom elt corruptio coplexionis cerebri propter alliqua eleuatione fumon bi ni ad iplu disponetiu calidu cerebiu manie et freneli et fri giou epilentie litargie appoplerie et lubeth. Terciu eft de bilitas neruoz. Didemus eni bibulos iebziari folitos tre mere caput et mebra no folu in fenio: led etia in fenectute

erimentute quandogs. Quartu cft egritudines neruom licut Cpalmus et paralilis qu binu luperflue acceptu lepe in ftomacho acetu efficit quod balde nocet neruis. Sepe quors couertit ex vefectu digestionis in aquolitates in di geltas q neruos remoliunt. Et lepe ducit huores grollos ad neruos quibus diftedunt bel cotrabunt. Quinthe ap popleria poter humiditates cerebii multiplicatas a bino itabt totaliter opilent bias (pirituu aialiu a cerebio i me bra. Sertuelt mors lubitanea du lez ftertedo et dormied Die anhelitus multitudine bini bel humiditatu ereo ge neratan claudunt sebrius luffocat. Et licet binu imode= rate luptu poicta iducat nocumeta moderate ta luptu ml ta iducit iuuameta. Zagit eni auicena ca. pallegato gno elus iuuameta. primuelt qelt bonus cibi penetrator in toto corpore.i.facile efficit penetratione cibi cui immilietut ad oia mebra Cuis calore Cubtilitate et couemetia in pprie tate occulta. Scom eft q incidit fleuma et hoc fuis calore et lubtilitate lubflatie i reloluit im:iplu coaptado expul Lioni bias aperiedo et natura cofortado ad expulcionem. Mercia eft & induct colera rubea in brina allis euacua rionibus be lupoze egettione et refolutione in fentibili. St istud intelligedu est de vino subtili sub rubeo vel albo qo bel abile fit ex natura fui bel fortiter limphatu. Alioquin multiplicaret colera per couerfione (pfius in eaet luperca lefactione epatis ab eo. Duarru elt o facit melacolia que grolla eft et tardi morus faciliter labi per canales propri= os ab epate ad fplenget a fplene ad os ftomachi et tande a corpore cum fecibus exite et flectit feu reprimit nocume tu melancolie propter cotrarietate in coplexione et modo lubstantie et in effectibus. Dam melancolia frifficia pulil lanimitate et auaricia parit. Dinu bero gaudiu audaclas magnanimitate et liberalitate Quintu eft o resoluit oes menos leu (pecies la Citudinis nili multa caliditas extra.

nea fuerit eis sociată quia dină resolutos spiritus abude reparat dirtute cofortat humiditates relictas in musculis neruis cordis et iuncturis tollit aut minuit. Et li fue rit opus humectatione din lastitudine arefactiua dină delociter humectat dummodo limphet. preter aute ista iunameta plutima alia iducit. Omniu eni delocitet subi to nutrientiu est dinu calore et spiritu naturale confortat et totu corpus calefacit ingeniu clarificat: iră copescit: tri sticiă remouet: lididine incitat. Et sup des potus semicru dos humores digerit. Et dist ad dină dicere dinu reddit homine dirile et scom animă et scom corpus dine ceteris paridus no bibentes dinu sunt esteminati respectu biben tiu dinum.

Tertus.

Signitet humozes melius binú meliozes St fuerit nigrā cozpus reddit tibi pigrā Dinā lit clatūg betus lubtile maturum Ac bene limphatū laliens moderamine lumptum.

Bic primo ponit onu documetu de vino. Et elt p vinu menus meliores generat humeros. Et caula elt quia qua to malla humop elt melior táto humores erea geniti me liores elle debent. Deinde lubdit p vinu nigru inducit pi gricià in corpore. Et caula elt quia vinu nigru grollius et terrelirius elt reliquis ergo (pritus ab eo geniti grollius et furta alià autoritate galieni prius allegatà. Quic quio de aliqua re dilloluit ei vnde dilloluitur necelle elt be alimilet. Spiritus aute grolli faciunt corpus grave line pigru. Deinde ponunt lepte documenta circa electionem vini, primu elt q debet eligi vinu claru. Tale eni qu'ubti le est spiritus lubtiles e claros generat. Som est q debet elle vetus i nó nouu. Couu eni vinu live musti ceteris paribus facilius ineviat fluru vetris prouocat aug coli

48

cam inducit. a cetera accidetia pofferi? diceda ibi. Impedit brina. Dece intelligenoù wbinu debet elle oino bet?. tale eni from aufcenna tercia pumi ca de regimie aque & bini elt ali medicina et no licut potus.i.magis inelt ei birtus alterativa corporis ad caliditate e liccitate: pvirt? altera bilitatis a corpore per op9 nutritiois telt pauci nutrime ti.quia eft fpoliatu a fece e birioitate qua prehabuit et pe= ne ignem factu ppt quod in aggregatore Ceribit.ca. de bi= te autozitate galieni pe calidu + liccuin tcio gradu. Ter= ciueft pbinu debet elle lubtile. Subtile eni binu multos Cpus pereat:atg Cubtiles. groffu aute groffos. Quartu; e poing debet elle maturu e no ftipticu. ping eni ftipticu abicindit oms (pecies cuacuatiois, bt bult galien? in co= mento illius canois.tercie particule regimis acutop Sci endu etia. ec et ergo nocet corporibo indigentibo euacua= tione per brina + omib; mebris Lupioziba. btibidem etia dicit galien9. Derű elt in o binű flipticű coueniens e infir m itatibus accidetib; in itellinis. be ibide dicit galien? et etia lupius dictu clt. Bemourt to flipticitas a bino p ml' tam comirtione aque. bt ibide etia bult galien9. Quintu elt obinu debet elle limphatu da per hoc remittit binu a Qua fumolitate: lic minus inebriat. Et illud beru elt de bino lubtili. winutamen grollu li limphet citius inchii= at que per hoc lubtiliat et magis fumolum efficitur. Et de ifto bino itellexit auicena qui dicit tercia primica de regie aque et bint o binu limphatucitius inebziat o binu pu= rum. Sertu eft obinu debetelle faliens cu ppinat,et eft bna de coditionibs bont bini prius dictis. Septimue lup tum ex codicione bibetis ino bini, ct eft whinu debet tem perate fumi.quia teperate fumptu acuit ingeniu.et idu= cit inuameta prius narrata. Er predictis omibus coclu= di potell o binu eligibilius et melius in Canitatis regimi.

ne eft binu mediu leu equale inter betuftate et noutate et eft daru ad rubedine trabens.bonu habens odoze e cas lis laporis quod nec acre nec acutu nec dulce lit quod no fumolu nec grollum nec balde lubtile. led ad lubtilitates declinas.qued etiam inter fortitudine t debilitate obtinet mediocritate. go etia no creuit in Carolis et lapidolis mo tibus nec in terra Cimpliciter plana et arabili-led in terra montuola berlus meridie discooperta et in regione non nimis calida nechimis frigida. Ot ilta partim colligunt er auicena tercia primi.loco pallegato Circa regime bi ní quo ad etates notande (út tres regule quas ponit aui= cena tercia primi loco allegato. prima est poare binum pueris in potu eft licut igne addere igni in lignis debilib eo o pueri behementer rari lut: et de facili inflamabiles ppter abundantia lui caloris innati et funt debiliu ner uon ct debilis cerebii quare ledit eos multipliciter binu. inflamatioe facili et percullione cerebii-t neruop lua pe netratione facilina et effumatione copiola. Cumigitur pueris binuin potu batur caloz eius inflamabilis calozi pueri inflamabili additur in corpore pueri quod eft pau= ce reliftentie licut debile lignum bel arundo licca bel ftis pula arioa ante faciem ignis . Secunda regula e queni poteft dari binu in potu quanta tolerare poteft fine no. cumento Cilicet quantu appetit appetitu naturali et regulato. Sicut eni beteres ocree aribe et rugate renouan tur oleo leniurur et applanatur: liccorp ora lenum p otu bini electi ficut bini beluefis. Senes eni frigidi funt et a bino caleffunt. et habent fom triftem et abundant i me lancoliis. Ced vinum expilarat eos et melantolias tepti= mit. comun iter male dormiunt. binus bero prouocat in eis comnu. Ad opilationes proni funt quas binum ape titet eas prohibet. Et lic licut binum eft pueris contra=

rissimű ita senibus deilissimű. Tercia est op dinu tempe rate dandum est iuuenibus. temperate quidem secundu mensuram quantitatiua e decentem limphatione. Licet enim iuuenes sunt calidi sicut pueri: tamen habent mebra solidiora neruos et cerebrum fortes quidus potenter resistant nocumentis potus dini. Consequatur etiaz ex potu dini sodrie sumpri iuuamenta plurima didelicet eductionem colere corporale robur et ingenii acumen. adu dantium spirituum subtiliu et paruior.

pon lit acetola ceruilia led bene clara. De balidis cocta granis facis ac beterata. Comentum,

In ifto textu ponutur quing arca electionem ceruifie quoz primu elt q deber elisi ceruilia non acetola. quia a= cetola nocet domacho . Acetum eni nocet neruis leom a= nicenna in pluribus palibus. Jam tomachus eft mem= brum balde neruolum.et boc quo ad eius orificiu Secudum eft o ceruilia debet elle clara.quia turbida opilarat B calculofis nocet nimit impinguat ac inflationem ious cit ates breuftatem anhelitus. et elt multor fleumarum generatina. Zerciuelt q debet eligi ceruifia de bonis gra nis no corruptis. Calicer de optimo ordeo tritico fine aue= na quia quanto grana funt meliora: melior ex eis gene= ratur humor. Quartum ell o ceruilia debet elle bene coc ta.quía melius digeritur a micabilius a natura recipit. et nocumenta que prouenint ex bibitione eius meis toleratur. Ceruilia eni non bene cocta: bentolitates in ben tre inducit toztionem inflatione areg colicam. Quitueft O ceruila debet elle antiqua et a fecibus mudata no nimi um recens. Becens eni ceruilia ioucit cade nocumenta o ceruilla non bene cocta et cu por de le facilime inducit fra

guriam Tertus. De qua potet fromachus non inde grauetur. Come ntum.

bic ponitur bnu documentu circa blum ceruilie.et eft p brens ceruifia debet ea bti temperate lic o no grauet ftomachus veliducatur ebitetas. Ebitetas eni que er cer uilla puenit deterior eft ea queer bino eet magis duras cum de ceruilia fumi it bapozes eleuati ad caput lut grol li quare minus resolubiles funt & qui er bino eleuantur Et eft bic friendum of in principio prandil bel cene ceterif paribus bulius eft incipere luum potum a ceruifia pa bino. Quius caula elt quia in principio menle corpus elt famelica et lic Romacus ante principiu fumptionis cibi famelicus erat et lic trapit fupfluitates a mebris. Si er= go binu in principio mente daretur er quo natura mari= me trabit binu.quia de le maxime nutritiuu ille supflui= tates Colicet a fromacho tracte finul cum bino ad partes corporis traberentur fed natura no ita aujoe trabit cerui Cam. Similiter ceruifia lauat huozes adherentes ozificio ftomachi. Et ppter illam caula medici confulunt & ima rima fame debeat prius prouocari bomitus & cibus lu= matur brille fuptluitates a ftomacho famelico tracce e= uacuet ne comilceat cu chilo. Similit times litim exni= mia potatione bini debet bibere ceruifia. Jba eni liti mes dolam reprimit. Ertus. Temporibus beris modica prandere fuberis. Sed calor effatis dapibus nocet imoderatis.

Autumni fructus caucas ne fint tibi luctus. De menla lume quantu bis tempore brume.

Comentum. In hoc pallu determinat de otitate cibi fumendi lecu = dum diverlitate tempor atuoz anni que lunt ber eltas autunus et hpems. t dicit text? primo otpe beris debem?

modică prandere.i. paucă fumere ciba. Et ide bult auice na lida primi detrina feda ca. bi, tercia primi derina on ta ca.de regimie tepop cu rectificatioe aeris . Et ratio hu fus th bt ibide etia bult auicena quipe hremis poter gu totitate exercicii pravitate et relolutiois phibitione mul= tiplicant huores crudi a maxime tleumatici q ppter ppor cionalitate tpis tuc maxie generat et ili in iteriozit 200 pp ris quoadunat poter frigus circulas. Der aute lupuent= ens iftos humores crucos in interiorit quoadunatos eli quat et facit eos currere p totu corpus gre natura tuc mul tu occupat circa digeftione con Si ergo ipe beris daretur magna quatitas cibi natura a digeltione taliu huoz fleu maticop ipediret et diverteret que illos buones amagna quatitate cibor nimin grauaret. Et lic tales humores in corpore maneret idigelliset currentes ad aligo mebru illic egritudine iducetet. Et ergo lumopere cauere abemus a magna quatitate cibop i bere qu diminutio citer tali tpe eft bud de maxime preieruatibus ab egritudinibus beris be bult auicenna leda primi loco preallegato. Er iftud qo dictueft marie beritate habet de mi dio et fine beils ino de inicio eius qui inicia eius hpemi allimilat gre tuc ho po telt nutriri licut in hpeme. Et iltud etia itelligenoù elt qu ber iuenit corpus repleta buont9 fleumaticis crudis. Si eni ter inueniat corpus teperatui huorib9 cibus i eo dan dus eft lcom melura caloris inati + refolutione q fit a cot= wie qi tuc ablata e caula gre diminucict cib?. Stillud bo luit ppocras puma amphonimop du dixit Lettes hoime er bere calidedimi funt natura et tomni logidimid In his igit temporibus oblatiocs plutes dande funt et enfinna= tus calor eft multus nutrimento igit indigent amplion. Sco o dicit o nimia luptio cibi nocet in eftate. Cuius cau faeffge tunc tpis oigellina birtus eft abilis cu fpus et ca lozinnatus glunt inftrumencu birtutu multu tunt debi

les Coarci et recoluti poter calorem extrinfecu behemente trahentem cos ad exteriora. et ergo multus cibus no pol Cetoigeri. Et circa iltud iciendu elt p ppter behementia resolutionis humiditatu tam Substantialiu o nutrimen taliu corporis in estino tpe grollior et maior cibus exhibe dus ellet li birtus lufficeret ad digerendu tale et tm. (; da no fufficit ona vice multu digerere cibu:parum et lepe de eo bandu eft iuxta illud galieni prima amphorismoz co= mento illius canonis. Et quiby femel aut bis dicetis. In effate cibus multociens erit daous et paru multoties qu indiget ppter lepillima dillolutionem parti propibirtu tis defectione. Et licet in eltate paru de cibo lit dandu ml tum tamen de potu potelt dari cum tuc resolutio maria fiat et deliccatio corpozis et eleuatio calozis cup humiou et plus litiat homo & alio tpe. peru elt fi a porus bini a pcipue binoli puri minuedus eft.quia tale binu eft facili ter inflamabile et calozem ja acutu eltu biolento ercade. Cere facit et ergo li bibat binu micenda eft multa aqua et dimittat binu becus et forte. Tercio dicit q in autuno Debemus cauere a fructib9 (altem illi? tpis bt buis perfi cis ficub; et umilib; bel calte no multu de eis comedere. quia tales fruct? generat languine disposituad purrefac tione porer ebullitione quain coapoze thuorib? facia et marime a fuerit in fromacho imundo bel in cacochimico corpore recepti gle corp? i autuno lepi? occurift Et fic ma le tuc acciout egritudines feil; bariole morbilli a peffilen tes. pro maiori ta noticia regimis cibi et potus tpe autu ni fciendu elt o tpe autumni debet euitari fames : litis : repletio multicibi in bna hoza, bt bult rafis orto alinan. lozis ca. De regimie corporis Com tpa. Dinu pterea quod bibit pe autuni behemerereft limphandu bt corpus hu mectet et caloze reprimat led non superflue debet limpha

ri in tru quantu in eltate neg lupflue debet tucbibl quia tuc natura debilitata no lufticeretiom regere i digereret nimis limphatu calore obtuderet a multiplicaret betolita tes quib9 colica generari pollet. Quarto dicit o tpe hpe= mali debem lumere cibu tm antu bolum? i.plulo cetis tpibus. Et ide bult auicena tercia primi loco pallegato. galienus in cometo ille aphorismi prime particule apho= rumoz. Et quib lemel aut bis bbi dict. In hpeme mult? cibus e paulatim elt dadus. Et ro bu ? elt da caloz noftri corporis in breme e fortillimo: tum ga bnico. Tum quia fortificat? p antiparistatim.i.iuxta positione sui cotrarii bidels frigiditas aeris nra corpora circudatis. St illud be ruefti corporibo robuftis + carnolis: + no in raris et debili= bus. da in talib corporib frigus intenfu bremis no con fortat calore led magis debilitat. Et illud innuit ppocras pria aphorilmopoices. Detres hpeme i bere caliditimi lut natura + Comni logidimi. In his ergo tpibus oblationes plures dade lut eteni inat? caloze mulc?nutmeto igit a= pliozi indiget. Et ex ilto etia lequit o nutmenta grollio= ra t durious digettiois coueniut hpeme & alies tpibus qu caloreft fortior. Dinu aut quo brendue hoc the debet elle rofeum no albu cu aqua pauca. notanou bic plicet cou= deratioe habita ad fortitudine calozis a digeffine birtutis in hyeme grodiozes t deliozes cibi coueniat.quia in corpo ratuc dispolita fut ad opilationes i repletiões exfleuma te plurimo nec ab eis relolutio multa fit a cotinente tuti us eft bri tut mediocrib9 cibis inter Colidua raru: groffu & Subtile licut carnibus eoi bituli mutonis luciis percis et cancris. Et btentib9 groffiozibus cibis. bt boue pozco cer uo conchis oftreis carpis. & amilibus expedit bnica come ftione in die contetentur bel btantur feperebus diureti= ciset aperitiuis. bt petrolilino nafturtio apio a limilib?

et forti btantur exercitio.

Textus.

Saluia cum ruta faciunt tibi pocula tuta. Aode role flozem minuit potenter amozem.

Comentum.

In hoc passu ponutur duo remedia corrigentia potum matum. quop primum est faluia cuius folia imposita po tui corrigunt maliciam potus sua proprietare, et etiam in se habent dirtutem confortandi neruos et cerebrum quis bus confortaris melius resistant malis sumis recipiedis qui proueniunt ex ma'o potu. Secundum est ruta cuius etiam solia integra absq eop alia contritione debent potui imponi, quia sua caliditate et proprietate corrigut ma liciam potus. Et de ruta quomodo daler contra denenu prius dictum est idi. Alea nur ruta, postea subdit text? quis duodus predictis potest addissos rose. Et hoc marie debet intelligi de rosa rubea que sua aromaticitate existe te in er superficie, et similiter sua stipicicate corrigit ma liciam potus.

fraulea non poterit que p becare marina.

Antea cu vino mixtam li sumpierit Mam.

In hoc textu ponit bnű remediúptra nausea sue bomi tű preniètes trásfretatib? no coluetis dices. quele quebs trásfretatib? no coluetis dices. quele quebs trásfretari atem naus itret debet aliqb? dieb? miscere aquá marina suo bino. Et isto è remediú posuitib? . Propaup fucrit debs, potare aquá marina, bt facisi? nausea enitet. Et ca hui? è qua qua maris salsedine habs. esic sua salsedie e dipticitate à colequit salsedine orifició claudit. e phoc do mis ipedit. Et circa isto è notad q sicut bust auscèna ter sia primi capitulo de regimine iter agêtis in mari. biator

in mari no debet multu conari retinere bel copescere a pri cipio nauleam vel bomitu: led dimittat bomitus ipius cotinuari:donec per ipm fuerit bene purgatus.hoceni b= Ceruat a multis egritudinibus:et nedu pleruat pmo etia curat bel alleuiat graues et magnas egritudines. bt le= pram poropifim appopleria frigiditate flomachi et eius inflatione put bult anicenna tercia primi doctrina leba. ca fcoo. Si tamen bomitus biatozis in mari fupflurerit fic o behemeter debilitet ipm reftrigendus eft comeffice fructuum fripticon et acetolon. Cicut funt citonia et ma= ciana acetola bel poma de capenduto et mala granata a cetofa quibus ozificia flomachi confortatà depellit huo= res inferiue, et flomachus etia cofortatus ab his humo= res repellit effluentes ad eum ex agitatioc ab bnois . bel potelt lemen apii torrefactu bibi cum bino belabl intiu potelt comediaut bibi. Et limiliter panis allatus et infu lus in bino bene redolente comedius balet ad ide. Gr bui uerfaliter balet nutritio biatoris in mari excibis acetolis confortatibus os Comachi:et, phibentiby tapores et fu= mos a Ccendere ad caput . Cicut lut lentes cocte in aceto bel in Lucco bue acerbe.

Saluia. Cal. binu. piper. allea. petrocilinum. Ex his fit Calca nici comixtio falla.

Tomentum.

In hoc textu ponitur modus faciendi (allamentu comune li in menta deficiant calcamenta specialia. Et provillo ponutur quings ex quibus potest fieri salcamentum primu est saluia qua fit condimentu in assatione auce si ue decoctione. Oniversaliter eniz auce assate sive porcelli saluia implent de humiditates suplive sive discolitates extrahatur et odor saluie aucis aut porcellis immaneat.

polt alfatione tamen faluia eici debet i no comedi. Simi liter ex Caluia fit codimeta comeftibile a rufticis bel comu nibus i comeftione auce. terut eni alleum cu fa'una ad au feredu aligo Caporis allei. Scom e Cal cu bino et e Callame tu diuitu fiue nobiliu. Ipli ci deficiete linapio bel beriuto ponut in fallario vinu cui modicu falis admilet. Terciu eft piper & eft Callamentu rufticozu. Comifcet eni piper cu Sabis : pilis. Similiter etia ex pane allo cu ceruilia bel bi no et cu pipere fit lallametu nigru ad modu pultis quod piper dicitur et hoc supereffudunt carnibus aut piscibus. Quartu elt allen er quo etia fit fallametu rulticop:mifeet ení cum molli caceo et lacte terendo alleu et lic comedunt cum cibo fine allo line eliro fine fallo fine dulci et cu onis duris. Quinta elt petrollina ex cuius foliis cotulis cam beriuto bel albo bino fit biriois falfa cu allis comeltibi= lis. Et circa iftud eft notand u g fallameta fine falle diner Eficant primo Com tepora. Temporibus eni calidis decli nant falle ad frigus bet paucam caliditate teponbus be ro frigidis ecouerlo. Materia igit Calfan in eltate lit ber= iutu bel agrefta de fumicatibus bitis bel acetu: fuccus li monu bel citragulop bel granatop cu zuccara et aqua ro laru. Et interbu in lallis g fiunt in eftate potelt addi ali= quantulu Cerpilli et petrolilini ao obtemperadu frigidita te predictop. Materia bere fallap copetentiu teporibo fri gidis funt linapiù cruca zinziber piper cinamomu gario= fili allea faluia menta ferpillu et petrofilinu binu ag car= niu acetu no forte led propingum nature bini. Et in tem pozibus mediocribus fint mediocris caliditatis et frigioi tatis. Secundo diveruficant ratioe cibarion pro quibus fiunt. pam alia et alia cibaria indigent aliis ct aliis Callis ficut leiunt dominop coci. Qutonu enim et limiliter vitu lorum et capziolozum falla conueniens eft falla biridis.

In effate quipem exaceto et agrella cum paucis (pecieb? et line alleis cum petrolilino zinzibere albo et agrelta et pani allo infulo in aceto bel agrefta. In hpeme fit eadem falfa cum pluribus (peciebus et pauco alleo et optimo bi no et pauca agrefta bel potelt lufficere linapiú et eruca. Salfa aute pro carnibus bouinis elixis eft piper bullitus quod fit ex pipere et pane allo et ag carniñ et pauca agre= fta . ifta eade Calla eft fatis coueniens carnibus porcinis in hpeme. poffunt etia carnes portine comedi in eftate cuaceto et petrolilino in principio refectionis. Si aute pre= Dicte carnes paftillent et specialiter bouine et porcine: in hpeme quide apponat cepe albu cu puluere (pecieru dulci in parua quantitate: in eltate bero line cepis et cu beriuto bel pollunt apponi cepe parue et in pauca quantitate Si aute paftillatura lit et carnibus lubrilionbus no ap= ponatur cepe (co in eftate lac amigoalarum cum beriuto et pauco puluere speciera dulciaet in fine potelt apponi ouum conquadatu cum agretta led in heme loco agrette ponit binuet plus de Cpeciebus. Allature aute cuniculor etpullor innenn conenies eft falla in qua eft cinamomit et mica panis cu agrella quide in ellate et cu bino in bpe= me. Allature aute pozci falla couenies eft liquoz descedes conquallatus cu optimo vino et cepis in hreme et in efta te biridis lalla luperius nominata. I Clature aute falia= nop et columbar et turturu nulla alfa falfa indigent ni= fi fale. Caponu autem et galinarum elfrator coueniens falfa eft aqua decoctionis con cum aliquantulo pulucris specieru dulciu et precile a in predicta decoctione addat lal mia plopus petrollinuet bocin breme et in eltate lufficit Cola aqua cu aliquatulo fucci fummitatum vitis . Seo p Calla caponuet galinarum pinguium paftillandor nichil penitus eft apponendum nili aliquatulum pulueris (pe

cierum in fine agresta supradicta in estate:optimu binu in h peme posces bero quato sunt grossioris carnis et disticitoris digestionis et maioris superfluitatis et humidiotis nature tanto indigent sallis calidioribus et acutioris bus et hoc etiam berum est in carnibus.

Tertus
Si fore dis lanus: ablue lepe manus
Lotio polt menlam tibi confert muncra bina
Mundificat palmas et lumina redolt acuta

To hoc textu ponuntur due comoditates proueniètes ex lotione manua post cibum sumptum prima est que por hoc palme manus mundant. secunda est quia redoit lumina acuta. i. prodest oculis. et hoc maxime per accidens quia manus sunt instrumenta mundandi oculos quare multa cofert eas esse mundas. Et de istis comoditatibus dictum est etia prius voi. Lumina mane manus.

panis nó calidus:nec (it nimis inveteratus.
Sed fermentatus.oculatuslit bene coct us
Godice lalitus.frugibus dalibis lit electus
Jon comedas crustam colerá quia gignit adustam
panis lallatus.fermentatus.bene coctus
purus lit lanus.qui nó ita lit tibi danus
Tomentú.

In hoc textu ponunt duo bitada citca electione panis poumu est caliditas. son eni debet panis comedi calidus panis eni calidus est humane nature nociuus. Jurta illud Auicenne scoo canonis ca.de pane dicetis. son come dat calidus sicut est panis eni calidus no est apud natura receptibilis et acceptio eius qui est de furno et reliquop sibi similiu est mala. Et ratio est qualis panis multu opi lat. Et postea iteru dicit auicenna. panis calidus stim fa

cit lua caliditate et natat propter lua humiditatem bapo rolam et eft belocis digeftionis et tarde Defcentionis. Gt quanuis ifte panis calidus no coueniat in regimine fani = ratis quo ad clum:0002 ta panis calloi multu cofert. refte Critat eni lincopizante et polibile elt aliquos boies biuere er odoze panis calidi. Scom eft o no debemus comedere pane diu piltu liue mulcioù quia talis panis no est coue= niens pro nutrimeto nature humane:exticcat eni corpus achumores melancolicos generat. et ex ilto relinquit o panis no debet elle calidus nec betuftate induratus led priori die coctus polica in textu ponunt quing coditi ones panis electiquan prima elt q panis abet elle ferme tatus bene. Et iftud bult galienus primo alimentop ca. lcoo dicens. Optimi aute panu pro digeftione lut qui ma rime fermentati et qui allatione habuerut a comenlura= to igne in chbano. Griftru code ca. dicit qui bero penitus infermentatus eft nulli brilis eft. St leom auicena ledo ca nonis ca. de pane, panis habes paru fermeti plurimi eft nutrimenti Gedeius nutrimetu opilat nifi illos qui Cunt plurimi exercicii. Scoa elt q panis debet elle oculatus.i. perolus i per hoc denotat o biscolitas eius elt ablata. De rum eft in pifte panis from aufcenna loco preallegato be locis è penetrationis a minozis nutrimeti et deteriozis a= cut elt panis opirus d'elt plurimi furfuris Tercia e co pa nis debet elle bicoctus quanis male coctus mak digeli onis elt et fomacho granebine affert. Et aucena fcoo ca nonis loco pallegato dicit. Stille qui no bene acoquit ell plurimi nutrimeti led eius nutrimenta opilat nili illos d funt plurimi exercicii. Et panis de patella eft huius gene ris:eius nag pars iterio: raro decoquit bene. Quarta elt op panis debet elle teperate Calit? mimiteni dulcis opilat et nimin falcus erficcat. Boderate in fallus optimu nu= trimeiu pbet du th cetere coditioes affint. Quitaeft @ fit

factus exoptimis granis videlicet ex optimo tritico + la na melle collecto . Deinde luboit textus onos bebemus cauere ab elu crufte panis quilla generat colera adulta li= ue humoze melacolica ex quo eni ipca adulta et licca elt hu mozabea genitus adultus erit et liccus et propterea nobi les q natura colerici funt deponere faciut fuperiore crusta panis acinferiore quos pmitat prelati ac belicioli. Gligat igit mica panis q est meliozis maiozis et belociozis nutri menti fo crufta. Deru eft th q aliquado couenit Canis ha= bentibus fromachu humidu et volentibus demacerari et in fine comeltionis plus copetit. Junat eni cibi delcenluz et cofortat orificia fromachi poltea in duob bltimis bet Cibus innuit o panis bonus debet habere iftas quing co Ditiones Cilicet & lit Calitus fermentatus bene coctus pu rus id eft de mundis granis et fanus.i. de granis fana melle collectis et ilas coditiones partim innuit auicena loco preallegato dicens. Oportet ot fit panis mudus fali tus mallam habes cofecta fermetatus coctus bene e bna nocte permanens. Et circa iftud eft fciendu of li querat nu tritio maior et prior mundificet panis a furfure et li beli mus bentris lubductione aliquale dimittamus aliquas parte furfuris. furfur eni parti nutrit et bentre luboucit et farina econuerlo.

Terfus

Gft caro pozcina line vino peior ouina Si tribuis bina cunc eft cibus et medicina.

Comentu

In hoc textu có parat autor tarné porcina carni ouine dicens quaro porcina line bino minus lana eltouina ta men li caro porcina lumat cú bino ipla eltoptimú nutriment ú et medicina prebens qua multú humectatiet hoc in telligedú elt marie de porcellis allis liue de apris optime preparatis. Et circa illud elt lciedú quarnes preine quus

e iii

rustici et comunes brunt quando bidelicet sunt salle bel sole bel fumo exsiccate nullo modo saniozes sunt carni = bus ouinis ceteris paribus sine cu bino sue sine bino su= mant. Sed istud dictu beritatem habet de carnibus pozecello a alato poel de carnibo apainis modo predicto.

plia poccop bona funt:mala funt reliquop

In hoc tertu coparatur omala pozcozú omalis reliquo rubrutoru et dicit tertus op omala pozcozú i inteltina pre ua lent quo ad elum inteltinis aliop brutoru. Cuius ratio pet elle ista quia pauca inteltina comedimus nili illa que plentur languine bel que sunt aialiú mulcu ping uium culusmodi sur pozci. Ja colus languis pozci ppter sua coplexione et similitudine complexionis cu natura huana e sanguis quo omala siue itestina implentur. Et similiter pozci facilius ipinguantur op aliquod aliozu brutoru: idea magis sumimus intestina pozci op aliozum brutorum.

Textus Impedit brinam multum foluit cito bentrem Epatis emfraxim fplenis generat lapidem 93.

bic ponuntur quiqu nocumeta puenientia ex potatione noui dini del multi. primu e quultu ipedit drina et hoc prest itelligi dupliciter primo quultu ipedit drina et hoc prest itelligi dupliciter primo quultu ipocarenes sic quo ace facili no pt hee suu cursu. Codo ipedit drina quo ad debitu ci modu sicut facit mustu renete ali quod et queda alia dina subtilia similiter quest alique mustu renese cuius feces sunt mordicates et dui pm denit in desca ille partes terrestres nitrose mordicat desca et con gunt drinare sine ordine debito et modo cosueto. Sodmest quo soluit detre. Et ratio est quia abstergit discera nitrose

litate line falledine lue fecie et ftimulat ea ad expullione. primo propter mordicatione fecis. Coo propter multitu= dine bentolitatis qua inducit tale binu liue muftu.tercio lubicado cito inferius per bia indigeltibilitatis et graua minis fromachi quare fromachus Ce relazat et meta naria oppredus aperit. Terciu elt multu nocet bone copleri oni epatis qu opilat iplu propter imirtione plurima lue fecis et perducit ad diffinteria epatica propter inflatione eius qua debilitat epar. Et iftud bult aucenna tercia pri mi ca. de regimine aque et bini. Et lic etia iducit cachecia line malam dispositione coloris et malas inducit egritu= dines epatis Cilicet diucrlas (pecies poropilis. Quartus elt o multu nocet (pleni et dispositioni eius propter eade caula que dicta eft de epate qu opilat (plene et lic iducit du ricie eius. Quintu eft o muftu generat lapide et maxime illum qui in renibus elt qui rubeus elt de facili fragibilis causa opilationis qua facit et grossitudine sue substantie. Et illud beru elt de multo binon multu dulciu no haben te feces nitrolas et mordicates. Coultu eni habés feces ní trolas et mordicates magis impedit lapide quia multuz facit brinare licut multu aliquod renence facit apparere arenulas in brina fine granela quia facit multu brinare Oulta eni brina fua lotione abstergit arenulas adheren tes que cum ea expelluntur. 🔷

potus aque lumptus fit edenti dalde nociuus

Infrigioat Comachuma cibum nitit fore crudum.

Sic ponunt ouo hocumenta proueniétia ex potu aque et poc quo ao evente primu elt q potus aque nocet stoma cho edentis. Cuius ratio est qr ipsu infrigidat et relarat et maxime deicit appetitu cibi. Secudu est q potus aque cu sumit cibus impedit digestione cum cibu sumptu icrudet

Et iftud bult auicenna tercia primi ca de regimie ei? go comeditur dicens nech polt ipm scilicet cibu multa biben da eft aqua:que inter ipm fcil; cibu + corpus ftomachi fe= paratione faciat:et ipm natare faciat. Et ca. de regimine aque et bini dicit. St cu natura in digerendo nutries ltu= deat Cacietate aque ia pcedente fufficieter.i. Ci pcellerit la= cietas aque lufficiens ad bona cibi pmixtione: aqua behe meter elt impediens lupple digeftione inchoatam. Et ide bult auicena scoa cantice.tractatu primo ca .arto dicens Eft etia; bitadus potus aque in menta nici rone adhere tie et tarditat's delcenlus bucelle con eft eriam lumen da aqua cum cibo. Et auerrops in comento ait. Caula d= dem buius elt am cum fumitur aqua fup cibu priul & flo machus calefecerit iplum infrigioat ipm et incrudat. Et etiem caula quare fupnatet cibus fumptus in ftomacho et quare etiam no adhereat et bniat eide o coterat ipm li cut erigitur. Actio nags Lomachi lup lumptum cibus fit coterendo coquendo fimul. onde acut ca infaditur fimul et in magna ptitate aqua in olla poter quod tardatur ci = bi decoctio in eadem: licetiam cotingit idem ipli fomacho. Ot illud maxime berificat de potu multe aque. Oodica eni quantitas aque frigide luggendo lumpta potelt cocedi ante descensum cibi bt per eam copleatur cibi desce lus ad inferioza.et hor li litis infeltauerit et bibere coege rit. na modica quatitas aque frigide poicto modo lump ta fromachu alleufat et colligit. Alleufat quioc a fiti alles uiat etiam cooperado ad delcentum cibi. Colligit aut fua frigiditate coadunas partes fomachi. Stifud colligitur ab auicena locis pallegatis potadu o quis in litis ex= tinctione aqua lit couenientio: potus & binu, tame offi bus colideratis binu ell potus couenfentioz in regimine fanitatis & aqua. nam dato o in Citis repllione que e ap.

petitus frigiol et humioi aqua bniuerfalit melioz fit quia frigidaet humida.naturaliter thin cibi pmirtide a ciulo delatione ad partes corporis extremas binu pualet aqua nam binu rone fue lubtilitatis in lubstatia actione lub tilius cibis pmilcetur-et specialiter quia natura magis in eo delectatur.ideo citius attrabit ipm alus cibis pmilcet et (pecialiter quia hec mixtio fit per bia cuiuloa ebullitio nis qua binu magis muat rone birtualis caliditatis. et aqua impedit rone frigiditatis. Et lic patet o binu pua let aqua in cibor pmirtione. Et limiliter pualet in coru= dem delatione. nam binu elt optim9 penetrator quod ei debetur rone lubtilitatis lue lubftantie et ratione calidi= tatis birtualis. fubtilia eni et calida multu funt penetra = tiua.et per colequens binu elt magis delatiuu o aqua in qua nichil eft birtualiter caliou nec lubitantie aereitatis. nec igneitatis, bnde aque moza transeundo impedit om nem curfu. Amplius aqua ex alio no elt potus ita coueni ens licut binu quia aqua impedit alimentus nutrire:co o no nutrit quare illud brigg min nutrit. bnde oto cib9 eft magis aquaticus:tanto eft min9 nutritiuus. Bonum elt igit o binu piniceatur cu cibo quod folu non impedit nutritione pmmo multujuuat quia binuelt maxime nu tritiug et marime reltauratiquet belocillime nutrit. be prius dictu elt. potandu infup o no folum nociu? e pot? aque edenti: fine fumenti cibu pm:no in pluz ibus akis ca lious nocius est quos narrat auicena tercia primi ca. de re gimie aque t bini. pimo eni incouenies elt in hoie iciu= no.the enilibere penetrat aqua bibita nullo retinaculo i= pedita blog ad intima mebroz principaliu mortificas lu um colore inaru. Etifto e beru de hoie bere igiuno, ebrio eni ging pficit neg ledit ipe fi feiun? bibat aqua qa ieiuno ebrius no e oino feiuno nece in ftomacho bacuo (ed ad

nac havet religas aliquas belterne crapule. quan nitroli tas aqua mitigat eltomach? ab his p aqua abluit. e rept fis baponbat fumis pparat foniach? ad receptione no= ui nutrietis. Scho incouenies eft in hole exercitato fozti exercicio e limilit fatim poft copta. Ma tuc pozi corporis lut multu aperti: quare penetrat ag in pfuda membron moztificas caloze inatu. q polt coptu etia debilitatus elt. Tercio incouenies elt poft balneatione marie cu fit bec balneatio betre bacuo.tuceni bie fut behemeter apte. q= re ledes penetrat aqua bt dictu cft. De ifto potu aque di= cit auicena ferta grti fuma Gda.ca. bltio. Ex potu illi in ieiunio a polt balneŭ a po coptu timet corruptio coplexio nis eparopilis. Quarto incouenies e bibere aqua frigida caula obediedi liti noctne medole q accidit i crapulatis & ebriis. Ma p potu aque frigide phibent resolutio et dige= Atio huozis Calli vel fortis vini vel altius acuti facietis (i tim. : ficcito po potu reuertit atis ita forns bt ante. Sed Li behemes affuerit litis nimiu beras i ingetas nec luffi= ciat aeris ilpirati frigiditas necablutto one cu aqua fri= gida bibat litibuo aqua frigida cu bale ftricti orificii.line gracilis roltri gten? aqua plirius det lup orificiu toma= chi forti? ati mitiget. t de ea min? lumat ne digerendon digeffione penit ipediat. Duito generalit malue lanis bibere multa aqua frigioa qa extiguit caloze inaru e pect? offendit a Romachi appetitu deicit. a mebus cibus neruo fis obelt. Deru e th paqua teperate frigioa aliquado per accides appetitu excitat a Romachu forte efficit coadună do ipm et ftringedo villos eius.

Sunt nutritiue multum carnes Dituline.

In hoc pallu autor laudat carnes bitulinas dicens. @

cárnes vituline multu cut nutriciue. Et iltud inuit auice na tercia primi ca. de regimie ei? quod comedit di dult Q cibus canitatis coleruatiuus debet ece talis quales cut carnes da cut cimilis nature prius apte fieri căguis i ma xime carnes ed op i vitulop paruop lactantiu et agnop annaliu. Et ictas carnes vitulinas cume laudat galien? t cio alimetop. di vult q carnes vituli lactătis cer ebdoada ru vel octo actate caniores cut mutoninis. facilis eni dige chionis et multu nutriciue cut. Et de istis carnibz vitulianis etiam prius dictum est.

Textus.

Sunt bona gallina capo furtur flurna colomba. Quiscula vel merula phasianus ethigoneta. Perdir frigellus ozer tremulus amarellus.

Comentum. In hoc pallu ponuntur carnes eligibiliozes pro nutri= mento nature humane animaliu bolatiliu et enumeran tur quatuozdecim aues.quar carnes bone (ut pro nutri= mento homis. prima auis eft gallina. cui elus liue co= meltio nature humane coueniens elt. balpeni Auezoar Auerrops et melue bt dicit confiliator pre ceteris laudat que pullon carnes et maxime galline que nondu peperi et galli qui nonou calcauit. Sut eni facilig couerlionis i Canquine & Cupfluitatu paucar ppuetate mirabile habetes in teperando aplerione et huores cuis brodin optima leprolis e medicina. Et de carne gallinan dicit auicena le cudo canois ca. de gallinis et gallo. O caro gallinaz glut pulle in itellectu augmentu efficit darificat boce et aug= metat (perma. Et melior gallia lcomeu ibi e a nondu pa rif oua. Secunda auis elt capo line gallus caltratus cu= iuscarnes ponit colliator differentia lexagelimaoctaua int laudabifiozes carnes. Et carnes iftas + filiter priores.

digerit ftomachus a proprietate. Tercia auis eft turt que etia eltboni nutrimeti et bonu generans humore Cuius carne auicenna ledo canonis ca. de carne tume laudat di= cens. boluctis quide caro melioz no elt palduragi.i. turturis et galinap et lubtilioz eap et no lunt cu nutrimeto carniu akubegi.i. perdicu ec. Quarta auis è (com alíquos eft fturnus ; ifta auis debet comedi in junetute et eft auis nota teuthonice een fpie bbe . Scom alios eft farna qua ratis tercio alinatoris preceteris bolatilibus laudat dices Starne caro omni carne aniū leuioz inuenit ates his qui Subtili bolunt cultodiri regimine couenfentioz. Et poteft per frama itelligi auis magna belut anter grifea cinerea cuius caro laudabilis elt maxime cu inuenis fuerit et ifto mode itelligit alinalo: preferes ifta carne aliis. bel potelt per ftarna intelligi maneries perdicis parue qua Goples bioct intelligere iudels inquies fimiliter farne no bian tur pro oño noftro quia bentre coftringut. Et iftam pro= prietate alli attribuunt perdicibus carnes eni iplan ben tre coffringut telte ralis tercio alinanforis. Quinta auis eft coluba g eft auis nota cuius caro eft colerica. Et de colu bis dicit ralis loco preallegato. Columbe behemetis funt calibitaris q languine inflamatu generat et cito febricita re faciut. Et ergo aptius colube comedi debet in paffillis cum buis acerbis & allari per buas eni acerbas aufert caliditas qua languini inducut. Et electiores colube pro elu funt columbe innenes bolare potentes quia tales fut leuioris digeftionis et melioris humoris. pulli eni no bo lare potentes caliditate et humiditate habent Cuperfluas quare grollos generant humozes be bult aucenna Coo canonis ca de columbis. Antique vero columbe et earu caro propter caliditate nimiam et liccitatem et digeffio= nis difficultate Cunt euitande. Et Cimiliter etia turtures

antique. Serta auis eft quiccula, que ab aliquib? nomia tur coturnix quia quiscula est nome onomatopepon scila ficta a luo fono. St caro illa Com aliquos elt lubrilis lub Statie bonu generas humoze. et multu copetit Canis coua lefcentiby. Scom plaac tamen coturnices ceteris volatili bus lut peiozes nec nutrimeto nec digeftioni laudabiles. quia er comeftione carnis can timet (palmus et tethan? put etia bult auicena scoo canonis ca. se eis subiungens racione Cils quia in Cubstantia carnin ean est birtus facie di huiusmodi accidentia narrata, et sic no proueniut illa accidentia er eo folum quia coturnices comedut ellebox. Et hinc eft o gallici comedut coturnices cu molli pingui caleo et inde faciunt pastilla. potest tamen per coturaite intelligi alia auis a poicta peroice maioz einfoe fere colo= ris:cu rubeis proibus et roftro faporis delectabilis dicta cofurnit ptalica lingua. Et ifto modo ralis tercio alinan Cois accipit coturnice quando pfert carnes eius polt car= nes ftarne alion bolatiliu carnibus. Septima auise me rula que eft eiu de oricaris cu fturno led eft ad nigredine tendens:et habens roftru fubruben. et fimiliter debet co= medi inuenis. Octava anis eft phalianus.i gallus lilue= Aris que ab omibus medicil enumerat inter aues lauda bilis carnis. Caro eni talis auis nature humane eft coue nientiffima. et eft cibus principu et magnatu. Coliliator eni loco pallegato dicit. Glueltriù bero laud abiliores funt faliani ad lanitatem et ad robur. St fortallis etiabniuer Caliter domeftici cu fine gallinis ppinquillimi.et eiuldem fere (peciei finto Illis Ciccioris aeris + alimenti acerercitii amplioris. Cona auis eft ethigoneta que eft auis parua ao modu perdicis: led longu roltrum habens, cui? caro è optima Decima eft peroix.cuig caro feden auicena. fecun do canonis ca. de cubugi est de subfiliosib? carnib? impin

guas. quia multu nutrit corabitergens poropid titoma cho coferens et augmentu in coptu faciens. Derum elt ta men of ftringit bentrem. Et Iftam carne galienus tercio alimentoz ca. decimo e octano de ingenio ca. Lecudo bfert omibus aliis bolatilin carnibus. Et dicit de ifta carne o li allidue comedat maxime confert memorie. Ondecima eft frigellus. eft auis comedes racemos belociter bolas Cimilis Aurno. Ced elt melionis nutrimeti & Aurnus. 4 mt te tales ineniutur bbi lunt binee.et inebriant er elu race mon.et meliorelt caro ean circa feltum oiu; (cton. Duo decima eft ozer. et elt com aliquos galina Glueftris Gue galina phaliani. Del lecudu alios et galina aquatica lo eft natans in aqua et Que lie femina phaliani: Que galli= na aquatica eius caro elt boni nutrimeti. Decimatercia eft tremulus.et eft auis coiter fans prope mare minor & galina. Ced elt auis fulca:alte clamans et belociffime bo= lat.et quado ambulat fup terra cauda eius femp tremit. e ideo dicit tremulus et pabet lupia caputeius longuas plumas. Et no elt parua auis longua habens cauda que a medicis bocat cauda tremula. Ditima auis eft amarel Ins. et etia eft auis limiliter exiftens in aquis limilis ane te led ea minoz. Et generaliter loquedo inter aues come= ftibiles plus laudantille que bolatu belociores fut. Et fi cut carnes poictan auin int laudabilis nutrimenti et facilis digeftionis. ita etia reperiunt carnes aliquaz auium illandabilis nutrimeti difficilis digeltionis tinequalis co plerionis: ficut lut carnes ancerum et pauonum amalar dozum + bniuerfaliter auiu habentiu collu longu et roftru longu degentiu in aquis. : carnes pallen que lut calidili= me et a teperamento longillime et multu excitantes cop tum. Circa electione bero carnis bolatiliu fciendus eft ip from divertas laudabilionis nutrimeti pprietates acei

quod nutrit canitatis vel roboris intentione carnes lau= datur barie, onde galienus respiciens facile alteratione et lubtilitatem in carnib pardica pfert ealdem.ralis bero cu plaac respiciens Cubtilitatem farne ac leuitate ipam ce teris ptulit.plaac etia loom diverlas intentiones carnes bolatilia laudauit dinerlag. Aucena bero laudauit car= nes turtuz pre ceteris. Del quia respezit ad pprietate qua robozant et cofoztant intellectu. Del quia in terris eigelt ipan tanta bonitas que no elt in aliis terris. Scienou elt infup o carnes volatilia plus couenunt o carnes goru= pedum his qui relicto exercitio corporali bacant confifis Audis et cotemplationib quia digerunt facilius aliis. Jurta illud galieni tercio alimentop. Digettibilior eft th hec caro bolatiliù aialium et maxime pardicu et generat fanguine claru mundu cpirituofu mentis exercitifs tele= uationi intellectus aptum.

Tertus.

Si picces molles funt magno corpore tolle. Si picces duri parui funt plus valituri.

bic ponutur duo accidentia. ex quox noticia attendisture electio piccium. Onde picces aut cunt duri aut molts si molles cunt tunc lensores cunt eligibiliores. Cui? cau ca est ista quia mollicies puenir ex humiditate que in iusuene picce indigesta est. et in sene plus digesta, et cin iusuentute tales picces cunt generatiui fleumatu ced senes minus. Et sic patet panguilla seniox: saniox est iuvene se cundum quoldam. Si dero tales picces cunt duri tunc iuvenes cunt canioxes id est digestivilioxes cuiusmodi sut lucii et parce. duricies enim inquantum huiusmodi resistitudo canonis capitulo de piccibus. dicens. Et eligitur

quide er pilcibus duram carnem habentiba ille qui e mis noz. Gt er habentiba mollem carnem ille qui eft maioz ab terminu aliquem.

Lucius et parca Caraulis et albica teuca. Somus plagicia cum carpa galbio truca.

Comentum. bic tangutur deces pifces eligibiles pro nutrimeto na tute humane. quor pum? eft lucius qui eft piccis notus et diatelle tprannus pilcium.quia no folu deuorat pilces alterius ipeciei. led etia eiulde ipeciei cum eo . bnde berl?. Lucius elt pilcis rer et tpranus aquap. A que non differt luci? ille paru. Elt eni pilcis dure carnis et natatu belor. Secundus eft parca.a parco parcis parcere dicta:per con trariu quia nulli pilci parcit.pmo irata bulnerat alios pi fces fuis fquamis quas habet fupra dorfum.nec eam au= det juadere lucius pmmo bt narrat albertus de nacuris animaliu.eft naturalis amicitia parce et lucii. Iucius eni lefus ab alio difficulter fanatur led lei? querit parca que bidens en lefum tangit et lenit bulnus lucif. et fic lucius lanatur. Et eft parca limiliter pilcis dure carnis not? teu thonice een baers, Tercius pilcis ell laraulis bel laraus lus pilcis marinus apud gallicos dictus cola. Alii dicunt pelt pilcis teuthonice dictus een tonghe, et elt pilcis ml tum lanus inter pifces marinos. Quartus eft albicateu thonice bbitinc, et eft pilcis marinus Quitus eft teuca q eft pilcis dulcis aque notus pellem habens lubrica; atqu vilcolam so nigredine tendens. led eius caro eft dura. bn de ab illis tribus pilcibus qui lut luci? parca et teuca polt eon coctione aufertur pellis. Et dicit ifte pilcis teuthoni ce ptinche. Sertus eft gomus.et eft pifcis mimus mari= nus albus ad quantitate medie partis medii digiti quo

ad longitudine qui comeditur cum capite et Cpinis et di= citur theuthonice een gaernaert . Septimus eft plagicia et elt pilcis marinus notus latus habes in bna parte lue pellis maculas rubeas et pellis elt tota alba curuu os ha= bens teuthonice een pladifs Col. Octauns eft carpa qeft pilcis dulcisaque notus multu tamen de le eft bilcolus (3 a magnatibus decoquitin bino etfic ab eo tolliteins bi Colitas Donus et galbio et eft pilcis marinus notus a quibulda dictus rogetus theuthonice roetbaert a pilcis dure carnis et lanus Elli tertus habet gouio et elt pilcis paruus dulcis aque ad longitudine bnius digiti longi et eftrotondus et luauillimus galice gouion. Dleimus elt truta que elt in carne limilis Calmoni nec th eft Calmo et eft longus et no grollus. Et capit i magnis fluuiis + per mittitle fricari in aqua et lic capit et ex eo fiut paltilla cu Spebz et eft pilcis balde pciolus galice trutes. Circa electio nem bero pilciu lciendum elt primo op pilces respectu car niu ceteris paribus minozis funt nutrimeti et facilis dige Ctionis et nutrimenta eon est pluria Cuperfluitata et fleu maticum et frigioù et humioù et minus mantiuu. St lut ad digerendu duri et longa faciunt moză in fromacho. St quia in con digettione laborat fromachus et interdu cot= rumpunt in Romacho et qualitate quada fulcipiune pu= tredinale litim generat. Et bt lic to bud dicere carniulau dabiliu nutrimentu melius eft nutrimento piscium. Se= cund Ccienou elt & picces marini funt meliozes in regimi ne Canitatis ceteris paribus piccibus aque dulcis. Comm eni nutrimenta est minus superfluica et nature carnium magis propingum . Sed gr ceteris paribus pilces mari= ni funt duriozif carnis pilcibus aque dulcis ico funt diffi ciliozis digeltionis et recolutionis et pluris nutrimenti et purious, beruelt tamen oin egris magis coferut pifces

aque dulcis propter debilitatem digeftine com. Tercio frienda o in pilabus tam marinis o aque oulcis eligendi. innt quoru caro est alba no biscola seo fragibilis no multu grolla fed lubtilis.non grauis odozis led fuauis. necci te putrefactionis. Ced Cufficientis durationis.no mali co= loris led boni. et quop habitatio no eft i lacubus Ctagnis. necin locis lozdidis necin aquis habetiba malas perbas Et eligedi funt no balde juuenes nec balde magni. t qui funt belocis motus et pauce bilcolitatis. Et l'i lint pilces marini eligendi Cunt qui capti fuerut in fluminibus mut tu diffatibus a mariet hocceteris coditionious bonis cup politis. Item luppolitis predictis coditionib pto pilces funt fquamofiozes tato funt meliozes Gt fimiliter intel ligit de Cpinis quia Cpine multe et louame lignificant pu ritate lubitantie pilcis. Item inter pilces marinos melio res er puriozes funt qui capti et nutriti funt in mari pro= fundiozi et magis agitato ad quod est cursus pluriu flu= nion. Et ergo capti in mari leptentrionali quod magis eft agitatu et magis tempeltuolum et velocionis fluxus et reflurus meliozes funt captis in mari mortuo bel me= ridionali . Et Cimiliter intelligendu eft de piscibus dulcis. aque. Dam ceteris paribus oto aqua elt profundior a mo bilioz tato pilcis i ea nutrit' & melioz. Et ex bis lufficient eligi wtelt q pices für vitupabiles i q laudabilel pices ei beltiales licut porcus marinus canis marinus delphin ct moma no multu copetunt in Canitatis regimine. Sunt eni difficilis digeftionis et groffi humozis et multe fuper fluitatis nec in carnibus predictor pisciu apparent coditi ones Cuperius numerate puta albedo Cubtilitas ac. Gt (i hos picces et colimiles comedi cotingat no fratim lunt co quendi er comedendi polto capti funt led obleruadi fun & per aliquos dies quoulos com carnes molecant er tre=

melcant line lubitatie corruptione. Et etia predicti pilces meliozes lunt lemilala orccetes aut perfecte lala. Inter alios aute pilces marinos colideratis conditionibus fupradictis laudabiliores bident rogetus et gornatus fine gornus. nam con caro et lubftatia eft puriffima. Et pott hoc plagicia et fola led hop caro eft magis bilcola et minus frangibilis et minus alba et magis grolla et minus fubtilis nec hor lapor aut odor eft ita delectabilis. Et for te pilcis merlengus eft laudabilios polt rogetus. fon eft eni tante grofficiei et biscolitatis ficut plagicia et fola et eius lubstantia eit latis fragibilis: led consideratis lapore et odore enm colore et lubstantie puritate et mobilitate deficit in bonitate a rogeto et goznato:et limilitet iteligat de allece. Et mozua inuenis latis appropinquat predictis in bonitate confideratis predictis conditionibus eft tamé groffiozet bilcolioz predictis pilcibus. Salmones aute et turboti et maquerelli multum deficiunt in bonitate funt enim multu grolliozes et bilcoliozes et ad digerendu diffi ciliozes et magis superfluitate pleni bnoe copetut nili ex ercitantibus fortibus innenibus cum quibuloa falfiseo tu bilcoutati grodiciei et frigivitari repugnantibus. In ter pilces aute dulcis aque colideratis predictis coditioni bus percha et lucius mediocris primu gradu bonitatis obtinent supposito of lint pingues deinde bendosia et de inde lopia. Et quauis carpa lit Cquamolioz predictis ta= men non habet carnem adeo albam et fraugibilem et Cubeilem licut lucius et parcha et Cepius reperitur in fag nis. Et bniverfaliter ceteris paribus meliozes funt pifces bulcis aquequi capiuntur in aqua petrola currente berfus leptentrionem profuoa multe agitationis ad quam non confluent Cordicies ciuitatum in qua etiam no funt berbe male. Cancri autem fluuiales et marini multi funt

e u

nutrimenti et no facile in komacho corrumpunt. verum funt disticilis digestionis. Sciendu est insuper oppisces re centes corpus humectant et lacet sperma multiplicant et multu copetut colericis. Et no sunt comedendi pisces post force exercitiu vel forte labore quia tunc de facili in stoma cho corrumpunt. Et caueant ab viu pisciu habentes stomachu debilem vel malis humoribus plenum. Amplius sciendu oppisces grosi semisals meliores sunt oprecentes pisces. Et saliti multi teporis no sunt boni. Item no sunt comedendi pisces et carnes simul nec pisces et lacticin ia nec sunt comededi pisces post alsos cibos. Item pisces lan dabiles paru saliti et in pauca quantitate sumpti reuo e cant appetitu et iom corroborant si quis habuerit appetitu ad eos

Docibus anguille praue fune li comedant Dui philicam no ignorant hec testificant Calcus anguilla nimis obtunt li comedant of tu lepe bibas et rebibendo bibas

Isic auctor subdit q anguilla est piscis insanus maxima nocens vocibus et hoc probat sermone medicox et naturalem philosophia studentiu. Et ratio est quanguilla est piscis simolus viscosus et maxime opilatiuus et multu desicit a coditionis? voni piscis prius narratis in pte precedenti. Et qò dictu est de anguilla etiá intelligendu est de lampreda licet samprede parue saudabiliores sunt anguil set minus persculose cum non sint tante viscositatis et grossici sicut anguille vi patet ad sensum. Vonde salua re uerentia vientiú isti pisces sunt valve periculosi quis ori sint saporosi. Horum eni pisciú in aqua similis est generatio generationi serpentu in terrat

eft o no fint benenoli bnoe eop capità a cauda in quibus benenű confueurt elle et fimiliter interioz (pina nullo mo do funt edenda. Bonum eft etiam propter earu biscolita tem plubmergantur in bino optimo biue a dimittatur ibidem quoulen mortue fint et deinde preparentur cum galetina optimarum (pecierum lecumdu p coci magno sum dominorus facere conlueucrunt. Bonneft tamen @ prebuliantur pri mo duabus ebulitionibus i bino taqua et illa abiecta decoquantur.ad pfectione et fiat galentina bel paftillatura bel affatura cu falfameto appropuato bi Belicet cu Calla biridi cu fortibus (peciebus et bino in hpe= me:et cum debilibus (peciebus et agrefta et aceto in effate Comodolius thelt manerie huiulmodi pilciū dimittere. Deinde aubdit textus o caleus et anquilla multu nocent fi comepantur et iltud intelligendű eft fi in magna quari tate fumătur quoz caule dicte funt de caleo ibi. perficca mma. Et de anguilla nunc dicta eft caula. poftea dicit ter tus of ila lumant cum frequenti potatioe bini malicia eon corrigitur Et illud no debet intelligi de vino lubtili et penetratiuo nec & bino quod datur bia potus coductiui quia tale nó debet dari Cuper cibu generativu mali humo ris quando comedit necante iplum nec polto fuerit dige, Rus be bult auccenna tercia primi ca. de regimine aque et bini.quia tale binu magnu nocumentu inducer et:pene= trace eni faceret humoze malu ex hoc cibo genitu blog ad extrema corporis qui forte no lufficeret penetrare line bi= ni auxilio et conductu. Sed intelligendu eft iftud de bino forti no multu penetratiuo lepe et in parua quatitate da to gratia permixtionis cibor. Tale eni corrigit maliciam cibox:contortat digeftione et digerit fleumaticos humo res et frigidos quare inuat ad digeftione cafei et anguille que male digeffionis funt.

f tii

(Textus. Inter prandendum lit lepe parug bibendum Si lumas ouum molle lit atgr nouum

Comentum

Thic auctor tangit duo documenta quor primu estoco medens in prandio bel cena debet bicillim comedere et bi bere multiplicando bices bibitionis led pro qualibet bi= ce parum potus fumere. Et facere no debet queadmodus bruta que totu cibu capiunt et postea bibut ar si potus me lius cibo permilcetet cibus exinde reddit remolitus et di= gestionis capacioz. Et circa istud est sciendu o tripler e po tus les pmirtiuus delatiuus e litis ledatiuus. Ifud aute 90 dictueft intelligendue de potu pmixtiuo cibor. The ei potus debet bicillim recipi cu cibo. Et laluo melion iudi= cio no debet ife potus differri bla ad fine comeftiois nec abet erpectari litis. Et ifte mt? maxie copetit gn lumun tur cibaria actualiter licca bel birtualiter licut patet i lato rantibue comedetibus pane liccu. Sed potus litis ledati uus regularitet in hominibus bn dispolitis debet differri big ad fine comelliois tunc enielt bera litis poter ellu atione cibi calidi a licci. po eni multu rationabile elt q li= mul braeat litis + fames qu'unt appetitus cotrarion. Et Debet ifte por9 dari fcom plus et minus fcom o maior bel mino: eft litis potus bero delatinus maxie copetit cople ta prima digeftioe regulariter i paru ante hora fuscipiedi aliū cibū Cequete. St talis pot? Coecialit copetit gn cibaria primitus lumpta fuerit groda i lubitatia nec debet expe= ctari litis ad tale potu luccipiendu. pa talis weus pparat ftomachu ad luscipiendu cibu lequete et inuat traitu cibi ad cpar a ftomacho nec debet talis potus elle magne qua titatis bt cito willt digeri. Ante eni eius digeftione no tra lit ad epar. Et iliud bern elt nili talis potus delatinus fu.

erit aqua i qua no opoztet expectare digeftione ante pene tratione eins ad epar. Begulariter aut potus coueniens delatiuus aut etia pmirtiuus no debet elle aqua led binu bel aliquid proccionabile bino:puta ceruilia belcerala riu bel pomeriu bel melliciatu bel aliquod umile quibus oibus bing eft melius. Scienou lcoo o oto cibus eft grol Cios et Ciccios et frigidios, tanto potus pmirtiuus et delati uus debet elle major et ecouerlo. quato cibus elt calidior Subtilioz et humidioz tanto potus delatique et pmixtiu9 Debet elle minoz. Et quato cibus elt grolliozet frigidioz & Digeftiont inobedietioz.tanto binu pmirtiuu bel delatiuu debet elle lubtilius et fortius. Et oto cibus eft lubtilioz ca lidioz et digettibilioz potus debet elle debilioz bel binti de bilius ba fortius binu bibedu eft cu carnib buinis o pul linis et fortius bibeou e cu pilcib & cu carnibus regularit Scom documetuelt a lumes oun debet iplu lumere gn eft molle et noun cuius caufa dicta eft fupra.

(Textus

pilam laudare decreuimus ac reprobare pellibus ablatis est bona pila latis Est inflatiua cum pellibus at mociua (Comentum.

(hic ponit dum notabile de pilis et elt op pila aliquomodo laudant et aliquomodo dituperant. Laudant eni quando comeduntur ablatis cortícibus. Dituperat dero quado comedunt cu cortícibus et pellibus qu tunc lunt in flatina. Et ergo no est artificiale ea comere limul cu cortí ce quia medularum et cortícum nature discordant. Alteru enim laborat de soluat et exeat. Alteru obuiat ut constrin gat de dicit plaacin dietis dus ersalibus quare in corpore fit motus agitatiuus inducens tortura et inflationem Et istud nedu deritate pabet de piss deru etia de omnibus leguminibus sicut fabis faceolis lentid et similibus

f mi

Et (pecialiter de habentib9 multu cortice licut fabe a cice= ra nigra. Corter etia in oibus eft peioris nutrimeti & me= dulla. Et circa iftud eft Cciendu o eft bna maneries piloz. albor rotundon habentiu cortice exteriore baloe paucum et lubtile et ista pila lecuri pollunt comedi cu cortice & a. lia. Buis melius lit o depurent a cortice. Et qa dictu pce= dens beritate habet de oibus leguminib9. Scienduell & legumia recetia min? habent de cortice: ¿in eis minor di= uerlitas e iter cortice et medulla et facilius digerunt, et in deo dicut aliqui q magis copetut corporib; lanis. led non elt ita da legumia recentia fut plimaz fupt luitatu et coz= ruptibilioris lubitatie. gre minus couenint corporibus Ca nis. St ideo pro beritate tenendu elt q leg umia licca de pilata a cortice extiori fut faniora & recetia no depilata. Ca biridia für fanioza ficcis no depilatis. Scienon biti us o quoium leguminu lubitatia elt inflatiua et difficilis dice Stiois et eon nutrimentu malu no copetit in regimie Cani tatis. led brodiu liue decoctio ipop couenies eft. queop de coctio betris el lubouctiua id el laratiua brine puocati ua + benan deopilatina. Onde latis couenit epibs in qui= bus hoics brunt abis grollis et opilatiuis, puta tpe feju nion. In ifto eni brodio fiue in ifta decoctione couenieter facta no funt nocumenta que funt in substaria. On in ca no eft inflatio:nec difficultas nutritiois + digeftionis nec malicia nutumēti. fit aute illa decoctio per illu modu.in Cero eni ponunt cicera bel pila in aqua ferueti.et in cabes longo tpe manib cofricant deinde poicta aqua tota noc= te temperet'et in cade leguti nocte bulliat buab? bel triba bullitionibus. ce pollea coleturer cola cura referuetur, et appropiquante hora refectionis pparetur cu cpnamomo et croco et aliquantulu binu addatur. et beinde bnico fer uore bulliat et Coumet in pricipio refectiois . Et brodium_

leu pureta cicep et pilop rotundop albop elt melius i couenientius et nature amicabili?. Et limilit eop lubitatia A Textus.

Lac ethicis lanum capzinu polt camelinu. Ac nutritiuu. plus omibus elt azininu. plus nutritiuu baccinum lit et ouinum. Si febriat caput et doleat no elt bene lanum. Comentum.

1 bic ponutur queda documenta circa electionem lactis. primu elt q lac caprinu elt fanu ethicis.i.columptii + ma ceratis bel habentib? febrem ethica. Et iftud bult aufcen na scoo canonis ca, de lacte dicens lac capinu et lac azini= nu funt bona ethice. St idem bult prima quarti tractatu tercio ca de rememoratioe medicinaz humectantiu ethi= cog. Et ro etia elt quia lac caprinu elt tempera tu lom a= nic. Ccoo canonis ca. de lacte. et etia multi nutrimenti. bt bult hic textus. Et poft iftud lac balet camelinu. Ilto eni fubtile elt multe aquolitatis + humiditatis. gre potelt hu mectarecos. Deru eft tamen piltud lac poter fua nimiaz humiditate parunutrit.quare min eis couenit & capri= nu. Altud th lac camelay et marie nouiter fecan cofert p= propifi balde et patientib? dolorem in epate. et renouat epar fcom auicennafcoo canois ca. de lacte. Scom docu= mentu elt p lac azininu plus cetis lactiba ethicis couenit. Stift berüelt coparando lac azininu ad lac alion beuto ru. or lac azine declinat ad frigiditate a buiditatez.et e fub tilius et citius penetras et tarois coagulabile & lacalion bruton. Scom galienu leptio de ingenio ca leptimo. Et iftud ide bult auicena prima quarri loco pallegato dices Et no eft lac poft lac mulieris Geut lac azine. Et prius di= cit. St pone lac azine eradicat ethicam fi fuerit ei eradica tor. Comparado tamen lacazine ad lac mulieris minus

couenit. Laceni mulicris luggendo lumptu couenictius eft oibug. be bult auicenna puma grti.loco pallegato. Et to e ga lac humanu liue muliebre lubtilius eft frigidius : humidi9 et nature huane magis amile belou9 penetras cicus digeftuet magis nutries. Et bebet illud lac bandu ethicis quantu pollibile elt mulgeri magis ppe lectuiffr mieter prinus line mora admiurari ne ab acre corrupat Et circa iftud leiendu elt o no lemper couenit ethicis lac mulieris aut azine.pmmo in aligbus calibus lac acctolu liue ebutiratuelt brilius ethicis & lac mulieris aut azine. quon primus eft que cipica eft folutio betris. Secudus eft quado eft Culpicio de coagulatioe lactis in ftomacho bt de ardore behemeti febris. bel quia ftomachus de le eft co lericus bt lacin colera couertat. Zercius eft gn cuethica coplicatur putrida pcip ue qu'in iteriorib? no fuerint mul te opilatioes.na lac acetolu reftringit bentre et no facili= ter colerizat quia prinatu eft butirolitate per qua faciliter lac inflamatur.necin putriba febre cito putrefit propter eanoe caula. Duartus eft a ftomaci? fuerit Cordidus, tuc eni lac facile in eo corrupitur. Quitus li ethicus abhomi= net lac dulce et integruet no acetolu liue ebutiratu. Ter ciú documentú est q lac baccinú et ouinú sunt magis nu tritiua da pinguioza et groffioza funt aliis. De dicit auic. Coo canois ca. de lacte. Et ibide de lacte baccino dicit. Lac omis aialis cuius pregnatio plixior eli pregnatione mu= lieris zft malu.quapropt ppozcionabile eft illud qo eft pro rimu licut baccinu. Balis bero tercio almaloris ca de lac te dicit, baccinu eni lacomi lacte cuiullibet aialis alteri? grollius iudicat quod etia offibus lui corporis pinguedi ne acipilci bolentibs couenientius exilit. Quartu documentu eft plac nocet habenti febrem et dolozem capitis. Cuius caula dicta elt lupra ibi. perlica poma pira.

Extus.

Lenit et humectat foluit fine,febre butirum.

f bic autor ponit pprietates butiri quas im inducit in corpore humano. prima eft o butiru lenit bentrem liue mollificat atog lubrificat hanc proprietatem facit lua bnc tuolitate. Scha proprietas eft q butiru humectatiun qa ermelionby partiby lactis compolituelt:et ita libi conue= nit humectare licut et ipi lacti a quo extrabitur. Tercia ? o foluit bentrem i. prouocatiun fecellus. thoc facit quia lubricitate inducit in iteltinis. Et iltas proprietates eius etia ponit auicena sco canonis ca, de butiro. Et inducit butituiftas tres proprietates in corpore non febricitante. A sciuu tamen eft corpori febrienti. quia butiru fola bnc= tuofitate de facili inflamatur et in febriente calozem aug mentat Circa iltud lciendu o licet butirum inducat poic= tas proprietates, rone tame nimie que humiditatis i buc tuolitatis non competit bia cibi (pecialiter in otitate no tabili. primo eni fi quis eo bratur in quantitate notabili abhominatione inducit:et facit cibum Cupernatare in ozi ficio Romachi et bentrem plus debito larat et bomitum inducit. Pullo ergo modo butiruz est comedendu bia cibi in quantitate notabili et specialiter no comedatur polta lios cibos. Ced ad condimenta cibarion Catis conuenit.

Wertus.

Inciditate lauat penetrat mudat quog Cep.

Comentum.

Dic ponutur quatuoz proprietates leri.id e aque lactis quan prima elt querum elt inciliuu liue lubtiliatiuu. Se cunda elt quelt lauatiuu.i. ablterliuu. Tercia elt quelt pene tratiuu. et ilta lequit ex prima. Quarta eq leru e mundi

ficatium.i. Colutium fine purgatium. Et tres illan proprie tatu narrat aufcena lodo canonis ca de lacte dices quan erus Collicet lactis est lubtiliatiua lauatiua et Colutiua i in ip fa no est mordicatio. Balis vero tercio alinansoris dicit que crum coletaz rubea expellit scabei quogratge pustulis necnon eis pustulis que in facie nascunt petercic etia argi es cui fortis dini potus nocuit auxiliu prebet.

Æextus Caleus elt frigidus. Aipans: grollus quog durus Caleus et panis bonus elt cibus hic benetanis Si no lunt tam tunc hunc no lungito paní

(Comentu (In hoc textu autor ouo facit.primo ponit quatuor pre prietates calei quap prima elt o caleus elt frigious.i.tri= gide nature. Et illud intelligendu eft de cale o recenti d'eft frigious et humidus et no de beteri q eft calious et liccus be bult aucena ledo canois ca. de caleo. bel potelt intelligi de caleo of fit ex Cola coagulatoe lactis abig alicuius alte= rius rei comixtioe. Beperit eni calcus calide nature calefa ciens fromachu ac lingua mordicans ex comirtione reru li bi aomirtar licut elt aliquis caleus biridis d'li in magna quatitate lumat multum calefacit corpus. Scha proprie tas elt o caleus elt flipas.i.coffipatiuns line durubentre efficiens. Et iltud maxime habet beritate de beteri a mul tu coagulu habete. Tercia elt o caleus e grollus.i. grolli humous generatiuus qo beritate habet de omnicaleo qu ois caleus ex grollioni et terreftrion parte lactisfit Quar ta eft gcaleus e durus. 1. duricie bentris efficiens. Et illa poteit elle eade cu lcda. Demde dicit textus o caleus quis Colus luptus fit infanus er quo male digeftionis e bi poi ctuelt th (i i modica quatitate milceat pani cuipo pane di geftibilis fit salias no. Et iftud beritate bai corpore fano

Textus.

Ignari medici me dicunt elle nociuum. Sed tamen ignozant cur nocumenta feram. Languenti Romacho caleus addit opem. Si post lumatur terminat ille dapes. Qui philicam no ignozant hec teltificantur.

d Comentum. In hoc pallu autor tingit perlona loquentes in specie calei cotradicetes blum calei elle inlanu. Et dicit loques in persona casei. Ignari medici id est medicina ignoran= tes dicunt me caleum elle nociuu lupple bniverfaliter ig nozat caula cur humane nature nocere dicoz. Et polt hoc tangit auto: duas btilitates lumptionis calei. primabti litas eft o caleus confert egrotati ftomacho. Et circa ifto elt notandu o non omis caleus confert opez omi ftoma= cho languenti. led in certis calibus omis caleus nocet cili cet ftomacho rare texture:et omni ftomacho debilitato ex longa egritudine Sed caleus recens et nouus nó mul= te vilcolitatis opem cofert Romacho calido, quia tefte ra li tercio alinalozis adultione et caliditatem eius reprimit St ftomacho etia Cicco cofert ppter eius humiditate. Et talibus fromachis multu nocet caleus antique fiue mul= tu acutus bel multu coagutu habens. Sed ftomacho ha= benti multa fleumata eius pelliculis abberentia multu cofert calcus antique bel multu coaguli habens. quia ta lis lui acuitate fleuma incivit et abstergit Sed tali fto= macho marie nocet cafeus recens et mollis. Et lic patet p in aliquo cafu cafeus femp nocet et in aliquo no. + pali quando caleus recens prodeft et aliquado betus. Secun da btilitas elt o caceus cuptus post cibum termiat iplus

ga facit cibu descedere ad illu locuin quo diget digestio sci licet ad fundu stomachi. Et istud totu sciunt q dera sciam medicine habet. Et de caseo acuto dicit rasis tercio alină-sozis. Deruntă cu post comestione parua ex eo gustar quâ titas os stomachi corroborat: catietate quog nimiă atgrastidiu que ex duschez donctuosis nutrietib in ore stoma chi pueniunt aufert.

Inter prandendu sit sepe parumge bibendu.
Det minus egrotes non inter fercula potes.

bic ponit duo documeta quop primu elt q pradendo.i. comededo aligs debet vicilim policivu lumptu paruet tepe bibere, ita q nó debet primo totu cibu lumptu paruet ea potu. Et iltu verlu primu aliqui nó habet quia reuera ide verlus in forma prius expolitus elt. Scóm documen tu e q inter duas comedióes ticut prandiu i cenà debem pro polle potu euitare et hoc li cibus luptus in stomacho mondu fuerit digello nuli magna necellitas allit, quia ta lis potus lumpio ipedit et interrupit digestione cibi prio lumpti cibu facit indigestu de stomacho delcedere atq ap petitu deicit circa cibu in cena lumendu et corpo grauat et ad dispolicione in qua homo necellano necellitas al inci nat siue ad dispositione puenientem febrem.

be bites penam de potibus incipe cenam.

bic autor inuit q cena debet icipi a potu. Et aliqui exponut metru illud. Si tu bis ditare pena id elt infirmita te:pil? potes in pucipio cene atio comedas, led illa expono dalet da lod medicos regulari? elt a cibo cena icipe re o a potu. Et quis ille liber direct? lit aglicis. ipi in hac lententia no oblet uat da regularit qui potuz

fumunt pponunt morfu panis. Joeo aliter poteft exponi verlus ifte accipicoo porú pro cibo liquido et facile digefti bili. licut accepit ppocras potú leda particula aphozismo= ru ibi. facile e repleri potu & cibo. ita p lenlus ilti? verl? Cit o melius eft cena icipere a potu.i.cibo líquido et facile digeftibili pa groffo et ouro et difficile digeftibili. Cuius ratio eft da li cib9 liquid9 et facile digeftibilis polt lumat cu in nocte Cupueniete foreificet calor digeffinus cibus li= quidus et facile digeftibilis longo tpe erit digeftus ante groffum et difficulter digeftibile. Et cu no poterit habere exitu poter cibu grodu nondu digeftu nimis aduret bel Ci ereat groffum lecu rapiet cibu nondu digettu plene. @e lius eft ergo bt ifte cibus ligous et facile bigeftbilis pil? Cumatur bt tpe quo digedtus Cit exitu habeat nullo repug nante. Textus. 4-

Singula polt oua pocula fume noua? Polt pices nur üt:polt carnes caleus allit. Onica nur prodelt:nocet altera:tercia mors elt.

Comentum.

Dic autor ponit aliqua docume ta. primu est op poliuptione cuiullibet oui recentis supple et mollis debemo sumere potum. Et maxime haustum dini. Cuius causa potest este quo ouu recens e molle è optimi nutrimeti e facilis digesticis. e de his q in modica optitate mitu nutriut e pcipue ei ditello. di actue prius ibi. Qua recentia. Sic ergo dinu que amicu nature facit op ouu auio ad medica trahit et ad ei penetratione iunat. Et causa alia etia potest este este quo ouu tarde p merpoescedit, poto ergo del dinui iunat er descensu. Scom documetu è op pocessione pisci um debemus sumere nuces loco casei quia nux sua siccita te impedit generationem tleumatis que generari solet ex piscib. Et hincè of in quadragesima detimo dant nuces

Terciu documentu eft o polt comeltione carnin debem? fumere calcum:et non nuces quia nuces nimia exficcarêt et caleus non led facit cibu descendere ad fundum foma chi, in quo biget digettio. Et illud eft beru de caleo medio cri inter beterem et nouum. Deinde lubdit textus in blti mo berlu & bnica nur leil; nur mulcata prodeft nature humane et pficua elt quia bonu odozem ozis efficit bilu confortat.et limiliter epar Cplene et ftomachu et maxime os eius ledm Auie. ledo canonis ca. de nuce mulcata. 53 altera nur feil; auellana bel cois nocet. Auellana quidem offinflativa eft et generativa bentolitatu in bentre infe riozi.et facit zoda et tarde elt digeftionis a excitat bomitu bt habet auicena lecundo canonis ca de ea. Que bero co= munis, quia etia facit 300a : difficilis eft digeftionis : ma la ftomacho et hoc calido poter eius caliditate. Sed ter= cia nur lcilicet nur balifte eft mors.i.mortem inferens da per baliftam homies interficiutur, bel potelt iftud intelli gi de nuce mechel que icom auicenna ico canonis elt be nenu ftupefactiun quare mortifera eft. 4

Wertus.

Adde potum piro:nux est medicina beneno. Fert pira nra pirus:line bino lunt pira birus. Si pira lunt birus:lit maledicta pirus. Si coquas antidotă pira lunt led cruda benenă. Cruda grauat stomachă releuat pira cocta grauatum. Dost pira da potă post pomă dade fecatum.

Comentum.

In primo berlu autor dat bnu documentu. dicens quos debemus polt elum piroz lumere potum lcilicet binum Tuius caula lufficièter dicta est prius quia pira sut generatiua bentolitatis et de pprietate colicam inducen tia et languine aquolitate replentia, et ergo cu eis debet

potari binu et marime forte et calidu quod eft bentolita= tũ carminatiuũ et aquolitatũ confumptinum quas indu cunt pira . Scho dicit textus q nureft medicina beneno id elt remedia cotra benena bt piius dictum elt ibi. Allea nurruta. Deinde in ledo et tercio berlibus innuit & pira fumpta fine bino funt benena i nature nocentia propter caulam dictă in primo berlu. Deru elt ta o pira no lut bi= rus.i. benenu timpliciter qu'li fic comeltio con morte indu ceret, St pirus ea witans ellet maledicta. Deinde in quar to berlu autor innuit o pira cruda funt benenű.i. nocu= mentu inferentia quia faciunt ebullitione humor colicas fleumata et scabiem li th ipla coquant fut antidotuid elt medicina modo quo dictueft lez cu bino et maxime etiam polt alios cibos lumpta quic innant ad expulliones fecu Deinde in quinto berlu dicit o pira cruda grauat ftoma chu quia ipm ipedint a digestione et inflativa funt: sed pi ra cocta releuat Romachu grauatu et dilponut iplum ad lua naturalitate. Et in bltimo berlu lubdit duo. primu eft o nos debennus post pira fumere pota propter cam di cta prius. Scomelt o polfelum pomi debemus ire feca= tum i.ad fecellum. Et fcom auicenna fecudo canonis ca. de pomis. poma dulcia er acetola quado in fromacho iue niunt humore grollum quadors deponut ipm in egeltio ne. Batio th tertus poteftelle quia poma multu inflati= ua funt bentolitate generatia que in lecellu emittie.

Textus Terala li comedas tibi cofert grādia dona Expurgant Comachü: nucleus lapidem tibi tollit Et de carne lua languis erites bonus Comentu

bic ponunt tria comoda prouenientia er blu ceralop. Dimuelt querala expurgat flomachu. Etifud lecundu

1g i

quolda berű elt ghlimul cű eis nuclei terunt quliclimut habent quanda bim absterliua ac mundificativa. Scom elt q nucleus ceralop. f. arillus habet birtute frageoi lapi dem renu bel befice fi ficcus fumat bel er co fiat lac. Ter ciù est o caro ceraso pel generativa optimi faguinis eco fortans ac impinguans Et illud experimento coprobat quia videmus palleres qui lunt aues multu comedetes cerala o tpe ceralop habet epata multu maioza o alio tpe lignuergo eft magnificat epar et cofortant. Circa iftud tamen elt notandu o duplicia funt cerafa fcz groffa et par va Groffa aute adhuc duplicia fcz oulcia et pontica. Dia dulcia et parua funt infana de facili corruptibilia ac i coz= poribue facientia bermes. Grolla pontica dicunt cina et illa funt adhuc duplicia: que da funt rubea a mollis carnis et talia debent recentia comedi et in principio menle et ha bene bim absterlina stomachi ator appetitu incitadi. Alia funt cina nigra et grolla latie dure carnis et inter cetera marime pontica et ilta debent come di in fine pradii liue cene. Quius caula elt quilla lua ponticitate ofi in fine me le lumunt claudunt orificia fromachi quo claufo digettio meliozac belocioz fit.

Infrigidant.laxant.multű profunt tibi pruna
Commentum

Bic ponunt due btilitates prouenietes ex elu prunox porma elt o pruna infrigidant corpus et ideo porte galen les in calida regione existetes i decoctide suax carniú semper cómiscet pruna e maxime damascena. Scha est oppuna laxant bentre et hoc est propter eox humiditate et bisscolitate schm Galienu scho alimentox. Et istud est beru da priunis maturis. In crudis eni q no sut matura est sipticitas et eox nutrimentu est paucu bt dicit auicenna scho canonis ca. de eis. Et ista scho btilitas licet etia multu co

neniat prunis damalcenis licut et primă maxime tă coue nit prunis armenis.i.deportatis er terra armenia que= liozafunt omnib9 + behemetius Coluetia Com auice.loco pre allegato. St p maiori aclaratoe ilap btilitatu Ciedu eft & pruna matura funt i blu et no imatura, pruna aut magis nature couenietia lut illa q lunt figure obloge ha= bentia carne pauca et dura ad aliquale liccitate declinatia et cortice exteriore tenue et debet elle in lapore no bere dul cedinis led debet elle eon dulcedo attinens alicui acredini et huiulmodi lunt pruna damaltena:talia eni pruna ifri gioant bt dictu eft. Sunt aute multe alle maneries pru= nop quor blus no eft approbandus. Sunt etia quedam prunella lilueftria parua q crefcut in Gluis et no Cunt laxa tiua fed bentris reftrictiua eter his fit aqua q bentris re Brictione facit. Debent aute pruna q lumant propter be tris laracione primo poni in aqua frigioa tunc eni perfectius infrigioat et humectat et colera qua inueniut lubil cando foluunt et lic Romachus melius disponit ad cibus recipiendu. Et eft diligenter notandu ppuna humida re centia funt magis alteratina quis fint peioris nutrimen tí et pluriú superfluitatú: sed pruna sicca magis cofortat et melius nutrimetu dant corpori. Et licut dictu eft de pru nis lic luo modo intelligat de ceralis: beru tamen elt o ce ralop humiditas eft lubrilion et minus bilcofa: bude mi= nus nutriunt & pruna. 0

Derlica cu multo vodis datur ordine iulto.
Sumere lic elt mos nucibus lociando racemos
pallula non lpleni tulli valet elt vona remi
Commentum

In ilto pallu trià ponunt documeta. primu elt op multum elt bibenoù cu perucis: del peruca comededa funt cu multo. Caula prie part is elt qu multu e multu calefactiuu

g it

et ebullitioue faciens in corpore noffro.hancaute ebulitio ne et calefactione probibent perfica lua frigiditate. Caula Cecunde partis elt que perlica lunt multu frigida et corpus multu infrigidantia ergo luperipla debet bibi illud binu quod plus calefacit illud aute elt multu quod lcit experie= tia. Et de ordine comedendi perlica et multis aliis dictum eft prius ibi. perlica poma pira. Scom documentu elt o racemi debent comed i qui comedunt nuces et maxime an tique'et ficce. recentes eni nuces fane funt per le: Sed an= tique licce nimit exliccant et propter eap buctuolitate de facili inflamatione in corpore inducunt quare cu eis come di debentiracemi qui reliftunt inflamationi et exficcationi cum humectent. St de nucibus ample dictuelt ibi. Allea nut ruta. Werciú documetú e o pallula.i. bua palla nocet Ipleni quia inducit opilatione cius. Sed bua palla btilis eft rembus quia ex quo ipla eft brine prouocatina ipla eft lauatina renu.ex multa eni aquolitate ad renes oucta ip li renes mudificat. Et de buis pallis fine pallulis etia di ctum eft Cupza ibi. Qutrit et impinquat. A # Textus

Scrofa tumo: glandes ficus cataplalmate cedit Junge pa pauer ei confracta fozis tenet olla Commentum

Dic vonunt due villitates prouenientes ex emplastratione ficui. Prima est of ficus decocte in aliquo liquore di delicet in aqua et tunc supposite cum humiditate curant istas tres egritudines scilicet scrofulas glandes et tumores. Per scrofulas inteligit inflatiões sub mento circa col lum. Et dicit icrofula a scrossa quod idem est quod sus sizue porça del quia ista egritudo multu accidit porcis, poter gulositate cop del quia eius figura scom plurimu assimu latur porcis de bult auicenna tercia quarti tractatu scoca. de scrophulis. Per glandes dero intelligunt apostema.

ta que coiter folent accidere sub ascellis et in inquinibus. Et per tumoze pollunt intelligi inflatoes in qualibet par te corporis bonde pro iffis apoftematibus curadis et ma= rime maturadis debet decoqui ficus in aqua et ipi aq de= bet comisceri modică aceti bi acetă junet penetrationem birtutis ficus et decoctioe facta ficus debet teri in morta rio et deide milcericu modica aqua cu qua bullite lut: bu cathaplasma proprie est medicina facta er aliqua re et luc co eius. Jurta illud metru Tuc cathaplalma facis cu luc= cu ponis er herba. Scha btilitas ell o ficus cu papauere cathaplalmate retinent offa fracta et debent decoqui in li mul cu aqua ables appolitioe aceti et debent limul teri et addieis aqua decoctionis eap et tunc luperponi. Et cau= la illins potelt elle quia papauer elt ftupefactinu et per il luo rollit dolor qui accidere Colet in fractione o Tium et p= uocat Cominificus Cimiliter facit mourri bumiditates ad exterioza quibus humiditatibo ad offa motis offa poffut retinere ad na centia nund tamen bere coffnuari Aliqui tamen textus habent loco tenet trabit et tunc lenfus elt melior. Onde papauer elt tripler Crificet album nigru eru beu:ruben aute eft filueftre et benenofum ef crescit in bla Dis et junenes foletterere flozes et facere incauftu et ip= lis floribus 🖎

Textus

pediculos benerem facit led cuilibet obltat

hic ponunt due operatioes ficui. prima elt & ex come fione ficui lequit multitudo pediculo in corpoibus hu manis. Et illud maxime deritate habet de ficubus licus de dicit Auic. Lo canonis ca. de ficubus. Et causa scom eŭ ibi est propter malicia et corruptione humoris genera ti ex eis. Et alia causa etia potest elle qui a ficus prouocat

g iii

multum ludore et quo lequit generatio pediculop. Scoa operatio elt of ficus incitant appetitu coennoi que generat vetolitate quuat ad erectione virge et limiliter lut multaru luperfluitatu et lperma augmentantes.

Multiplicant mictu: bentie bant elcula frictu Escula dura bona sed mollia sunt melioza

Commentum bic ponunt que bilitates elculoz, prima elt o multi plicat mictuliue brina. Quius caula potelt elle quia indu rant feces et lic aquolitas fecu elt caula multitudinis bri ne. Del poteft fumi caula similis illi que fumit ex illo am phozilmo brina nocturna multu facta modicuz lecellum fignificat in die et ecouerlo qui multas habuerit cameras noct urnas de mane habet pauca brina. Quius caula elt quia li multa fiat egellio multu de bumiditate que traure Deberet ad belicam limul cuea exit. Et li brina tiat multa multu de humiditatibus que trafire deberent cu egestioe et ea magnificare cu brina cuacuant. Scha brilitas eft @ escula conflipant bentre ct iftud accidit propter eop pon= ticitate et lipticitate. Er quo infert textus pelcula dura funt bona et hoc quia conftringunt bentre et ergo plunt bentri nimiu larato. Sed mollia efcula funt melioza du ris quia nutriut et minus bentre coltivant. Et crica illud elt lciendu e clcula minus copetunt nutrimeto & poma pira perfica ficus et fimilia go fatis oftenoit aufteritas fa poris con et duricies lubftantie con polifin arbore ma= turata funt et ergo exhis paru debet comedi et magis recipi debent bia medicine & cibi. Et qu birtus eop eft fip= tica balde: latis copetut in fluxu bentris. Et quelcula in arboze no moleccunt mollicie lufficiete ad elum. Joeo an tem comedant remoliant et tunc funt magis delectabilia. gultui et minus fliptica. 0prouocat brina multu cito coluit et inflat
Commentum.

bic ponunt proprietates tres multi quap prima elt o multu puocat brina. Cuius caula elt quia in multo lunt partes terreltres nitrole mordicantes belica cui ad ea benunt et propter eap mordicatione belica citius nitit eas expellere et iplu multu, et ilta propuetas intelligenda est de multis habentibus feces mordicates licut multa pluri ma renenua quia multa habentia feces gro Tas no mordi cintes led magis opilantes impediunt brina licut prius dictu est ibi. Impedit brina. Secunda est q multum cito loluit bel larat bentre propter eadem caulam dicta in pri ma proprietate. Dercia est q est inflatiuu propter ebuliti one qua facit in corpore ex qua proveniunt bentolitates. Et caule istan duaru proprietatu dicte lunt prius ibi. In pedit brina.

Grollos humores nutrit ceruita: vires
prestat: et augmentat carné: generates cruo: é
prouocat brina bentre quog nollit: et inflat
Infrigidat modicum: sed plus desiccat acerú
Infrigidat macerat melác dat sperma minorat

Siccos infeltat neruos et pinguia liccat

In hoctertu autor duo facit. Primo ponitocto propri etares ceruice quarci prima elt p ceruica facitin corpore não geolos hãores. Et istud maxime habet veritaté re pe ctu vini et diuerlificat ceruica i generado grollos hãores ex parte suos coponetis. A i ceruica ex grollori subitátia grollores hãores generat ex minus grollo minus grollos. So da elt p ceruica augmetat vires. Ocultud é intelligeou de cecuica ex optimis granis copolita et q plarime decoccióis é cumimo di est ceruica de frencia. Ita eni mus

52

) g ini

tunutritiua eft sergo bires augmentat. Dercia eft o augmentat carne. Et iftue puenit ppter multa eius nutriti one. Quarta eft o multiplicat languine cadem de caula, Et ifte tres bltime prierates habent beritate de ceruifia antiqua multu decocta et de optimis granis compolita. Quita eft o prouocat brina. Sextae q larat bentrem. Et ifte due prietates maxie habent beritate de ceruifia clara mt u lupulera.i.in qua plurimu lupuli iponit cuiul modi e ceruilia amburgelis que prouocat brina et larat ppter lupulu. Jpa inno balet debilia cerebia habetibus grales de facili inebriat ppter multitudine lupuli Sip= tima eft o inflat bentre. Et iftud habet beritate de cerui Cia modica decoccione cocta cuiulmodi è copta hollandie q maxime inflat et opilat et propterea plurimum impin= guat. Octava eft o ceruilia modicum infrigioat cuiulmo di eft ceruifia hollandie brabantie hannonie et flandrie et illa qua cois homo btitur. Et illa pprieras maxie beri tate habet respectu bini Et circa iltud elt friendu o ceruis fia potelt fieri ex auena et ordeo et exfrumeto. Et lecuna du o fit ex alio salio grano e alcerius et alfius coplexiois Que eni fit ex ordeo plus attinet frigioitati: qu orden ell frigiou. Que aut fit ex ordeo sauena min9 opilat s min9 generat retolitates et minus nutrit. Et que fit ex frume to plus attinet caliditatiet magis nutrit & magis opilat. Et quato ceruifia e groffior tanto eft deterioz : oto lubil lioz tanto melioz. Et blterius e Cciendu o pellima cerui-Cia eft que fit ex rebus inebriatibus, puta er grano quod noiatur lolium quifta marie dolore capitis generat iner= uos ledit. Deinde ponit textus ging pprietates aceti. qu prima elt q aretu exlictat. dicit eni auicena de co lco ca= nois o e fortig exticcatiois. Et prica medici pcipiunt te= pore pelis briaceto cucibo : limilit cu potu. Dicit enim auic.teia primi in ca. bnico doctrine gnte. Aceto pterea in

cibo i potu bti i peltiletia e nocumeti ipius lecuratio. Se cusa e q acctuifrigioat pprietate q in eo e. Tercia e q ma cerat.i facit boies macru. St ro e querticcat. Et iltud ma= nie berue de aceto i iciuno ftomacho fupto, be bult auic. tcia primi doctrina grta.ca.gnto. de errenuatioe craffi. De ru etn palliduus b.9 aceti marie in iciunio mtca iducit incomoda bifu debilitat pect? offedit.tullim comouet.fto machu tepar ledit neruos tiucturas behementer oppil= mit has arteticis dolozib9 tremozib9 + parelifib9 berans. Quarta e pacetu generat melancolia eo o buozes ifrigi Dat serficcat. Quita e macetu miorat fperma prica quer ficcat.ifrigidat.a macerat. St iltas ppnietates aceti ponit ralis teio almaloris dices. Acetu frigioù elt eliceu qo i ma cie efficit t bires deltruit. Coma quog minuit. Et colerain corroborat nigra. rubea bero colera : languine debilitat. cibolog quibs admilcet lubtiliat. Deinde in bitimo berlu autor lubdit tria primue pacetu nocet macris et roelt ge acetu exficcat. Licaddit in macredine. fimi'e eni additu fuo fimili facit ipm furere. Et etia omis coplerio lapla p contrariu medicat. per limite detioratur. Scome q ace= tu nocet neruis. bt dicit auic. ledo canois ca. de eo. Tercia eft macerat. bt dictum eft.

Bapa inuat ftomachu.nouit producere bentum. pronocat brina faciet quoch dente ruinam. Si male cocta datur hinc tortio tunc generatur. Comentum.

In hoc pallu ponutur primo tres villicates rape tem perate cocte et bnu eius nocumentu. prima btilitas è quapa inuat lomachu qrbene digerita flomacho neciple ea grauat. Scda elt quapa elt puocatina venti qo patet experimento. Tercia est quapa est puocatina vente. pre

Textus.

ter thiltas prietates bult auerrops of magna prieta= te habet in cofortando bilu. Documentu bero rapan e op alliquatio rapar nocet dentiba. In bitio aut bertu fub di tur o rapa male cocta tortiones facit in corpore. qu multi= plicat betolitates. Jurta illud bentu lepe rapis li tu bis biuere rapis. Et e lcienou op caude rapan fortiter bentie larant.pro maiori noticia iciendu elt o rape iter radices magis coueniut ad corporis nutritione. qo latis oftendit ex amicabilitate lui laporis, beceni coplexio elt oibus e= dulis mamara i pugiciua min9 alimetu dant corpori et dulcia magis que ergo rape radiciba aliis fur diciores e mi nus pugitine magis copetut biacibi led generat langui në groffu melancolicu u digestina lit debilis. Et bonu est o depurent a prima aqua. i nullomodo debet comedictu de. St incitant ad coptu e bias mudificant brinales. 1 Tercus.

Egeritur tarde cor digeritur quom dure Similiter fromachus melior it in extremitates. Bedoit lingua bonu nutrimentu medicine. Digeritur facile pulmo cito labitur iple.

Eft melius cerebrum gallinan reliquon.

In iko pallu notant quiq. Primu elt o coraialiu co=
menu tarde digerit et tarde etià egerit. Et ro elt quaro
cordis elt caro melancolica que difficulter digerit et tarde
descendit. Et no elt caro bona scom auic. Croo canonis ca,
de carne et no multu nutrit. Di dicit ralis tercio almalo=
tis. Scom est o flomachus similit est male digesticis et
tarde descensionis. Cui? ro è quitomachus è membru ner
uosu carrillaginotu quare difficile digerit. Et croo cham
no generat bonu sanguine. Deide subdit tert? o flomachns in ei? extremitatib? scilz quo ad ci? fundu i orificiu

melius digerit. Cui? ro e qu in illis partib; magis carno? elt magis pinguis. Terciu elt o liqua ett boni nutrime ti.et hoc quo ad el? radice. bt bulc auic. Coo canois ca. de carne. Et ro eft quelt facilis digeftiois et carnola. Et itel reliquas liguas tigua porcelli que ablata ei pelle equipa rat carm apri. bt leiunt leinderes ante principes. Lingua th bouis no eft multu lana ppter eig nimia humiditarem Leccatores th liquis bei boleres ante ear allatione impo nūt gariofilos. quib; hūioitas līguar minuit. ticaptio= res fut efui. Quartu e @ pulmo facile digerit i facile ege= rit. Et iftud e ppter ei? raritate et mollicie. beru eft in @ er nutrimenta no elt coueniens nature buane. qu patuu e : fleumaticu. bt dicit auic. Codo canonis.ca.de co. St cir= cailtud e iciendu o pulmo arietis quis no lit bon? ab?. eft ta bona medicina:qu fanat exconatione calcanei ex cal ciameto li ponat lup ipam calious. bt dicit anic.loco pal= legato. Quintu ett o cerebin galline inter omia cerebia ē meli? de quo dicit auíc. Coo canonis. q. phibet fluxu la= guinis nariu Debet th cu Cale aut cu (pecieb9 comedi. qa De le bomitu prouocat. Et circa iftud iciendu ift o de ce= rebio pulloz dicut medici & augmentat memoria. Cere= bia bero porcoz nature no lut couenientia led cerebium ouis lepozis bel cuniculi cum fale bel (pecieb9 comedi po telt. St de cerebio amplius dictue ibi. Qutrit timpiguat.

Semen feniculi fugat et Cpiracula culi.

bic ponitur bnum documentum et elt o lemen fenicu líquod dicitur maratrum expellit bentolitates; aut eas diffoluit. Et ratio elt quia elt calioù et liccum et carmina sinu, Et circa illud elt lciendum o a coibus quo tague

btilitates prouenientes ex elu maratri liue feminis feni= culi.pzimaelt o cofert febribus. icda elt o pellit benenu. tercia elt o mundificat flomachu. quarta elt o acuit bilu Et de ilto Colent dari ilti berlus comunes. Dis duo dat maratru febres fugat ates benenu St purgat Romachu lumen quog reddit acutu.et iltas quatuoz btilitates tan cit etfa aufcenna ledo canonis loquens de feniculo. St cir ca quartă brilitate nota co auicenna loco preallegato de le mine feniculi dicit. Democritus quide existimauit & be= nenofi bermes palcunt feniculi recetis femen bteon bi= lus cofortet et bipere et lerpentes fricant oculos luos cu egrediune de cauernis luis polt hieme luper iplum't illu minent oculi. Sciendu blterius o feniculus tarde digeri tur:male nutrit et paru et ergo no copetit bia cibi led ma ais bia medicine. pon igit brenou elt eo in regimine Cani tatis nili ad correctione malicie quorudam alion cibon li= cut interou cu lactuca comedimus petroblinu ad reliften dum frigiditati et humiditati lactuce: Cic etia cum cucurbi tis potelt decoqui feniculus et limiliter cum rapis ad cot rigendű maliciam earum.

Tertus

Smendat vilum flomachum cotortat anifum Copia dulcoris anifi fit melioris

Commentum

bic ponunt oue btilitates anili quar prima ell q anili cofortat di. Scoa ell q anili cofortat homachi. Luius caula elt quanili mudat flomachi a fleumatidus et ipm calefacit. Et propterea etià cofert dilui qualchil elt qo di lui magis nocet quimundia tomachi qua flomacho in iso deleuant fumi imundia oculis nocet perturbado lous dituos. Et iltaduo inuamenta facit anili dulce. Et prer istas dilitates auic. Codo canonis ca. de anilo plures alias

btilitates anici ponit. bult eni ibi q anicum est aperitium dolop ledatium. et bentositatum resolutiumled acium siris causare er humiditatib; salsis aperitium opilationm epatis et splenis generatap er humiditatibus et similiter renti belice et matricis puocatium brine e menstruop e mu dat matrice a fluru humiditatm albapet est motium coit?

L'extus.

Si cruozemanat îp odiu fumptu cito fanat.

Comentum. bic ponitur buu iuuamentu ipodii. Et elt p ipodium Cumptu lanat flurum languinis. Tuius caula potelt elle quia (podiu habet birtutem propriam cofortandi epar. t lic fortificato epate quod elt fons et origo languinis. lan guis mel us ab eo retinet. Et dicit anicena ledo canonis ca.de (podio. p (poditi eft radices canan adufte. Dicit eni o ipe adurunt ppter fricatione luap extremitatu cu ben tus eas perflat. Simon tamen januenlis dicit o (po dit eft res cuius origo nos latet res tamen adulta bidet + di= uitiones canan aduftran. Et neou fpodium cofert in nia mio fluru languinis.pmmo etia in nimio fluru bentris elt bomitu. bt dicit ralis tercio almalozis. Et confert etia in febribus acutis, confortat cor et tremori eius et lincopi facte ex effulione colere ad ftomachum auxiliat, bt bulta uicena loco pallegato. Et elt fcienoù circa predicta o ficut lpodiu habet a spectum ad epar et ppzietate cotortandi ip luita lut alique medicine que haber limile aspectue limi= le proprietate cofortandi aliqua alia mebra (pecialia.licut macis co: mulcus cerebium liquiricia pulmone capperes Cplenem et galaga fomachum. bt patet in his berlibus. Saudet epar spodio macecor cerebin quom musco. pul= mo liquiricia. Colencap. Stomachulog galanga. Tertus.

Textus.

Das codimenti preponi debet edenti. Sal virus refugat.et non lapiduch laporat. Pam lapit elca male que datur ablik lale. Prunt perlalla vilum.lpermach minorant. Et generant lcabiem pruritum line vigorem.

Comentum. In hoc textu tria fiunt . wimo ponit bnu documentu generale quod obleruat apud oms etelt o bas codimen ti Cilz Calis qo coi nomie Calinu dicit debet pponi in men= la ipi edenti. Jurta illud coe metru. Sal primo poni deba primog reponi. Omis menla male ponit able lale. Se= cudo tangutur duo inuameta falis. primu eft o fal reli= ftit beneno. Cui dupler poteft elle caula. ona eft qu'lal exliccatiun eft. et lic lua liccitate exliccat buiditates ex qui bo poteft lequi corruptio. Alia caula eft da lal exliccat a co= primit huiditates a corpore extrahendo. et lic claudit po= ros.et p coleques phibet penetratione beneni que fieri de beret per pozos. Scom juuamentu falis eft o fal inducit Capozem in cibariis. nam coiter bidem9 ad lencu o nulla cibaria Capint line comirtione Calis. bt dicit tercius bert?. Tercio ponunt atuoz nocumeta Calis liue cibarion baloe Callop primu eft op cibaria balde Calla brunt bilu.i.dep= dunt bilum bel nocent bilui. Cui? caula potelt elle dupler Demaelt quia res nimit Calle inducut nimi à liccitatem que est cotraria oculis qui lut istrumenta vilus, cu oculi fint de natura aque. bt bicit in de lenfu et lenfato. Secuda caufa eft or cibaria multu falfa fut prutitiua e mordica tiua modo bt fupius dictu e a cibariis mozdicatinis i fto macho existentibo eleuant fumi mordicatiui q sui mordi catioe oculis nocet acipos multu rubificat. Et ergo bide= mus pbullietes fal rubeos coiter habent oculos, Scom

nocumentue o cibaria multu falla minorat Cperma. Et ro eft az cibaria multu falla multu exliccat omes huidita tes corporis quare etia sperma exsiccat et sic minoratur. Terciu nocumenta e o generat leabiem. Cuis to elt quia Cal generat numore acutu mordicatiuu adultu qui e caula Cabiei. Quartu nocumentu elt q augent pruritu. Et ro e quia generant humore mordicatiuu et prutitiuu. Et illa quatuoz nocumenta comemorat rafis tercio almanforis de Cale dicens. Gor pterea languine qui multa ex eo lup = ferint quantitate adurit bilu quog debilitat ato minuit Sperma.et generat pruritu et Ccabiem. Et pter illa nocu= menta pfalfa .i.multű falfa inducút ferpigenes impetige nes morpheam lepra in dispositis et vias brine exconat cum din cotinuant. @)oderate tamen Calla faltidiù aufe= runt et appetitu excitant atga accuunt. Tertus.

bi feruore digent tres fallus. amarus. acutus. Alget acetolus lic ftipans ponticus atc. Onctus et inlipidus dulcis dant teperamentum.

In hoc textu ponuntur quitates cuiullibet lapozis. Et pumo dicit q ilti tres lapozes leilz lallus. amai? et acut? calet aciunt corpus lumētis ipos. Secundo dicitur q ilti tres lapozes leilz decundo dicitur q ilti tres lapozes leilz decundo dicitur q ilti tres lapozes leilz decundus incipious et dulcis lut temperati nec inducut in corpoze caliditatem aut frigiditatē. Et pro intellectu ampliozi leiendu est q le cundu auic ledo candis tractatu primo ca. tercio octo lut deri lapozes qui lequnt incipidu. Et lut dulcedo amaritu do acuitas. lalledo acetolitas póticitas. Etipticitas et ducutas. Enumerado tamē incipiditatē pro lapoze licut textus facit hic tunc lunt noue lapozes. Et tuc capitur la

por pro omi eo quod gultu iudicatur. Et inter iltos lapo= res tres Cunt calidi. bt dicit hic textus feil; fallus amarus et acutus. Et Com auicenna loco pallegato. Acutu elt ca lidius. deinde amaru et deinde falfum gm amaru eft fortius ad resoluenoù incidendu et abstergendu & amaru et deinde Callum elt licut amaru cofractu cu humiditate fri= gida. St tres de iffis laporib; funt frigioi Cil; acetolus li pans.i. ftiptic? et poticus. ponticus th cetis frigidior de= inde flipticus et postea acetolus. Et propter iftud in omi= bus fructibus qui dulcelcut prins elt ponticitas vehem e tis infrigidationis. Deinde polto per calorem folis digefti un aliquo modo digelli funt fructus apparet in eis flipti citas et deinde declinat ad acetolitate licut agrella i pea Dulcelcunt. Et licet acetolum lit minus frigion of ftipti= cũ tố propter lui lubtilitate et penetratione in plibus eft maioris infrigidationis. Et ledm auic.loco pallegato po ticu.et ftipticu. fint in lapore propinqua. led ftipticu non contrabit lingua nili quo ad supficiem apparente la pon ticu cotrabit et exasperat quod apparet in lingua scilz sup ticiem et occultu Cils interiozacius. Et tres de iltis Capo= ribus lunt tpati.i.non excedetis caliditatis bel frigidita= tis licut dulcis buctuolus et inlipio? Licet eni dulce lit ca liou tamen in co non apparet fortitudo caliditatis ficut dicit calis tercio almalozis. Et elt lciendu blterius d'bni= cui a lapori pprie debentur operatioes. bt bolunt auicen na et ralis locis pallegatis. O peratioes eni dulcis Com auic . Cunt digettio et lenificatio et multiplecatio nutrime ti etinatura diligit ipm et birtus attractiva attrabit ipm Et com ralim. Dulce eft generatiun multe colere rubce et opilationu in epate et Cplenc et flegmonis pcipue fi p= dicta mebra ad hoc fuerint apparata. Et bentris flurus exipo lequitur et mollificat fromachu. et confert pecton et

pulmonf:corpus impinguat e aumetu (permatis fribuit Operationes bero amari Com auic. Cunt ablterio et exa= forrario. Et icom rafim amaru calefacit et deliccat forti= ter.cito languine ad adultione et malicia perducit colera quog rubea in languine augmentat. Operatio bero po tici Cecundu auice.eft corractio a poticitas at debilis aut expredio fi fit fortis. St fcom Balim ponticu corpus infri gidat et deficcat:carnis et languinis minozatione facitli multotiens aliquis eo brat ftomachu quog confortatet frequeter bentie coffrigit:et Canquine generat melanco= licum. Operationes bero fliptici fcom aufcen funt corra= ctio infpillatio induratio et retentio. Et leom Balim ope rationes cius funt ficut pontici licet debiliozes quiple bi= det coprehedere Aipticu lub pontico qua Ctiptico nichil di cit exprelle. Operationes bero buctuolitatis ledm auice. funt lenificatio lubrificatio et coctio.i. digeftio parua. Et Com ralim buctuolu flomachu mollificatet berris facit fluru et lacietare and homo cibi quatitate libi uecellarias allumat adducit et calefacit marime tamen febucitates et habetes epar i ftomachu caliou. Corpus etia humectat et lenit:fleuma bero auget et cogicatione hebete reddit et auget fomnű Operatões bero acutt funt refolutio icilio et puttefactio lom auic. Et ledin ralim acutu calore au= get et corpus cito inflamat et languine adurit et imm pri us in colera rubea mutat et pollea in nigra. Operatioes fall from au c. funt abftertio ablutio exticcatio er phibitio putrefactionis. Et Com Balim d cte funt in tertuime= diate pcedeti. Operatioes bero acctole lut ledm auic.infri gioano et malio Et leom Balim acetoli colera rubea et. languine reprimit et vetre tringit il tomachus sitellina muda fuerint. Si aut fleumatis i eis fuerit multitum be tris fact flurum et corpus infrigidat: birtutem quogs of

14 1

geffina debilitatet prope in epate. Pernis bero et nerno lis mebris nocumentu affert et corpus deliccat dirtutem aut appetitina excitat. De opationibus dero ilipidi dicit Ralis o aliquod est insipidu quod magis nutrit sez que eq litati magis dicinuest. Alid est quod tepate calefacit, ali ud que repate infrigidat et si cuiplo fuerit multa humidistas humectabit si dero siccufuerit desiccabit.

Bis duo bipa facit mundat dentes. dat acutum bilum-quod minus e iplet minuit quod abudat

Dic ponütur quatuor iunameta vipe primu elt o vipa mudat detes. Curus caula elt quia propter pane diutius iherentem detibus o vinu solu sine pane limositas illa de tibus adherens aqua dentes luridi dicunt a vino melius consumitur et abstergitur. Secundu est o acuit visu quia prohibent malos fumos ad cerebru ascendere qui ossusa prohibent malos fumos per eop immirtione et istò facit ex eo qu digerit materias malas in stomacho existetes. Dereciu e o minus digestu facit digeri quia facit clausione ori ficii stomachi e ofortat digestione. Quartu e o superflue digestu ad mediu reducit. Et totum istud maxime verita tem habet de vipa panis cu vino dumodo panis primo assatus sit aut supra prunas exsiccatus.

Dertus
Omnibus alluetam iubeo leruare dietam
Approbo lic elle:ni lit mutare neccle
Elt ppocras teltis qm lequit mala peltis
fortior elt metha medicine certa dieta
Duali no curas fatue regis et male curas.

bic ponunt aliqua documenta quop primu elt q om=
nibus bonu eft feruare dieta colueta. Et per dieta intelli

nit administratio cibi et potus. Et ratio huius documen tielt que trafgrellio a cofuetudine nocet nocumeto magno coluetudo eni e altera natura. ficut igit natură custodire oportet lic et coluetudinc et l'pecialiter li coluetudo fuerit laudabilis. Et licut operet feruare coluctă administratio ne cibi et porus ita etia opoztet feruare coluctuoine i aliis rebus no naturalibus propter cade ratione. Onde (t aligs fuerit coluctus multu laborare et belit hac coluctudinem omittere et i ocio biuere bel multo minus lawrare bel ali am Cpecie laboris allumere et aliud tous vel aliu modum proculdubio multu ex hoc debilitabit. Et limiliter intelli git iu cibis et potibus fomno et vigilis et euacuationib? et anime accidentibus. In omnibus eni multu obleruan da eft coluctud fi fit laudabilis bel paru laudabilis bel in differens in bonitate et malicia respectu buius ad od de= bet fieri permutatio. Et circa iftud friendu eft paffueti ex ercitare bel laborare quibuloa laboribus coluctis dato op tales unt debiles bel lenes minus ledunt et fortius labo= rant & liellent iunenes incolueti. Et illud bult process fcda amphozifmon vices. Affueti affuetos ferre lames et fi fuerint imbeciles aut lenes incoluetis fortibus et iune= nibus facilius ferut. St ratio elt quilti habet maiore incli natione et coluctudine ad iltos labores iam coluctudo pri us habita leuioz eft bt oicit in cometo poicti amphazilmi Grifta eft caula quare videmus hoies debiles bel fenes d ex coluctudine aligo exercet opus mechanicu facere aliq que facere no pottent eis fortiores aut iuniores et minus ab eis ledunt ficut bidemus multore debilem facilius fac cum eleuare o eo fortiorem. et fabrum antiqum minus ledi malleatione o iuuenem fortem non confuetum Se cundum documentum elt o mala peltis.i.magnii nocu= mentum lequitur ex permutatione diete coluete be bult

ppocras nili fuerit necelle ca permutare. Elt aute necella: riu că permutare, primo gnelt il audabilis lic o crea per neniret ad pellimas egritudines licut coluctudo comede di malos cibos in fine ex necellitate perducêtes ad malas egritudines. Zale eni coluctudine et limiles necelle e coz rigereet permutare bel totaliter bel Calte infra terminos latitudinis ear led hoc debet firti paulatim & from queda ordine. Dam ois Cubita mutatio behemeter nocet elpecia, liter a cofueto ad inconfuetu. Scho necelle eft ea permu= tare bt aliquis minus ledat er incolueta li pollea ad eam. le tra Tulerit. Si eni de ad omne diera le affuelcat minus ab omni ledet cu fe ad ea traftulerit. Et iftud etia intellige dueft in aliis rebus no naturalibus . St iftud eft go dicit ppecras leda amphonimop. Et multo tpe colucta et li fu erint deterioza infuetis minus moleftare colueuerut omz te igit ad no colucta transmittere. Et circa iftud elt fcien du co quiles debet libi cauere ne bnius rei quantucunes w na lit libi coluctudine faciat & iplum le ruare lit necellari um, beibi gratia fi quis bno cibo colucto femper brat bel aliquo potu bel totaliter ab cis abdineat bel pomire bel moueri bel coire totalit affuefcat et ad boc grauiter aftrin gat:marin u eni incurret nocumentuli interdu ab cilbes oporteat abilinere: lic igit quodibet corpus le difmnere de bet bt caloze et frigus pati pollit et admotiones et quelis bet nutrientia aptus reddatet bt Comni et bigilian ho= ras mantiones et domos lectos et indumenta line lelio= ne permutare pollie quod quide poterit ficri li confuetu= do no obleruet ad buque led interdu ad inconsueta tran feamus. Oportet igitur ad incolueta aliquado permutas re. Et iftud bu't rafis quarto almanforis capitulo de con fernatoe col uetudinu . Terciu documentuch o fortioz et potio: metha in medicando egru elt ad ministrate dietas.

certă quă li medicus no curanerit et aliă indebită admini Arauerit fatue regit egra et male eu curat. Et circa iltud e Ciendu q tripler elt dieta Cilicet grolla que elt quali dieta lanon et tenuillima que est nichil dare vel quali et media que ablolute tenuis oicit. Et ilta diuidit in dieta tenue de elinante ad latus groffe ficut aqua carnis oua forbilia et pulli parui et declinate ad tenuillima licut aqua ozei mel licratu et vinu grauatoz et media que cetera nominant bt btilana no colata et extremitates pullop. Et ifta vieta certa in pluribus couenit egritudinibus no tame in om= nibus. On eni couenit in egritudinibus longis quia i ta libus opoztet birtute longuo tpe elle antem perueniat ad bictorie i birtus cu dieta certa tato tpe no pollet pourare fine magna debilitate oportet ergo i tali egritudine cibu ingroffare. Similit no couenit i acutiffimis egritudiniba leg in illis que terminatur in quarto die bel ante quia i ta libus couenit dieta tenuillima bt bult procras prima a= phonismon ibi ad bitimas egritudines bitime curatiões ad perfectione fut potetes.

Tertus And Ind wing gupila

Quale.qu io et quado quanta quoties. bbi dando J.ta notare cibo debet medicus dietando.

In ile tertu ponucur ler a medico couderada in administratione diete. Primu est quale id est cuius qualitatis debet este cibus quía in egritudine calida Ebemus egrum dietare frigida cibo et in frigida calido. In humida sicco. In sicca humido. Deru est si op naturalis coplerio dieta si si simili coceruari debet. De dust galienus tercia tegni ibi calidica calidicide calidicides calidicides calidicides indigent adiutoriis. Frigidica frigi dioribus ic. Secudu e quid i. cuius substacie debet este ciebus quia athlete et rustici fortibus exerciciis suppositi de

bent diefari cibo grollo quia in eis bis digeftina eft fortis et fic no debet bti cibis fubtilibus bt pullis camnibus car nibus vitulinis leu bedinis quia ifte carnes in eis adure rent aut nimis cito digerent quare necelle ellet eis lepe co medere. pobiles bero et in ocio biuetes debent bti dieta. lubtilis lubftatie quin eis birtus digeftina eft debilis no potes in grollos cibos cuiulmodi lut carnes pozine lalle bouine & pilces fole exficcati. Similitiegris egrotates egritudinibus acutis debet bti Inbtiliozi dieta & egrotan tes egritudinibus cronicis id est longis licut quartanis Terciuelt gnid eft quo tempoze dieta debet dari quiainfa nis maxime debet attedi coluetudo. Onde in eltate hoies furgentes et confueti bis Colum in die comedere. Debet co medere hora decima bel modică ante et no expectare me= dium diei propter nimiu diei caloze. Similiter bebent ce= nare hora lexta bel modicum poft. In hpeme bero debet pradere hora bndecia bl'xii. ppter longitudine loni er dei= inde cenare hoza leptima bel modicum poft. Et maxime feruanda eft confuetudo. In egris bero etiam confidera= dum eft tempus quia infebribus in pazoxilmo bel ftatim ante proxilmu bel fati poft non eft dada dieta quia fi fta tim ante poxismu beli poxismo detur natura divertitur a digeftione materie febris per hoc @ Debet digeftioni cibi elle intenta . Et non debet dari ftatim polt paroxilmum quia birtus adbuc multum debilitata eft ex paroxicmo i= mediate precedenti. Debet igitur dari dieta ante paroxif mum tanto tempore o pollit digeri ante aduentu paro= rimi bel debet dari aliquo tempore post paroxismum. Et illud elt berunisi timeat magna debilitas birtutis tune enim dandus eft cibus quocung tempore. Accidentibus eni birtute diffoluentibus cibus ilico dandus eft bt bult Galienus in comento illius amphozicmi prime particule

contemplari autoportet. Quartu elt quantu.i. quatifas cibi lumendi gebt dictu e pul quatitas cibi eltate come= bendi pqualibet bice debet elle pauca que calor naturalis tunc debilis eft propter nimias resolutioes. In hreme be ro cibus bna bice fumendus debet elle multus qu birtus digeffina tunc fortis eft cu calor naturalis lit bnitus pro pter frique circultans bt dictu elt priusibi. Temporibus beris. Quintu elt quotiens. i. quotiens in die lit cibus da dus quin eftate debet Cepius dari & in hpeme autumno bel bere licet modică pro qualibet bice bt etia prius dictu eft. Similiter birtute digeltiua exiftente debili lepe mo= Dicu et de cibo eft danou birtute bero extente fozti poteft multu dari et paucis vicibus. Sextu eft vbi.i.in quo lo= co arcibus no elt lumedus in loco frigido multu nec mul tu calido led magis in loco temperato. Textus

Jus caulis Coluft cuius lubstantia stringit betrach quado datur benter laxare paratur Commentum

In hoc textu autor dicit tria. Primu eft p ius caulis i. aqua a maxime prime ebullitiois cauliu ii bulliant coluit bentre. Cuius caula est quia in foliis et partibus exterio ribus cauliu est virtus queda nitrola abstersiua debiliter inherens et facile seperabilis per modică decoctione siue ebullitione que spersa per aqua ip saz laratiua reddit. Et hinc etiam est prima aqua decoctionis caulium magis larat p secunda quia ista virtus nitrola abstersiua per primam decoctionem plurimum separatur. Secundum qui dicit est p substantia caulium et hoc post decoctionem ederum stringit ventre. Et causa est quia omnis virtus qua lararet per decoctione ab ea ablata est et maner substantia terrea sicca que ventrem stringit. Tercinm quod die

40

h iiii

citelt o birag limut fumpla feil; aqua decoctiois cauliu et Cubffatia eou laraut bentre et roeft qu birtus abfterli= ua initrofa i aqua manet gratia cui9 totu larat. poo ma= iozi noticia fciendu é primo o caules generat humoze me lancolică e Comnia mala.mali lut stomacho paru nutriut vilu obtenebrant. Comnu inducut menftrua : brina puo cant bt partim aufalcoo canois. partim a rali tercio al= maloris colligit. Secundo lcienda o comellio caulis liue decoctiois fine feminis ei phibet e retardat ebuetate. bt videt inuere. Ariftoteles tercia particula phleumatu que rens propt quid caulis Coluit crapula et ide bolut ralis et auic.locis pallegatis. Quius caula potelt elle illa lcom all ques. qz pzopt comeftione caulis eleuat fumi balde grol= li igrolantes fumolitates bini que ingrollate impediu= fur penetrare ad cerebin proptean groffitudine. philolo phus bero pro bleumate poicto aha oat caula ilta leilz qe ome quod trahit humida binola ad le aca corpore expel= lit. + corpus infrigidat.curat crapula. Ceo caulis eft buiul= modi.ergo curat crapulam. Or sut caulis lit huiulmoof probat que luccum caulis qui eft diureticus trabutur hu= miditates binofe indigefte a toto corpore.et in belica defe rutur. et per lubitantia eius frigidam fliptica et ferream in Comacho relictam no potente penetrare infrigidat to tum corpus. Et per confequens curat crapula hoc modo gm lupfluitates lubtiles que no poterant deorlum tende re propter caliditate bini mouente cas ad fuperioza. bt ad cerebrum. ferutur repreffe deorfum et birtute l'ucci trabu tur ad belicam. Eft enim diureticus i menftruolu proud catinus. bt dictum eff.

Direrunt malua beteres quia molliat aluum.

a) alue radices rale dedere feces.

bulue mouerunt et fluxum lepe dederunt.

Comentum. hic ponut tres proprietates line effectus malue. quop vimus eft o malua mollificat benerem. quia eft bnum De remollitiuis. Sunt eni quatuoz remollitiua. Iciliz ma lua bilmalua.branca. brima.et mercurialis.er quibus co muniter fit cliftere lenitiuum et mollificatiuu quod ba= let ad fecum induratan eductione. Et eft dupler malua. q dam enim eft habens languineos flores. et alia eft habes albos flores. Stin ifta elt maior proprietates mollifican di pin prima. Secundus effectus elt o radices malue a= brale educut feces et hoc est quado exipcis fiunt supposi= toria licut Colene fieri de radice mercurialis. Tercius effec tus eft o malua facit flurum menftrui in mulieribns. et hocelt propter nimia eius humectationem et lubrificatio nem qua bene matricis facilius a languine acuto fundu tur. Et dicit platearius o certo experimento mentrua p uocat: Textus.

Dentitur mentali lit depellere lenta.

bentris lumbiicos. fomachi bermesm nocinos.

Die ponit autor du documentu de menta dicës. O më tanon debet denominari hoc no mie menta si no habeat dim statim auferendi dermes deatris et stomachi. Open ta enim magne et fortis est aromaticitatis e magne ama retudinis et ideo queadmodum absintiu dermes intersicit sicet menta. Et debz dari decoctio eius sicut e absinthu et uo substantia. Adverten du tamen quia multu calida est sicca sanguinem advens no competit dia cibi in regimine sanitatis. Bene tamen couenit dia medicine ga somachum confortat et ipsum calefacit et sedat singulatum et digerit et prohibet domitum fleumaticum et san

guineü et ad coptü incitat propt inflatione que est in ipla et humiditate ortulană i prohibet sputü sanguinis. St co fert ad moriu canis rabiosi. et est ppria ad illud. Et si frusta ipius in lacte dimittutur no cascatur. dt colligit ex auicena scoo canonis ca. de menta.

Tertus.

Tur moriatur homo cui lamia crelcit in orto.

Contra dim mortis non est medicamen in ortis.

Saluia cofortat neruos: manuúg tremorem.

Tollit. et eius ope febris acuta fugit.

Saluia castoreum lauendula. pmula deris.

Jastur. athanasia sanant paralitica membra.

Saluia saluatriz nature consiliatrir.

Comentum. In hoc textu autor principaliter tria facit. primo inu it magna btilitatem Caluie querens per modu dubii. cur ho moriat in cuius orto crescit Caluia. Ho hoc responeti le cundo bercu lic o nulla est medicina crescens in ortis que mobibeat mortem. Quis in ortis bene crecat medicina p hibens pufrefactione corporiset humiditate naturalem Defendens ne cito dilloluatur. Stillud inuit auic tercia primi ca. fingulari dicens. Et ars quioe fanifatem cuftodi endino elt ars que a morte lecuros nos faciat nem corp? ah ertrifecis nocumetis muniat negs bnu quodas corps ad bltima bite longitudine poucat que eft fcom homine abfolute. fed de duab? rebus lecuritate prebet putrefactio nis penitus prohibitione et defentione huid tatis ne cito Diffoluatur. Scho ponit tres effect? Caluie quor prim? ? p faluia cofortat neruos. querficcat huiditates quib9 ipe diffuret relaratur nerui. Couseft o remouet tremoies manuu. Cuius caula eft quia cofortat neruos. bt dictum eft. Jam ome cofortans neruos tremozem remouet.cum

tremozcauset er debilitate neruon. Et proptea lenes ali qui et betule (pecialiter iponunt potui line cibo con tolia Caluie tercius eft o remouet febrem acuta l'impedit eam ne cotingat. Cuig caula potelt elle. quia extictado huores impedit eon putrefactione. ad qua pollet lequi febris acu ta. Et pro majori noticia sciendu e op Caluia e calida e sicca etideo no multu copetit p le via cibi. Quia th ipa faluia multu cofortat neruos. hoies in Canitate multu btuntur faluía dupliciter, primo quide coponendo exea binú fal= uiatu.quo bino hoies in latitudine fanitatis btutur lpe= cialiter in pricipio menle et copetit hmoi binu paraliticis epileticis moderate fumptu et pcedente purgatione ate cedentis medicine. Scoo btutur laluia in lallis. nam exi tat appetitu.et (pecialiter cu ftomach? fuerit replet? ma= lis huoribus crudis et indigeltis. Ocelt dupler faluia. fci= licet domeftica et habet lata folia et magna. Alia eft q'bul gariter nobilis dicitur.et habet minora et ftructiora folia Et apud medicos dicitur lilifagus. Tercio enumerat au tor ferres medicinales balentes in curatione paralifis. Et dicitur o Caluia castoreum lauend ula premula, beris nafturcium : athanalia curant et fanant membra parali tica,i.paralifi tacta fiue debilitata. De faluia autem caula patet ex dictis quia bt dictum eft faluia confortat ner= uos qui in paralifi debilitati funt. Et etia quia Caluia ca= lida eft et ficca confumit materiam fleumatica imbibita neruis er qua fit paralifis. De caftoreo paret quia cafto= reum elt maxime cofortatiuum calefactiuum et erliccati num neruop. Dicit enim aufc. lecundo canonis capitulo De eo pe lubtile et forti? omi qo calefacit texliccat. Et p? ea dicit pcofert neruis scalefacit scofert tremon et [pal= mo huiso : ftuponi : palifi. Et pea adhuc luboit o no eff

aliquid magis inuatinu bentolitati in aure & iplucuet cafforeo accipitur quatum e lens bua et dilloluitur i oleo nardino et diffillatur in ea. plures alios effectus babet ca foreum quos Auice.narrat loco pallegato. Et e cafforti tefficulus cuiuldam animalis marini quod dicitur caffor. Et oleum de castoreo etia multu valet in paraliu ficut ca= ftozeum pofteuacuatione materie quia tunc illa materia que relidua elt confumit et neruos confortat. De laucou la etiam patet quia fua aromaticitate confortat neruos et fua calefactione confumit materiam paralifis. De pre mula beris etiam patet quia lua aromaticitate et calefac tione confortat neruos. Et dicitur premula beris quia é ne mimis aromaticis in vere crefcentibus. De nafturtio patet quia nalturtiu elt caliou et liccu lubtiliativu et incili uum et resolutiun quare aufert materia paralifis. Et bi= cit auice. Coo canonis ca. de eo o cofert omni mollificario ni neruoz quia calefacit et educit fleumata et mudificat neruos a fleumate. Et ideo cofulunt medici bt nafturau in quadragelima edat propterea queibi qoragenales lunt fleumatici et elt natturciù herba cois creices in locis frigi dillimis fez in locis petrolis et aquolis bbi funt multi fon tes. De athanalia bero que alio nomine dicit tanacetum teuthonice tente vel repn baen patet quia ista herba habet birtute purgandi fleumata et fua caliditate exliccat ner= uos. Ef etia habet birtute purganoi bermes et materia; er qua generant. Et ico gallici coiter in diebus palchalibus brunt athanalia frira cu ouis ad purgaudu fleuma ta ex piscibus in quadragelima generata ex quibus faci= le generantur bermes in dispolitis. Et in fine textus auto: lubdit o laluia dicit quali faluatrir nature.



Mobilis eft ruta quia lumina reddit acuta.
Auxilio rute dir quippe didebis acute.
Lata diris coptum minuit mulieribus auget.
Lata facit cali dat lumen et ingerit aftum.
Locta facit ruta de pulicibus loca tuta.
Comentum

bic ponit autoz quatuoz effectus rute. primus eft q a = cuit bilum. Etppzie luccus cius be dicit auic. ledo canois ca.de ea et prius dictu elt ibi. Allea nut ruta. Secuous elt Pruta minuit delideriu coeundi in biris. led in mulieri= bus auget. Quius caula potelt elle ifta. quia ruta fua cali ditate et exliccatione Cperma in biris minorat quod lubti le eft et aeren. led in mulieribus lubtiliat et calefacit.quia in eis Cperma eft aquofu et frigidum tergo eas magis ad coptu incitat poter fubtiliatione et caliditate Cpermatis er ruta. Tercius effectus eins eft o ruta facit aftruciag.i. facilem apprehentione et inventione alicui? medii in cau la lubtili quia poter calefactione et exliccatione lubtiliat fpus.et licingeniu clarificat. Quartus effectus eft o de= coctio rute effugat pulices.et hoc fi erea irroretur domus quia interficit eas Com o coirer dicunt medici. Or Com auic.ferta quarti tractatu tercio ca. de effugatione pulicu Quado alpergitur domus cu infulione coloquintide la= hut pulices et fugiut, et limiliter ex decoctioe rubi. Et polt ea subdit auicena. Et direrut quida qui ponitur languis hprci in touca in domo aggregatur pulices apudeu dein de monifiur. St Cimiliter aggregatur lup lignu linituer adipe ericii:et effugiunt ex odore caulis et foleop oleani Et Com aliquos nichil magis deiectiun eft pulicus o tes fortis odoris et ergo ruta balet menta mentaltrum lupu lus et fup omia feces bel brina equi-Item domus irroza ta ex decoctione lemis rape occidit pulices. Et li fumiget

domus ex comu taurino fugiet pulices. Pro captione the ear nichil meli? est & ipolito pauci bobacis in lecto quia in illo aggregantur.

Tertus.
De cepis medici non confentire videntur.
Colericis no elle bonas dicit galienus.
Gleumaticis dero multu docet elle lalubres.
prefertim fromacho pulchrugscreare colorem.
Contritis cepis loca denudata capillis.
Sepe fricans poteris capitis reparare decorem.

Comentum. bic loquit autor de cepis. Et dicit quin q. primu elt o medici dillentiut de natura cepar quia aliquib? bidetur p cepebone lut fleu maticis. Aliqui bero peis no balent ficut forlan rafis bult qu bicit eas tercio almaloris genera re huozes Cupfluos in Romacho et fleumaticos. Scom e o galienus dicit cepas multu obelle colericis. Cuis caula e qu'bt dicit auicena icdo canonis ca. de cepe. Cepe eft cali dun tercio tergo nocet calidis. bt funt colerici. Tercia clt p cepe multu valent fleumaticis. q: lut calibe iciliue lub= tiliatiue abitecline + aperitiue. gre tleumaticos buozes et bilcolos in fleumaticis multiplicatos digerunt.incidunt Cubtiliat. abflergut. Quartu e q cepe balet ftomacho.qa mudificant ipm a fleumatibe et ipm calefaciut. vergo di cit auic.loco pallegato. pillud per cepe comedit ppt lua caliditate cofortat fromachu debile. Et ppter illud etiam decozat colore faciei. quino elt pollibile colore faciei elle bi= ujou fromacho existete multu fleumatico aut repleto ma lis huozib9 crudis + fleumaticis. Quintu e q loca dep ila= ta.i.loca pilis pruata pilos live crines recuperat li conte ratur cepe cocte. ex eis fricent loca depilata. Et illud be= ruelt qui depilatio accidit propt opilatione poron e corrup

tione materie lub cute. que pe aperiut poros et reloluunt materia mala que lub cute e a bona ad locu attrabunt. Et ergo fricatio cu cepis balet in alopicia multu. bt bult aui cena Coo canois ca. allegato et leptima quarti ca. de cura alopície. Et poter ilud infert textus o capicis decor po= terit reparari piltă fricatione cu cepis quapitis decor pi= li lut. Deo majozi noticia effectuu cepan leiedu e o cepe ex citant coptu. appetitu puocat.facie rubificat cu melle ber rucas eradicat.litim faciut.itellectui nocet:qr buore ma u groffu generat, faliua multiplicat a fuccus ear confert ag Descendenti in oculu abstergit bilu licut colligit ex auic. Coo canonis ca. allegato. Sciendu blterius o cepe trite cu melle et aceto coferunt morfui canis rabidi. a ergo quida; Supaddut textui predenti iftos duos berl? Appolicas p= hibent moz. ? curare caninos. Si trite cu melle prius fuerint a aceto. Et de illo etia pul dictu e ibi. Allea nur ruta. Tertus.

Sit mod'cu granu liccum calibug linapis. Dat lacrimas purgate caput. tollites benenu.

bicautor duo facit. primo ponit complexionem ipius giani linapis dicens. p granum linapis est modicu granum calidum er secum quod derum est quia est calidum et secum diceum quod derum est quia est calidum et secundo quartum gradum secundom auicenna secundo canonis capítulo de sinapi. Secundo ponit tres proprietates sine exectus grani sinapis. primus estect? est qui como uet lacrimas. quius causa est quia sua calidita te nimia subtiliat et dissoluit humiditates cerebri. ex qui bus tunc propter earum fluxum provenium lacrime. Se cundus exectus seminis sinapis est q expurgat caput id est cerebri mundificando a abstrugendo húiditates fleu-

maticis a capite. Expurgat etia caput naribus impositum puocando sternutatione sua mordicative et ideo im ponit natibus appopleticor, per sternutatione aut expel lutur nocumenta cerebu. Et imiliter semen sinapis sua caliditate subtiliat fleumata et disolust illa que opilant meatus cerebri ex quor opilatione sequit appopleria. Et sic relinquit of semen sinapis est valde insistuu fleumatis et consumptiuu et mundificatiuu. Tercius effect? est op tollit benenu. Et isud cocordat cum dicto auic. loco pallegato scilz of sugiunt ex sumo cius vermes venenosi. Tertus.

Crapula discutitur capitis doloz atop granedo. purpuream dicunt biolam curare caducos.

Comentum. bic ponutur tres prietares live effectus biole wim? effectus eft o biola habet ppzictatem ledandi ebzicta em Cuius caula poteft elle quia biola odorem habet tempe= ratuatos fuauem. + talis maxime eft cofortatique cerebri forte eni cerebin non paritur cito ebiferate led debile. St etiam biola eft frigida quare cerebin infrigidat. et ficin= eptificat ipm ad recipiendu fumu calidum. Schus effectus eius ett o biola eft iedatina doloris capitis atos gra= uediais. Et jutud beru eft de doloie capitis er calida caula bt buit quic. scho canois ca. de biola, et similiter rafis ter cio almalozis et melue. Et ro elt quia viola elt frigida: et lic repugnat caule calide. Tercius elt & biola dicit curare caducos.i.epilenticos. Et dicit notater in textu dicut quia comunes autores no attribuut illu effectum biole. Ster go fi ifte effectus coueniat biole. Caula eius poteft elle qu propt aromaticitate biole c. rebru cofortagur quo existere forti a modicis nocumetis no leditur et p colequens eria no incutrit epilentia que dicitur parua appoplexia ex opf

latione neruorum lenlitiuop contingens

Egris dat comnue bomitu quoch tollit ad blum Competit tullim beterem:colicilen medetur Pellit pulmonis frigus; ventrilen tumorem Omnibus et morbis cub ueniet articulorum

4 Commentum

bic ponuntur lepte effectus betice quoz primus eft o brica dat egris Comnu quelt Cubtiliativa et inciliva et ab Aerliua fleumatis et grollop humop natură grauăti et Comnu impedientiu. Secundus effectus eius eft o tollit bomituet blum bomitus. Et ratio eft of bomitus enau lea multu accidut ex humoze biscolo cuius brtica estinci liua. Tercius elt portica ledat tullim antiqua et maxi= me mel in quo temperata fuerint femina brtice qu brtica, de pectore fleuma expellit bilcolum lom ralim tercio al= manloris. Or fimiliter eius feme cu marime fint incili ua absterli ua et lubriliatina. Et dicit Auic. Coo canonis ca. de brtica: o cu bibit cu aqua ordei mudificat pectus et qui decogunt folia ei? in ag ordei educit huores grollos d'fut in pectore led eius leme elt fortius. Quartus e o couenit colicis.i.colică pacietibus qu brica eft iciliua lubriliatiua resolutiva et abstertina bufditatis fleumatice aut betoli= tatis grolle ex quibus puenit colica plurimu et eft colica egritudo dolozola in inteltino dicto colo licut pliaca egri= tudo dolorola in iteltino dicto plio. Quintus elt o brtica pellit frigus pulmonis thocell ppter lui caliditate. Sex tus elt o bitica elt ledatina tumoris betris qu resolutina eft betolitatis er q bi plurimu fit tumor bentris, Septimus eft o brica lubuenit doloribus articulop .i. iuctura ru licut artetice lciatice et podagre. Et hoc berneft gn pro ueniút a materia frigida fleumatica grolla. Tuius caula eft qu'ortica eft calefactina incilina subtiliatina materie

fleumatice grolle. Et preteristos effectus kom Auicena sco canonis ca. de brtica excitat coitú proprie semen cius cum vino: et aperit oriticiú matricis: coluedo educit fleu ma et humore crudú sua abstersione et no cú virtute solutiva que sit in ipsa se tamen aliquis in gutture ex vrtica auteius semiue ledatur bonú est op posteius sumptione bibatur aliquid de oleo rosaceo: Et est vrtica calida in pricipio tercii gradus et sicca in secudo secudú Auicenam los co preallegato.

Jopus elt herba purgans a pectore fleuma Ad pulmonis opus cu melle coquatur popus bul tibus eximiu fertur reparare colorem

Commentum hic ponuntur effectus plopi quozu primus eft op plop? purgat fleuma a pectore. Cuius caula elt quia plopus elt herba calida et licca in tercio multu abfferlina dillolutiua et confumptiua humiditatis fleumatice & habet respect u. fingularem fuper partes pectous et propterea plopus p? propriillime dicitur purgare fleuma a pectore . Sccudus effectus eft q etia balet ad purgandu pulmone a fleuma te eadem de ca. Et proprie li coquatur cu melle qu mel eti ameft abfterfinu et abfterfione mellis augmentatur ab= absterlio plopi. Etiftud ide bult auicena Coundo canonis capitulo de plopo dicens o plopus confert pectozi et pul= moni patientibus a dilnia in tulli antiquis et eius decoc tio cum ficubus et melle limiliter. Tercius effectus eft o facit bonucolore faciei. Et iffud etiam bult auicena loco pallegato dicens & eius porus efficit coloze bonu Et pter iftos effectus Coluedo educit fleuma et bermes bt bult A nicenna ibine. Er lecundum platearium binu decociicis eius matrice mundificat a luperfluis huozib? abstergit.

De cerifolio Textus

Appolitű cancris tritú cum melle medetut Eum bino potum poterit ledare dolozem Sepe lolet bomitű bentrem tenere lolutum

1 Commentum bic ponunt tres effectus cerifoli. primus elt o cerifo= lia tritu cum melle et luperpolitu cancro curatiplum. Et iftud idem dicit platearius ca. de certfolio. Et eft cacer am frema melancolicum corrodens partes corporis tam car= nolas & neruolas. St dicitur cancer quia procedere bioe tur bt cancri. Secundus effectus eft o cerifolia bibita ca bine abscindit doloze bentris. Cuius causa eft quia ben= tris inflatione de grolla bentolitate er qua prouenit do= lormitigat cum ftomachi bentolitate et omniù bilceruz Coluit et opilatione aperit. St ad hocetia coadiquat binu Tercius effectus elt o cerifoliu ledat bomitu et flurum bentris. Luius caula eft quia cu cerifoliu caliou eft in ter= cio gradu et liccu in ledo materia illam digerit et exliccat er qua prouenit bomitus. Stiftud marime berum e qua do bomitus aut Colutio bentris pueniut a materia frigi= da fle umatica. Et preter illos effectus prouocat brina et menftrug et Coluit dolore lateris renu et belice + precipue Datum cum mellicrato.

Enula campana reddit precordia lana Cum lucco cute li luccus lumitur huius Affirmant ruptis nil elle lalubrius iltis Commentum

Dic ponunt ouo eftect? enule campane quop primus ell quenula campana corfortat precordia.i. orificia froma chi quod proprie precordium dicitur fine membra spirstu alia id est membra anhelitus que bicina sunt cordi Et specialiter radir eius. Drautem confortet orificiu; stomachi

66

patet quia cu radir enule sit odoniferà cofortat medra ner vola: orificiu aute stomachi medru nervolu est. Or autez cofortet medra spiritualia patet qr dinu factu cr enula go docat dinu enulatu mudificat pectus e pulmone de dult Auic. scòo canonis ca. de enula. Et enula e tià scòm ipsuzibide de glutita cu melle adiuvat ad expuedu est est ex eis q letisicat et cofortat cor. Scòus esfectus est q succus enule cu succo rute maxime dalet ruptis. i. patientidus ruptura sine descensu intestino a d dursa testiculo quet hoc marime qui ruptura est poter detositate qr illa dissoluut succus rute et enule. Et preter istos esfectus enula dona è stomacho malis humondus repleto et aperit opilatões epatis et splenis de dult rasis tercio almasoris. Et cofert om nibus lesionidus et doloridus frigidis et comotionidus densolitatu et inflationis scòm auicena loco preallegato

Cum bino colera nigra potata repellit Sic dicunt betere lumptu curare podagra

Commentum.

Isic ponunt ouo effectus pulegii quoù primus est o pulegia et principaliter aqua eius lupta cu bino purgat cole ră nigră. Secundus est o pulegiu habet proprierare cură di podagiă betere cu quo podagra lepius generari colet. St circa istud est notădu o bt dicit platearius pulegiu est calidu est ciccu in tercio gradu: subtilem habetsubstătiă bir tute habet cofortatiuă er aromaticitate: aperitiuă er substantia et qualitatibus. attractiuă er ignea substătia bel natura cosumptiuă er calore et siccitate. Et solu vinu decocionis eius dalet cotra dolore stomachi et intestinor extractionis eius dalet cotra delore stomachi et intestinor extractionis et un extractionis et extr

De nasturcio

Textus

1 De nasturcio Illius fucco crines retinere fluentes

allitus alleritur dentilg curare dolozem Et lquamas luccus fanat cu melle perunctus

1 Commentum

bic ponutur tres effectus nalturcii quop primus eft o naffurciú habet proprietate retinendi crines defluentes : hoc li caput bugat cu lucco ei? vel li aqua vel luccus eius bibatur et hunc etfectu tangit Auicena (ecudo canois ca. de nasturcio dicens Betinet capillos cadentes bibitum et linitu. Secudus eius effectus eft o curat doloze dentiu et hoc marime ex caula frigioa quia natturció elt inciliuum relolutiun a calefactiun ot patuit prius ibi Cur moziatur homo. Terrius effectus eius eft o luccus eius habet pro= prietate curandi (quamas pelli adheretes of lumitur cu melle et ex eo linit locus et caula e quia tales (quame ge nerant ex fleumate Callo. Magurciu aute be predictus eff omne fleuma purgat et ergo per intus fumptu probibet caulam lquamarurt ab exterius linitu lua ablterlioe cas abltergit et maxime cu melle quia hoc etia ablterfinuz eft et fic inuat ablterlione; nafturcit. Et preter iltos effectus nafturciu erliccat putredine bacuitatis bentris:mundi= ficat pulmone et confert almati et in medicinis almatis ponit propter illud quod eft in iplo de incisione et lub illa tione:calefacit Comachu et epar et confert grofficiei fole= niset proprie quado ereo fitemplattru cum melle e facit euomere colera et educit eam Colutione: augment u efficit in coitu et Coluendo educit bermes et prouocat meftrus bt bult auicenna le cundo canonis loco preallegato

De celidonia Textus Cecatis pullis haclumina mater prundo plinius ot Cribit Quis lint eruta redoit Commentum

i iii

bic ponitur bun notabile de celibonia. Et elt q quado pulli prundinis excecati fuerint tunc mater affert celido= niam et cuea fricat oculos pulli excecati et lic bilus relfi= tuitur. Et p hoc dat innuere autor pcelidonia marie co fortat bilum. Et iltud etiam manifelte patet grin medi= cinis valentibus contra debilitate vilus comniter ponit Et eft celidonia herba nota glaucu habens luccum Caula Butem quare ipli prundini data eft birtus cognolcendi ce lidoniam plus & aliis auibus poteft ede ifta q: pulli pru= dinis lepius cecitate patiunt & pulli alian auiu quia fe= ces prundinu habet bim excecativa oculozum + lepius pa tiutur a fecibus matru. Et e fciendu plecudu platearium celidonia eft calida et licca in tercio gradu. Eter qualita= tibus fuis et fubftantia habet birtute billoluenoi colume di et attrabendi. Et radices eius trite et in bino decocte ualet ad purganou caput et buula; ab humoze frigido & huido (i paties fumu p os recipiat a pea binu gargarizet.

Auribus infutus bermes luccus necateius Corter berrucas in aceto cocta reloluit Pomorum luccus flos partus destruiteius

Commentum

(b)ic autor tria dicit de salice. Primu est pluccus salicis auri infusus interficit bermes auris. Et istud potest pro uenire propter stipticitate et exsiccationez eius. Et est hic sciendum p scom Auicen. Icdo canonis ca. de salice. Aon est aliquid magis blimu o succus foliop eius in cura sanici que currit ex aure. Scom est o cortex salicis.i. extrema para eius in aceto decocta tesoluit berrucas. Auicena bero loco preallegato dicit p eius cinis eradicat berrucas linitus cu aceto et istud est propter behemente exsiccatio ne cineris eius. Pro deletione tame berrucaru no est ali

quid magis ableindens verrucas of fricatio portulace sup verrucas. Et facit hoc portulaca sui proprietate et no qua litate scom auic. scoo canoni s ca. de portulaca. Terciú est op flos salicis et succus pomop. i. fructuú eus nocet partui que propter sipticitate et exsiccatione eop reddunt par tum difficilem.

Textus

Confortare crocus dicatur letificando
Combrag defecta confortat epar reparándo

Bic mnunt aliqua iuuamenta croci quop primus elt o ctorns cofortat corpus humanu letificado. Et circa illud eft Criendu o crocus tanta proprietate habet letificandi o Darus in majozi quatitate & debeat interficit letificando Ciue ribendo. bude dicit auicen. Icho canonis ca. de croco: tres aurei de iplo interficiut letificando. Et ell aureu podus dragme bnius et femis. Scom eft o crocus cofortat membra defecta et principaliter cor. Confortat etia ftoma chu ppter fua lipticitate et caliditate. Et propter eandes caulas etia reparat epar et maxime propter flipticitates q no permittit dillolui epar. nimius th blus eius inducit naulea et deicit appetitu. Et illud innuit Auic. loco pieal legato dices. Iple facit naulea + deicit appetitu propterea poppolitus elt acetolitati que elt in ftomacho ex qua elt. appetitus. Ot preteriftos effectus eft faciens fomnu + ob tenebras fenfus et cu bibit in bino inebriat abstergit bifu probibet fluxu ad iplu:facit anhelitu facile et cofortat in Arumenta anhelitus. excitat coitu et prouocat brina; bt bult Auicenna loco preallegato. A De porro

Beddit fecundas per manlum lepe puellas Jao fillantem poteris retinere cruozem

1 1111

per mantur duo iunameta porti. primuelt o portupper mantui. per comeltione el? reddit puellas lepe fecun das. Cuius ro potelt elle. qu ledmauic. ledo canonis ca. de porto. confert coartationi matricis et duriciei: que elt in ipa que pollunt elle ipedimenta coceptionis. Som elt o portu ableindit fluxu languinis natiu. Joem dult auic. lo co paliegato. Et plures ali effectus eius dicti lunt prins ibi. Allea nur tuta.

De piper ell nigrum non ell dilloluere pigrum. Fleumata purgabit digelliuan qui unabit. Lencopiper flomacho prodell tulliquolori. Lotile preueniet motum febrisquigorem.

Comentum. o bic ponutur multa inuamenta piperis. et pumo tria piperis nigri. Quez primuelt o piper nigrunon eft pis grum in diColuendo.i.refoluendo ppe er fortem eius cali ditateliccitate.eeni calioù + liccu i grto Scoge @purgat fleumata: quattrabit ex iteriozi corpore fleuma tipm stu mit lifiter fluma i pectore et flomacho inuicatu remouet iom calefaciendo cubrihado et diffoluendo. Terciú eft o e inuatinu digeffine. Et iftud patet per auic. fcde canonis ca de pipere dicentem o piper el digelliun faciens appe titu. Et iltud marime intelligenoù de pipere longo:quod elt magis coucniens digeltioni crudor humor & album bel nigru bt teltatur galienus quarto de regimie fanita tis ca.leptimo. Scho ponit quing juuameta lencopipes ris.i.piperis albi.quon primueft o piper albu confortat Romachu. Et iftud patet per galienu.loco pallegato dice= tem gelt cofortans ftomachu luper alia duo pipera. Et idem bult auic. Icoo canois ca. de pipere dicens. St albus magis coucniens ed Comacho et behemetius confortat.

Scom eft o piper confert tulli marime er materia frigis Da fleumatica quia illa calefacit dilloluit et incidit. Et' 1= ftud bult auic.loco preallegato bicens. o quando admini Grat piper in electuariis elt coueniens tuli et dolorib; pe ctozis. Terciù eft o piper album couenit dolozi. Et poteff istud intelligi de doloze pectozis. acut ex auic. allegatu est pel de doloze bentolo. Tali eni couenit omne piper quia ome piper lui caliditate carminatiun elt bentolitatu. elic educit bentolitates. Auic. bero loco Ballegato dicit.piper albuet limiliter longu couenire in voloze bentris pungi tuo fi bibatur cu melle et foliis lauri recentiba. Quartu eft p briliter potelt preuenire motu febris idelt accellio= ne liue parorilmu febris. et hoc febris frigide. quia in tali piper aliquomodo materia calefacit et digerit. Quintuz elt op piper album balet in rigoze febrium. Guius caula elt quia piper fua caliditate confortat neruos et materia Sparlam Sup eos columit. St auic. dicit of fricando fit in= unctio ex ipo cu buguento et confert rigori. Et illa iuua = menta quich etia pollunt couenire aliis generibus pipe= ru. bt ex auic loco preallegato patet. Et pter iltos effectus piper calefacit neruos et lacertos adeo q in hoc non elta liud ei par.mundificat pulmouem.prouocat brina pau= cum de ipo. Ced multu de iplo foluit bentrem. bt colligit er auic.loco pallegato. Et circa iftud Cciendu eft o tripler elt piper. Cila piper album qued dicitur lencopiper. piper longu quod dicitur macropiper.et piper nigrum quod di citur melanopiper. piper album dicit quod eft biride mit tum humidu. Et quando illud eft deliccatu aliquantulu; ita p apparer queda discotinuatio inter eius partes. non tamen lit perfecte maturatu oicitur piper longu. S; qui elt perfecte maturatu tunc dicitur piper nigrum. Tertus.

St mor polt eleant dormire nimiso mouert. Ila grauate felent auditus ebrictasos.

Comentum. Dic tangutur tria grauedine auditus inducentia. Di muelt imediatus fomnus polt cibu fumptuz et hoc big ad repletione. Cuius caufa poteft elle ifta. q: fomnus im mediate polt cibu lumptum facit indigellioca cibop. cibi aut indigefti grollos ac indigeftos fumos procreat d fua grofficie meatus auditus opilant et etia fpus auditiuos ingrollant a pturbant. Scom eft nimius mot polt cibu Cumptu qu talis etia impedit digeltione i claulione debita ozificii fromachi. Aliqui tn textus loco nimis habent mi= nus.et tuclenlus eft o nullus motus polt abu lumptus etiá grauat auditu. Quius vo elt qu tunc ouficiu ftomachi no ita facile claudit. licut per pauca deambulationes qua cibi descendut ad fundu flomachi. Jam flomacho no exi= ffente claufo fumi multi alcendut ad caput grauates au= ditu. Terciù est ebrietas. que rebrictate procreantur fumi multi & bapores qui accendut ad caput.et ad organu audi tus.fom eius pturbates et auditu grauates. Er no lolu phrietas inducit nocumentu auditui led ctia bilui et omi bus fentibus ppter eande caufam. btetia prius dictu eft. Aufc. bero quarta tercii ca. lcoo de coleruatione fanitatis auris etia dat tria nocentia auribus. Et dicit. Et er eis d= dem que nocent auri et reliquis lenlibus funt fallidiuct repletio et aprie Comnus lup repletione. St eft leiendu o aliqui textus adhuchabent bnu berlu continente adhuc alfa inducentia graucoine audit?. Et eft ifte. Balnea fol bomitus affert repletio clamos quia ila inducut etia gra uedine auditus maxime tn tinnitum.qu dicit auic.quar= ta tercii ca. de cura tinitus. Opozter bt oms ille bitent fo lem et balneŭ laboziolu et bomitu e clamoze e repletione.

Textus.

Detus.longua fames. bomitus.pcullio calus. Obiletas. frigus.tinnitucaulat in aure.

Bic tangutur Ceptem inoucentia tinnitu in aure.i.Co= nu que homo bidet audire exterius, quop primuelt me= tus et Com alios motus. Can'a e de meru:qu'in metu loi ritus thumores mouent ad interiora. Ceil; berlus cor lubi to er quo motu facile generat bentolitas que penetrado ad organu auditus tinnitu caulat. De motu etia patet gr er motu corporali etia comouentur huores et Cpus.er qua comotione etia generat bentolitas. facile q benies ad au res tinnitucaulat;q: tinitus caulat ppter aliqua como= tione baporis aut bentolitatis circa organu auditus co= mouentiú aerem conaturalem in organo auditus exilte= tem Secundueft longa fames. Et ronem fubiugit auic, quarta tercii.ca.nono dicens. Et illud elt propt agitatio= nem cadentem in huoribus sparlis in corpore quiescenti= bus in ipo. St cunon iuenit natura cibu alique; couertit an eos et resoluit ipos et mouet eos Terciù ell bomitus grin bomitu qui elt mo tus laboriol? mouent marie buo res ad caput. In lignu cuius oculos et faciem videm? fie ri rubeos et bilus fieri nocumentu et ficetia facile mo= uent in bomitu bapores e bentolitates ad organi audi= tus. Quartu elt percullio Cpere in capite. a marie in aure. Cuius caula elt quer tali etiam accioit behemes comotio aeris conaturalis in organo audit? exiftetis quatura ali quo mebro lelo imediate nutrit ad ip3 fpim + laguine d lut iftrumeta nature.ex db; tuc accivit in aure comotio. @ wi tu e cal? + marie lupra caput ppteande cam qoicta e de p cultioe. St etiajer calu quocug behemes fit pmotio huor corpe. Sextu e ebiletas. Cuis ca e qr in ebiletate caput re

pletur fumis et bapoubus ex quibus ad organu auditus benietibus facile comquet ser conaturalis in organo auditus exiltens. Septimuelt frigus ex forti eni frigore de= bilicat ozganu quare ex leui caula facile patit bet contingit tinnitus ex forti frigore quia forte frigus caulat ben tolitates. Et no loluer illis caulis cotingit tinnitus au rium pmmo explutibus aliis ficut ex bento fitate in capi te generata et in iplo mota:aut ex Conitu Caniei que gene ratur fortalle in ipla et er feruore puris in partibus etus aut er motu betolitatis accidentis multoties in meatib? eius licut fit in febubus : aut ex repletione lupuerflua in corpore + proprie in capite:auter materia biscola resoluta in paucam betolitate:aut ex medicinis quai proprietas eft bt retincat humozes et betolitates in partibus cercbii bt colligitur ab auicenna loco preallegato. Tertus

Balnea: bina: benus: bentus: piper: allea: fumus pozri: cū cepis: lens: fletus: faba: linapis Sol: coitus: ignis: labo:: ictus: acumina puluis Ila nocent oculis led bigilare magis

Dic ponunt.xxi.res nociue oculis. prima el balneŭ li=
ue humidu liue liccum quod kupha dicit. primo quia ca=
lefaci: cos calefactione multa et lic ledit eop coplerionez
cum naturaliter lint frigidi de natura aque. Secundo qa
exliccat et resoluit humiditates subtiles oculor quib? spi
ritus diliui qui humiginei habet refocillari et teperari. Et
propter istud plures reperiuntur ceci supra renum in qui
bus communiter diuntur suphis et balneis qadmo=
dum etiam plures reperiunt seprosi in hollandia qualia
alia regione propter indebitu regimen. Seda tes è vinu e
hoc imoderate suptu tale eni debilitat oculos et bisum qu

caput replet fumis + bapozibus a ergo etia ebetat omnes fenfus. Tercia res eft benus.i.nimius blus coprus dab oibus medicis fertur debilitare multu bilum. Eranfto= teles quarta probleumaru particula probleumate toro af fignat caulamiftamicils quia per coptu aufert qo opots tunu ed oculis. Doortet eni bumioù aqueu iubtile eis in elfe in quo bilibiles tpus fulciatur. Dam oculus natura. liter eft talis. Cella humidus. Onde de lenlu e lenlato e qu= to de generatione aialia dicit ocula elle de nature ag. S: euullis humidis et eu acuatis couenit luploza deliccari p pter quad oculi a fui recedunt natura que humidicate bi gebat. Et merito oculi bigent humiditate. quia per fpiri tus igneos qui fut in multo motu euanesceret nist humi = do lubitentarent. Er exilto manifeltu eft p coptus erlica cat partes lupioies lubtrahendo humioù ao quod lequit lefio acuitatis bilus. D. tarta res eft bentus.et marie me ridionalis. de quo dicit ppocras tercia amphoticmon am phoritino illo. Au frini flatus peft caliginolus.i.caligine a obicuritatem in oculis induces quod prouenit quia ta= is bentus caput replet humiditatib; ebetatibus lenlus et (piritus offuscatibus. Quinta res elt piper. quod pro= uenit propt lui acuitate qua generat fumos oculos moz Dicares. Sexta eft allea que etiam nocet bilui propt eox acuitatem et baporolitate. Dt etia prius dictu eltibi. Al= lea nur ruta. Septima elt fumus qui eria nocet oculis p pter fui mordicatione et exticcatione. Octaua eft porti.gr erefu ipon generatur fumi groff melancolici.quib; bil? obumbratur. bt etia prius dictum eft ibi. Allea nur ruta. Mona eft cepe.quar comeftio nocet oculis propter eau a= cuitatem. Decima elt lens. de quo dicit auic. Coo canonis ca. de lente. q illius qui plurimu eius comeftione btit bi= fus obtenebratur propt behemetia exliccationis ei? . on=

Decima res eft fletus nimi? qui debilitat oculos exeo p i= ducit debilitate retentiue oculop. Duodecima eft faba cu ius blus generat fumu groffum melancolicu obienebia= tem fps biliuos licut pour. Et ergo etia comellio faban inducit fomnia terribilia. Decimatercia eft finapis cuius blus iducit debilitate bilus propteius acuitate. Decima quarta eft afpicere fole.et hoc eft ppter eius behementem nitoze et (plendozem quibus deftruit bilus. bt patet ad expientiam.et hocideo qu'behemens lenlibile no proporci onatu lentu licut radii colares corrumput lentu. Decima quinta eft coptus et maxime post nimia repletione bl'ma gis poft nimia bacuitate et ianitione. et de illa redictue. Decimalerta eft ignis.cui? inspect? causat siccitate bebe= mente in oculis.et lic ledit bila.et etia ledit propt clarita= te eius. Stergo coiter bidemus fabros et illos qui continue cora igne operant rubcos aut debiles habere oculos Decimaleptima nimi laboz. qz talis etia behemeter er= Ciccat. Decimaoctana e pcullio contra oculos.que ledit o= culos et bifu.q: facit languine ad oculos fluere lom bili= uu peurbante et aliquado apoltema generante Decima nona eft nimi? blus ren acutan bidels bri diverlis Calla mentis acutis. + hoc ppter acuitate fumon exipis gene= rator. Dicelima eft puluts line ambulare in locis pulue = ruletis.in quibs de facili puluis ad oculos puenit ce bifus offulcat. Dicelimapima et inter ceteras magis ledens o= culos et bilu eft nimin bigilare quia bigilie nimie nimia ficcitate i oculis inducur. Et in generali omis repletto no cet oculis. Cimiliter ome quod exliccat natura:et omne qo turbat languine ex rebus fallis acutis et aliis i omis ebil tas bomit bero cofert ei inquantu purgat flomachu e nocet ei inquantu mouet materiae cerebri expelledo eas ad iom. Et ergo fi fuerit bomitus necellatius debet fieri

poficibu et cu facilitate. Et limiliter fomnus lupflu no cet vilut i fomnus statim post repletionem. et multitudo fleubothomie et ppiie cu ventolis cotinuis. Et istud col ligit er auicena tercia tercii tractatu quarto. ca. quarto. de rememoratioe rep vilui nocentiu. du etia auic. plures ex causis in terru narratis exprimit.

Feniculus. verbena.rola.celioonia.rufa Er iffis fit aqua que lumina reddie acuta.

bic tangütur quich res medicinales. quan aqua cofert bitui. prima elt feniculus cui? Cucc? in oculo polit? acuit bitu lodm ralim tercio almaloris. Soda elt berbena.cui? aqua a coïbus medicis ponit in receptis balentibus constra debilitate dilus. Tercia elt rola.cui? aqua cofortando lom aialem potelt confortare dilu. Quarta elt celidonia et è herba habens cucci citrinu. Et dicit celidonia elieta dona donas Quita è ruta. et è herba cois. e aque illa quant herban limilit dalent de en coibus autorib; medicie patet. Et de plurid; illan herban pri? in diuerlis pallib; dictum est amplius.

Sic dentes lerua porrop collige grana; ne careas iure cum iulquiamo limul bre. Sicop per embotum fumu cape dente remotum.

bic ponutur alique medicie baletes ad doloze dentiuz Et dicit tert? plemia porrop i iulquiam? limt bita balet in doloze dentiu. Et debet lic admitrari luccul iulquiami cu lemibus portop debet limul coburi i fum? iltop p ebo tu recipi i illa parte i qua e doloz detis. In iulqamo eni elt bi? itupefaciedi. i lic er tupoze doloz no pcipit. Et i fumo seminis poriest virtus interficiendi eciciendi bermes q aliquado in cocanitatibus dentiŭ exilietes intolerabiles faciut dolorem. Et istud dicit auic. Codo canonis capitulo de porro. Et est porru herba nota. Et iusquiamus est hera ba stupefactiva habens longa folia pinguia et fetida.

Ac pomă crudum faciát hoiem fore raucum.

bic pon utur lex caule rancedinis bocis, quan prima e nax.i.comeltie nucu.quia nuces multu exliccant.et ergo boce eralperant et faciut eam limilem bocibus gruum. Sccunda eft oleum.cui? blus poteft inducere raucedine quia partes eius alique bilcole adherent ipi canne pulmo nis facietes raucedine lecundo potelt inducere raucedine in corporibus colericis, quia oleu in talibus cito inflamat et lic joucit ex tali calefactione ex a (peratione : raucedine prima tamen caula bidetur melioz Tercia eft frigus ca= pitis. Quius caufa elt quia ex frigoze capitis fit coprellio cerebii.er cuius coprellione fluunt humores deorla beri? guttur et cannam pulmonis iducentes raucedine ppter nimia bumectatione canne. Quarta est anguilla line co= meltio anguille quia ex elu eius fleumata vilcola multi plicatur.que benientia ad canna pulmonis illic adherent inducetes raucedine. Quinta eft potus nimius:et marie quando itur dozmitu. Quius caula eft quia ex tali canna pulmonis etia muliu humectatur. Jam behemens hu= mectatio canne pulmonis potidima el caula raucedinis bocis ledm omnes medicos. Sexta elt pomű crudum q: inquantu crudu multiplicat fleumata. Et fi fit cu hoc im maturu flipticu fine ponticu guttur exalperat. Textus.

Jeiuna digila caleas dape balde labora
Inspira calidu modicum bibe comprime flatu
bec bene tu serua li dis depellere reuma
Si fluat ad pectus dicatur reuma catarrus
Ad fauces brancus ad nares esto corisa
Comentu.

bic tanguntur leptem quibus curat reuma. primuelt abstinetia Que iciunia quia per hoc materia reumatis di minut quia abstinentia exliccat et materia melius maturatur et columit quia natura no habens materia cibalem in qua agat agit in materiam reumatis et confumit ram et caput minus replet. Et ergo dicit auicenna quin= ta tercii tractatu primo ca.. riii. Et propter quidem ne pa tiens catarru et cozilam replet bentre cibis quare repleat caput eins Secundueft bigilia quia illa etia eft erficcati ua cerebii et prohibitiua alcelus multor bapon ad caput Tercium eft cibi calidi qui etia inuat in reumate cum eft ex materia frigida. quia per illos etiam tunc digeritur materia friigda / Quartum eft multum labozare quia per hoc etia columitur materia reumatis quia labor mul tus erliccat luperfluitates corporis. Et loco illius dictio= nis balde quidam textus habent befte et tunc fenfus eft m in cura reumatis etia balet calere beflibus et hocetias berum elt maxime tamen gu materia reumatis eft frigi Da. Quintum eft inspiratio aeris calidi et hoc marime in catarro ex materia frigida quia per aere infpiratum cali= Dum tunc calefit materia et maturatur. Sertum eft mo dicu bibere et pati litim quia per hoc etia materia reuma= tis confumitur cum litis liue modica bibitio exficat. Et etiam per modicam bibitionem caput non repletur licut per multu potu. Septimu elt copzimere flatuid eft retine re anhelitu. Itud eni valdebonu elt in catarro marime a caula frigioa quia per ifta retentione anhelitus calefiunt

Pectoralia et l'e melius digeritur materia frigida fleunta tica faciens catarrum. Et plurima ifton a alia tangit aui= cenna loco preallegato dicens poporter bt alliquet calefa ctione capitis et elongatione eius a frigoze et minuat ip= fum a septentrione et proprie post austru. Auster enim re plet et rarificat et Ceptentrio constringit et exprimit et mi nozet potu aque congelate nego dozmiat in die et litiat et famem patiat et bigilet quantu potelt quonia lunt inici um cure. Balis bero nono almanioris bult o paties reu ma debet cauere ne iaceat Cupinus. Et ratio elt ne per il= lum decubită materia fluat ad parte poterioze et cu pars pofterio: no habet manifeltos meatus per quos materia fluat timet ne fluat ad neruos et faciat (palmum bel pa ralilim. St limiliter debet abdinere omnino a vino quia binum eft baporolum. Et cum multum lit calidu dillol= uit materia : auget reuma. Et fimiliter no debet fare ad . Colem aut ad igne quia fol et ignis dilloluendo materia; etia augent reuma. Deinde textus i duobus bltimis ber Libus ponit differeria inter ilta tria nomina Cilicet catar= rus brancus et coriza. Et dat differentia in hoc p eft fluere materia ad alia et aliam parte. Onde reuma eft nomen comune ad omne fluxu materie de bno membro ad aliud. Et ergo dicitur reuma quali ruens materia . In comuni famen blu capitur folum pro nomine comuni ad omnem fluxumaterie a capite. Et continet lub le illas tres fpecies Cilicet catarrum brancum et corigam. onde li illa mate ria fluat ad pectus bel membra bicina dicitur catarrus. Si bero ad fauces brancus. Sed a fluat ad nares diatur. coriza. Tertus

Autipigmentum fulphut milcere memento his decreapponi calcem comilce caponi Quatuozhec milce comixtis quatuoziltis fiftula curatur quater er his Crepleatur

Commentum. n hoc textu ponit autor medicină curatiuă filtule dicens o emplatrum factu ex auripigmeto fulphure calce et lapone limul mirtis curat fiftula. Luius caula elt quia in ilis elt birtus exficcativa et mundificativa que intentiones necellario requiruntur in curatione fiftule. De au ripigmento vicit platearius pelt caliou et liccu in quar= to gradu diffoluit attrabit columit et mundificat. Et lul phur et lapo lecuoum en etia calida funt et ficca: fulphur tame behemetius quia eft calidu et liccum in quarto: fapo vero no. De calce dicit Auicenna o calr abluta eft exficca= tiua line mordicatione et confolidat. Potanoù circa istud o filtula elt bulnus allidue et periodice flues id elt ledm diuerla tempora bel lecundum diuerlas lunationes. Au ripigmentu bero est illud quo bruntur sculptores quo fa ciunt adherere es liue metallum lapidibus . Saporbero id elt imigma elt illa pinguedo alba liue nigra qua mulie res lauant et mundant beftes. Alia uocabula nota funt.

Olibus ex denis bis centenila novenis Conftat homo denis bis dentibus et duodenis

Extricentenis decies ler quicag benis

In hoc texcu autor ponit numeră oli dentiă et benați humani corporis. Et dicit primo of homo constat ex dice tiset nouedecim olibus. Secădă in solemnes medicine doctores bt procrate Galienă Balim Auerropmet Auicennă olla hois sunt ducenta exquadraginta octo licet in particulari enumeratioe oli discouemat. Et istud bult ille cois bersus. Osa ducetena sunt ato quater duodena Secundo dicit of homo debet habere trigintaduos detes

74

Et iaud intelligendu eft comuniteret be plurimu in bo= minibus perfectis . Aliquado eni configit aliquos hoies non habere bentes quatuoz extremos qui funt polt mola res et in talibus bentes funt bigintiocto tm. & aliquica rent his dentibus bitimis iu puericia tantu: Alii in pue= ricia et iunentute ita o non eis nalcutur donec lint lenes Alii tota vita. Circa iftud lciendu elt o lecudum auicena prima primi doctrina quita Cuma prima capitulo de ana thonia dentium. Interillos dentes quo bocantur qua= les & funt duo dentes anteriores et duo quadrupli iuncti dualibus a dextris et finiftris et tam quales of quadrup'i funt duo in superiori mandibula et duo in inferiori et lut omnes ordinati ad incidendu et ideo a quibuldă ilcilores bocantur et (pecialit duales. St po iftos detes lut duo de= tes q'bocat canini superius et duo inferius immediate co iuncti quadruplis et officia con eft fragere dura. Et pot illos funt quatuoz dentes molares a dertris:et a finifris quatuor tam in Superiori & in iferiou maoibula St polt iftos in aliquibus eft dens bnus fenfus tam a dertris & Unificis et tam in inferiori & Cuperiori mandibula in ali= quibus bero no. Et funt ifti dentes molares et dentes len lus oes ordinati ad molendu. Et lumma totius numeri dentiu elt triginta duo bel biginti octo in no habentibus dentes lenfus lcilicet quatuoz duales quatuoz quadzupli et quatuoz canini et ledecim molares et quatuoz dentes lenfus. Tercio dicit o homo habet tricentas et legaginta quings benas bt pollet patere enumeranti eas.

Duatuoz humores humano corpoze constant Sanguis cum colera fleuma melancolia Terra mela aqua flegiet aer languis colerit ignis

Infoc textu enumerat primo autor humores qui funt

nece Carii ad conftitutionem humani corporis et dicit & quatuot fut humozes in humano corpore les languis fleu ma colera et melacolia. Secudo oftendit natura et cople= rione cuiulas humoiis per hoco comparat bnumque as bni elemetozu. Et bult o melacolia elt frigida et licca et fic coparatur terre que limilis nature e. Heuma e frigiou et humidu et lic coparatur aque . Sanguis elt calidus et humidus et lic coparatur aeri. Sed colera elt calida + ficca et liccoparatur igni. Et ifte lenlus etiam patet i bis ber libus bumiouselt languis calet e bis aeris Illi. Alget bu met fleuma illibis fit aquola. Sicca calet colera licigni fit Cimilata. Belancolia friget liccat quali terra. Et p ma iori intellectu Cciendu est o lecundu Auicenna prima primi doctrina quarta ca. primo quatuoz Cunt humozeg in corpore hominis Cilicet Canguis fleuma colera et melan= colia bt dictu cft. Inter quos languis eft melioz, primo az elt materia spirituu in quibus bita consistit et omnis ope ratio begefatiua biralis et animalis. lecundo quia cofor mis elt cum principiis bite.eft eni calidus er humidus te perate. tercio quia plus nutrit et reltaurat deperoitu cete ris bumoubus. Et bt ad bnu lit ofcere elt tegaurus natu re excuius perditione lequit mors fratim. Drinde fequit fleuma in bonitate. primo quaptu elt bt tepoze necellita= tis frat languis et ideo no habet propriu receptacalu led incedit cu languine . Secundo quia bicinius est radicali humido quod eft belut balis bite. Deinde lequitur colera quia participat cum naturali caloze goiu menfuram fer uat. Deinde eft melancolia belut fer et Cordicies elonga= ta a principiis bite inimica leticie et liberalitati et conna= ta fenio et morti. Secundo fciendum pro divilione et dif finitione humozum & languinis due lunt species scilicet naturalis et innaturalis. Maturalis elt cuius colorelt ru

beus lala benalis rubeus obleurus et arterialis rubeus clarus malo carens odore et eft balde dulcis. Et hoc per respectu ad alios humores . Innaturalis el bupler. nam quidam eft innaturalis qualitate Cilicet qui eft mutatus a complexióe bonain le line alterius humoris comixtio ne. Alius elt innaturalis propter humore maluei admix tu peccante qualitate lubitantia bel quatitate bel in pro portione alterius ad alteru. Et ileeft dupler. Dam quidam eft no naturalis ex permixtione mali bumoris qui ab extra fibi fuperuenit. Alius eft no naturalis expermix tioe mali humozis generati in iplomet laguine licut qua do pars languinis putrefacta eft et eius lubtile conuerlu, elt in coleram et grollum in melancolia bel illa colera bel illa melancolia bel btrace manlit in illo laquine. Et ilte fanguis no naturalis ex admixtione mali humozis mul= tipliciter diverlificat a naturali, primo in lubitatia quia, groffiozet turbidiozelt cum fibi milcet melacolia bel fub= tilioz cum fibi miccetur colera citerna bel aquolitas. Se= cundo in colore quelt declinans ad albedine ex parte fleu= matis bel ad nigredine ex parte melacolie Tercio in odo. re quia fetidiozeft exadmixtive putrion humon bel om nino odoze caret ex admixtione crudoz. Quarto in Capo= re quia bergit ad amaritudine ex admixtione colere bel ad acetolitate ex parte melancolie bel ad infipiditate ex parte fleumatis Meumatis bero etia due lunt (pecies leilicet naturale et innaturale. Paturale elt quod eltaptu bt in aliquo tempoze fiat Canguis quonia elt Canguis no bene. coctus. Et eft quidam modus dulcis fleumatis quod no. valde existit frigioum pmmo corporis comparatione est. frigioitatis pauce languinis bero comparatione et colere ruber eft frigioum. Et elt naturaliter album. Et dicitur fitud fleama dulce eriento hoc nomine dulce ad omnes la

pores delectantes gultu quia alio modo illud fleuma na= turale no ell dulce cum lit insipidum aquolum et lapori aque multu propingum. St no fecit natura illi fleumati proprin receptaculum licut colere et melancolie fecit: led fecit iplum transire cum laquine bt tempoze necellitatis bertatne in languine quia habet limilitudine propinqua Canquini. Stiftius fleumatis due funt necellitates : bna btilitas. prima necellitas eft bt lit furta membra ad hoc bt operentur in eo eon birtutes et coquant et digerant et nutriant exeo cum membra amilerint nutrimentu quod confueuit benire ad ipla quod eft languis wnus propter retentione materie languinis que quidem retentio a lto= macho et epate fit propter aliquas causas accidentales. Secunda necellitas elt bi milceatur cum laguine et red dat iplum aptum ad nutriendum membra fleumatican complexionum licut cerebin et nucham in quor (angui= ne ea nutrituro notabilem fleumatis parte elle oportet. ptilitas bero eius elt bt humectet functuras et membra que multum mouentur ne deliccentur propter caloze qui prouenit er motu et confricatione. Heuma bero innatu= rale potelt diuidi primo exparte lubftantie Et lic quodda eft mulcillaginolum et elt fleuma lecundum lenfum di= uerfum in fubtilitate et grofficie in fuis partibus. Et di= citur mulcillaginolum propter limilitudinem quam ha bet cu mulcillaginibertractis a feminibus Aliuo eft fleu ma groffum quod apparet equale in substantia.i.in sub= tilitate et grollicie lecundum judicium lenlus led lecun= dum beritatem dinerlum eft in luis partibus et dicitur fleuma crudum. Et iftud multiplicatur in fomacho et in tellinis. Et propter iplius expullionem a ftomacho prece pit ppo fieri bomitu in mele bis. Et ad ei? expulcione ab intellinis Catuit natura colera defluere a cifti fellis ad ite

la ifii

Binu jeiuniu.et colequeter ad alfa inferioza quatenus ab Gergeret illud fleuma ab ouficiis intellinon et faceret ip lum descendere cu fecibus. @ ultiplicat etia interdu in be nis (pecialiter in lenib; ppter diminutione digeftionis ; illic mora trabens paulatim augetet ingrollat tcum ab eo tande grauet natura:et no polit ipm per benas expl= Cionis ordinarias expellere facies de pollitiliba quod me= lius eft:elongat ipm a corde et aliis mebris intrinfecis. et mittit ad extrema et (pecialit ad tpbias.quia fua graue= dine naturaliter tendit ad inferiora. Etilta eft caula qua re tpbie lenum inflant inflatioe relinquete fouea polt im paione digiti (pecialiter circa nocte:et in pinguib; et foli= tis nutriri humidis. Aliud elt fleuma balde lubille.et elt fleuma aquolu fimile aque altqualit infpillate. ¿ lepe iue nitur iu falinis a sputis male digerentiu et nimis bibenti um.et a cerebio ad nares distillare Colet in principio cori= 382.et cu per decoctione ingrollatur couertit in fleuma groffum aut mulallaginolu. Aliud eft fleuma balde grof fum album bocatu gipleum.et elt fleuma cuis lubtile fu it resolutum propter nimia mora eius in iūcturis a gros= fum remanlit quali lapidificatum. Et iftud fleuma facit podagram nodolam fere inlanabile. Aliud elt fleuma bi treum. Et eft fleuma fpillum grollum fimile bitro lique facto in colore vilcolitate i pondere. Secudo dividit fleu= ma in naturale er parte Capouis. nam quodda elt fleuma dulce quod fit ex admixtione fanquinis cu fleumate. Et lub ifto ctia cotinetur fleuma bnctuolu go fit ex admirti one buctuolitas languinis cu fleumate. Aliudelt fleu= mainlipioù factu ex cruditate licut quodda fleuma bitre um. Aliud eft fleuma Callum factuer admirtione colere. St iftud elt magis mordar liccius et lenius cetis (pecie= bus fleumatis propter coleram quaz luccipit in le que lic

ca exiltit leuis et àcuta. St hoc fleuma lepe reperit in fleu maticor ftomachis potantium lepe bina forta et bten= tium Callis et acutis et adherens fomacho caufat interdum fitim clamorofam et diu currens per iteffina quan= dom ercoziat ea et iducit dilinteriam et in ano frequen= ter inducit fortem tenalmone. Hliud eft fleuma acetolus quod fit quandog propter melancoliam acetofa fibi ad= miriam. Et quandors fit propter ebullitione que accidit fleumatici Cicut accioit Luccis dulcib; fructuum o primo ebulliunt et poltea acelcunt. Et illud fleuma lepius appa ret in ftomacho male oigerentium & in aliif partibus.na ad os ftomachi naturaliter profluit melancolia ad delide riu fulcitandum que deorfum cadens quando on flumati mirta reddit imm acetolum. et poc coanoscitur per ruci? acidos et interou fleuma tale generatur in Comacho per biam ebullitionis a debili caloze exchilo. Alind eft fleu= ma ponticum quod quandogs caulatur propter admirti= onem melancolie pontice.et illud raro reperitur propter raritate melancolie pontice quandogs bero caulatur pro pter behemente infrigidatione cius qua humiditas eius cogelatur.et aliqualifer ad terreftreitatem alteratur. no supuenit ei caloz debilis qui faciendo iom ebullire couer= tat iplum in acetolitatem nem calor fortis qui digerat ip fum et couertat ibm in languinem. Colere bero lpecies ff militer due funt. & licet naturalis et innaturalis. Colera naturalis eft fpuma languinis cuius color eft rubeus da rus.i. citernus in bleimo gradu citernitatis. licut capilli Catrani et eft leuis acuta et quanto magis fuerit calida: erit maioris rubedinis. Et ifta colera polto generataeft in epate diuioteurin duas partes. quaz bna trantit cum fanguine ad benas.et alia pars transmittitur ad burlaz fellis. pars autem illa colere que transit cu Canquine pe=

netrat cu eo cauca nececutatto et cauca btilitàtis. necellitas elt bt milceatur cu fanquine ad nutriendu mebia co= lerica. Et btilitas eft bt lubtiliet languine et faciat iom penetrare in benis. pars aute illa que transit ad burlam fellis transit illic etia propter necellitate et billitate. ne= cellitas elt duplep.queda elt necellitas corporis rotius lci licet mundare ipm a lupfluitatib; colericis. Alia eft refpe ctu burle fellis.et eft nutrire ipam. btilitas etia dupler e bna eft abluere inteffina a fecibus et fleumate bifcolo ad herente eis. Altera elt pungere intellina et mulculos ani bt Centiant quod elt eis nociun et emittant egellione. Et huius rei lignu elt o colica lepe accioit propter opilatio= nem factaz in foramine quod procedit a burla fellis blog an intellina. Colera bero inaturalis dupler eft. nambna eft inaturalis propter caula extrinfecam que ei admifcet Alia eft inaturalis ppter caula in fe. quia lubfantia ei? no eft naturalis. Colera inaturalis poter caulam extrin lecă alia est scita et famosa.et est illa cui fleuma admiscet Ot dicit famola liue etiá nota quia lepillime generari fo let. St er hac colere (pecie fit terciana nota Alia elt que e minozis fame et elt illa cui melancolia elt admirta. Cole= ra bero famola bel elt citrina. et generat ex admixtione fleumafis lubtilis cu colera naturali. Del eft bitellina li= milis vitellis ouop.et generat ex admixtione fleumatis grollica colera naturali. Colera bero minozis fame fit du obus modis. bnus eft quando colera in le adurit et fit ci nis a quo non lepa ratur pars lubtilis colere. led cum eo miscetur.et bec colera eft peioz. Alius eft be melancolia co lere de fozis adueniens cu ea milceatur. + hec colera elt me lioz alia.et eft eius coloz rubeus. Ced non clarus nec flozi= dus pmmo eft magis limilis languini benali Colere be

ro innaturalis in propria Cubfrantia Cine alterius hu no ris comirtione. Alia elt que lepius generatur in epate p hoc o lubtile quod elt in languine aduritur: et transit in coleram et groffum in melancolia. Alia elt que in ftoma= cho magis generaturex cibis malis non digellis (ed coz= ruptis Del generatur in benis er humozibus aliis. Et i= thus colere due funt species. Mam quedam eft praffina fi milis colozi pralii nigri:que generatur ex bitellina quan do aduritur. gam adultio facit in colera bitellina nigre= dinem qua comirta cum citernitate generatur coloz viri dis. Alia efteruginofa limilis in coloze erugini eris.et ge neratur ex pracina quado practina tantum aduritur do= nec ficcetur eius humiditas: et incipiat redire ad albedi= nem propter lua liccitatem. St ilte due bltime colere ma= le funt et benenole eruginola tamen peioz eft. @elanco= lie bero (pecies Cimiliter due funt Cilicet naturalis et in= naturalis . Maturalis eft fex boni Canquinis et turbulen= tia et luperfluitas .cuius (apo: eft medius inter dulcedi= nem et ponticitatem. Et ifta melancolia cum generata è in epate partitur in duas partes quaz bna penetrat cuz Canguine et manat cum eo ad benas. Alia transmittitur ad Iplenem. prima pars penetrat cum languine propter necelltatem et btilitatem. Decellitas eft bt milceatur cu fanguine ad nutriendu membra melancolica frigida e lic ca ficut offa. btilitas e bt fluxibilitatem fanguis nimia coerceat et bigozet corpulentiam eins et condenfet donec frat pars folida membrorum duozum que debet nu trire Alia pars qua fanguis non indiget badit ad fplenem p= prer necellitatem et brilitatem. Recellitas eft dupler. be na eft lecundum totum corpus lefficet iplum a luper= fluitate melancolica mundare . Alia eft lecundum fple=

nem feilicet ipfum nutrire. Dtilitas bero procedit exea & pter hoc wipla profluit ad orificia Comachi exprimendo humioftates quas illic invenit freut mulier mulgendo er primit digitis lac ab bberiby bacce. Et hec brilitas ell du obus modis. Ionomodo quia ipla multa coltringit et in= Cpillat et confortat orificia fromachi. Secundo quia facit in oze fomachi comotionem propter accedine eius . et excitat famem et facit beliberiu. Welancolia bero innatura lis elt licut res adulta bel cinis respectu aliozum humozu Steins quatuo: funt fpecies famole licet plures lint no famole brima eft que eft cinis colcie et eft illud qued adu ritur de colera et bec fpecies elt amara. Secunda elt que eft cinis fleumatis et illud quod fuit aduffu ex fleumate. et li fleuma quod adultu elt furrit balde lubtile et aquolu tuc melacolia ex co genita erit Calla in Capoze. Si aute tue rit fleuma groll quod aduritur tuc cinis eius aut melan colia exeo generata tendit ad acetofirate aut poticitat em Tercia eft que eft cinis languis et illud quod adultu e er Canguine et hec melaco la est Calla parti trahes ao oulceoi n e. Quarta eft geft cinis melacolie naturalis. Et li mela colia naturalis ex qua fit fuerit lubtilis: tucerit multum acetofa.et cu effunditur fuper terra ebullit et eius odoz eft a ris et ab eo fugiút mulce et aialia. Si bero talis melan colía neturalis ex qua fit fuerit groffa:erit mino.is aceto Citatis cu pauca ponticitate . A De languineis.

Datura pingues isti sunt argi iocantes.
Semper rumozes cupiunt audire frequentes.
bos benus et bachus delectant fercula rists.
Et facit hos hilares et dulcia berba loquentes.
Om mbus hi sudiis habiles sunt et magis apti
Dualibet ex causa nec hos leuiter mouet ira.

Largus amans hplaris ridens rubeich coloris. Cantans carnolus latis and ar atch benignus.

Dic ponit autoz ligha per que cognocere pollamus ho minem languinee coplexionis. Quon primu elt q lagui= neus eft naturaliter pinguis. Et no debemus intelligere planguineus at pinguis pinguedine proprie accepta que talis lignificat lup frigioitatem coplexiones. b t bulf a= uicena lecunda primi doctrina tercia.ca. tercio. Sed e pia quis pinquedine extensa ad multa carnolitate in quia e multu carno ins. bult eni anic. loco pallegato o multitu Do carnis rubee cu decenti firmitate et no laxitate eius il= gnificat coplexione calidam et humidam qualis elt lan = guinea. Et ro eft quia multitudo carnis rubce atteltatuc Cup fortitudine birtutis allimilaturet multitudine Can guinis que bigent et inualescunt calido et humido . telle Galieno lecundo complexionu dicente. multitudo autez carnis a multitudine languinis generatur. Calidu bero perfecte digerens et allimilas carnis loliditatem operac. Dicit etia auic loco pallegato o ome corpus carnoli une multitudine pinguedinis et adipis eft Canguineu. Et ide bult galienus fcda tegni canone illo, bumida bero et ca= lida cralis. Secundu elt pelt iocolus leils proferens ber = ba alios ao rifum prouocantia bel letus. Et hoc est propt benignitatem humozis languinei prouocantis homine; ao leticiam et jocuoitatem propt Coiritus claros et perte ctos ex languine generatos. Terciñ eit plibenter audit fabulationes iocolas eadem de caula. Quartum elt qin clinatus elt ad luxuriam propt caliditatem et humiditate prouocantin ad coptum. Quintume q talis libenter bo= nu binu potat. Sextumeft plibenter comedit bona ciba ria.quop caula potelt elle quia talis appetit fimilioza co=

plerioni eius que lunt bona binact bona cibaria. Septi mu elt q talis de facili ridet. Cuius caula eft q: languis p uocat a o rifum. Octaun eft o talis eft hplaris.i.hplarent faciem amabilem et iocunoù habens ppter biuacitate co lozis et formolitatem coplexionis ex coplexione languis nonu eft o talis profert dulcia berba ppter amicabilita tem nature Canquinie. Decimu elt o talis elt aptus omi bus artibus.i.de facili potelt addilcere qualibet arte ppt biuacitatem et plpicacitate ingenii eius. Ondecimue @ talis no facile iralcitur. Et iltud prouenit propt humidi= tatem ebetante feruoze coleze prouocătis ad iram. Dein de tertus in duob; bltimis berlibus repetit aliqua ligna dicta et aliqua addit. primu eft o langumeus eft largus no auarus led liberalis. Secundu eft o talis eft amans li ue amorolus. Terciù elt q talis elt hplaris.i.habens bul= tu iocundu. Quartu elt o talis quali lemp biderur ridere quor omium caula e benignitas languinis ad ilta puocatis. Quintu eft q talis eft rubei coloris. Bult eni auic. loco pallegato o color cutis rubeus lignificat multitudi= ne languinis. Et debet iftud intelligi de colore rubeo cus quodă (plendoze et no de rubeo fusco qualis reperiri solet in bultiba hop qui libenter et abunde bibut fortia bina et brutur Callis et Cpeciebs acutis qu talis Cignificat lepram futura. Sertueft q talis libenter cantat bel audit canta re propt letueius animu. Septimuell o talis elt carnol? propt caula prius dicta. Octavuelt q talis e latis audax ppter caliditatem laguinis que eft caula audacie. ponu eft o talis eft benignus ppter languinei huoris bonitate Tertus.

Elt et humoz colere qui competit impetuolis. hoc genus elt hoim cupiens precellere cunctos. hi leuiter discunt, multu comedunt cito crescunt. Indemagnanimi funtlargi fuma petentes. hirfutus fallar irafcens prodigus audar. Aftutus gracilis ficcus croceigs coloris.

Maic ponit auto: queda ligna per que cognoscere postu= mus homine colerice complexionis . primu elt q colerie eft impetuolus.i. faciens rem cu impetu. Cuius caula eft quia Cupfinus calor qui eft in colerico mouet ad impetu. Stergo etiam bult quic. Coa primi doctrina tercia.ca.ter cio o opationes exce diui motus fignificat caliditate. Se cunou elt e talis elt cupious honoris et appetit elle i pri mis ledibus et precellere cunctos alios. Cuius caula e qa Cupfluus calor pronificat aiam ad arrogantia et temeria tatem. Tercium eft pilti cito dilcunt.et hoc ppeer lubtili tatem huozis colerici et eius calibitatem . Et ergo etia di= cit auic.loco pallegato o intellectus.i.promptitudo et bi uacitas ad intelligentiam lignificat caliditatem coplerio nis. Quartu elt pilli multu comedunt. quia in ipis forti oret calor digerens et major refolutio & in aliis corpori= bus. Quintum eit o ifti cito crefcunt.i. pueniuut ad aug mentum. et boc propter fortitudinem caloris naturalis i eis.qui caula eft augmenti. Sextu n eft o ifti fut magna nimi idelt no potentes tolerare iniurias. thoc propter ca liditatem in eis et ergo dicit auic.loco preallegato de par pati ab bnaquam re.i.patientem le red dere fignificat ca= liditatem Septimu elt pilti funt largi.et hoc respectu il lor quibus nonozes accipere podunt. Octauneft o ifti ap perunt lumma i lumas dignitates et officia propter cau Cá (còi ligni. nonu q colerie e hirfut i. pilot i habesimt tos crines ppt caliditate aperiente pozos i mouente materia pilop ad cute. Et or hirlut? ali nire? legns qu iter qia aialia bruta hircus habet longiores crines. Decimu elt.

wiple eft fallar.i. deceptorius. bndecimueft & iple eft ira Icens.i.de facili trafcitur ppter caliditatem. Et ergo dicit auicena loco pallegato o ira frequens et a leui caula li= anificat calibitatem.et hoc eft pyter facilitatem comotio nis colere rebullitionis languinis eirca cor. Duodecimus eft of iple eft prodigus quia largus eft in exponendo propter honozes habendos. Decitauterciuelt & talis eft au-Dar quia audacia ctiam puenit propi nimia caliditatem er maxime cordis. Deciniquarineft & iple eft aftutus.f. cautus. Decimuquintum eft o talis eft gracilis.i.no grof for mebior neg multe carnis ppter fuperflua caliditate behementer teloluentem. Decimulertumelt gtaliselt ficcus, i.macer apter ficcitatem complexionis. Decimule primu elt o talis elt crocei colozis.i.citerni. zergo dicit auf cena loco pallegato o color lubruffus lignificat colere do Textus. minium.

feuma bires modicas tribuit latoem beeneem: fleuma facit pingues languis reddit mediocres Ocia non fludio tradunt led corpora lomno.

Senlus ebes tardus motus pigricia lomnus, bic lomnolentus piger in sputamine multus. Eft huic lenlus ebes pinguis facit color albus.

Dic ponit autor aliqua ligna céplexionis fleumatice. primu lignum est paucitas diriú. Fleumatici enim pau cas dires habent propter paucitatem caloris naturalis a quo omis dis hat et exordium. Som e q fleumatici sut latí et breues quia in eis est paucus calor naturalis non lufficiens extendete corpus in longú. extendit igitur corpus sicom latú. Terciumest q fleumatici sút pingues pro pter cox frigiditatem et humiditate. Et ergo dicit ausce. loco pallegato q pinguedo del adeps supflua significat excesiú frigiditatis et humiditatis et complexione corpo

cis frigida et humidas que canquinis buctuofitas que elt btriula materia cum refudat a benis i obujat membija frigiois betremille calibis coagulat ab coum frigioitate bel remilla caliditate et fit pinguedo bt bult Galien? le= cundo coplexiona. Et poftea lubdit bic textus o langui nei füt mediocres supple in logitudine absenitate. Quar tum elt o fleumatici magis ad ocia inclinat o ad ltudia propter frigiditate mouente ad ocia et pigricia. Quintu eft q multu dormiunt et hoc eft propter multa humidica= tem eon et etiam prouenit multus fomnus propter firgi ditatem bt innuit Auicenna loco preallegato . Sertue o fleumatici füt duri ingenii qu ficut biuacicas intellectus et perspicuitas ingenii proueniunt propter naturalem ca liditatem: ita ebetudo intellectus et duricies ingenii pro pter cotrariu les frigiditate. Septimu e o fleumatici lut tardi motus et hoc etia propter frigioitate que facit mo= tum tarou ficut calibitas beloce. Octavu elt o funt pigri nonu plomnus in eis elt longus quop caufa eadem elt cum predicta. poltea ponutur duo alii berlus recelligen tes figna predicta cu quibulda aliis. primu eft o fleumaticus eft Comnolentus.i.inclinatus ad multu Comnu. Se cundu e o iple eft piger i. tardus ad oez operatione. Wer ciu eft o eft multi fputi propter humiditatem in co abun= Dante multiplicatiua Sputi. Quartuelt o talis elt obtufus in lentibus et nedum in lenibus immo etiam in intel lectu Quintum eft o tales eft pinguis . Sextum eft o talis eft albus in facie. Albedo enim cutis et maxime faci ei fignum eft privationis languinis aut paucitatis erus cum frigioitate be dicit Auicenna loco preallegato

Zettus Bestat adhuc tristis colere substantia nigre O ue reddit prauos pertristes pauca loquentes hi digilant studis nec mens est dedita comno

81

Servant propolitum: libi nil reputant fore tutum Inul dus et triftis.cupidus.dextrem tenacis Nonexpers fraudis. timidus.luteim coloris

Commentum bic ponit autor aliqua ligna complexionis melan colia Dumum eft prauitas. Ochancolia enim reddit homines prauos et malor morum queadmodum funt qui leiples interficiunt. Secundum eft multa trifficia. melancolici enim multuz triftes funt bt plurimum propter fpiritus melancolicos turbidos et tenebrolos licut homines leti funt propter (pirituum claritatem . Tercium eft tacitur= nitas, melancolici enim tacidi funt et paucop berborum propter frigiditate licut nimia garrulitas prouenit pro= pter calibitatem. Quartum e o melancolici funt apti ftu dio quia lemper cupiunt elle Coli. Quintu elt o tales funt infomnolenti nec bene dozmiunt propter nimia ficcitatez cerebil et propter fumos melancolicos comouetes in eis Comnia horribilia quibus excitant a Comno. Sextuelt q tales funt tenacis propolitid, pertinaces et cu aliquid in mente habent din retinent et difficulter placabiles funt et hoc puenit ppter liccitate eon que non linit propolitucito mutari. Septimuelt o melancolici nibil reputant eis ce tutupmo lemper timent et hoc eft ppt Wirituu tenebroli taten. poftea in duobus bliimis berlibus ponutur aliq er lignis predictiset aliqua addutur. primu eft o melacolicus e inuious. Secuon elt pe trifis. Tercin elt q elt auarus. Quartuelt welt tenax.i. nihil bolens exponere et male coluens. Quintuelt o eft fraudulotus ümpleret propterea homines melancolici funt denoti multu legen tes iciunantes talias multas abstinētias facietes. Ser= tum eft o eft multum timious. Septimum eft oeft lu= tei coloris,i . terreftris line fulci coloris Color enim futeus et maxime li biridati approximat lignificat dam me lancolie lecundum Balim lecundo almaloris in pricipio: Eextus

bi füt humozes qui prestant cuic colores Omnibus in rebus ex fleumate fit color albus Sanguine fit rubeus colera rubea quoc rustus Si peccet sanguis facies rubet extat ocellus Instantur gene corpus nimiumes grauatur Est pulsus frequens plenus mollis dolor ingens Maxime fit frontis et constipatio dentris Siccas lingua sitis et somnia plena rubore Dulcor adest sputi sunt acria dulcia ques.

In hoc textu primo ponit colores colequentes coplexio neset dicit of fleumaticus eft albi coloris: led colericus eft ruffi colozis et languineus rubei et de melacolico dixit in fine precedentiu berluu. Et de iftis omnibus dictu eft pri us. Secundo ponit tredecim figna fuperabundantis fan guinis:quop primu elt q facies elt rubea propter alcentu languinis ad caput et facie. Secundu elt poculi plus bi bent exire Colito propter extelione qua facit languis mul tiplicatus. Tercivelt o gene inflant propter limile cam. Quartuell q corpus totu grauat qu natura luppeditat no fufficiens regere humores et lubftentare debite corpus Quintuelt o pullus fit frequens propter caliditate qua inducit laquis multiplicatus. Sertuelt o pullus eft ple= nus propter multitudine bapozum calidox et humidox Septimű eft & pullus eft mollis propter humiditatem nimiam mollificantem arteriam. Octauum eft pooloz fit in fronte et hoe propter languine multiplicatum in re thi mirabili. Conum elt & benter contipatur.i.durus fit nec bene allellans propter caliditatem nimia exficcantes feces. Decima elto lingua fit licca propter limitem cam.

F2

bondecimu elt o litis elt magna propter exficcatione orifi cii ftomachi ex nimia caliditate. Duodecimu elt o fiut lo nia declinantia ao rubedine. Et iltud bult Auicenna lecu da primi doctrina tercia capitulo leptimo dicens. Et lons nia que illud lignificant les abundantiam languinis lut Cicut cum homo in Confis res bidet rubeas aut laquines multu er luo corpore exite aut le in languine natare et li= milia Decimu terciuelt ploutue dulce poter languinis dulceoine. potandu circa illud p licut bic ponutur ligna Cuperabundantis Canquinis:ita quida etia ponunt ligna Superabundantie aliozum humoz sub quibusabersibus Signa quidem Superabundatis colere Sub iftis berlibus Acculat coleram dextre wlor afperalingua. Tinnitus bo mitula frequens bigilantia Laulta. Quita litis pinguis egeftio torlio bentris. paulea fit morfus cordis laquelcit ozeris pullus aveft gracilis durus belorg calefcens. #= ret amarelcit incendia fomnia fingit. Signa bero luper abudatis fleumatis fub iftis berlibus. fleuma fupergre= diens proprias in corpore leges. Os facit intipioum falti dia crebia Calluas. Coftaru fromachi Cimul occipitilo do= lores. pullus abelt rarus et tardus mollis inanis. prece dit fallar fatalmata Comnus aquola . Signa bero luper abundantis melancolie lub his verlibus bumorum ple= no dum fer in corpore regnat. Migra cutis durus pullus tenuis et brina. Sollicitudo timoz et trifficia Comnia:te= pus Acrefcet rugitus: lapor et (putaminis idem. Leuage precipue tinnit ce Cibulat auris.

Denus leptenus dir fleubothomum petit annus spiritus dberiozerit per fleubothomiam spiritus ex potu dini mox multiplicatur bumozumazibo damnum lente reparatur.

Lumina clarificat lincerat fleubothomia eventes et cerebium calidas facit elle medullas discera purgabit stomachu bentrem que cohercet puros dat lensus dat comnu tedia tollit Auditus bocem bires producit et auget commentum

In hoc textu autor loquitur de fleubothomia et prime oftendit etate requilità ad fleubothomia dicens o anus becimuleptimus bir petit fleubothomia. Et pifto bicit Galienus ri de ingenio o pueri no debent fleubothoma ri nili habeant quatuozdeci annos ad minus . Et caula e quía corpora pueroru funt faciliter refolubilia a calore ex traneo i ideo de bilitantur multu ex cuacuatione forti fac ta per fleubothomia Item quia indiget nutrimento du plici de caula Cilicet proter nutrimenta augmenta ideo minutio Canguinis non copetit eis. Tem quia facile dif= Coluunt acaloze extranco lufficit quod ab eis diffoluitur quare non indigent fleubothomia. Et circa iftud fciendu Quet fleubothomia non conuenit pueris preditis led cauenda eft ita etia eft cauenda i magna etate (ca fenii bt bult Galienus nono megategni quia lecundu Galienu et balp tercia tegni in coualescentibus et senibus eft pau cus languis bonus et multus male & ficubothomia igit rap et bonu et dimittet malum bt innuit Auicena quar ta primi ca. bicelimo de fleubothomia: et ideo in talibus non copetit fleubothomia. Secundo ponit nocumentus feubothomie et eft @ (piritus bberiozes exeunt per fleubothomia Cuius ratio potelt elle qui multa cuacuatice languinis que fit per fleubothomia necelle etia multitu dine fpirftun enacuare. Tercio tagit remedia per que Spi ritus emitti refocillantur et iterato multiplicantur. Et of cit o ex potu bini lubito regenerantur fpititus quia om

nium lubito nutrientia marima eft bina bt prius dictue eft. Et Spiritus etia regenerat et refocillant er cito led boc fit lente et no lubito ficut er bino . Et cibus qui ocbet du= ri eric digeltibilis et multi languinis generatiuus licut oua forbilia et fimilia et circa iftud fcienduelt o licet ci= bus regeneret fpiritus polt fleut othomia tamen aebent cauere patientes a multo cibo in prima et fecuba die . on de dicit plaac in dietis cibus eft eis minuedus et wtus au gendus Cilicet respectu cibi no tamen respectu sue consue tudinis pmo minus debent bibere & ante fleubothomia quia birtus digeltina debilioreft. Quarto mnit autoz.pi. inuamenta fleubothomie debite facte. primu elt o tem= perata fleubothomía cofortat bilum quia minuendo hu mores etia minuit effumatione ad caput et repletionem eius offulcantes bilum. Secundu elt o clarificat et unce rat mente et cerebia propter fimilem caulam / merciù elt o calefacit medullam quia minuit Cuperfluitates que ad eam benientes iplam infrigioant . Quartu eft @ purgat bilcera id eft interiora quia exonerata natura a fanguine humores crupos in interioribus cotentos melius digerit Quintum eft o fieubothomia reftringit bomitu et flu= rum bentris quia diuertit humores ab interioribus ao exteriora. Et ifind bult Aufcena loco preallegato dicens. Amplius fleubothomía propterea dad diverfum trahit natura lecuoum plutimu retinets Stiftud maxime berti eft quando fleubothomia fit de benis brachti. nam fleu= bothomia facta de benis pedu no lic retinet, potelt tame per accidens contingere o ad fleubothomia fequatur ma ior flurus beneris et hoc aupliciter. primo quia ex fleute thomia facta tollitur onus nature . tunc eni birtus cofos tata aliquado prouocat alias euacuationes Secundo (fluxus bentris fiat exmulta debilitate birtutis cotentia

ne tunceni quia ex fleubothomia debilitat bictus magis augebit flurus bentris . Sextuelt o fleubothomia facit puros lenlus quiminute enamiatione ad caput bit turbat fenlus. Septimű elt o ipla inuat lomnű impeditű az per iplam euacuant humozes plurimi a quibus elevant bas pores acuti et diverli impedietes fomnu. Octavu eft o ip la tollittedia et grauitates nimias que ripla birtus e ro nerat a luo granamine. Et etia educto per iplam langui ne educit fimul melancolia fer languinis q inducit cedia et grauitates. Monu elt e ipla cofert auoitui qu per iplas diminuunt vapores et humores alcedentes ad caputing Dietes audita. Decimuelt piplacofert boci qu per ipam diminunt fuperfluitates et humiditates q pollent perue nire ad pectus bel canna pulmonis et impedire boce. bon Decimu eft o ipla auget bires qu per iplam corpus aluo grauamine exonerat quare birtus augmentatur.

Tres insuntistischapus September Aprilis
Et sunt lunares sunt velut pora died
prima dies primi postremacy posteriorum
Acc sanguis minui nec carnibus anseris vti
In sene vel iuuene si vene sanguine plene
Omni mense venes confert incisio vene
hi sunt tres menses Caius September Aprilia
In quivus eminuas vt longo tempore viuas
Commentum

In hoc textu autor tria facit. primo dicit & isti tres me les scilicet Gapus September Aprilis sunt menses sun naces et in eis sunt dies prohibiti a fleubothomia dioeliecet prima dies Gaii a ditima Septembris et Aprilis. Et istud comunes dicunt. Deruntamen est dictu fictum nec alicuius daloris primo predicti dies possit este ira wai et

electiscient et ali tecundu p diversa costellatio in eis potest elle. Et subdit autor pin talibz diebus nulli vesci de
bent carnibz anseris que etia falsum est et erroneum i ma
gis sortilegio attribuendu. Et forte autor istud habuit a
iudeis qui isturitum observant. Secundo dicit p sener a
senectute et no a senio i iuvenis renas plenas habentes
sanzuine minui possunt omi mense quia isti no facilit re
solubiles sut nec in eis solu paucus est sanguis bon? pm=
mo multus. Tercio dicit p incisio dene pro regimine sa=
nitatis custodiende debet fieri in aliquo istor triu men=
siú qui sunt maius. Septêbris et Aprilis disterêter tri que
in aprili et mapo debet incido dena epatis ppter multi=
plicatione sanguinis eo tpe cu sit tempus dernale et ise=
ptembri dena splenis propter melancoliam que tunc ha
bet multiplicari cum sit tempus autumnale.

frigida natura.frigens regio.doloi ingens. poli lauachtű.coptű.minoz etas atez fenilis. Mozbus pzolixus repletio potus et elce. Si fragilis del lubtilis lenlus Romachi lit. Et faltiditi tibi non lunt fleuthomandi.

Bic autor ponit duodecim que impediat fleubothomia pumu el frigiditas coplexionis. Cu eni com galienu in megategni fleubothomia infrigidat tuc augmetaret fri gidatem. Caula aute quare fleubothomia infrigidat est quia scom psaacin brinis languis est fundamentu caloris naturalis. iillò in quo calor naturalis servatur. et qui fleubothomia sanguine evacuatioco et calore naturale et tunc per cosequens infrigidat. Secundu regio frigida benemeter sub qua debet coprehendi tempus multu fri gidu quod etia prohibet fleubothomia. quin regione ete.

poze multu frigidis fanquis in profuditate corporis ichu ditur. etille qui circa extremitates exiltit a frigiottate co= denlatur et ineptus fit ad hoco fluat. Werciuelt inten= lus dolor lub quo etiam potelt coprehendi nimia corpo= ris inflamatio. qu di in illis accidetibus fieret fleubotho = mia lequeret motus agitatiuus qui est cotrarius nature cu fit difformis et maior inflamatio que etia elt natura; magis debilitans. St caula motus agitatini in dolore i= tento equia fit tractus ad divertas partes. per fleutho mia eni fit tractio ad locu fleubothomatu.et ex doloze foz ti fieret tractio ad locu doloris. Caula bero maioris infla mationis eft querfleubothomia amouent humous qua re magis inflamantur er motu. Et iftud berueft gn fleu bothomia fit parua et artificialis. Si th fiat big ad fin= copi prodeft in predictis calibus. qu ifta cu bincit attractio ne doloris no facit motu agitatiuu. Et limiliter tollit in= flamatione cu non lint humores ibi qui comoueatur a ca lefiant et majore inflamationem inducunt. St illud bo luit galienus in comento illius amphorismi prime parti cule amphorismop que egerutur cu dixit o no est melior medicina in aptate behementis inflamationis et limilit in febribus et dolore forti & fleubothomia. Quartug elt balneu et maxime resolutiuu. tale eni phibet fleubotno= mia quia tale etia elt euacuatiuu iam natura non-facile: tolerat euacuatione sup euacuatione. Quintuelt copt? imediate pcedens. polt talem eni no ftatim debet ficti in cillo bene:quia ex hoc maxima debilitatio nature lequere tur cu per coptum pius natura debilitata lit. Sertuelt etas maior bel minor o requirit ad fleubothomia. licut etas infantie et etas Cenii . prout declaratu elt prius. Gt ifta impedimeta tangit auic.loco pallegato dicens. Tibi quor cauere bebes a minutione in coplexione behemen

tis frigioitatis et in regionib; fortis frigiditatis et in bo ra fortis dolozis:et post balneŭ refolutiua a post coituet i etate gelt minoz xii. anis lenu otomagis mteris nili ff gura cofilus fueris vi Coliditate mulculon er benan apli tudine et eau repletioe et colozis rubedine. Et blteri? fub . dit hos nam ex adolecentibus et lenibus fleubothomare audebis. Hoolelcetes th lecunou ordine ad fleubothoma dum paulatim prouchere debes cum pauca minuitone. Septimu el morbus prolixus quia tucer tali fleubotho mia natura dupliciter debilitatur puta a mozbo proliro et a minutione. Et iltud elt beru leom auic loco pallega= to.nili făquis affuerit corruptio quia li licfleubothomia potelt couenire Detauu elt nimia repletio potus Dong elt nimia repletio cibi lub qua etiam coprehendic indige= Rio cibi . Et caufa hou elt quia fecundu auic.in primo.attrabentia funt tria fcilicet bacuu calibum et tota fpecies. Si ergo bene per fleubothomia a languine euacuarent cibum indigeftű bel fuperflud fine potum fuperfluum a fomacho bel epate attraberent qui indigellus beniens ad membra no corrigeret: quia tercia digeftio no corrigit peccatum fecunde ficut nec fecunda prime fi peccatum fit magnupiopter quod in mebia non couertereiur led ibi remanens pollet elle caula egritudinis Decimu elt fragi litas i debilitas birtutis fleubothomia eni eltfoziseua. cuatio lecundu galienu lecunda amphoximon in comen to illius in quo morbo led birtus debilis non potelt pati motum forte. Pnoccimu el lubtilis lenlatio orifici fto= machi quod pcordium dicit quer fleubothomia in tali fa= cile lequitur fincopis. Et lub ifto ettam coprehendit debi licas fromachi et facilis flurus colere ad ozificium el? in = bucens ad bomitum facilem colere. Bude in babentibus predicta accidentia non couenit fleubothomia. per fleus

bothomiam enim humores comoti ad os ftomachi indu= cerentur tano ad locum confuctum et quia membrus elt Debile et impotes illi fluxui reliftere:ideo illis multa ma la per fleubothomia acciount. Et bec eft bna caufa quare quandog aliqui in fleubothomia lincopizant leilicet ga colera ad Romachum fluit que mozdicando Romachum excompallione cordis et fromachi lincopi inducit Duo= decimu eft faltigium. Genim in faltigio fieret fleubotho= mia cum bene euacuarentur traberent ad le materia ma lam facientem faltidium . Ot plurima iltor ler blimor accidentium tangit auicenna loco preallegato (Et circa iltud elt lciendum o preter predicta accidentia lut adhuc aliqua alia etiam impedientia fleubothomia, quon pri= mum eft alia euacuatio be quando eft flurus mentruo= rum aut emorropday tuncenim non debet fieri fleubo= thomia et hocad euacuationem licet ad diuertenduflu= rum leu materiam pollet fieri Secundu eft corporis liue compolitionis raritas quia a corporibus raris multu dil-Coluitur et ideo Cufficit illa excolutio neceuacuatione idi= gent. be bult galienus nono megategni. Tercium elt bu moz cruditas et bilcolitas tuncenim eft cauenda fleu = bothomia quia augmentaretur cruoitas humor et pro= pter hocin morbis longis non elt facienda fleubothomia quia cruditas humon augmentaretur et birtus debilita retur et morbus prolongaretur, et ideo timendum ellet de calu birtutis. Et propter hor bult anicenna o in mozbis cronicis facienda elt farnacia ante fleubothomiam: et non eft fleubothomia an facienda licet btrag indigeat patietes . Sa cruditas huor potelt accidere duaba de cau fis. bna ca eft ppt abundantia buon caloze naturale luffo cantiu o debilitat? a Cuffocat? huozes crudos generat a tuc bene coverit fleubothomia . Di from alexandru lecudo li

bio luo ca de pozopici flómia in principio ppozarce copetit cum prouenit er multitudine languinis menttrualis cu probibeant flucre meltrua poter cam aliqua:aut ermul titudine laquinis emorropdalis quia licut ignis paruus Sub multa lignoz cogerie Suffocat: Similiter eft de caloze in nato fuffocato fub humozus multitudine. Gecunda cau= Ca cruditatis humozelt caloris imati debilitas bt in illis qui funt debilis coplexionis et qui habucrut longa; egri= tudine et i lenibus et tunc no copetit fleubothomia quia per hocaugeret cruditas qu lanquis in quo caloz colerua tur extraheret et ita corpus infrigidaret et humores ma= gis incrudarent. Debet ergo languis dimitti bt humozus cruditate digerat. Quartu elt aeris Indebita di politio et nimia caliditas aut nimia friciditas quia per caliditates multa foztis fit resolutio et per frigiditate multa incpti= ficatio humoz ad fluxum

Teftus.

Ould debes facere quando bisfleubothomari
bel quando minuis fueris bel quando minuis fueris bel quando minuis
bonctio live potus lavachium bel facias motus
Debent no fragili tibi lingula mente teneri.

Commentum.

In hoc pallu autor ponit quinces que debent fieri circa fleubothomia aliqua quide ante fleubothomia aliqua in fleubothomia aliqua post fleubothomia. primă est du crio que aliquando fit în fleubothomia sicut ductio fleubothomia ficut ductio fleubothomia dicut ductio fleubothomia dicut ductio fleubothomia de cololidatio dulneris retardet ad hoc de post fleubothomia de fleubothomia humores relicti în denis al qua possint habere respiratione et tumi aliqui mali eralet. Secundă est potus et maxime dini q dalet în fleubothomia si sincopis accidat et etia dalet post fleubothomia pregeneratione nouoră spirituu et noui sanguinis etisto modo iam faciunt coes

Mercium eft lauachru.i.balneu quod balet per duos bel tres dies ante.et per duos bel tres poft fleubothomiam et non code die. Ante quidem li quis timeat & habeat in le humozes grollos:quia balneu humozes dilloluit et coa mouet eos.et propter hanc caulam etiam competit ante acceptio firupi acetofi et mo tus bt humozes diffoluant et lubtilientur. Et ergo quando bebet fieri fleubothomia debet fricari brachin bt humores existentes in benis pro pinquis brachio lubtilient et pparentur ad excundu faci lius poft fleubothomia bero balet bt reliquie humon et bapop derelicte resoluant. In die bero fleubathomie no couenit quia per balneu cutis lenis fit que lenificata per cullione factam in fleubothomia fugit et hocelt pericula Quartu eft falcia.i.ligatura cum pannis lineis que valet polt fleubothomia imediate ad retinendu fluxu:et ante fleubothomia ad trahenoù humores ad locum bbi quer it fleubothomia btereo etiabene ingroffent et melius bi= deatur Quintuelt motus liue ambulatio moderata que potelt fieriante. bt humozes dilloluatur et lubfilietur.et. poft ao refoluenou reliquias humon en fleubothomia de relictas. Circa poicta fciendu eft o comunes le faciut fleu bothomare fefuni. led quibuloa doctorib; meling bidet et couenietius ante fleubothomia primo bnu oun Corbe= ant molle:cum ono hauftu bini circa nona bel becimam hora ante prandiu. et Catim poltea le fleubothomari faci ant Et huius caula eft quia Comacho bacuo natura foz tius languine retinet ne deficiat in nutrimento fed cu cibus qui de le multu nutriciuus eft lit in ftomacho cuiulmod i Cunt oua Corbilia et binu tuc nat ura meling faqui nemexire permittit

Exhilarat triftes iratos placaramentes .

ne unt amentes fleubothomia fact.

Omentum. Th hoc pallu autor ponit tres effectus fleubothomie. Dimus e o fleubothomia exhilarat.i. letificat eriftes ho mine, Secuous eft of fleubothomia placat fratos. et cau la btriula est quin languine on multa comileet melanco lia fit trifficia, et qui multa colera fit ira cu melancolia lit caula trifficie et colera ire.iam bterm ifton duon humon educitur eductione laquinis quei comilcetur. Tercius elt & phibet amantes ne incamat que facit huoves fluere ad partes exteriores et a capite divertit. pro maiori beclara= tione leienduelt quich fut caule ppter quas bebet fieri fleubothomia.quan prima elt directa et alie quatuor in= directe. prima que eft directa eft be abundantia fanquis euacuetur liue abundet languis in qualitate liue quati= tate fine btrom modo. naz fcom aufc.loco pallegato duo genera hoim funt fleubothomanda.quoz bnú cit ille mo dus hoim qui iam parati funt incidere in egritudines bt qui habent abundantia languinis in quaritate et reliqu genus eft genus illor hoim qui iam egritudine inciderut propter humon liue languinis malicia Sed differt fleu bothomia ilia et illa que propter languis abundantia de= bet fieri multa fleubothomia. Ced fi in qualitate peccet fi= ue lit maliciolus tuc copetit fleubothomia pauca. bn le= cundu galiena nono megategni. li fanguis lit malus in corpore debet euacuari paulatiue. Et ideo peccant multu illi qui on videt lanquine malu fleubothomat le quoulon bideant languine bonu exire cu forte prius totus lan guis eriret & bonus exiret. Ced debet fieri pauca euacua= tio et tuc lcom galienu in calu illo priu & frat fleubotho mia debet dieta bonu fanguine generans exhibert bt loco mali fanguinis bonus fanguis generet. et poltea de=

bet fieri post modică tempus fleubothomia pauca, et lic Deinceps. Ita fleubothomia elt directa qu fit p le ad eua= cuationem illius quod per le debet per fleubothomiam enacuari fcila ao enacuatione plenitudinis humor fine languinis principaliter.tamen Com o cu eo lunt alii hu mozes. prima caufa indirecta est magnitudo morbi e ma gnitudo aptantis behemētis inflamationis.quicom ga lienu in comento illius amphozilmi, Que egeruntur.tc. non eft melioz medicina in aptante behemetis inflama tionis et in febrib; a dolore forti & fleubothomia. bt etia dictu eltibi. Grigioa natura. Secunda canfa indirecta elt be attrabatur materia ad partem illa per qua debet eua= cuari materia onde in retentione meftruoz et emorrop= dan debet aperiri Cophena Com galienu et auic. ot tra= hatur materia languinis ad inferius. Zercia caufa indi= recta elt bt huozes trahatur ad locu contrariu illi loco ad que fluunt buozes, et bocad divertendu materiam alo = co ad quem fluunt huozes bade in nimio fluru mentru on debet fieri fleubothomia de baulica bt trahatur mate ria ad contrariu loco ad que declinat et dinertat a cuo flu zu. St propt hot in pleureli liniltre partis debet fieri fleu bothomia in parte derira be divertat materia : attraha tur ad locum contrariú loco ad que declinat et Cimiliter li fit in parte dextra debet fieri fleubothomia in partelini= Ara. Duarta caula idirecta e bt p fleubothomia bna poz= cio materie euacuet et natura potetioz lit luprar eliduu · lic coperit fleubothomia quado repletio ein corpore ne fiat apostema qu natura e debilis respectu regimis illop huor ido bna porcio illi? matie e euacuada ne ppt ipote tia nature in regedo illa matia illa matia fluat ad alique locu debile in quo aggreget a apoltema generet.

Fac plagam largam mediocriter bt cito fumus.

Ereat Therius liberius g cruor.

Comentum: In hoc pallu autor ponie bnu documetu de otitate feif fure in flomia. Et dicit & Gidura orbet elle larga medio= eriter bt fumus et grollus languis lit erius exeant. quia quando fridura el fricta tunc folum fubtilis laguis exit et grollus remanet. Circa illub eft fciendum o aliquado in fleubothomia debet fieri bulnue magnu et align par un. Debet autem fieri bulnus magnu tribus de caulig. primo quia humores fut groffiet groffus languis è cua cue dus be per illud bulnus magnu languis facilius pol lif exire.et ergo in melancolicis facienduell magnu bulnus. Secundo propter temporis frigiditatem: quod hue mozes ingrollat.et ergo in hreme debet fieri buln? ma= anu. Tercio propter abundantia humop: quia tune me= lius fit cuacuatio per bulnus magnu o paruu. Sed bul nus parun fit cum eft birtus debilis. bt de Cpiritibuses calore minus euacuetur. Et in tempore calido eadem de caula et quando eft languis lubtilis.

Sanguine lubstracto lex house est digilandum.

ne lomni fumus ledat lensibile corpus.
ne nerus ledas non sit tibi plaga profunda.
Sanguine purgatus non carpas protinus escas.
Comencia.

In hoc pallu autor tangit tria colleranda circa fleusbothomia. Primarit of fleubothomatus no debet dormi re imediate polt fleubothomia :nili ad minus transiuestint lexhore. Or huius lubdit autorcaulam ne tumi qui scilicet in somno causatur moti ad caput ledant cerebruz Alie camen pollunt allignari cause. quap prima est ne in somno bettat se patiens supra brachia fleuborhomata.

et per hoc ledatur. Secunda effene humores in fomno flu ant ad mebru lefum in quo e dolor propter ictu fleubotho mi et flat apoltema. bn Galienus lecunda amphoulind rum luper illo amphonime in quo morbo bult o in lono li fiat apoltema intra corp? auc mebru lit lelu ad iplus fluunt humores Auicen la bero alia allignat caula les o per talem Comnu pollet accidere confractio membrozu Et iftius caula potelt elle quia licut lecundu Balienum Cuperillo amphozicimo in quo morbo ec, comnus in prin cipio parorilmi non competit quia calor naturalis ad in terioza regreditur et exterioza infrigidatur a fumi rema nent no columpti propter quod rigor augmetat et paro= rilmus etia prologat lic etia fumi per comotione humo ru in fleubothomia ad neruos ad lacertos eleuant a no confumpti remanentes in Comno infrigioant in exterio ribus et ingrollant et ipeo faciut neruon et lacerton confractione li fiat luperaozmitio immediate wit fleubotho mia. Alia caula potelt elle quia materia ingrollans elt fa ciens cofractione licut in quartana in cuius typo fit con fractio propter frigiditate et grofficie materieled nerui et lacerti Cunt frigidi ideo ad ipcos benies itte fumus in (o= mno in quo fit retractio calozis ad iteriora infrigidatur et ingrollat et ilte fumus infrigidatus et ingrollatus fri gioitate et ingrolatione inducit in membro liue confra= ctione quia ad membru colimile properat egritudines co amiles. Et iftud beru eft de Comno fleubothomie biano et no de remoto polit fumi illi fuerint concumpti. Secu bum quod diet eft o fleubothomans bebet cauere ne faciat nimis profunda aperturaz in minutione ita o cum fleubothomo ledat nerun bel arteria bene suppolitos. nam er lelide nerui lequit (palmus er quo blterins acerbillima mois lequit bel ad minus perditio membri puta

brachii vel digiti et ceterà. Et ex lesione arterie sequit fluxus languinis arterialis difficilime curabilis. Terciù est que fleubothomatus non debet ilico id est immediate post fleubothomia cibu sumere sed debet expectare quousquine o humores fuerint quieti ne cibus ante eius digestioneza su subueniedu membro leso cu sanguine simul attrahat.

Omnia de lacte ditabis rite minute
Et ditet potum fleubothomatus homo
frigida ditabis quia funt inimica minutis
Interdictus erit minutis nubilus aer
Spiritus exultat minutis luce per auras
Omnibus apta quies eli motus dalde nociuus:

Commentum. bic auto: ponit quing bitanda ab iplo fleubothomato quor primum eft offebothomatus debet bitare lac et lacticinia. Quius caula eft quercomotioe humon per fleu bothomia Cepe fluunt humozes aliqui ad Romachus. Si ergo lac fumeret ex comixtione illor humon lacin fo ma cho corumperet er quo de le maxime corruptibile eft. Et etia lac peter bulcedine eius pollet trahi indigellu ad be nas. Et propter comotione humon facile corrupi. Scom elt o fleubothomatus debet cauere a potu nimio qu pro= pter erracuatione benay talis porus traberet facile ad be nas indigeftus prout prius dictuell Zerciuelt of fleubothomatus debet bitare oia frigida tam intus lupta & exterius adhibita puta cibaria multu frigida: aerem frigiou:balneu frigiou:tenuitate beltiu:lellione-lupza petraz: frigiditate capitis bel pedu que cucalor naturalis per fleubothomia debilitatus elt corpus facile luperflue infrigie Daret Quattu eft of fleubothomatus non debet ambuta de in aere tenebrolo nebulolo turbato quia talis cotriffa

anima et pigricie in corporibus inducit br prius dictuell ibi. Ner lit mundus. iam tristicia causa est sanguinis melancolici. Sed debet ambulare in aere claro et lucido quia in tali aere spiritus bitales naturales et animales recreă ture t ad extra mouentur congaudentes simili. Quintum est of fleubothomatus cebet quere quiete temperată similiter et motu excessiu bitare quia motus excessius runc maxime debilitat et humores commonet: quies des ro temperata motum sedat.

Tertus

principio minuas in acutis perperacutis Etatis medie multă de languine tolle Sed puer atch lener tollet oterch parum Der tollet duplă religum tempus tibi limplum.

Commentum Bic autor dicit quatuor. pamuelt of fleubothomia fa= cienda eft in principio egritudinu perperacutaru.1.mari= me acutaz q Co terminant in die quarto qu tales funt bee ues nec dant inducias et ideo a principio medicande funt Secuduelt oin etate media lez que elt a tricelimo anno bim quadralimuquintu bel quinquagelimu annu plus de Canguine extrahenduelt & in aliqua alian etatu quin tali etate maxine multiplicat languis et eius lubitractio no impedit augmetu nec diminuit birtus corporis quia corpus i tali etate no auget neg diminuit lenitbiliter led. dare bidet. Terciveft o lenes : pueri paru fleubothoma di funt qu'in puerte languis multus requirit poter nutri tione et augmetatione in eis. Et in lenib; birtus incipit debilitari. Quartueft oin bere dupla quatitas laquinis abitraheda eft per fleubothomia relpectu alion temp. Cu lus ro è qu'ber e tous maxie multiplication laquinis lecu

m ii

bum oes autores medicines Circa primudictu pro majori declaratione ponede funtal que regule circa fleuborho mia: quarti prima elt o in principio morbi no elt facicoa fleubothomia. medicus eni elt minifter nature Com ga = lienu terda tegni canone illo . Omniu natura operatriz medicus bero minister led Com galienti quarta ampho. rilmon in comento illius egritt dinibus quibucung ici pietibus nulla enacuatio in principio morbi elt natura= lis. Sicut ergo natura in princi pio morbi no euacuat ita nec medicus. Thud tame in tribuscalibus habet inftatia primo in materie furiolitate bnæ auicena loco lepe als legato bult o in principio morbi fleubothomia no bebet fieri quia fleubothomia humores comoueret et lubtilla= ret et currere per corpus faceret nili materia lit furiola. Secundo Babet instantia in materie multicudine, onde galienus luper illum amphorilmu. Inchoantibus mot= bis bult coportet fieri fleubothomia aut farnatia bt na tura alleuiet que les onerata est propter materie multitu dine . Tercio habet instantiam in morbi magnitudine et acuitate bt quando ell'apoltema magnuet dolozolum li cet no lit multa materia lcilicet antecebens in corpore. In de dicit Galien? riif.megategni, Si amftema fit magnu fleubothomet in principio licet no lit materie multitudo ne crepetur aut aperiatur apostema ante lui maturatio nem. Crgo be mala linthomatha bitent minutio eft fa= cienda. Secunda regula e o no fiat fleubothomia in die motus egritudinis licut in crili no eft facienda fleubotho mia nec aliqua euacuatio ne materia a loco ad que natu= ra mittit iplaz divertatur . Similiter neg in paroxilmo bnoeledm galienu prima amphorilmop. In latu neg fleubothornia nem farmacia fieri debet quia in eo fit cocito morbi que melius fit in quiete o motu. Sed licut le habet fratus ad morba totale; ita parorifmus refpectes

aierum interpolationis. licut ergoin katu non elkeuncu anduita nec in paroxilmo de ercia regula est of fleubo thomia no est facienda in principio morbicu crists est remota quia secudu plaac in brinis sanguis est fundamen tu caloris naturalis ipsu scilicet sustinens licet cor sit fudamentu generans et spiritus fundamentu deputas. sed sa guis est fundamentu caloris naturalis et soco aliquis sangui aliter generatur calor naturalis et soco aliquis sangui ane euacuando euacuat calore qui materia morbi habet di gerere et per cosequens morbus prolongatur et dire de bisitatur. Propter quod timendu est ne propter longitudi nem morbi et debisitatem direttis natura succumbat.

uarta regula est win corpore habente fece in intesti nis non debet fieri fleubothomia. Cuius caulaelt qe tria-Cunt attrabentia Cilicet calidu bacuu et tota species, quia ergo per fleubothomia bene euacuant que a mebris fibi propinquis attrabut et ita meleraice a ftomacho benter plus coffipatur et materia contenta in benis plus infici. tur et meleraice attrabut humiditate fecu et feces pl? de= Gecant. Debet ergo beter primo leniri. bt per Suppolito= ria aut clifteria nili per le laretur a Quinta regula eft o no debet fieri fleubothomia multa qu exhoc malu accidit in lenio. Cilicet multi morbi mali. licut epilentia appople ria et paralilis. quia propter remotione languinis a calo ris generatur multe luperfluitates fleumatice que lunt caule haru egritudinu al Berta regula elt q no debet fie ri fleubothomiain muliere mettruata aut impregnata . In impregnata no Debet fieri . quia per hoc calor digeres cibu diminueret et nutrimentu fet? auferretur. et marie quado fetus elt magnus cu tucindiget apliozi nutrimen to. Etifud dicit procras quita aphorismon. In mentru ata bero nafaliter (ca (coa reuolutone menfis no bebet fi eri flomia.quin fluru nimio meltruop ellet facienda: ad

m iii

oinertendii materia led quado eneniunt naturaliter et les cundu debitu curlu nature tune no debet fieri fleubotho= mla cu materia cuacuetur lufficienter a natura a natura no debet diverti ab operatione Septima regula ell o polt colerica pallione non debet fieri fleubothomia. Jum enim fleubothomia comoueat humozes phoc pollet bu= mor colericus ad fromachu Auere eciplum inflamare nec bebet ficri polt bomitune limiliter humores fluat ad fto machineg polt flurum bentris neg polt bigilias ma gnas.neg polt motum forte . et breuiter nec polt blum calefaciens multu aut multu diffoluens. quia fleubotho mia humores plus comoueret et birtutem magis debili= taret. Deinoe bidenou eft in quibus hominiba competit fleubothomia. Et pro illo ponende funt aliq regule . qua ru prima elt o fleubothomia copetit hominiba delicatis. ociolis et quielcentiba multu carnolis et cibis multu lan guine generantibus btentibus & Secunda regulae ft & fleubothomia convenitillis in quibus eft abundatia lan guinis quod cognolcit per brine ipillitudinem. Abunda tia eni languints facit eam (pillam led colera lubtilem.

Tercia regula est o fleubothomia debet fieri in illis in quibus melancolia abundat. Onde cu est multa mel ancolia naturalis currens cum sanguine per totu corpus quia sanguis in epate ab ea non mundificatur: tunc competit fleubothomia sive minutio postea farmacia. Onde du plex est melancolia. naturalis et innaturalis auturalis est fer sanguinis que quando abundat ipsa est cuires cu sanguine quarecu sanguie per fleubothomia enacuatur Joeo facienda est fleubothomia ad eius evacuatione cu saguie. ab eode eni calore sea calore teperato fiut saguis et melacolia q est eius fer et postea facienda est farmacia.

Quarta regula est p i illis in db3 timet huop ebullitio

lentiut le caletieri debent flomavi cu lit timozebullitionis coturbationis et calefactionis ppter humon abudatiam Aliquando tamen aliqui decipiutur per ilta regula, quia stati quado sentiut calefactione et timet de humor ebulle tione fati fleubothomat le. Et quando iftud efter colere calefactione et incentione per fleubothomia no cellat cale factio necebullitio:imo p hoc augmetar quia fleubotho = mia humores comouet et p corpus currere facit. Et ergo no competit flomia nili hoc fit er abudantia huozu.quod cognolat per suboris multitudine et maxime in mane. Aliqui enim lut qui no ludat nili quado euacuatione in digent. Duita regula eft pillis debet fieri flomia qui habent forte birtute et qui fut languinee coplexionis. no frigide et licce. Onde ralis leptio almaloris corpora apta ad fleubothomia et que habet benas aplas e manifestas et corpora pilola et bruna et ex colore rubeo e fusco mirtis lut colorata et inuenes et adolescetes et lenes no decrepi ti.led pueri et infirmi no lut minuendi nili magna bige= te necellitate. Et plurime iltaru regularu colligutur ex a= uicena quarta primi ca. de fleubothomia.

Tertus.
Sitas ber dertras antunus hiemles linistras.
Quatuor hec membra.cephe.cor.pes.epar bacuanda.
Ber cor.eparestas.ordo lequens reliquas.
Comentum.

bic ponit autor aliqua concernentia membra euacuāda fleubothomia. Et dicit primo q in vere et eltate debēt
euacuari vene dextre. Vt dextre manus vel dextri brachii
vel pedis. Sz in hieme et ātūno debēt fleubothomari ve
ne linistre. Clinistre manus vel sinistri brachii vel pedis.
Et istius cā potest elle quia ver est multiplicatius faguis
et estas colere ergo i vere restate debēt euacuariille vene i

m iiii

quibus magis abundant languis et colera led illesut des ne dertre quin parte dertra corporis lituatum est membrum generatius languinis scilicet epar et teceptaculum colere sciliz cistis fellis. Sed antunus est generatiums melancolie que etiam coaceruat et no resoluit per hemè er go in antuno et heme debent fleubothomari ille dene i quidue magis dhatur melancolia que sunt dene unitre cumin linistra parte corporis cotineatur splen qui est receptaculu melancolie. Sedo dicit qui sta quatuor membra scilz cephe si caput. cor, pes et epar secudu quatuor partes anni sunt euacuanda cor quide in dere epar in estate caput in heme et pedes in antuno.

Tertus.

Dat falnatella tib i plurima vona minuta. purgat epar. (plenem. pectus. pcozdia. bocem. Innaturalem tollit de cozde dolozem.

bic tangit ler innamenta provenientia ex fleubothos mia vene que dicitur salvatella et est vena in dorlo man? in loco qui est inter auriculare digitu et medicu. primu è presa purgat epar. Scom est presa mudificat splenem. Terciu est primusificat pectus. Quartum est pectuat precordia. Lousiciu stomachi a nocumento. Quintu est pausert rocumenta vocis. Sertu est pausert dolore inna turalem cordis. Et ro oim innamentop est que predicta ve na ab oidus istis locis sanguine enacuat. Ot postea etiam patebit. Pro maiori declarative predictop sciendu est pin sleubothomia aligu aperiutur vene e aliqu arterie. In aprive aut arterie è timor. Et him causa poti ssima è nimi slurus sanguinis q duplici causa habet fieri in sseudotho mia arterie. Ona causa est caliditas vehemes săquinis er terialis. Calidu en est facile mobile e arteriă dilatans et

Comentum.

aperiens et loco inuat multu ad enacuatione laquinis i fleubothomia arterie. Scha caula eft arterie mobilitas et ideo tardius in ea bulnus curat que bulnera non Canatur nili quielcat. prodeft ta ifta fleubotho nia tripliciter. pui mo cu eft in corpore laquinis lubrilis abudantia. Secudo ga baporoli Tercio ga cali billimi . Canguinis eni lubtilis er quo caloz naturalis et lous f.unt habitatin arteria. la languis grollus er quo membra nutriuturin benis. Si= militer languis bapozolus in arterfa cotinetur et la quis Caguineus in benis. Saguis etia calidiamus qui a corde efficitur et digerit quodelt calidillimu membru etia co ti= netur in arteria. Mius aut languis in benis. Secuoo Cci= endu p benaz aptio e in multis mebris. Aliquado in bra chio liue manu magna. Aliga in parua. Aliquado in pede. Ali gain nafo. Alignin fronte. Aliquado in labits. Alis quãoo cub lingua ciue in palato. Alignin aqulis oculope berlus fronte. In manu maiori que elt ab alcellis blog ad cubitos funt quig bene aperiende fcom ralim leptio al= maloris et auic loco preallegato. Ona vocatur cephalica que eft bena capitis. Scha balilica.que eft bena epatica. Tercia mediana liue cordiaca liue nigra fcom pocatur ab auic. liue matrix licut bocatur a rali. Quarta allella= ris. Et quinta funis brachii. In manu minozi elt (ceiles liue falnatella eita in brachio fom o cotinet maigre ma nu et minoze funt aperiende lex bene . Cephalica a parti= bus que lut lupra collum enacuat et joeo pallionib; capi tis valetotin emigrania maniaet in aliis calidis pallio niba fincer materia calida. Onoe sifta incipit fine outur ab humezo et tendit berlus partem liniftra brachita 26a= filica euacuar imediate a partibus Cubcollo be aperene et epate. Onde in pallionib; pectoris epatis et limilia da let. bnde valet in pleurell. Et incipit ilta ab accellari ten

dif no partem aomeffică brachii Deofana bero eft media inter duas predictas in litu et in copolitione grereis co= ponitur. Eft eni ramus btriulgs. Et eft etia media in ena cuatione qu'ondig euacuat et ab inferiozibus partib; lub collo eta collo et Cupra collu. Innde elt bniuer lalis tori coz pori in euacuando. Con bnirerfalis ficut dicut omida que a corde oritur led gramus eft cephalice & balilice. Et ergo cu bolumus fleubothomare de cephalica et non app aret Debemus accipere magis mediana & bafilicam et limilit cum bolumus fleubothomare balilica et no apparet ma gis debemus fleubothomare mediana & cephalica qu ma gis couenit cum berag & bna cum alia cum lit ram ilta ru et ifte extrema. Seiles fine lalnatella eft bena que e in ter auricularem et medicum tendens plus berlus medi= cum digitu. et ozitur a balilica. etifta aperitur in dertra manu in opilatione epatis.et in liniftra manu in opila= tione Cplenis. Et quare poc fit nelcitur rone licut dicit aui cenna. Ced experientia. hanc eni inuenit galienus per lom niu bt ipe dicit qu habebat quenda in cura habente opila= tione epatis et Cplenis i Comniabat le fleubothomare pa tientem de illa bena. et fic fecit et curatus eft. De ifta fit fleubothomía ponendo manu in aqua calida quia lubti= lis eft.ideo bt ingroffetur et dilatetur et ne bulnus clauda tur ctius debito et bt laquis grollus lubtilietur. Allella= ris eft illa que polita eft lub balilica et illa apparet in liga tura brachii.et de ifta idem eft iudiciú cua balilica. Funis brachii eft illa que eft lupra cephalicam liue os bltimu li= ne altius brachi berlus partem filueftrem. Et eft ide iu= dicia de ifta et de cephalica. Licet ergo lecunda auicenam et galienu in apertione bene fit euacuatio bnivertalis a toto corpore non tamen ab oibus benis equaliter bt bi= Cum eft. Licet etiam bene a toto corpore euacuent, non ta

men in eis ell timor equalis pmmo cephelica lecundum Balim leptimo almanforis eft lecurioz. Et balilica e magis timenda et cardiaca etiam multum est timenda licet minus & balilica Cephalica eft lecurioz: quia neg turta eamelt neruus neg arteria neg lupra cam. Sed lub car. diaca eft neruus et altius lupra eam eft neruus lubtilis ideo timendum eft ne incoatur neruus. Balilica eft pe= riculola balde quia elt lub en arteria et iurta eam elt ner uns et mulculus.ct ideo eft timenda balde. Seiles liue falnatella non eft periculofa led tamen fubtilis eft. et ido bt aperiatur melius eft o ponatur in aqua calida. In pe de funt tres bene fcilicet iciatica. Cophena. et bena popli= cis. Et hee aperiuntur cum volumus trabere languinez. ad partes interiores bt in prouocatione menstruoz et il= la que eft in poplice lecundum Zuicennam magis balet ophena aut lciatica:quia propinquiorelt matrici. et i= deo melius potelt ab ea tranere. Sophena bero a birga. telliculis et a matrice languinem attrabit. Sed lciatica ab anchis renibus et membris que funt lituata berfus partem filueftrem melius trabit bopbena bero a ma= trice et amembris politis berlus partem domesticam li= cet fint rami bnius bene In medio frontis eft bena b= na que apetienda est in antiquatis passionibus faciei ot in morphea et impetigine scabie et in pallionibus oculoz prius tame Debet fieri minutio de cephalica. Et limiliter eltona bena in nalo. Et in btriula apertione debet collu ligari et poltea aperiri bna ante alia.per ligationem eni colli melius manifeltantur. In labiis etiam lut bene que aperiutur propter apoltemata exilientia in oze aut gin= giuis cephalica tamen prius minuta. In palato fut quatuor bene que fi aperiatur balent fluxui reumatis ad den.

tes in eis facient is voloiem. Etifte bene lunt manifelie et debent aperiri materia digelta. Ité queda cunt bene in angulis oculor derlus fronte et aperiutur in pallionib oculor cephalica prius minuta. Item quedam cunt bene lub lingua que aperiuntur in squinancia cephalica prius minuta Item bene que cunt in timponbus inciduntur propter emigraneam et propter dolor magnu capitis et egritudinem capitis diuturnam. Et iste sunt quas doca es procras et auicenna inueniles quaruincisio reddit homine impotentem generare. Item in collo etiam sunt bene quocantur guides que minuende sut in princip io lepre et marime tamen anhelitus angustatur. Onde in squinan cia impediente anhelitum minuuntur.

Ter'us

Si volor est capitis ex potu limpha bibatur Ex potu nimio nam febris acuta creatur. Si verter capitis vel frons estu fribulentur. Timpora froncez limul moderate sepe fricentur.

In hoc pallu autor duo notat. primuelt of i dolor capitis accidat ex potu nimio et maxime dini del alicuius alterius potus quo cotingit hoies inediari tuc superbibi debet aqua frigida que lui frigidicate ato ingrollatione impedit ne fumi ex tali potu eleuati cerebiu ledant del adiplu eleuetur. Scom est of sisumitas capitis del frons ni mio calore dexectur tunc debent timpora et frons modera te fricari et postea debent ex aqua decoctionis morelle capida lauari quia morella que a comunida medicis colatru dicitur habet infrigid are quia frigida est.

Temporis estiui ieiunia corpora liccant Quolibet in mense confert bomitus quoch purgat humores nocuos fromachilauat ambitu domnis.
foer autūnus hpems estas dūatur in anno.
Tempore vernali calidus lit aer humiduloz.
St nullum tempus melius fit fleubothomie.
Lorporis et motus. ventrisos colutio. ludor.
Balnea purgentur tunc corpora cū medicinis.
Stas more calet ciccat no catur in illa.
Tunc quo os precipue coleram rubeam dūari.
bumida frigida fercula dentur. lit venus extra.
Balnea non prolunt. lint rare fleubothomie.
ptilis est requies cit cū moderamine potus.

Tomentum. The hoc pallu autor plura potat. primu elt o iciunare multu exliccat corpora in estate quer quo estas de natura Qua eft calida e licca ipa reloluit huiditates corporis q etia reloluutur per ludores in estate multiplicatos. ¿ Cic lupue niente iciunio corpora plus exliccătur quablente humido cibali calor noftri corporis agit in huiditates porias ipas exliccando. Geergo bene dicit ppocras feptima particula aphorismon .corporib; humidas carnes habentib; fame adhibere couenit.fames enicorpora erliccat. Scom eft o bomitus cofert quolibet menle.qu per bomitu euacuant huozes nociui cotenti in toto ambitu ftomachia Gt iftud etia poluit auic quarta primi ca decimotito de lunamen= tis q affert bomitus cu dirit @ppocras prepit bom tu fie rt bis in Onoquogs mele feilz duobz diebz cotinuis bt ledo Die expellatur illuo quod primo die no potuit expelli. Et per hockom procraté colernatur lanitas cu talis bomit? mudificat flomachu enacuando fleuma e colera. Stoma thus eni no habet aliquid quod mudet ibm licut intelti= ma habent coleram rubeam ifa mundificante. Et poltea

auic loco palleg o ponit plura alia funamenta bomitue bene facti quox primu ell q confere granitati capitis et hor berum eft quando illa grauitas accidit er materia hu morali bapozola perueniente a fromacho et mebris infe rioziba ad caput. Si eni gravitas capitis fieret a nocume to ppilo ipius cerebii tunc bomitus magis noceret @ co= ferret. Secundu eft o clarificat vilum et hoc quando ob= scuratio visus puenit ex materia vaporali peruenientea fomacho ad ipos oculos alías aut non. Terciueft paufert faltioin.i.nauleam et abhominatione remouendo + enacuando humore a fromacho deft caufa fastidif. Quar tuelt profert ei ad cuius stomachu descendit colera corri pes eius cibus Quintue q remouet abhominatione que fitpropter bucmoutate. Sertu elt premouet calu deliderifet illud quod facit deliderare acutu ponticu aut ace tolum, q bomitus remouet caula; oim iltaz dilpolitio nuia remota canla remouet effectus. Septimuelt o con fert laxitati.i.cachecie que precedit poropium euacuando materia talis laxitatis et mudando Romachu. Octavuz elt o cofert bleerib; in renibus et belica diuertendo mate rías currentes ad illa loca ad partem oppolitame nonus elt metiaz confert lepre maxime quando fit cubomitruo forti licut ellebozo quia talis bomitus euacuat materias que funt in locis remotis et difficilis eradicationis exqui bus fit lepra. Etia bomitus corrigit digeltione prima ex qua alie digestiões melius fiut bnde lepra peccat in corru prioe digelline. Decimuelt o cofert malicie coloris in cu= te er aliquo huore divertedo ipm a cute. Indecimue o co fert epilentie fromatice quacuado humore cotentu in fto= macho.er cuius effumatione caulat epilentia. Duodeci= mu eft & confert peterice maxime illi que eft ex opilations

nam propter motu fortem in bomitu m teria opilas coz moueturet remouetur a loco in quo faciebat opilatione Similiter euacuatur materia fleumatica per bomitu q comuniter eft caula stius opilatiois. Decimuterciu eft qu confert almati eu acuado materia antecedentes ex ftoma cho que fouebat materia almatis. Et etiacalefaciedo me bia spualia et pulmone er que pealefactione seguitur co= fumptio lupfluitatum facientia alma. Decimuquartus elt o confert tremoni et paraliti euacuando materia iftaz pallionu. Decimuquinta p confert habentibus bleera ni gra magna luper partes extremas divertendo huores a partibus extremis. Et licet bomit? debite adminitra tus ifta coferat inuamenta Copflue tamen faccus multa iou cit nocumenta: que debilitat Comachu et resoluit imm et fa cireum aptu be materie fluant ad ibm et obelt pectoni et difui edentibus et antiquis capitis doloribz.ec. prout di cit auicenna quarta primi capitulo decimoquarto. Ter= cium quod notat hictertuseft of quathor funt tempora anni feilicet. ber Glas Autumnus et brems, prout ma 20073 mifestum ett. Stinter illa tempora ber est calioum et hu= bon mitter f mioum.et hoc respectualion tempon licet in se sit temp? Sta for mida temperamento attinens. be bult galienus in de comple= @ foren fatage rionibus Oft exilto lequitur q iltud tepus magis aptu; 5 fabages anti eft fleubothomie quia magis est multiplicatinum bumo en Centis for conuenire moderatus blus coitus a motus temperatus glacialis a betris colutio fine fint? a ludor temperatus a fimiliter bal mente mente perata an diminuendu repletione. Stergo etiailto tpus aptue ad purgatione corporis cu medicinis. Quar thelt peltas calefacites exlicat vergo inipa etiam mul-

tiplicatur colers tubed que calida elter licca. Et apthoc etiam in estate fercula oebent elle frigida e humida ad rès mouendum dispants am caliditatis e siccitatis ex oplexio ne estatis inductam. Et debet fieri abstinentia coitus cui talis etiam exciccet. Et abstinentia a multis balncis simi li de causa. Et rara fleubothomia eadem de causa nisi ne cestitas hoiem compeliar. Et debet fieri quies et paucus motus quia quies humectat et multus motus nimiu ex siccat. Et debet homo predicto tempore bti potu cum mo deramine et maxime frigido quia ex superflua sumptios ne potus frigidi propter apercione porox aliquando sequus fur subita infrigidatio corposis del paralisis siue lapitas membrox del mors subita. A qua nos defendat qui eteranaliser divitet regnat.

hocopus optatur quod flos medicine bocatur:

Aractatus exce'lentillimus qui de regimine fanitatis nucupatur. finit feliciter.













