

with Dr. Detmold's comments
Detmold (Wm)

FACIAL PARALYSIS

TREATED BY A NEW METHOD.

BY

WILLIAM DETMOLD, M. D.

copy 14.

[REPRINTED FROM THE NEW YORK MEDICAL JOURNAL, MAY, 1873.]

NEW YORK:
D. APPLETON AND COMPANY,
549 & 551 BROADWAY.
1873.

PROSPECTUS FOR 1873.

THE MEDICAL PROFESSION

Of the United States have universally indorsed the **NEW YORK MEDICAL JOURNAL** as one of the *very best* medical periodicals published in the world.

THE NEW YORK MEDICAL JOURNAL,

EDITED BY

WILLIAM T. LUSK, M. D.,

Professor of Obstetrics and Diseases of Women, in the Bellevue Hospital Medical College,

AND

JAMES B. HUNTER, M. D.,

Assistant Surgeon to the New York State Woman's Hospital, etc.

The contents of each number are—

I.

Original Communications from the very first writers of the Profession; articles which are widely circulated, and which leave their impress on the medical literature of the age.

II.

Clinical Reports from Hospital and Private Practice, American and Foreign; Records of Cases taken alike from the crowded wards of the hospital, and the daily life of the busy practitioner.

III.

Bibliographical and Literary Notes, carefully prepared and conscientiously written, of all the latest medical publications of the month.

IV.

Reports of the Progress of Medicine in the various departments—Obstetrics and Diseases of Women, Surgery, etc.

V.

Proceedings of Societies, in which all the leading questions of the day affecting the Medical Profession are thoroughly discussed.

VI.

Miscellaneous and Scientific Notes of whatever may be deemed of interest or profit to the readers of the *Journal*.

VII.

Obituaries of the honored dead of the Medical Profession, deceased during the previous month.

Such a journal, giving the latest movements in the medical world, and keeping pace with the advance of medical science, cannot fail to be a medium of usefulness to the entire Profession, and to establish its claim to be, in the highest sense,

A Monthly Review of Medicine and the Collateral Sciences.

A new volume of *The New York Medical Journal* commences in **JANUARY, 1873**, and all new subscriptions should begin with that date, so as to secure the ensuing volumes, complete.

Terms: Four Dollars per Annum.

A Specimen Copy will be sent on receipt of TWENTY-FIVE CENTS.

New York Medical Journal and Popular Science Monthly..... per annum, 8 00
New York Medical Journal and Appleton's Weekly Journal of Literature, Science, and Art..... per annum, 7 00

Remittances, invariably in advance, should be made to the Publishers,

D. APPLETON & CO., 549 & 551 Broadway, N. Y.

FACIAL PARALYSIS

TREATED BY A NEW METHOD.

BY

WILLIAM DETMOLD, M. D.

[REPRINTED FROM THE NEW YORK MEDICAL JOURNAL, MAY, 1873.]



NEW YORK:
D. APPLETON AND COMPANY,
549 & 551 BROADWAY.
1873.

THE GREAT PATRIOT

FACIAL PARALYSIS TREATED BY A NEW METHOD.¹

EVERY practitioner, I presume, is familiar with facial paralysis. I do not now allude to that paralysis which follows an apoplectic attack, but to that local affection—paralysis of one side of the face—which comes on suddenly, at times, somewhat analogous to infantile paralysis of the lower extremities, in consequence of a draught of cold air, at other times without any appreciable cause, and which generally yields to various kinds of treatment; and, in most cases, probably would get well without any treatment in from four to six weeks. But occasionally we encounter cases which assume a chronic character, and, defying the ordinary methods of treatment, lead to a permanent distortion of the face.

I reported, some years ago, to this Academy, some cases of facial paralysis in which I successfully performed myotomy. I only reported these cases orally, and I believe they never have been put on record; but, as they form an interesting contrast to the case which is the subject of this paper, I will briefly record them here:

CASE I.—Miss H., about twenty-one years of age, had, in early infancy, paralysis of the face, which resisted every effort of treatment; for, as the family were in very affluent circumstances, it is to be presumed that the case had not been neglected. When I was consulted, I found, on one side of the

¹ Read before the New York Academy of Medicine, March 20, 1873.

neck and below the ear, a number of deep, adhering scars from scrofulous ulcerations, which possibly may involve some branches of the facial nerve. Whether they were the cause of the paralysis I do not know, for, as the mother of the young lady had died years before, I could not obtain a satisfactory history of the case. The prominent feature of the affection was a strong contraction of the muscles of the other side, which drew the mouth considerably over to that side. As I had reason to suppose that the ordinary methods of treatment had been exhausted, evidently without effect, I did not deem it worth while to go over the same ground again; but I determined at once to divide the contracted muscles. I made, on the inside of the cheek, a semicircular incision through the mucous membrane, dividing every thing, till I felt that I had reached the cutis. The incision commenced near the ala of the nose, and was carried around the fibres of the orbicularis oris to near the middle of the lower lip, thus dividing the insertion of all the muscles that attach themselves to the orbicularis on that side. There was some bleeding, which, however, yielded to pressure, and I had the satisfaction of relieving the deformity almost entirely—at any rate so far that what remained appeared more like a trick or bad habit than a deformity. When the face was at rest, nothing was apparent; only when the muscles were in action, especially in laughing, there was still a contraction visible, and even that, I think, might have been cured by repeating the operation, but the young lady was so well satisfied with the result obtained that she would not consent to a second operation.

CASE II.—Although this case does not strictly come under the name of facial paralysis, yet, as the treatment was analogous, its brief report here may not be out of place:

Sergeant B., during the Mexican War, received, at the battle of Cerro Gordo, a gunshot-wound, the ball entering the mouth, carrying away a portion of the hard palate, breaking the upper part of the ramus of the lower jaw, and making its exit below and behind the lobe of the ear, probably dividing the facial nerve. I saw him several years afterward. There was considerable deformity, besides ankylosis of the lower jaw, but the object of his consulting me was the eye of that

side. The orbicularis palpebrarum seemed entirely paralyzed; the upper lid was forcibly drawn up, so that the eye could not even be partially protected by the forcible rolling upward of the ball as we see it in the ordinary cases of paralysis, where the lids cannot be completely closed. The cornea, in consequence of the constant exposure, had become vascular and opaque, and the constant irritation from that source induced the man to apply to me, upon the advice of his physician, for the purpose of having the eyeball removed. Before proceeding, however, to that extremity, I determined to give him the benefit of myotomy. I made a semilunar incision below the supra-orbital ridge, and divided the levator-palpebræ superioris before its fan-like insertion into the tarsus. The lid dropped immediately, and, even before the external wound was healed, followed the motion of the lid of the other eye. In a few months the cornea lost its vascularity and opacity, and there was scarcely a trace of the previous paralysis of the lid remaining.

In both the foregoing cases the prominent feature was contraction of the non-paralyzed muscles. I therefore tried, by dividing them, to put them more nearly on a par with their paralyzed antagonists, and in both cases success justified the attempt.

The case which is the proper subject of this paper is of an entirely different character, there being hardly any muscular contraction, and therefore an entirely different mode of treatment became necessary. That is the reason why I have placed these cases here in juxtaposition.

Miss N., now about eighteen years old, was seized, when about two years old, with one-sided paralysis of the face. A number of physicians have attended the case from time to time and in succession, but without result. She tells me that I myself have been consulted years ago in the case, but that I have not done more or better than the rest. During a recent visit to Europe the father of the young lady was advised to apply to me, and thus I was again consulted. The patient now presents a very marked case of paralysis, the main feature of which is not contraction of the other side, but, in consequence of complete inaction of the zygomatic muscles

and the levator anguli oris, a heavy drooping and hanging down of the angle of the mouth. Knowing that the ordinary methods of treatment, such as stimulating frictions, hot douches, endermatic use of strychnia, electricity, etc., etc., had been tried conscientiously and without effect, I determined to try what mechanical means would do. I bent a wire into a hook, which I put into the drooping corner of the mouth, and, drawing it up, bent the wire over and behind the ear. I recommended the patient to keep it on overnight, trusting that, by entirely relaxing the paralyzed muscles, and supporting the dragging weight, I might somewhat relieve the defect. She reported herself next morning, full of joy. The result exceeded my most sanguine expectations. After one night's use of the wire, the drooping of the mouth had diminished in a very marked degree, but the wire had cut into the corner of the mouth and made it sore. I therefore ordered an instrument to be made of silver by Otto & Reynders, which should obviate the difficulty. It consists of a flat hook, with the edges turned out, and terminating in a wire hook, which goes over the ear. She wears this instrument steadily at night, only omitting it when the corner of the mouth gets sore; and she is steadily improving.

It then occurred to me that I might make this instrument still more effective if I could combine with it a permanent and continuous galvanic current through the paralyzed parts by having it made of two different metals, thus forming as it were a single cell of a galvanic battery. With this view I had the flat hook which enters the corner of the mouth made of platina, and the wire terminating in a plate behind the ear, made of zinc. Mr. Charles T. Chester, who was kind enough to make this instrument, gives in a note to me the following account: "I charged the zinc plate with salt and water. I have no exact instruments to measure quantity of current passing, but it holds my galvanometer at ten degrees deflection through the resistance of nine hundred British Association units. A steady current of appreciable power constantly flows through the part when the velvet (which covers the zinc plate) is moistened."


I am fully aware that the mode of application is some-

what opposed to the generally-accepted theory that the galvanic current which runs in the direction from the hard metal to the softer should correspond with the direction of the current of the nerve-fluid, that is, from the centre to the periphery. But, on the one hand, I do not consider the force of this theory sufficiently demonstrated, and, on the other hand, I did not want to put the softer and easily-oxidized metal into the mouth. Consequently, when my instrument is applied, the galvanic current, instead of running with the nerve-current, runs opposite to it, but, whatever the direction is, the galvanic current runs exactly through the affected and paralyzed parts.

I must not omit here to remark that during the time the galvanic instrument was being made, I had given the silver instrument as a model, and that consequently for about a week no instrument was worn by the patient. At the end of the week a considerable relapse of the paralysis was noticeable, showing the necessity of a long-continued use of the instrument.

The galvanic instrument has now been worn for a few weeks, and the patient is steadily improving; but, as the recovery had already far progressed and was steadily progressing, before galvanism was brought into coöperation, I am unable to say what share in the benefit, or whether any, is due to the galvanic current, to which, on the whole, I do not attach as much importance as to the mechanical support. The application, under the circumstances, I believe and claim as new.

I have thus briefly put representative cases of two classes of facial paralysis together: one where the contraction of the non-paralyzed muscles forms the prominent feature, and the other where the inaction of the paralyzed muscles is prominent; and I have shown two entirely different methods of treatment of the two classes; but I have no doubt that many cases may occur where both methods of treatment might be advantageously combined.



Medical Works published by D. Appleton & Co.

- Anstie on Neuralgia.* 1 vol., 12mo. Cloth, \$2.50.
Barker on Seq-Sickness. 1 vol., 16mo. Cloth, 75 cents.
Barnes's Obstetric Operations. 1 vol., 8vo. Cloth, \$4.50.
Bellevue and Charity Hospital Reports. 1 vol., 8vo. Cloth, \$4.
Bennet's Winter and Spring on the Mediterranean. 1 vol., 12mo. Cloth, \$3.50.
Bennet on the Treatment of Pulmonary Consumption. 1 vol., 8vo. Cloth, \$1.50.
Billroth's General Surgical Pathology and Therapeutics. 1 vol., 8vo. Cloth, \$5.
Combe on the Management of Infancy. 1 vol., 12mo. Cloth, \$1.50.
Davis's (Henry G.) Conservative Surgery. Cloth, \$3.
Elliot's Obstetric Clinic. 1 vol., 8vo. Cloth, \$4.50.
Flint's Physiology. 4 vols. (Vol. V. in press.) 8vo. Cloth, per vol., \$4.50.
Flint's Manual on Urine. 1 vol., 12mo. Cloth, \$1.
Flint's Relations of Urea to Exercise. 1 vol., 8vo. Cloth, \$2.
Hammond's Diseases of the Nervous System. 1 vol., 8vo. Cloth, \$5.
Hammond's Physics and Physiology of Spiritualism. 1 vol., 12mo. Cloth, \$1.
Holland's (Sir Henry) Recollections of Past Life. 1 vol., 12mo. Cloth, \$2.
Howe on Emergencies. 1 vol., 8vo. Cloth, \$3.
Huxley on the Anatomy of Vertebrated Animals. 1 vol. Cloth, \$2.50.
Huxley and Youmans's Physiology and Hygiene. 1 vol., 12mo. Cloth, \$1.75.
Johnston's Chemistry of Common Life. 2 vols., 12mo. Cloth, \$3.
Letterman's Recollections of the Army of the Potomac. 1 vol., 8vo. Cloth, \$1.
Leves's Physiology of Common Life. 2 vols., 12mo. Cloth, \$3.
Markoe on Diseases of the Bones. 1 vol., 8vo. Cloth, \$4.50.
Maudsley on the Mind. 1 vol., 8vo. Cloth, \$3.50.
Maudsley's Body and Mind. 1 vol., 12mo. Cloth, \$1.
Meyer's Electricity. 1 vol., 8vo. Cloth, \$4.50.
Niemeyer's Practical Medicine. 2 vols., 8vo. Cloth, \$9; sheep, \$11.
Nestel on Galvano-Therapeutics. 1 vol., 12mo. Cloth, \$1.50.
Nightingale's Notes on Nursing. 1 vol., 12mo. Cloth, 75 cents.
Neumann on Skin Diseases. 1 vol., 8vo. Cloth, \$4.
Peaslee on Ovarian Tumors. 1 vol., 8vo. Cloth, \$5.
Pereira's Materia Medica and Therapeutics. 1 vol., 8vo. Cloth, \$7; sheep, \$5.
Sayre's Club-foot. 1 vol., 12mo. Cloth, \$1.
Stroud's Physical Cause of the Death of Christ. 1 vol., 12mo. \$2.
Sweet on Diseases of the Chest. 1 vol., 8vo. Cloth, \$3.50.
Simpson's (Sir Jas. Y.) Complete Works. Vol. I. Obstetrics and Gynecology. 8vo. Cloth, \$3. Vol. II. Anesthesia, Hospitalism, etc. 8vo. Cloth, \$3. Vol. III. The Diseases of Women. (In press.)
Tilt's Uterine Therapeutics. 1 vol., 8vo. Cloth, \$3.50.
Van Buren on Diseases of the Rectum. 1 vol., 12mo. \$1.50.
Vogel's Diseases of Children. 1 vol., 8vo. Cloth, \$4.50.
Wagner's Chemical Technology. 1 vol., 8vo. \$5.
Barker on Puerperal Diseases. (In press.)
Van Buren on Surgical Diseases of the Male Genito-Urinary Organs. (In press.)
Schroeder on Obstetrics. (In press.)
Frey's Histology and Histo-Chemistry of Man. (In press.)
Wells on Diseases of the Ovaries. (In press.)
Manual of Medicinal Chemicals and their Preparations. (In press.)
Steiner's Compendium of Children's Diseases. (In press.)
Bastian's Diseases of Nerves and Spinal Cord. (In press.)

* * * Any of these works will be mailed, post free, to any part of the United States, on receipt of the price. Catalogue forwarded on application.

APPLETONS' JOURNAL FOR 1873.

ENLARGEMENT.

APPLETONS' JOURNAL will henceforth be enlarged to the extent of four more pages of reading. The Advertisements, which have hitherto occupied a few pages at the end, will be remanded to a *cover*, and the entire thirty-two pages of the sheet will be devoted to literature. The JOURNAL has always contained a larger quantity of reading-matter than any other periodical of its class, and this addition renders it the cheapest literary periodical in the country.

APPLETONS' JOURNAL gives, in a weekly form, all the features of a monthly magazine. Its weekly issue brings it a more frequent visitor to the family than is the case with a monthly periodical, while, in course of the year, a much greater aggregate and a larger variety of papers are furnished than are given in any of the regular monthlies. But, for those who prefer it, the JOURNAL is put up in *Monthly Parts*, and in this form its scope and variety, as compared with other magazines, become conspicuously apparent.

APPLETONS' JOURNAL will continue to present healthful, sound, instructive, and entertaining literature. It will confine itself, as a rule, to *one serial novel at a time*; it will contain the best short stories attainable; it will give picturesque descriptions of places, and stirring narratives of travel and adventure; it will have entertaining papers upon various subjects that pertain to the pursuits and recreations of the people; it will give portraits and sketches of persons distinguished in various walks of life; will present lively, social sketches, having in special view those things the knowledge of which will contribute to the welfare and happiness of the household; it will describe phases of life in all quarters of the globe; it will discuss the important events of the time, and the advances made in art, literature, and science; it will endeavor to reflect the ideas, movements, and development of society; and, while hoping to enlighten, will strenuously aim to entertain, with large abundance of material, all who resort to its pages for intellectual pleasure. Illustration will be used sufficiently to give variety and animation to its pages; but the aim will be to make it rather a journal of popular high-class literature than merely a vehicle for pictures. In carrying out this programme, the editors will have the aid of the ablest writers procurable.

Price, in *Monthly Parts*, or \$4.00 per Annum, in advance. Subscriptions received for Twelve or Six Months. Subscription Price of *Monthly Parts*, \$4.50.

Any person procuring FIVE Yearly Subscriptions, for weekly numbers, and remitting \$20, will be entitled to a copy for one year *gratis*; FIFTEEN Yearly Subscribers, for weekly numbers, and remitting \$50, will entitle sender to a copy for one year *gratis*.

The postage within the United States is 20 cents a year, payable quarterly, in advance, at the office where received. Subscriptions from Canada must be accompanied with 20 cents additional, to prepay the United States postage. New York City Subscribers will be charged 20 cents per annum additional, which will prepay for postage and delivery of their numbers.

Remitting by mail a post office order or draft, payable to the order of D. APPLETON & Co., is preferable to bank-notes, as, if lost, the order or draft can be recovered without loss to the sender.

Volumes begin with January and July of each year.

APPLETONS' JOURNAL and either *Harper's Weekly*, *Harper's Bazar*, *Harper's Magazine*, *Lippincott's Magazine*, the *Atlantic Monthly*, *Scribner's Monthly*, or the *Galaxy*, for one year, on receipt of \$7; APPLETONS' JOURNAL and *Littell's Living Age*, for \$10; APPLETONS' JOURNAL and *Oliver Optic's Magazine*, for \$5; the JOURNAL and POPULAR SCIENCE MONTHLY, for \$8.

D. APPLETON & CO., Publishers,
349 & 331 Broadway, N. Y.